

UNITED STATES DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



COTTONSEED REVIEW

Vol. 53, No. 18

January 11, 1989

COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins Range	Average	1/	State	Prices Paid Growers at Gins Range	Average	1/
Arizona	125-145	128.18	::	New Mexico	115-135	123.75	
Georgia	120-130	128.33*	::	Texas	95-150	112.97	

1/ Includes advances with final settlement at a later date.

\* Based on three or less reports.

Harvesting and ginning neared completion for the 1988-89 season in most areas of the Cotton Belt, according to the Cotton Division, Agricultural Marketing Service, USDA. Prices received by growers for cottonseed at the gin ranged from \$95 to \$150 per ton during the week ended January 10. Texas growers were paid \$108 to \$120 per ton and Arizona growers \$135 to \$145 per ton for cottonseed used for feeding livestock.

The U.S. average grade of cottonseed for the week was 104.7 based on results from 1,074 certificates received from licensed chemists. This was up from 102.4 last week. Certificates received for the season totaled 34,241 and grades averaged 98.7 against 98.5 the previous week.

Cottonseed receipts at oil mills totaled 1,392,000 tons during November, the largest November receipts since 1981, according to the Bureau of the Census. This compares with 900,000 tons last year and 532,000 tons in 1986. Through November this season, receipts totaled 3,049,000 tons, the largest four month total since 1981, compared with 2,575,000 tons last season and 1,900,000 tons two years ago. Oil mills crushed 375,000 tons of cottonseed during November compared with 344,000 tons the previous year and 262,000 tons two years ago. Through the first four months this season, oil mills had crushed 1,071,000 tons, up from 805,000 tons last season and 780,000 tons two years ago. Stocks of cottonseed at oil mills totaled 2,337,000 tons at the end of November. This was the largest end-of-November stocks since 1979 and compares with 1,959,000 tons on hand a year ago and 1,467,000 tons two years ago.

NOTICE: This is the final "Cottonseed Review" for the 1988-89 season.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 1/10/89

State	Quality factors - percent			Quantity factors - percent			Quality index			Quantity index			Average grade	Number of samples				
	Foreign matter	Moisture	Free fatty acids	Free fatty acids	Oil	Ammonia	Quality index	Quantity index	Quality index	Quantity index	Average grade							
	Wk	Sn	Mk	Wk	Sn	Mk	Wk	Sn	Mk	Wk	Sn	Mk	Wk	Sn				
AL	0.8	1.1	11.2	12.1	0.8	1.8	100.0	97.0	17.5	17.1	3.75	4.02	97.50	97.53	97.5	94.6	14	870
AR	1.2	0.9	12.8	11.7	1.3	0.8	98.3	99.2	16.5	17.0	3.83	3.87	93.79	96.21	92.3	95.5	25	4,258
GA	0.6	0.9	10.4	10.8	3.5	2.2	93.2	97.0	17.7	18.1	4.30	4.01	101.60	101.50	94.5	98.5	1	84
LA	0.7	0.8	10.4	11.6	2.3	1.5	98.1	98.5	17.6	17.2	3.87	3.88	98.60	95.07	96.8	93.7	30	3,161
MS	1.4	0.8	11.9	11.7	5.2	1.4	86.2	98.0	16.4	16.5	3.81	3.97	93.46	94.84	80.3	93.1	28	7,247
MO	2.7	1.4	15.1	12.3	1.8	0.9	95.1	98.5	17.3	17.3	3.45	3.68	94.70	96.09	90.0	94.8	26	1,308
NH	2.2	1.6	6.9	8.0	0.5	0.4	98.8	99.3	19.8	19.6	4.04	3.93	108.44	106.91	107.0	106.1	1	85
NC	-	1.0	-	10.8	-	1.2	-	99.0	-	18.2	-	4.05	-	102.06	-	101.0	0	209
OK	2.6	1.6	8.7	9.3	0.5	0.4	98.3	99.2	19.2	19.1	4.30	4.05	107.72	105.61	105.9	104.8	64	956
SC	-	0.9	-	10.7	-	2.8	-	95.4	-	18.2	-	4.18	-	102.88	-	98.1	0	228
TN	1.2	1.1	12.2	12.5	2.1	0.8	97.6	98.8	17.4	17.8	3.77	3.77	96.95	98.53	94.7	97.4	35	2,627
TX	2.2	1.7	7.4	8.1	0.5	0.4	98.8	99.1	20.0	19.0	3.88	3.95	106.82	104.64	106.6	104.4	849	13,182
OTHER	1.8	0.7	7.0	11.9	0.4	3.0	99.2	93.9	19.8	16.6	3.88	3.72	107.48	93.58	106.5	87.9	1	26
U.S.	2.1	1.2	8.1	10.3	0.7	0.9	98.3	98.6	19.5	17.9	3.89	3.92	105.52	99.73	104.7	98.7	1,074	34,241



UNITED STATES DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



## COTTONSEED REVIEW

Vol. 53, No. 17

January 4, 1989

### COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins	1/	State	Prices Paid Growers at Gins	1/
	Range	Average		Range	Average
Arizona	125-130	127.86	New Mexico	115-135	126.67*
Georgia	120-130	125.00*	Oklahoma	100-120	108.57
Louisiana	100-110	105.00*	Texas	90-135	109.38

1/ Includes advances with final settlement at a later date.

\* Based on three or less reports.

### PRICES OF COTTONSEED USED FOR FEEDING LIVESTOCK, BY REGIONS, RANGE IN DOLLARS PER TON

Southeastern	South Central	Southwestern	Western
-	135	102	130-140

Prices received by growers ranged from \$90 to \$135 per ton for cottonseed at the gin during the two-week period ended January 3, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed used for feeding livestock sold at prices ranging from \$102 to \$140 per ton.

The U.S. average grade of cottonseed for the two-week period was 102.4 based on results from 1,686 certificates received from licensed chemists. This was up from 101.2 in the previous week reported. Certificates received for the season totaled 33,167 and grades averaged 98.5 against 98.3 the previous week reported.

Refined cottonseed oil production totaled 97,483,000 pounds in October, up from 63,025,000 pounds the previous month, according to the Bureau of the Census. Consumption of both edible and inedible products totaled 79,372,000 pounds in October. Of the 78,773,000 pounds consumed in edible products, 16,266,000 pounds were used in baking or frying; 59,015,000 pounds in salad or cooking oil; and 3,492,000 pounds in margarine and other edible products. At the end of October, total cottonseed oil stocks were 163,714,000 pounds which included 74,593,000 pounds of crude oil and 89,121,000 pounds of refined oil.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 1/3/89

State	Quality factors - percent			Quantity factors - percent			Quality			Quantity			Average			Number of samples		
	Moisture	Free fatty acids	Oil	Ammonia	Oil	Ammonia	index	index	index	index	grade	grade	grade	grade				
	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn		
AL	1.0	1.1	12.1	1.9	1.8	97.9	96.9	18.0	17.1	4.00	4.02	101.15	97.53	99.0	94.6	32	856	
AR	1.6	0.9	11.6	1.4	0.8	98.7	99.2	16.4	17.0	3.77	3.87	93.16	96.22	91.9	95.5	118	4,233	
GA	1.3	0.9	11.5	2.2	2.2	97.1	97.1	17.0	18.1	3.93	4.01	96.45	101.50	93.7	98.5	3	83	
LA	2.1	0.8	11.6	1.8	1.5	98.1	98.5	15.7	17.2	3.92	3.88	91.43	95.03	89.7	93.6	36	3,131	
MS	1.3	0.8	11.7	2.9	1.4	94.0	98.1	16.1	16.5	3.74	3.97	91.63	94.84	86.3	93.2	88	7,219	
MO	2.2	1.3	12.0	1.3	0.9	97.4	98.5	17.2	17.3	3.57	3.68	95.32	96.11	92.9	94.8	58	1,282	
NM	2.2	1.5	7.9	8.1	0.5	98.7	99.3	19.4	19.6	3.94	3.92	106.22	106.87	104.8	106.1	7	84	
NC	1.7	1.0	10.5	10.8	0.8	1.2	99.3	99.0	18.8	18.2	4.09	4.05	104.74	102.06	104.0	101.0	11	209
OK	2.0	1.6	8.7	9.3	0.5	0.4	99.0	99.3	19.0	19.1	4.12	4.03	105.88	105.48	104.8	104.7	90	892
SC	2.3	0.9	10.0	10.7	0.7	2.8	98.7	95.4	18.9	18.2	3.93	4.18	104.18	102.88	103.0	98.1	1	228
TN	1.6	1.1	11.0	12.5	1.2	0.8	98.9	98.8	17.8	17.8	3.70	3.77	98.32	98.54	97.2	97.4	145	2,592
TX	2.1	1.7	7.2	8.1	0.4	0.4	98.9	99.1	19.9	19.0	3.92	3.96	107.93	104.49	106.7	104.3	1,095	12,333
OTHER	0.6	0.6	12.5	12.1	1.4	3.1	98.8	93.7	15.1	16.4	3.59	3.71	86.71	93.03	85.8	87.1	2	25
U.S.	1.9	1.2	8.6	10.4	0.8	0.9	98.5	98.6	18.9	17.8	3.88	3.92	103.89	99.55	102.4	98.5	1,686	33,167



UNITED STATES DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



## COTTONSEED REVIEW

Vol. 53, No. 16

December 21, 1988

### COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins Range	Average	1/::	State	Prices Paid Growers at Gins 1/ Range	Average
Alabama	95-120	106.67	::	New Mexico	115-135	123.75
Arizona	120-130	127.50	::	North Carolina	110-130	121.25
Arkansas	110	110.00*	::	Oklahoma	105-120	108.75
California	90-175	149.50	::	South Carolina	125-140	130.00
Georgia	120-135	127.50	::	Tennessee	100-140	113.00
Louisiana	110	110.00*	::	Texas	95-130	108.58
Mississippi	95-150	112.50	::			

1/ Includes advances with final settlement at a later date.

\* Based on three or less reports.

### PRICES OF COTTONSEED USED FOR FEEDING LIVESTOCK, BY REGIONS, RANGE IN DOLLARS PER TON

Southeastern	South Central	Southwestern	Western
150-155	135	106	130-175

Prices received by growers ranged from \$90 to \$175 per ton for cottonseed at the gin during the week ended December 20, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed used for feeding livestock sold at prices ranging from \$106 to \$175 per ton.

The U.S. average grade of cottonseed for the week was 101.2 based on results from 2,002 certificates received from licensed chemists. This was down from 101.4 last week. Certificates received for the season totaled 31,481 and grades averaged 98.3 against 98.1 the previous week.

World supply and demand estimates of oilseeds. World oilseed production in 1988-89 is forecast at 201 million tons, slightly above last month's estimate, but still below the record 206 million tons of 1987-88. Peanut and soybean crop forecasts for India were increased 500,000 and 200,000 tons, respectively, more than offsetting declines in the forecasts for Indian cottonseed and Argentine sunflower and flaxseed. Foreign oilseed production is forecast at a record 152 million tons, up 4 percent from last year. The U.S. oilseed production forecast was raised slightly to 49.1 million tons because of a 135,000 ton increase in cottonseed output. Higher oilseed production in India will increase vegetable oil output by 126,000 tons, reducing import demand. India's soybean oil and palm oil imports are expected to decline, reducing total vegetable oil imports to 1.23 million tons. Accordingly, the U.S. soybean oil export forecast was reduced to 590,000 tons and U.S. carryover stocks were increased by an equal amount. World oilseed crush was raised marginally to 167.3 million tons, reflecting higher production. World crush is forecast 1 percent above 1987-88. World soybean crush was also raised to 82.9 million tons, leaving crush just 1 percent below last year.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 12/20/88

State	Quality factors - percent			Quantity factors - percent			Quantity index			Average grade			Number of samples					
	Foreign matter	Free fatty acids	Moisture	Oil	Ammonia	Quality index	Quantity index	Average grade	Quantity index	Average grade	Quantity index							
	Wk	Sn	Mk	Wk	Sn	Mk	Wk	Sn	Mk	Wk	Sn	Mk	Wk	Sn				
AL	0.9	1.1	10.3	12.2	1.1	1.8	99.9	96.9	17.2	17.1	3.83	4.02	96.63	97.39	96.5	94.4	33	824
AR	2.5	0.9	12.1	11.7	1.0	0.8	97.5	99.2	16.7	17.0	3.73	3.87	94.25	96.31	92.0	95.6	144	4,115
GA	1.0	0.9	10.3	10.8	2.4	2.2	96.7	97.1	17.9	18.2	4.01	4.01	100.75	101.71	97.4	98.7	9	80
LA	1.6	0.8	13.4	11.6	3.7	1.5	89.9	98.5	15.3	17.2	3.76	3.88	88.59	95.07	79.3	93.7	55	3,095
MS	1.2	0.8	12.6	11.7	1.9	1.4	96.2	98.1	16.3	16.5	3.79	3.97	92.91	94.88	89.4	93.2	194	7,131
MO	2.0	1.3	12.9	12.3	1.1	0.9	97.2	98.6	17.0	17.3	3.55	3.69	94.27	96.14	91.5	94.9	76	1,224
NM	2.9	1.4	8.0	8.1	0.4	0.4	98.1	99.4	19.2	19.6	3.90	3.92	105.37	106.99	103.3	106.3	5	77
NC	1.1	0.9	10.6	10.8	1.6	1.3	99.9	98.9	18.2	18.2	3.92	4.05	101.32	101.92	101.0	100.9	17	198
OK	1.9	1.5	9.0	9.4	0.5	0.4	99.0	99.3	19.0	19.1	4.19	4.02	106.21	105.44	105.1	104.7	358	802
SC	0.8	0.9	9.3	10.8	1.4	2.9	100.0	95.3	18.9	18.2	4.08	4.19	104.88	102.85	104.8	98.0	2	227
TN	1.8	1.0	11.3	12.6	1.2	0.8	99.2	98.8	17.7	17.8	3.70	3.77	98.15	98.56	97.3	97.4	93	2,447
TX	2.3	1.6	7.3	8.2	0.4	0.4	98.7	99.1	19.7	18.9	3.93	3.96	107.54	104.18	106.2	104.1	1,013	11,238
OTHER	0.8	0.6	12.4	12.1	1.0	3.2	99.3	93.2	15.2	16.6	3.58	3.72	87.30	93.57	86.8	87.2	3	23
U.S.	2.0	1.2	9.2	10.5	0.9	1.0	98.2	98.6	18.6	17.7	3.92	3.92	103.01	99.33	101.2	98.3	2,002	31,481



UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



COTTONSEED REVIEW

Vol. 53, No. 15

December 14, 1988

COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins Range	Average	1/	State	Prices Paid Growers at Gins Range	Average	1/
Alabama	90-125	105.71	::	New Mexico	115-130	122.50*	::
Arizona	120-140	128.59	::	North Carolina	115-130	122.14	::
Arkansas	110	110.00*	::	Oklahoma	100-120	108.85	::
California	90-175	144.46	::	South Carolina	120-140	127.86	::
Georgia	125-135	128.13	::	Tennessee	95-115	107.73	::
Louisiana	100-135	114.29	::	Texas	90-130	109.01	::
Mississippi	95-115	108.13	::				::

1/ Includes advances with final settlement at a later date.

\* Based on three or less reports.

PRICES OF COTTONSEED USED FOR FEEDING LIVESTOCK, BY REGIONS,  
 RANGE IN DOLLARS PER TON

Southeastern	South Central	Southwestern	Western
150-155	135	105	130-175

Prices received by growers ranged from \$90 to \$175 per ton for cottonseed at the gin during the week ended December 13, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed used for feeding livestock sold at prices ranging from \$105 to \$175 per ton.

The U.S. average grade of cottonseed for the week was 101.4 based on results from 1,574 certificates received from licensed chemists. This was up from 100.9 last week. Certificates received for the season totaled 29,479 and grades averaged 98.1 against 97.9 the previous week.

U.S. cottonseed production for the 1988-89 season, based on a three year average lint-seed ratio, was forecast at 5.95 million tons, according to the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This estimate was based on surveys taken about December 1. Production this season was expected to be about 3 percent above the 1987 crop of 5.77 million tons and 57 percent higher than production in 1986 of 3.80 million tons.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 12/13/88

State	Quality factors - percent			Quantity factors - percent			Quantity index			Average grade			Number of samples					
	Foreign matter	Moisture	Free fatty acids	Oil	Ammonia	Quantity index	Average grade	Quantity index	Average grade	Quantity index	Average grade							
	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn				
AL	1.2	1.1	13.9	12.2	0.8	1.9	97.9	96.8	16.3	17.1	3.97	4.03	94.02	97.42	92.0	94.3	19	791
AR	1.6	0.8	12.3	11.7	1.1	0.8	98.5	99.3	16.8	17.0	3.82	3.87	95.10	96.38	93.8	95.7	136	3,971
GA	1.0	0.8	11.8	10.8	1.5	2.2	98.6	97.1	17.9	18.2	3.87	4.01	99.65	101.85	98.3	98.9	8	71
LA	1.1	0.8	11.4	11.6	2.0	1.4	97.2	98.6	17.4	17.2	3.55	3.88	95.82	95.18	93.0	93.9	40	3,040
MS	1.5	0.7	13.2	11.7	3.1	1.4	92.4	98.2	15.6	16.5	3.80	3.98	90.30	94.93	83.7	93.4	111	6,937
MO	2.1	1.3	14.0	12.3	1.4	0.9	95.6	98.7	17.0	17.3	3.58	3.69	94.55	96.25	90.6	95.1	40	1,148
MI	1.8	1.2	7.0	8.1	0.4	0.4	99.2	99.6	19.6	19.7	3.90	3.92	106.68	107.23	105.8	106.7	7	72
NC	1.3	0.9	11.9	10.9	1.9	1.3	97.3	98.9	17.5	18.1	3.92	4.05	98.39	101.95	95.8	100.8	32	181
OK	2.3	1.2	8.4	9.7	0.3	0.4	98.7	99.5	19.8	19.1	4.18	3.91	109.28	104.89	108.0	104.5	16	444
SC	1.3	0.9	11.5	10.8	1.9	2.9	98.4	95.1	18.1	18.1	4.04	4.19	101.56	102.74	99.9	97.6	5	225
TN	1.9	1.0	12.5	12.7	1.2	0.8	97.9	98.8	17.6	17.8	3.69	3.77	97.72	98.57	95.8	97.4	102	2,354
TX	2.0	1.6	7.2	8.3	0.4	0.4	96.9	99.2	19.7	18.8	3.93	3.96	107.46	103.84	106.3	103.9	1,056	10,225
OTHER	1.1	0.6	12.1	12.0	4.0	3.5	91.1	92.3	16.2	16.8	3.75	3.75	92.30	94.52	84.0	87.3	2	20
U.S.	1.8	1.1	9.1	10.6	0.9	1.0	98.2	98.7	18.7	17.7	3.88	3.92	103.25	99.07	101.4	98.1	1,574	29,479





## COTTONSEED REVIEW

Vol. 53, No. 14

December 7, 1988

### COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins Range	Average	1/	State	Prices Paid Growers at Gins Range	Average	1/
Alabama	90-125	103.46	::	New Mexico	115-130	123.75	
Arizona	120-140	128.89	::	North Carolina	110-130	121.43	
Arkansas	110	110.00*	::	Oklahoma	95-120	105.67	
California	90-175	147.17	::	South Carolina	120-140	128.13	
Georgia	115-140	128.89	::	Tennessee	100-140	111.43	
Louisiana	100-135	113.46	::	Texas	90-130	108.66	
Mississippi	95-150	112.27	::				

1/ Includes advances with final settlement at a later date.

\* Based on three or less reports.

### PRICES OF COTTONSEED USED FOR FEEDING LIVESTOCK, BY REGIONS, RANGE IN DOLLARS PER TON

Southeastern	South Central	Southwestern	Western
150-155	135	102	130-175

Prices received by growers ranged from \$90 to \$175 per ton for cottonseed at the gin during the week ended December 6, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed used for feeding livestock sold at prices ranging from \$102 to \$175 per ton.

The U.S. average grade of cottonseed for the week was 100.9 based on results from 1,755 certificates received from licensed chemists. This was up from 99.7 last week. Certificates received for the season totaled 27,905 and grades averaged 97.9 against 97.7 the previous week.

World supply and demand estimates. World oilseed production in 1988-89 is forecast at 200 million tons, essentially unchanged from last month but 3 percent below last year's record crop. Foreign oilseed production is forecast at 151.3 million tons, up 4 percent from last year. U.S. production is forecast at 49 million tons, down 19 percent from last year but slightly above month-earlier estimates. Slightly higher estimates of U.S. soybean and cottonseed production more than offset lower peanut output. Soybean production remains 22 percent below the 1987 level.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 12/6/88

State	Quality factors - percent			Quantity factors - percent			Quality index			Quantity index			Average grade	Number of samples				
	Foreign matter	Moisture	Free fatty acids	Oil	Ammonia	Quality index	Quantity index	Average grade	Number of samples									
	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk				
AL	0.8	1.1	13.8	12.2	2.1	1.9	95.5	96.8	17.4	17.1	3.92	4.03	98.09	97.47	93.6	94.3	47	772
AR	1.2	0.8	13.0	11.7	1.4	0.8	97.7	99.3	16.3	17.0	3.73	3.88	92.77	96.43	90.6	95.8	175	3,835
GA	0.9	0.8	11.9	10.7	2.0	2.3	98.2	96.9	18.1	18.2	3.85	4.03	100.39	102.17	98.6	99.0	7	63
LA	1.0	0.8	12.4	11.6	2.0	1.4	97.6	98.7	16.1	17.2	3.71	3.88	91.81	95.17	89.5	93.9	131	3,000
MS	1.1	0.7	12.3	11.7	2.8	1.4	94.6	98.2	16.5	16.5	3.86	3.98	94.17	95.01	89.1	93.5	171	6,826
MO	1.5	1.2	14.1	12.2	1.4	0.9	97.0	98.8	17.4	17.3	3.58	3.70	95.97	96.31	93.2	95.3	31	1,108
NM	2.6	1.1	6.7	8.4	0.4	0.3	98.4	99.7	20.9	19.7	3.99	3.93	112.54	107.37	110.5	107.0	11	65
NC	1.3	0.9	10.2	10.7	0.4	1.1	99.7	99.2	18.8	18.3	4.00	4.08	104.20	102.62	104.0	101.8	15	149
OK	-	1.2	-	9.7	-	0.4	-	99.6	-	19.1	-	3.90	-	104.81	-	104.4	0	428
SC	1.1	0.8	10.6	10.7	2.6	3.1	96.3	94.6	18.1	18.2	4.08	4.22	101.80	102.92	98.1	97.3	8	220
TN	1.4	1.0	12.7	12.7	0.9	0.8	98.7	98.8	17.9	17.8	3.71	3.78	98.81	98.61	97.5	97.5	135	2,252
TX	1.9	1.5	7.3	8.4	0.4	0.4	99.1	99.2	19.9	18.7	3.95	3.97	108.47	103.44	107.5	103.6	1,022	9,169
OTHER	0.5	0.6	13.4	12.0	1.5	3.5	98.6	92.5	16.8	16.8	3.68	3.75	94.08	94.76	92.8	87.7	2	18
U.S.	1.5	1.1	9.6	10.7	1.1	1.0	98.1	98.7	18.6	17.6	3.88	3.93	102.72	98.82	100.9	97.9	1,755	27,905



UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



COTTONSEED REVIEW

Vol. 53, No. 13

November 30, 1988

COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins Range	Average	1/	State	Prices Paid Growers at Gins Range	Average	1/
Alabama	90-125	108.57	::	Missouri	100-140	117.50	
Arizona	120-140	128.24	::	New Mexico	115-130	125.00*	
Arkansas	100-120	109.91	::	North Carolina	110-130	121.11	
California	90-175	149.34	::	Oklahoma	105-120	110.63	
Georgia	130-155	138.75	::	South Carolina	120-140	130.00	
Louisiana	100-135	108.67	::	Tennessee	100-150	112.50	
Mississippi	75-150	104.98	::	Texas	90-150	114.54	

1/ Includes advances with final settlement at a later date.

\* Based on three or less reports.

PRICES OF COTTONSEED USED FOR FEEDING LIVESTOCK, BY REGIONS,  
 RANGE IN DOLLARS PER TON

Southeastern	South Central	Southwestern	Western
150-155	115	111	130-175

Prices received by growers ranged from \$75 to \$175 per ton for cottonseed at the gin during the week ended November 29, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed used for feeding livestock sold at prices ranging from \$111 to \$175 per ton.

The U.S. average grade of cottonseed for the week was 99.7, based on results from 1,994 certificates received from licensed chemists. This was up from 97.1 last week. Certificates received for the season totaled 26,150 and grades averaged 97.7 against 97.5 the previous week.

Cottonseed receipts at oil mills totaled 1,012,000 tons during October, up from 973,000 tons last year and 925,000 tons in 1986, according to the Bureau of the Census. Through October this season, oil mills received 1,657,000 tons compared with 1,676,000 tons a year earlier and 1,368,000 tons two years ago. October crushings of cottonseed by oil mills totaled 299,000 tons, up from 252,000 tons last season and 209,000 tons two years ago. Through the first three months this season, oil mills had crushed 696,000 tons. This was up from 461,000 tons last season and 518,000 tons two years ago. Stocks of cottonseed at oil mills totaled 1,320,000 tons at the end of October. This was down from 1,404,000 tons on hand at the end of October last year and 1,197,000 tons two years ago.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 11/29/88

State	Quality factors - percent			Quantity factors - percent			Quantity			Average			Number of samples					
	Foreign matter	Free fatty acids	Moisture	Free fatty acids	Oil	Ammonia	Quality index	Quantity index	Average grade	Quantity	Average grade	Number of samples						
	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn				
AL	2.5	1.1	13.6	12.1	2.0	1.9	95.1	96.8	17.1	17.1	3.86	4.04	96.74	97.43	92.1	94.4	51	725
AR	1.2	0.8	12.6	11.6	0.9	0.7	98.6	99.4	16.8	17.1	3.77	3.88	94.70	96.60	93.4	96.0	184	3,660
GA	1.0	0.8	11.1	10.5	1.1	2.3	100.0	96.7	19.3	18.3	3.70	4.06	104.40	102.44	104.5	99.1	10	56
LA	0.6	0.8	13.1	11.6	1.8	1.4	97.3	98.7	16.0	17.2	3.68	3.89	91.14	95.32	88.8	94.1	70	2,869
MS	0.9	0.7	12.9	11.7	2.2	1.3	95.7	98.3	16.0	16.5	3.82	3.98	91.85	95.03	87.9	93.6	274	6,655
MO	1.3	1.2	13.4	12.2	0.8	0.8	98.1	98.8	16.9	17.3	3.50	3.70	93.77	96.32	92.0	95.3	57	1,077
NM	2.0	1.0	7.2	8.5	0.4	0.3	99.1	99.7	19.6	19.7	3.87	3.93	106.49	107.17	105.4	106.9	6	54
NC	1.0	0.8	11.1	10.7	1.4	1.2	99.4	99.2	18.4	18.2	4.04	4.08	102.86	102.52	102.4	101.6	40	134
OK	1.2	1.2	9.8	9.7	0.4	0.4	99.7	99.6	18.2	19.1	4.00	3.90	101.75	104.81	101.6	104.4	117	428
SC	1.3	0.7	10.4	10.8	2.0	3.3	98.9	94.0	18.2	18.2	4.15	4.26	102.70	103.30	101.5	97.0	15	212
TN	1.3	1.0	13.9	12.7	0.9	0.8	97.6	98.9	17.3	17.8	3.73	3.78	96.69	98.60	94.4	97.5	142	2,117
TX	1.9	1.5	7.7	8.6	0.4	0.4	99.1	99.2	19.6	18.5	3.89	3.97	106.85	102.82	105.8	103.1	1,024	8,147
OTHER	0.7	0.6	13.2	11.9	2.1	3.7	97.0	91.7	17.2	16.8	3.71	3.75	96.06	94.85	93.3	87.0	4	16
U.S.	1.5	1.0	10.0	10.7	0.9	1.0	98.3	98.7	18.3	17.6	3.85	3.93	101.35	98.55	99.7	97.7	1,994	26,150



UNITED STATES DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



COTTONSEED REVIEW

Vol. 53, No. 12

November 23, 1988

COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins Range	Average	1/	State	Prices Paid Growers at Gins Range	Average
Alabama	90-120	105.75	::	Missouri	100-140	114.00
Arizona	115-155	129.64	::	New Mexico	115-135	125.00
Arkansas	90-125	110.38	::	North Carolina	110-130	120.56
California	90-175	145.62	::	Oklahoma	105-120	108.18
Georgia	115-145	130.00	::	South Carolina	110-140	126.25
Louisiana	105-135	115.00	::	Tennessee	100-140	112.50
Mississippi	75-115	102.33	::	Texas	105-135	115.43

1/ Includes advances with final settlement at a later date.

PRICES OF COTTONSEED USED FOR FEEDING LIVESTOCK, BY REGIONS,  
 RANGE IN DOLLARS PER TON

Southeastern	South Central	Southwestern	Western
150-155	115	116	125-175

Prices received by growers ranged from \$75 to \$175 per ton for cottonseed at the gin during the week ended November 22, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed used for feeding livestock sold at prices ranging from \$115 to \$175 per ton.

The U.S. average grade of cottonseed for the week was 97.1, based on results from 2,419 certificates received from licensed chemists. This was down from 102.1 last week. Certificates received for the season totaled 24,156 and grades averaged 97.5 against 97.6 the previous week.

Prices received by farmers for cottonseed in the United States averaged \$120 per ton in mid October, according to the National Agricultural Statistics Service, USDA. The price for the entire month of September was \$104 per ton. In October 1987 the average price was \$77 per ton.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 11/22/88

State	Quality factors - percent			Quantity factors - percent			Quality index			Quantity index			Average grade			Number of samples		
	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk		Sn	
AL	1.5	1.0	14.4	12.0	3.0	1.8	92.0	97.0	16.5	17.0	3.84	4.05	94.09	97.49	86.4	94.5	60	674
AR	1.0	0.7	12.7	11.6	1.1	0.7	98.6	99.4	17.0	17.1	3.79	3.89	95.71	96.70	94.3	96.2	190	3,476
GA	0.8	0.8	10.5	10.5	1.8	2.4	99.2	96.6	18.3	18.2	3.99	4.07	101.92	102.40	101.2	98.9	6	46
LA	0.9	0.8	12.2	11.5	2.2	1.4	97.3	98.7	16.2	17.3	3.74	3.90	92.34	95.43	89.9	94.3	260	2,799
MS	1.1	0.7	12.0	11.6	2.5	1.3	95.6	98.5	16.1	16.6	3.87	3.99	92.84	95.17	88.6	93.9	505	6,381
MO	2.1	1.2	12.7	12.1	0.9	0.9	98.0	98.9	16.4	17.3	3.55	3.71	92.05	96.44	90.3	95.5	91	1,020
NM	1.1	0.7	7.4	8.8	0.4	0.3	99.9	100.0	19.1	19.7	4.04	3.94	105.64	107.38	105.5	107.3	10	48
NC	0.5	0.8	11.4	10.6	0.6	1.1	100.0	99.1	18.0	18.2	4.08	4.10	101.48	102.39	101.5	101.4	17	94
OK	1.7	1.2	7.3	9.7	0.3	0.4	99.3	99.5	19.7	19.4	4.14	3.87	108.34	105.69	108.0	105.2	1	311
SC	0.9	0.7	11.4	10.8	2.0	3.3	98.6	93.8	18.4	18.2	4.08	4.27	103.08	103.32	101.6	96.8	7	197
TN	1.5	0.9	12.7	12.6	1.0	0.7	98.5	98.9	17.7	17.8	3.69	3.78	97.72	98.74	96.3	97.7	260	1,975
TX	1.9	1.4	7.8	8.7	0.3	0.4	99.0	99.3	19.7	18.4	3.84	3.98	106.77	102.25	104.8	102.7	1,009	7,123
OTHER	0.5	0.5	11.9	11.4	4.5	4.3	89.1	89.9	16.5	16.7	3.66	3.77	93.09	94.44	82.8	85.0	3	12
U.S.	1.5	1.0	10.5	10.8	1.3	1.0	97.8	98.8	17.9	17.5	3.82	3.94	99.61	98.32	97.1	97.5	2,419	24,156



UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



COTTONSEED REVIEW

Vol. 53, No. 11

November 16, 1988

COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins	1/	State	Prices Paid Growers at Gins	1/
	Range	Average		Range	Average
Alabama	100-120	106.82	Missouri	100-150	116.00
Arizona	120-160	129.95	New Mexico	115-135	127.50
Arkansas	90-115	107.25	North Carolina	110-130	120.63
California	90-175	147.94	Oklahoma	100-120	108.00
Georgia	120-135	127.50	South Carolina	125-140	127.86
Louisiana	100-135	115.29	Tennessee	100-145	114.17
Mississippi	75-115	102.99	Texas	105-130	112.69

1/ Includes advances with final settlement at a later date.

PRICES OF COTTONSEED USED FOR FEEDING LIVESTOCK, BY REGIONS,  
 RANGE IN DOLLARS PER TON

Southeastern	South Central	Southwestern	Western
150-155	120	110	125-175

Prices received by growers ranged from \$75 to \$175 per ton for cottonseed at the gin during the week ended November 15, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed used for feeding livestock sold at prices ranging from \$110 to \$175 per ton.

The U.S. average grade of cottonseed for the week was 102.1, based on results from 2,616 certificates received from licensed chemists. This was up from 98.0 last week. Certificates received for the season totaled 21,737 and grades averaged 97.6 against 97.0 the previous week.

U.S. cottonseed production for the 1988-89 season, based on a three year average lint-seed ration, was forecast at 5,803,000 tons, according to the Agricultural Statistics Board, National agricultural Statistics Service, USDA. This estimate was based on surveys taken about November 1. Production this season is expected to be about 1 percent below the 1987 crop of 5,769,000 tons but 53 percent above production in 1986 of 3,801,000 tons.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 11/15/88

State	Quality factors - percent				Quantity factors - percent				Quantity index				Average grade	Number of samples				
	Foreign matter	Moisture	Free fatty acids	Ammonia	Quality index	Oil	Ammonia	Quantity index	Quantity index	Quantity index	Quantity index	Quantity index						
	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn		
AL	0.9	1.0	13.6	11.8	2.4	1.7	95.0	97.5	17.0	17.1	3.93	4.07	96.66	97.84	91.8	95.4	61	614
AR	0.8	0.7	12.1	11.5	0.9	0.7	99.1	99.5	16.8	17.1	3.80	3.89	95.09	96.76	94.1	96.3	350	3,286
GA	0.9	0.8	11.3	10.5	2.2	2.5	97.1	96.3	18.2	18.2	3.93	4.08	101.15	102.47	98.1	98.6	4	40
LA	0.9	0.8	12.6	11.5	1.6	1.3	98.2	98.9	16.2	17.4	3.76	3.91	92.35	95.75	90.7	94.7	227	2,539
MS	0.8	0.7	11.9	11.6	2.0	1.2	97.3	98.7	16.6	16.6	3.89	4.00	94.79	95.36	92.2	94.3	616	5,876
MO	1.2	1.1	11.7	12.0	0.9	0.8	99.2	98.9	17.5	17.4	3.70	3.73	97.23	96.85	96.4	96.0	96	929
NM	1.0	0.7	7.2	8.9	0.3	0.3	100.0	100.0	19.9	19.7	3.81	3.94	107.46	107.47	107.5	107.4	10	38
NC	0.8	0.8	11.2	9.5	0.4	2.2	100.0	99.0	19.9	16.3	3.84	5.71	107.64	102.47	107.5	101.4	14	77
OK	1.6	1.2	9.5	9.7	0.4	0.4	99.2	99.5	19.1	19.4	4.10	3.87	105.92	105.62	105.1	105.1	84	310
SC	1.0	0.6	11.2	10.6	2.4	3.9	97.6	91.7	18.7	18.1	4.13	4.35	104.58	103.43	102.0	94.7	10	190
TN	1.4	0.8	12.2	12.5	0.9	0.7	99.0	99.0	17.8	17.8	3.75	3.80	98.56	98.89	97.6	98.0	173	1,715
TX	1.7	1.3	8.2	8.8	0.3	0.5	99.2	99.3	19.5	18.1	3.90	4.01	106.52	101.50	115.8	102.4	969	6,114
OTHER	0.8	0.5	11.1	11.3	2.5	4.2	97.2	90.2	17.0	16.8	3.72	3.80	95.29	94.89	92.8	85.7	2	9
U.S.	1.2	0.9	10.5	10.8	1.1	0.9	98.5	98.9	17.9	17.4	3.86	3.96	99.85	98.18	102.1	97.6	2,616	21,737



UNITED STATES DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



## COTTONSEED REVIEW

Vol. 53, No. 10

November 9, 1988

### COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins Range	Average	1/	State	Prices Paid Growers at Gins Range	Average
Alabama	90-115	102.75	::	Missouri	100-150	114.00
Arizona	120-155	129.44	::	New Mexico	115-135	125.83
Arkansas	90-125	107.92	::	North Carolina	110-135	122.86
California	90-175	147.94	::	Oklahoma	100-120	107.73
Georgia	125-135	131.00	::	South Carolina	120-150	130.00
Louisiana	105-115	108.33	::	Tennessee	110-138	113.25
Mississippi	75-115	104.31	::	Texas	105-135	115.35

1/ Includes advances with final settlement at a later date.

### PRICES OF COTTONSEED USED FOR FEEDING LIVESTOCK, BY REGIONS, RANGE IN DOLLARS PER TON

Southeastern	South Central	Southwestern	Western
150-155	115	108	125-175

Prices received by growers ranged from \$75 to \$175 per ton for cottonseed at the gin during the week ended November 8, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed used for feeding livestock sold at prices ranging from \$108 to \$175 per ton.

The U.S. average grade of cottonseed for the week was 98.0, based on results from 2,895 certificates received from licensed chemists. This was up from 97.9 last week. Certificates received for the season totaled 19,121 and grades averaged 97.0 against 96.8 the previous week.

Cottonseed receipts at oil mills totaled 327,000 tons during September, down sharply from 574,000 tons a year ago but up slightly from 324,000 tons in 1986, according to the Bureau of the Census. Through September this season, oil mills received 554,000 tons. A year earlier, oil mills had received 703,000 tons and 443,000 tons two years ago. Oil mills crushed 173,000 tons of cottonseed during September. This was up from 138,000 tons and 168,000 tons in September 1987 and 1986, respectively. Through the first two months this season, oil mills had crushed 390,000 tons. Through September a year ago, crushings totaled 209,000 tons and 309,000 tons two years earlier. Stocks of cottonseed at oil mills at the end of September totaled 522,000 tons and compares with 683,000 tons a year earlier and 481,000 tons two years ago.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 11/8/88

State	Quality factors - percent			Quantity factors - percent			Quantity index	Average grade	Number of samples									
	Foreign matter	Moisture	Free fatty acids	Oil	Ammonia	Quantity index												
	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn								
AL	1.2	1.0	12.2	11.5	2.1	1.6	97.0	97.8	17.4	17.1	4.08	4.09	99.21	97.98	96.2	95.8	111	553
AR	0.9	0.7	12.3	11.4	0.8	0.7	99.1	99.5	16.9	17.1	3.83	3.91	95.77	96.96	94.9	96.5	457	2936
GA	0.6	0.8	9.8	10.4	2.0	2.5	98.3	96.2	18.7	18.3	4.01	4.10	103.97	102.62	102.2	98.7	9	36
LA	0.7	0.8	12.3	11.4	1.6	1.3	98.2	99.0	16.7	17.5	4.14	3.93	94.08	96.08	92.5	95.1	170	2312
MS	0.8	0.7	11.8	11.5	1.8	1.1	97.4	98.9	16.7	16.6	3.91	4.01	95.31	95.43	92.8	94.6	623	5260
MO	1.2	1.1	12.5	12.1	0.8	0.8	99.0	98.9	17.4	17.4	3.63	3.73	96.18	96.81	95.2	95.9	193	833
NM	1.1	0.7	8.2	9.0	0.5	0.3	99.9	100.0	19.7	19.7	4.06	3.95	108.16	107.47	108.0	107.4	11	28
NC	1.3	0.8	9.6	9.3	0.6	2.4	99.7	98.9	19.0	15.9	4.13	5.92	105.78	101.90	105.5	100.7	23	63
OK	1.1	1.1	9.7	9.8	0.3	0.4	99.6	99.6	19.4	19.4	3.80	3.80	105.33	105.53	104.9	105.1	184	226
SC	0.9	0.5	9.5	10.5	2.8	4.0	96.0	91.3	18.6	18.0	4.34	4.36	105.44	103.35	101.0	94.2	18	180
TN	1.0	0.8	12.7	12.6	0.9	0.7	98.9	99.0	17.7	17.8	3.76	3.80	98.14	98.93	97.1	98.0	354	1542
TX	2.0	1.3	8.7	9.0	0.4	0.5	98.9	99.3	19.3	17.9	3.88	4.03	105.57	100.56	104.4	99.9	740	5145
OTHER	0.4	0.5	11.4	11.3	2.8	4.7	96.0	88.2	17.1	16.7	3.74	3.83	95.64	94.78	91.8	83.6	2	7
U.S.	1.2	0.9	11.1	10.8	1.0	0.9	98.5	98.9	17.8	17.4	3.87	3.97	99.43	97.95	98.0	97.0	2895	19121



UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



COTTONSEED REVIEW

Vol. 53, No. 9

November 2, 1988

COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins	1/	State	Prices Paid Growers at Gins	1/
	Range	Average		Range	Average
Alabama	100-125	105.26	Missouri	95-110	103.75
Arizona	120-135	127.25	New Mexico	115-135	127.50
Arkansas	90-125	110.00	North Carolina	110-135	123.29
California	130-158	148.38	Oklahoma	100-120	107.73
Georgia	110-140	129.09	South Carolina	120-150	128.89
Louisiana	100-135	114.75	Tennessee	110-138	113.06
Mississippi	75-115	103.38	Texas	100-135	110.20

1/ Includes advances with final settlement at a later date.

PRICES OF COTTONSEED USED FOR FEEDING LIVESTOCK, BY REGIONS,  
 RANGE IN DOLLARS PER TON

Southeastern	South Central	Southwestern	Western
155	115	105-110	125-160

Prices received by growers ranged from \$75 to \$158 per ton for cottonseed at the gin during the week ended November 1, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed used for feeding livestock sold at prices ranging from \$105 to \$160 per ton.

The U.S. average grade of cottonseed for the week was 97.9, based on results from 2,208 certificates received from licensed chemists. This was up from 97.2 last week. Certificates received for the season totaled 16,226 and grades averaged 96.8 against 96.6 the previous week.

World supply and demand estimates. World oilseed production in 1988-89 is forecast at 201 million tons, unchanged from last month but 3 percent below last year's record crop. Foreign oilseed production is forecast at a record 152.2 million tons, down slightly from last month as lower soybean and peanut crop estimates were largely offset by increases in sunflowerseed and rapeseed. Soybean and peanut production were reduced significantly in China where both flooding and drought have reduced yields. Increases included peanuts and rapeseed in India and sunflowerseed in Spain and Argentina.





UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



COTTONSEED REVIEW

Vol. 53, No. 8

October 26, 1988

COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins	1/	State	Prices Paid Growers at Gins	1/
	Range	Average		Range	Average
Alabama	95-135	105.24	Missouri	100-110	107.50
Arizona	130-135	132.50	New Mexico	115-140	129.00
Arkansas	90-115	107.27	North Carolina	120-150	126.11
California	130-158	146.60	Oklahoma	105	105.00
Georgia	105-135	125.00	South Carolina	110-130	119.00
Louisiana	100-135	116.03	Tennessee	110-138	112.75
Mississippi	75-115	103.98	Texas	105-130	115.00

1/ Includes advances with final settlement at a later date.

PRICES OF COTTONSEED USED FOR FEEDING LIVESTOCK, BY REGIONS,  
 RANGE IN DOLLARS PER TON

Southeastern	South Central	Southwestern	Western
150	210	-	130-155

Prices received by growers ranged from \$75 to \$158 per ton for cottonseed at the gin during the week ended October 25, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed used for feeding livestock sold at \$130 to \$210 per ton.

The U.S. average grade of cottonseed for the week was 97.2, based on results from 3,104 certificates received from licensed chemists. This was up from 96.9 last week. Certificates received for the season totaled 14,018 and grades averaged 96.6 against 96.5 the previous week.

Oilseed highlights. According to the Foreign Agricultural Service, USDA, current estimates reveal some striking similarities shaping up in the oilseed situation between 1988-89 and 1983-84: U.S. oilseed supplies down 22 percent and 20 percent, respectively; oilseed usage down 11 percent and 14 percent, respectively; and oilseed ending stocks down 55 percent and 50 percent, respectively. However, there are also some key differences outside the United States. First, 1983-84 foreign oilseed supplies increased 4.6 million tons, but in 1988-89 they are projected to increase by 8.1 million tons. Second, in 1983-84 U.S. oilseed exports accounted for nearly 16 percent of total foreign oilseed usage, but in 1988-89, U.S. oilseeds are expected to account for less than 10 percent of foreign oilseed usage.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 10/25/68

State	Quality factors - percent						Quantity factors - percent						Quantity index	Average grade	Number of samples			
	Foreign matter	Moisture	Free fatty acids	Oil	Ammonia	Quantity index	Wk	Sn	Mk	Sn	Wk	Sn				Wk	Sn	Wk
AL	0.7	0.9	10.7	11.5	2.5	1.6	96.3	97.7	17.9	16.9	4.12	4.10	101.17	97.38	97.4	95.1	122	357
AR	0.8	0.7	10.6	11.2	0.8	0.6	99.8	99.6	17.6	17.2	3.90	3.93	98.57	97.15	98.5	96.9	628	2099
GA	0.8	0.8	10.3	10.9	2.2	2.6	97.0	95.7	18.0	18.0	4.15	4.13	101.96	101.66	98.8	97.2	9	22
LA	0.9	0.8	10.9	11.2	1.2	1.2	99.5	99.1	17.0	17.7	3.88	3.93	96.31	96.45	95.8	95.6	500	1823
MS	0.7	0.6	10.6	11.2	1.5	0.9	98.9	99.2	16.7	16.5	4.01	4.03	95.98	95.35	95.0	94.8	990	4137
MO	0.8	1.0	11.4	12.0	0.8	0.8	99.9	98.8	17.5	17.3	3.71	3.76	97.41	96.78	97.3	95.9	202	516
NM	0.6	0.5	9.1	9.2	0.3	0.3	100.0	100.0	19.7	19.7	3.98	3.98	107.65	107.69	107.6	107.6	7	8
NC	0.2	0.4	9.9	8.6	1.0	3.7	100.0	98.2	16.7	13.8	4.03	7.35	95.98	100.14	96.0	98.3	13	17
OK	2.4	0.9	9.0	10.0	0.3	0.4	98.6	99.6	15.9	19.6	3.88	3.81	91.88	106.26	90.5	105.8	1	37
SC	0.2	0.4	9.3	10.9	6.5	4.3	81.2	89.8	18.2	18.0	4.48	4.37	104.66	103.09	85.0	92.5	38	126
TN	0.8	0.7	11.5	12.4	0.7	0.6	99.7	99.1	18.1	17.9	3.81	3.85	100.45	99.15	100.2	98.3	361	928
TX	1.9	1.1	8.8	9.1	0.4	0.5	99.0	99.4	18.0	17.5	3.95	4.08	103.74	99.21	102.8	98.6	230	3945
OTHER	0.5	0.5	10.8	10.8	6.7	6.7	80.5	80.5	16.6	16.6	3.92	3.92	95.05	95.05	76.7	76.7	3	3
U.S.	0.8	0.8	10.6	10.7	1.2	0.9	98.9	99.1	17.4	17.2	3.94	4.01	98.32	97.44	97.2	96.6	3104	14018



UNITED STATES DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



COTTONSEED REVIEW

Vol. 53, No. 7

October 19, 1988

COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins Range	Average	1/	State	Prices Paid Growers at Gins Range	Average	1/
Alabama	100-110	101.40	::	Missouri	95-110	103.00	::
Arizona	130	130.00*	::	New Mexico	-	-	::
Arkansas	90-110	105.00	::	North Carolina	110-130	121.43	::
California	130-158	151.07	::	Oklahoma	105	105.00*	::
Georgia	120-135	126.11	::	South Carolina	120-150	128.57	::
Louisiana	105-140	113.96	::	Tennessee	100-137	110.07	::
Mississippi	75-150	105.81	::	Texas	105-130	112.78	::

1/ Includes advances with final settlement at a later date.

\* Based on three or less reports.

Prices received by growers ranged from \$75 to \$158 per ton for cottonseed at the gin during the week ended October 18, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed used for feeding livestock sold at \$150 per ton in North Carolina and South Carolina; \$130 in Arizona; and \$180 in California.

The U.S. average grade of cottonseed for the week was 96.9, based on results from 2,411 certificates received from licensed chemists. This was up from 95.0 last week. Certificates received for the season totaled 10,914 and grades averaged 96.5 against 96.4 the previous week.

U.S. cottonseed production for the 1988-89 season, based on a three year average lint-seed ratio, was forecast at 5,751,000 tons, according to the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This estimate was based on surveys taken about October 1. Production this season is expected to be slightly below the 1987 crop of 5,769,000 tons but more than 50 percent above production in 1986 of 3,801,000 tons.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 10/18/88

State	Quality factors - percent			Quantity factors - percent			Quality index			Quantity index			Average grade			Number of samples			
	Foreign matter	Moisture	Free fatty acids	Moisture	Free fatty acids	Ammonia	Quality index	Quantity index	Average grade	Quantity index	Average grade	Number of samples							
	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn					
AL	1.1	1.0	11.1	11.9	1.5	1.0	98.4	98.5	16.9	16.4	4.08	4.09	97.01	95.22	95.6	93.8	64	235	
AR	0.7	0.6	10.8	11.4	0.7	0.6	99.7	99.6	17.4	17.0	3.93	3.94	98.09	96.54	97.8	96.2	509	1471	
GA	1.0	0.9	11.1	11.4	2.0	2.8	98.3	94.7	18.1	17.9	4.05	4.12	101.61	101.46	99.8	96.2	5	13	
LA	0.9	0.7	10.9	11.3	1.4	1.2	98.9	99.0	17.2	18.0	3.88	3.95	97.12	96.51	96.1	95.5	269	1323	
MS	0.7	0.6	11.1	11.4	1.1	0.8	99.4	99.2	16.7	16.5	4.00	4.04	95.62	95.15	95.1	94.8	968	3147	
MO	0.8	1.1	11.6	12.3	0.8	0.9	99.8	98.3	17.6	17.2	3.80	3.78	98.23	96.44	98.1	95.1	197	314	
NM	0.2	0.2	9.8	9.8	4.4	4.4	97.8	97.8	13.1	13.1	8.19	8.19	101.19	101.19	98.9	98.9	4	4	
NC	0.5	0.5	8.3	8.3	4.4	4.4	97.8	97.8	13.1	13.1	8.19	8.19	101.19	101.19	98.9	98.9	4	4	
OK	0.5	0.6	8.9	10.1	0.3	0.5	100.0	99.8	19.3	20.3	3.88	3.80	105.48	109.14	105.5	108.9	18	36	
SC	0.6	0.4	10.6	11.5	3.9	3.5	91.5	93.0	18.3	17.9	4.37	4.33	104.42	102.50	95.5	95.3	35	88	
TN	0.6	0.6	12.1	13.1	0.6	0.5	99.5	98.7	18.0	17.7	3.83	3.87	99.87	98.30	99.4	97.1	230	567	
TX	1.6	1.0	9.7	9.1	0.7	0.5	99.3	99.5	17.7	17.4	4.11	4.09	100.41	98.92	99.6	98.4	111	3715	
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0
U.S.	0.8	0.8	11.0	10.7	1.1	0.8	99.3	99.1	17.1	17.1	4.02	4.03	97.54	97.19	96.9	96.5	2411	10914	



UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



COTTONSEED REVIEW

Vol. 53, No. 6

October 12, 1988

COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins	1/	State	Prices Paid Growers at Gins	1/
	Range	Average		Range	Average
Alabama	100-110	101.88	Missouri	100-110	107.50
Arizona	130	130.00*	New Mexico	-	-
Arkansas	100-110	108.57	North Carolina	-	-
California	-	-	Oklahoma	105-110	107.50*
Georgia	105-140	123.00	South Carolina	120-130	125.00*
Louisiana	100-135	112.44	Tennessee	80-134	106.98
Mississippi	75-140	104.44	Texas	105-120	114.17

1/ Includes advances with final settlement at a later date.

\* Based on three or less reports.

Prices received by growers ranged from \$75 to \$140 per ton for cottonseed at the gin during the week ended October 11, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed grade certificates received from licensed chemists during the week totaled 2,377 bringing the season total to 8,503. The U.S. average grade was 95.0 and 96.4 for the week and season, respectively.

Production of cottonseed products, at oil mill locations, by state  
 August 1988

State	Crude oil	Cake & meal	Hulls	Linters 1/
	1,000 pounds	Short tons	Bales	
United States	72,018	100,257	59,465	51,731
Arkansas	6,098	8,993	4,985	5,576
Pacific & Mountain states	(D)	(D)	(D)	2,888
Mississippi	(D)	(D)	(D)	8,775
Texas	35,466	46,818	31,437	24,114
All other states	13,834	20,631	11,186	10,378

1/ Equivalent running bales.

(D) Data withheld to avoid disclosing figures for individual companies.

Source: Bureau of the Census

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 10/11/88

State	Quality factors - percent										Quantity factors - percent										Average grade	Number of samples
	Foreign matter	Moisture	Free fatty acids	Oil	Ammonia	Quality index	Quantity index	Wk	Sn	Mk	Sn	Wk	Sn	Mk	Sn	Wk	Sn	Mk	Sn	Wk		
AL	0.9	1.0	13.2	12.2	0.8	0.8	0.8	98.6	98.5	16.6	16.2	4.05	4.09	95.55	94.50	94.3	93.1	66	171			
AR	0.6	0.6	11.8	11.7	0.5	0.5	99.4	99.5	17.0	16.7	3.91	3.95	96.33	95.72	95.8	95.3	517	962				
GA	0.8	0.8	11.5	11.5	3.4	3.4	92.6	92.6	17.9	17.9	4.16	4.16	101.36	101.36	93.9	93.9	8	8				
LA	0.7	0.6	11.2	11.4	1.2	1.1	98.9	99.0	20.8	18.1	3.95	3.97	96.67	96.36	95.6	95.4	344	1054				
MS	0.5	0.6	12.0	11.6	0.7	0.6	99.4	99.1	16.4	16.4	3.98	4.06	94.44	94.94	94.0	94.6	963	2179				
MO	1.1	1.4	13.7	13.0	0.7	1.0	98.1	96.5	17.0	16.7	3.69	3.76	95.17	94.44	93.5	91.8	92	117				
NM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0			
NC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0			
OK	0.8	0.6	9.4	10.5	0.3	0.5	100.0	99.8	20.2	20.6	3.69	3.78	107.94	110.05	108.0	109.8	15	18				
SC	0.4	0.3	12.3	12.0	2.8	3.3	95.6	93.9	17.6	17.6	4.29	4.31	101.11	101.35	96.6	95.1	42	53				
TN	0.7	0.7	14.1	13.8	0.5	0.5	97.9	98.2	17.5	17.5	3.98	3.90	97.44	97.18	95.4	95.4	223	337				
TX	0.6	1.0	10.0	9.1	0.7	0.5	99.9	99.5	17.1	17.4	4.06	4.08	97.89	98.88	97.8	98.3	107	3604				
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0			
U.S.	0.6	0.8	12.0	10.6	0.8	0.7	98.9	99.1	17.4	17.1	3.97	4.04	96.02	97.08	95.0	96.4	2377	8503				



UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



COTTONSEED REVIEW

Vol. 53, No. 5

October 5, 1988

COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins Range	Average	1/	State	Prices Paid Growers at Gins Range	Average	1/
Alabama	100-105	100.29		Mississippi	75-110	104.08	
Arizona	130	130.00*		Missouri	100-110	107.50	
Arkansas	100-115	107.86		Oklahoma	100	100.00*	
Georgia	105-140	123.00		Tennessee	100-140	106.43	
Louisiana	105-122	113.00		Texas	100-135	116.15	

1/ Includes advances with final settlement at a later date.

\* Based on three or less reports.

Prices received by growers ranged from \$75 to \$140 per ton for cottonseed at the gin during the week ended October 4, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed grade certificates received from licensed chemists during the week totaled 1,687 bringing the season total to 6,126. The U.S. average grade was 95.4 and 96.9 for the week and season, respectively.

Cottonseed area, yield, and production: World and selected countries and regions

Country/Region	Area			Yield				Production			
	Prel.		Proj.	Prel.		1988/89	Proj.	Prel.		1988/89	Proj.
	1986/87	1987/88	1988/89	1986/87	1987/88	Aug.	Sept.	1986/87	1987/88	Aug.	Sept.
	Million Hectares			Metric Tons Per Hectare				Million Metric Tons			
World	29.90	32.54	34.35	0.91	0.95	0.96	0.96	27.10	30.89	33.07	32.88
United States	3.43	4.06	4.71	1.01	1.29	1.13	1.11	3.45	5.23	5.30	5.22
Total Foreign	26.47	28.48	29.64	0.89	0.90	0.93	0.93	23.66	25.66	27.77	27.67
China	4.31	4.91	5.50	1.40	1.47	1.41	1.41	6.02	7.21	7.78	7.78
India	7.28	7.40	8.00	0.44	0.41	0.47	0.47	3.22	3.05	3.74	3.74
Pakistan	2.51	2.57	2.57	1.05	1.15	1.14	1.14	2.64	2.95	2.94	2.94
USSR	3.48	3.53	3.40	1.40	1.27	1.41	1.43	4.87	4.49	4.87	4.87
Others	8.91	10.07	10.17	0.78	0.79	0.83	0.82	6.91	7.96	8.45	8.34

Source: Foreign Production Estimates Division, FAS, USDA

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 10/4/88

State	Quality factors - percent			Quantity factors - percent			Quality index			Quantity index			Average grade			Number of samples		
	Foreign matter	Moisture	Free fatty acids	Free fatty acids	Oil	Ammonia	Quality index	Quantity index	Quality index	Quantity index	Average grade	Quantity index	Average grade	Quantity index				
	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn		
AL	1.1	1.0	12.1	11.6	0.9	0.8	98.1	98.5	16.0	16.0	4.07	4.12	93.45	93.80	91.6	92.4	76	105
AR	0.5	0.5	11.4	11.7	0.5	0.5	99.7	99.5	16.6	16.5	4.01	3.99	95.77	95.00	95.5	94.7	262	445
GA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0
LA	0.6	0.6	11.5	11.5	1.1	1.1	99.1	99.0	16.9	16.8	3.96	3.98	96.53	96.21	95.7	95.3	446	710
MS	0.6	0.6	11.2	11.3	0.6	0.6	99.8	98.9	16.5	16.4	4.08	4.12	95.28	95.34	95.1	95.1	607	1216
MO	0.9	1.8	10.4	12.2	0.4	1.3	100.0	94.8	16.3	16.4	3.78	3.84	92.88	93.61	93.0	89.9	18	25
NM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0
NC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0
OK	-	0.5	-	10.8	-	0.6	-	99.7	-	20.7	-	3.80	-	110.75	-	110.3	0	3
SC	0.1	0.1	11.2	11.2	5.0	5.0	87.2	87.2	17.7	17.7	4.42	4.42	102.32	102.32	89.0	89.0	11	11
TN	0.6	0.6	13.1	13.1	0.5	0.5	98.7	98.8	17.3	17.3	3.72	3.73	96.68	96.59	95.4	95.4	98	114
TX	1.1	1.0	8.8	9.0	1.1	0.5	97.8	99.5	17.8	17.4	3.97	4.09	99.97	98.91	97.7	98.4	169	3497
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0
U.S.	0.6	0.8	11.2	10.1	0.8	0.6	99.2	99.2	16.8	17.1	4.00	4.06	96.18	97.50	95.4	96.9	1687	6126



UNITED STATES DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



COTTONSEED REVIEW

Vol. 53, No. 4

September 28, 1988

COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins Range	Average	1/	State	Prices Paid Growers at Gins Range	Average
Alabama	100	100.00		Georgia	100-140	125.00
Arizona	130	130.00*		Mississippi	75-115	103.88

1/ Includes advances with final settlement at a later date.

\* Based on three or less reports.

Prices received by growers ranged from \$75 to \$140 per ton for cottonseed at the gin during the week ended September 27, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed grade certificates received from licensed chemists during the week totaled 995, bringing the season total to 4,439. The U.S. average grade was 95.3 and 97.5 for the week and season, respectively.

Cottonseed receipts at oil mills totaled 165,000 tons during August, up 28 percent from 129,000 tons last year and 39 percent from 119,000 tons in 1986, according to the Bureau of the Census. August crushings of cottonseed totaled 214,000 tons, up 201 percent from 71,000 tons last season and 52 percent from 141,000 tons two years ago. Stocks of cottonseed at oil mills totaled 310,000 tons at the end of August. This was up from 246,000 tons on hand at the end of August last year but down from 324,000 tons two years ago.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 9/27/88

State	Quality factors - percent			Quantity factors - percent			Quality index			Quantity index			Average grade			Number of samples			
	Foreign matter	Moisture	Free fatty acids	Oil	Ammonia	Quality index	Quantity factors - percent	Quality index	Quantity index	Average grade	Number of samples								
	Wk	Sn	Mk	Wk	Sn	Mk	Wk	Sn	Mk	Wk	Sn	Mk	Wk	Sn	Mk	Wk	Sn	Mk	
AL	0.5	0.8	10.7	10.1	0.4	0.6	100.0	100.0	16.3	16.1	4.20	4.28	95.40	95.05	95.5	95.0	15	29	
AR	0.5	0.6	12.0	12.1	0.4	0.4	99.4	99.4	16.3	16.3	3.98	3.97	93.91	93.82	93.7	93.5	165	183	
GA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LA	0.6	0.6	12.1	11.6	1.1	1.2	98.9	98.9	16.6	16.6	3.99	4.02	95.26	95.66	94.2	94.6	194	264	
MS	0.6	0.7	11.7	11.3	0.6	0.5	99.6	98.0	16.4	16.4	4.12	4.17	95.13	95.40	94.8	95.1	412	609	
MO	1.9	1.9	12.4	12.4	1.4	1.4	94.0	94.0	16.4	16.4	3.85	3.85	93.72	93.72	89.4	89.4	7	7	
NM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OK	0.5	0.5	10.8	10.8	0.6	0.6	99.7	99.7	20.7	20.7	3.80	3.80	110.75	110.75	110.3	110.3	3	3	
SC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TN	0.7	0.7	12.8	12.8	0.4	0.4	99.2	99.2	17.1	17.1	3.79	3.79	95.78	95.78	95.0	95.0	16	16	
TX	1.0	1.0	8.6	9.0	0.6	0.5	99.4	99.5	17.4	17.4	4.10	4.09	99.30	98.86	98.7	98.4	183	3328	
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U.S.	0.8	0.9	11.3	9.7	0.7	0.5	99.0	99.2	16.7	17.2	4.04	4.09	96.03	97.99	95.3	97.5	995	4439	



UNITED STATES DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



COTTONSEED REVIEW

Vol. 53, No. 3

September 21, 1988

COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins Range	Average	1/	State	Prices Paid Growers at Gins Range	Average	1/
Arizona	135	135.00*		Texas	105-135	115.00	
Mississippi	75-110	103.27					

1/ Includes advances with final settlement at a later date.

\* Based on three or less reports.

Prices received by growers ranged from \$75 to \$135 per ton for cottonseed at the gin during the week ended September 20, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed grade certificates received from licensed chemists during the week totaled 553, bringing the season total to 3,444. The U.S. average grade was 96.8 and 98.1 for the week and season, respectively.

Refined cottonseed oil production totaled 108,233,000 pounds in July 1988, up from 103,348,000 pounds the previous month, according to the Bureau of the Census. Consumption of both edible and inedible products totaled 76,582,000 pounds in July. Of the 75,785,000 pounds consumed in edible products, 14,510,000 pounds were used in baking or frying, 58,328,000 pounds in salad or cooking oil, and 2,947,000 pounds in margarine and other edible products. At the end of July, total cottonseed oil stocks were 174,517,000 pounds, 70,014,000 pounds of crude oil and 104,503,000 pounds of refined oil.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 9/20/88

State	Quality factors - percent				Quantity factors - percent				Quality index		Quantity index		Average grade		Number of samples			
	Foreign matter	Moisture	Free fatty acids	Ammonia	Oil	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn		Wk		
AL	1.1	9.5	0.8	0.8	99.9	99.9	15.9	4.35	4.35	94.70	94.70	94.5	94.5	14	14			
AR	1.2	13.1	0.5	0.5	98.7	98.7	16.2	3.77	3.77	92.42	92.42	91.0	91.0	18	18			
GA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
LA	0.6	10.3	1.2	1.2	99.0	99.0	16.8	4.11	4.11	96.73	96.73	95.9	95.9	70	70			
MS	0.8	10.8	0.4	0.4	93.5	94.5	16.5	4.26	4.27	96.53	96.01	96.2	95.7	166	197			
MO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
NM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
NC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
OK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
SC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TX	0.9	1.0	8.6	9.1	0.7	0.5	99.2	99.5	17.2	17.4	4.55	4.09	98.38	98.83	97.6	98.4	285	3145
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U.S.	0.8	1.0	9.6	9.2	0.7	0.5	97.4	99.3	16.9	17.3	4.39	4.10	97.42	98.60	96.8	98.1	553	3444



UNITED STATES DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
 Telephone 901-521-2931



COTTONSEED REVIEW

Vol. 53, No. 2

September 14, 1988

COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins Range	Average	1/	State	Prices Paid Growers at Gins Range	Average	1/
Arizona	130	130.00*		Texas	100-120	108.75	

1/ Includes advances with final settlement at a later date.

\* Based on three or less reports.

Prices received by growers were \$100 to \$130 per ton for cottonseed at the gin during the week ended September 13, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed grade certificates received during the week totaled 388, bringing the season total to 2,891. U.S. average grades were 98.4 for both week and season.

U.S. cottonseed production for the 1988-89 season, based on a three year average lint-seed ratio, was forecast at 5.75 million tons, according to the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This estimate was based primarily on surveys taken about September 1. Production this season is expected to be slightly below the 1987 crop of 5.77 million tons but 51 percent above production in 1986 of 3.80 million tons.

World supply and demand estimates. World oilseed production in 1988-89 is forecast at 201 million tons, 2 percent below last year's record crop. Foreign oilseed production is forecast to reach a record 152.5 million tons in the coming year, helped by record soybean outturn in Brazil and Argentina. U.S. oilseed production is forecast at 48.4 tons, 19 percent below the year-earlier level.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 9/13/88

State	Quality factors - percent			Quantity factors - percent			Quantity index			Average grade			Number of samples		
	Foreign matter	Moisture	Free fatty acids	Oil	Ammonia	Quantity index	Average grade	Number of samples							
	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn	Mk	Sn			
AL	-	-	-	-	-	-	-	-	-	-	-	-	0		
AR	-	-	-	-	-	-	-	-	-	-	-	-	0		
GA	-	-	-	-	-	-	-	-	-	-	-	-	0		
LA	-	-	-	-	-	-	-	-	-	-	-	-	0		
MS	0.5	9.7	0.4	0.4	100.0	100.0	15.6	15.6	4.33	4.33	93.23	93.23	93.2	31	
MO	-	-	-	-	-	-	-	-	-	-	-	-	-	0	
NH	-	-	-	-	-	-	-	-	-	-	-	-	-	0	
NC	-	-	-	-	-	-	-	-	-	-	-	-	-	0	
OK	-	-	-	-	-	-	-	-	-	-	-	-	-	0	
SC	-	-	-	-	-	-	-	-	-	-	-	-	-	0	
TN	-	-	-	-	-	-	-	-	-	-	-	-	-	0	
TX	1.1	9.5	9.1	0.6	0.4	99.5	99.6	17.5	17.4	4.05	4.05	99.29	98.87	98.8	357
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	2860	
U.S.	1.1	9.5	9.1	0.6	0.4	99.5	99.6	17.4	17.4	4.07	4.05	98.81	98.81	98.4	388



UNITED STATES DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE  
COTTON DIVISION, MARKET NEWS BRANCH  
4841 SUMMER AVENUE, MEMPHIS, TENNESSEE 38122  
Telephone 901-521-2931



## COTTONSEED REVIEW

Vol. 53, No. 1

September 7, 1988

### COTTONSEED PRICES - DOLLARS PER TON

State	Prices Paid Growers at Gins 1/	
	Range	Average
Texas	65-110	99.71

1/ Includes advances with final settlement at a later date.

Prices received by Texas growers were \$65 to \$110 per ton for cottonseed at the gin during the week ended September 6, according to the Cotton Division, Agricultural Marketing Service, USDA. Cottonseed grade certificates received during the week totaled 445 and average grade was 97.3. Total certificates received through September 6 totaled 2,503 and average grade was 98.4.

Cottonseed receipts at oil mills totaled 3,566,000 tons during the 1987-88 season, according to the Bureau of the Census. Receipts for this period were the largest since 1984-85 and were up from 2,362,000 tons last season and 3,336,000 tons two years ago. Crushings by oil mills during the 1987-88 season totaled 3,396,000 tons, compared with 2,520,000 tons a year earlier and 3,417,000 tons two years ago. Stocks of cottonseed at oil mills totaled 359,000 tons at the end of July, up from 189,000 tons at the end of the season last year and 347,000 tons at the end of 1985-86.

Production of cottonseed in the United States for the 1988 season, based on a three year average lint-seed ration, was forecast at 5.84 million tons, according to the Agricultural Statistics Board, NASS, USDA. This estimate was based primarily on surveys taken about August 1. Production of cottonseed totaled 5.77 million tons in 1987 and 3.80 million tons in 1986.

U.S. Cottonseed: Average quality and quantity factors, indexes and grades, and number of certificates received from licensed chemists, week and season ended 9/6/88

State	Quality factors - percent			Quantity factors - percent			Quantity index			Average grade			Number of samples						
	Foreign matter	Moisture	Free fatty acids	Oil	Ammonia	Quantity index	Average grade	Number of samples											
	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn	Wk	Sn							
AL	-	-	-	-	-	-	-	-	-	-	-	-	0						
AR	-	-	-	-	-	-	-	-	-	-	-	-	0						
GA	-	-	-	-	-	-	-	-	-	-	-	-	0						
LA	-	-	-	-	-	-	-	-	-	-	-	-	0						
MS	-	-	-	-	-	-	-	-	-	-	-	-	0						
MO	-	-	-	-	-	-	-	-	-	-	-	-	0						
NM	-	-	-	-	-	-	-	-	-	-	-	-	0						
NC	-	-	-	-	-	-	-	-	-	-	-	-	0						
OK	-	-	-	-	-	-	-	-	-	-	-	-	0						
SC	-	-	-	-	-	-	-	-	-	-	-	-	0						
TN	-	-	-	-	-	-	-	-	-	-	-	-	0						
TX	1.0	1.0	9.4	9.0	0.8	0.4	99.2	99.6	17.3	17.4	3.99	4.05	98.08	98.81	97.3	98.4	445	2503	
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U.S.	1.0	1.0	9.4	9.0	0.8	0.4	99.2	99.6	17.3	17.4	3.99	4.05	98.08	98.81	97.3	98.4	445	2503	