

Washington, D.C.

Ct Gn 1 (97)

Cotton Ginnings 1996 Summary

USDA



United States Department of Agriculture

Cotton Ginnings: Running Bales Ginned (Excluding Linters)
by Type, State, and United States, Crop Years 1993-96

Type and State	1993	1994	1995	1996
All Cotton				
AL	440,950	687,850	460,650	755,850
AZ	816,750	821,650	831,750	812,850
AR	1,101,500	1,766,950	1,452,900	1,593,150
CA	3,063,300	2,821,200	2,462,350	2,687,550
FL 1/	96,650			
GA	703,400	1,500,900	1,908,900	2,041,500
KS 1/ 2/		0		
LA	1,106,300	1,513,100	1,378,550	1,299,450
MS	1,510,050	2,083,350	1,806,850	1,819,250
MO	336,000	555,350	477,400	557,250
NM	72,950	68,250	69,700	89,600
NC	417,100	806,150	787,950	985,100
OK	257,100	232,400	117,250	126,100
SC	196,350	370,000	351,900	434,000
TN	529,200	863,250	713,150	664,100
TX	4,996,900	4,845,700	4,413,500	4,294,450
VA 1/			128,250	153,000
US	15,675,070	19,127,300	17,468,500	18,438,550
Amer-Pima				
AZ	84,550	78,150	70,750	72,450
CA	206,700	178,300	215,050	360,200
NM	12,850	14,100	13,900	14,450
TX	52,500	56,100	54,950	62,900
Other States	270	0	0	0
US	356,870	326,650	354,650	510,000

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

2/ No gins operated in 1994 season.

Cotton Ginnings: Running Bales Produced and Equivalent 480-Pound
Bales Ginned, by Type, State, and United States, Crop Years 1995-96

Type and State	Running Bales Produced		Equivalent 480-Pound Bales Ginned	
	1995	1996	1995	1996
All Cotton				
AL	475,350	762,150	476,000	781,700
AZ	843,500	827,000	852,700	837,000
AR	1,449,050	1,607,000	1,471,450	1,621,350
CA	2,449,450	2,673,350	2,550,050	2,778,400
FL 1/	103,600	125,400		
GA	1,887,850	2,017,850	1,961,800	2,102,850
KS 1/	950	4,100		
LA	1,358,450	1,263,500	1,394,700	1,322,150
MS	1,800,750	1,827,500	1,846,000	1,866,450
MO	505,550	581,500	484,150	565,500
NM	89,400	102,150	70,000	89,900
NC	775,050	973,700	810,950	1,013,700
OK	118,950	130,950	120,450	127,650
SC	370,600	447,450	356,400	440,800
TN	712,950	661,350	724,000	677,400
TX	4,392,900	4,277,050	4,529,500	4,418,550
VA	134,150	156,550	130,750	155,250
US	17,468,500	18,438,550	17,890,000	18,928,550
Amer-Pima				
AZ	70,300	72,000	72,650	74,800
CA	215,450	360,650	224,100	374,150
NM	18,500	18,700	14,150	14,650
TX	50,400	58,650	56,550	64,400
US	354,650	510,000	367,450	528,000

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 1996

Type and State	October 1	October 15	November 1
All Cotton			
AL	59,550	174,950	358,200
AZ	50,400	123,300	257,550
AR	253,250	718,450	1,191,600
CA	26,850	223,800	828,850
FL	6,500	14,150	43,750
GA	198,600	346,300	802,200
LA	269,250	642,000	1,042,750
MS	480,500	1,027,450	1,562,650
MO	47,950	177,400	355,700
NM	2,450	12,950	31,250
NC	21,550	118,150	338,600
OK 1/			28,800
SC	61,800	132,050	243,650
TN	148,400	350,050	525,900
TX	517,750	702,850	1,216,400
VA 1/			40,850
US	2,145,650	4,779,500	8,868,700
Amer-Pima			
AZ 1/		7,050	19,550
CA 1/		10,700	59,400
NM 1/			3,100
TX 1/			14,800
US 1/		20,500	96,850

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 1996 (continued)

Type and State	November 15	December 1	December 15
All Cotton			
AL	500,500	636,750	712,100
AZ	397,050	539,950	666,350
AR	1,418,050	1,536,350	1,570,100
CA	1,394,700	1,915,550	2,302,800
FL	70,500	99,450	114,050
GA	1,198,350	1,613,650	1,873,250
LA	1,206,750	1,278,700	1,291,750
MS	1,754,500	1,803,000	1,813,600
MO	469,950	529,550	551,900
NM	50,200	67,500	80,350
NC	537,200	743,700	886,000
OK	47,400	60,900	85,350
SC	321,800	381,800	416,900
TN	611,650	644,200	658,200
TX	1,864,450	2,664,750	3,373,750
VA	63,250	107,100	131,300
US	11,906,300	14,622,900	16,527,750
Amer-Pima			
AZ	37,050	52,000	62,200
CA	104,700	158,200	208,000
NM	6,550	10,100	13,300
TX	27,150	37,050	44,000
US	175,450	257,350	327,500

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type, Survey Period, State, and United States, Crop Year 1996 (continued)

Type and State	January 1	January 15	February 1
All Cotton			
AL	740,500	746,850	753,850
AZ	748,600	783,250	805,050
AR	1,588,500	1,590,800	1,591,800
CA	2,507,300	2,570,350	2,624,750
FL	118,150	119,000	119,450
GA	1,996,250	2,027,000	2,038,850
KS	0	0	0
LA	1,297,650	1,298,400	1,298,400
MS	1,815,150	1,815,900	1,816,100
MO	555,600	555,650	555,850
NM	84,450	86,650	89,600
NC	939,750	966,900	972,100
OK	112,550	119,850	124,950
SC	427,800	431,450	433,000
TN	661,850	662,050	663,450
TX	3,936,500	4,175,150	4,267,800
VA	150,300	151,700	152,950
US	17,680,900	18,100,950	18,307,950
Amer-Pima			
AZ	68,400	70,650	71,550
CA	246,400	282,750	325,750
NM	14,400	14,400	14,450
TX	52,550	57,700	62,900
US	381,750	425,500	474,650

1/ Not published to avoid disclosing individual gins, but included in U.S. totals.

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
All Cotton	:		:		:	
Autauga	1/:		:		:	10,750
Baldwin	1/:		:		:	26,800
Barbour	:	0	:	0	:	12,650
Blount	1/:		:		:	1,200
Bullock	:	0	:	0	:	800
Butler	:	0	:	0	:	650
Calhoun	:	0	:	0	:	1,900
Chambers	:	0	:	0	:	450
Cherokee	1/:		:		:	31,050
Chilton	1/:		:		:	1,200
Choctaw	:	0	:	0	:	1,050
Clarke	1/:	0	:	0	:	
Clay	1/:	0	:	0	:	
Coffee	1/:		:		:	17,300
Colbert	1/:		:		:	24,650
Conecuh	:	0	:	0	:	3,150
Covington	1/:		:		:	18,300
Crenshaw	1/:		:		:	2,650
Cullman	:	0	:	0	:	1,700
Dale	:	0	:	0	:	6,250
Dallas	1/:		:		:	12,600
Dekalb	1/:	0	:	0	:	
Elmore	:	24,250	:	24,950	:	12,850
Escambia	1/:		:		:	47,800
Etowah	:	0	:	0	:	2,700
Fayette	1/:		:		:	3,200
Franklin	:	0	:	0	:	600
Geneva	1/:		:		:	17,250
Greene	1/:		:		:	
Hale	:	0	:	0	:	1,350
Henry	1/:		:		:	25,100
Houston	1/:		:		:	29,000
Jackson	:	0	:	0	:	750
Lamar	:	0	:	0	:	850
Lauderdale	1/:		:		:	31,650
Lawrence	:	76,400	:	80,100	:	55,600
Lee	:	0	:	0	:	3,300
Limestone	:	116,650	:	121,550	:	98,050
Lowndes	1/:		:		:	800

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Macon	1/:					7,400
Madison	:	40,500		40,750		60,050
Marengo	1/:					5,650
Marion	:	0		0		600
Marshall	:	0		0		950
Mobile	1/:					21,600
Monroe	1/:					46,700
Montgomery	:	0		0		1,750
Morgan	:	0		0		800
Pickens	1/:					2,400
Pike	:	0		0		7,800
Russell	1/:					9,200
Shelby	:	0		0		5,500
Talladega	:	0		0		900
Tallapoosa	1/:					1,950
Tuscaloosa	1/:					5,800
Washington	:	0		0		2,250
Wilcox	:	0		0		3,650
Winston	1/:	0		0		
Oth	2/:					70,550
	:					
Alabama	:	755,850		781,700		762,150
	:					
Cochise	1/:					14,800
Graham	1/:					39,550
Greenlee	:	0		0		2,300
La Paz	1/:					61,250
Maricopa	:	329,200		336,950		294,550
Mohave	1/:					13,400
Pima	1/:					30,450
Pinal	:	273,600		282,150		307,850
Yuma	:	67,000		69,600		62,900
	:					
Arizona	:	812,850		837,000		827,000
	:					
Arkansas	:	0		0		1,400
Ashley	:	100,650		101,600		107,800
Calhoun	1/:	0		0		
Chicot	1/:					70,700
Clay	:	30,150		30,500		41,700
Craighead	:	163,150		166,800		141,850

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Crittenden	:	91,950	:	92,800	:	82,700
Cross	1/:		:		:	
Desha	:	198,850	:	200,900	:	182,900
Drew	1/:		:		:	29,950
Greene	:	26,150	:	26,550	:	32,350
Jefferson	:	126,250	:	128,600	:	113,650
Lafayette	1/:		:		:	6,650
Lee	1/:		:		:	43,600
Lincoln	1/:		:		:	57,350
Lonoke	:	57,450	:	58,450	:	51,000
Miller	1/:		:		:	1,800
Mississippi	:	353,500	:	359,600	:	354,750
Monroe	1/:		:		:	34,300
Phillips	:	128,500	:	131,100	:	108,950
Poinsett	:	109,200	:	110,850	:	98,350
Prairie	1/:		:		:	2,300
Pulaski	:	0	:	0	:	1,850
Saint Francis	:	40,550	:	42,000	:	31,200
Woodruff	1/:		:		:	8,850
	:		:		:	
Arkansas	:	1,593,150	:	1,621,350	:	1,607,000
	:		:		:	
Butte	1/:	0	:	0	:	
Colusa	1/:		:		:	6,550
Fresno	:	966,350	:	1,002,200	:	987,750
Glenn	:	0	:	0	:	1,400
Imperial	1/:		:		:	15,800
Kern	:	601,000	:	619,300	:	633,900
Kings	:	507,800	:	524,950	:	499,850
Madera	1/:		:		:	75,350
Merced	:	183,700	:	189,100	:	213,250
Riverside	1/:		:		:	28,350
San Bernardi	:	0	:	0	:	1,950
Sutter	1/:		:		:	
Tehama	1/:	0	:	0	:	
Tulare	:	246,000	:	254,000	:	204,550
Yolo	:	0	:	0	:	3,400
	:		:		:	
California	:	2,687,550	:	2,778,400	:	2,673,350
	:		:		:	
Alachua	:	0	:	0	:	1,800

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Calhoun	:	0		0		7,350
Columbia	1/:	0		0		
Dixie	1/:	0		0		
Escambia	1/:					16,850
Flagler	1/:	0		0		
Gadsen	1/:	0		0		
Gilchrist	1/:	0		0		
Hamilton	:	0		0		3,700
Holmes	1/:	0		0		
Jackson	1/:					27,450
Jefferson	:	0		0		2,450
Levy	1/:	0		0		
Madison	:	0		0		1,800
Marion	1/:	0		0		
Okaloosa	:	0		0		5,300
Putnam	1/:	0		0		
Santa Rosa	1/:					23,800
St. Johns	1/:	0		0		
Suwannee	:	0		0		2,600
Walton	:	0		0		1,850
Washington	:	0		0		1,200
Oth	2/:	0		0		25,800
	:					
Florida	1/:					125,400
	:					
Appling	1/:					43,650
Atkinson	:	0		0		18,400
Bacon	:	0		0		10,050
Baker	:	0		0		22,600
Baldwin	1/:	0		0		
Bartow	1/:					2,950
Ben Hill	:	0		0		10,750
Berrien	1/:					34,750
Bibb	1/:	0		0		
Bleckley	1/:					27,250
Blinch	1/:	0		0		
Brooks	1/:					55,700
Bryan	:	0		0		1,250
Bulloch	1/:					58,900
Burke	:	113,750		118,000		68,200
Calhoun	1/:					24,100

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Candler	1/:					18,800
Chattooga	1/:	0		0		
Clay	:	0		0		9,200
Coffee	1/:					55,500
Colquitt	:	238,850		245,750		135,600
Cook	1/:					34,000
Crawford	1/:					2,250
Crisp	1/:					48,200
Decatur	1/:					71,150
Dodge	1/:					28,750
Dooly	:	197,750		204,650		118,450
Dougherty	:	0		0		23,950
Early	1/:					41,800
Echols	:	0		0		1,600
Effingham	:	0		0		5,200
Elbert	1/:					3,300
Emanuel	:	0		0		31,400
Evans	:	0		0		5,250
Floyd	:	0		0		4,950
Franklin	1/:	0		0		
Glascocock	:	0		0		2,200
Grady	:	0		0		42,400
Hart	:	0		0		400
Henry	:	0		0		550
Houston	:	0		0		20,000
Irwin	1/:					35,350
Jeff Davis	1/:					31,750
Jefferson	1/:					27,650
Jenkins	:	0		0		17,150
Johnson	1/:					7,000
Lamar	:	0		0		2,000
Lanier	:	0		0		7,500
Laurens	1/:					19,700
Lee	1/:					34,450
Liberty	1/:	0		0		
Long	:	0		0		700
Lowndes	1/:					13,850
Macon	:	0		0		28,750
Marion	1/:	0		0		
McDuffie	:	0		0		350
Miller	1/:					34,850

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Mitchell	1/:					84,100
Monroe	:	0		0		900
Montgomery	:	0		0		3,200
Morgan	1/:					1,950
Oconee	:	0		0		600
Peach	:	0		0		6,800
Pierce	:	0		0		19,300
Pike	1/:	0		0		
Polk	:	0		0		2,100
Pulaski	1/:					46,250
Quitman	:	0		0		2,850
Randolph	1/:					15,250
Richmond	:	0		0		1,800
Schley	:	0		0		3,800
Screven	1/:					30,100
Seminole	1/:					38,000
Stewart	:	0		0		7,200
Sumter	1/:					49,850
Tattnall	:	0		0		10,550
Taylor	1/:					11,400
Telfair	:	0		0		8,250
Terrell	1/:					27,850
Thomas	1/:					45,550
Tift	1/:					42,050
Toombs	:	0		0		10,250
Treutlen	:	0		0		4,950
Turner	1/:					39,800
Twiggs	:	0		0		5,100
Walton	:	0		0		450
Ware	:	0		0		5,700
Warren	:	0		0		600
Washington	:	0		0		8,300
Wayne	:	0		0		19,950
Webster	:	0		0		7,600
Wheeler	:	0		0		3,700
Wilcox	1/:					32,250
Wilkes	1/:	0		0		
Wilkinson	:	0		0		750
Worth	1/:					72,950
	:					
Georgia	:	2,041,500		2,102,850		2,017,850

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Kansas	1/:					4,100
Avoyelles	1/:					25,900
Bienville	:	0		0		1,050
Bossier	:	0		0		4,450
Caddo	:	37,000		38,400		30,900
Caldwell	:	0		0		14,250
Catahoula	:	90,300		92,050		126,000
Claiborne	1/:	0		0		
Concordia	:	96,200		97,850		87,200
Desoto	:	0		0		1,350
East Carroll	:	113,350		112,100		89,050
Evangeline	:	0		0		1,800
Franklin	:	183,700		186,600		165,700
Grant	:	0		0		4,300
Madison	1/:					89,150
Morehouse	:	141,350		144,950		127,600
Natchitoches	1/:					14,000
Ouachita	1/:					32,250
Pointe Coupe	1/:					11,500
Rapides	:	52,600		54,050		42,950
Red River	1/:					6,500
Richland	:	219,350		221,550		156,300
Saint Landry	:	0		0		10,100
Tensas	:	136,350		140,850		151,500
Union	1/:	0		0		
Webster	:	0		0		600
West Carroll	:	94,250		97,350		68,250
West Feliciana	:	0		0		650
Louisiana	:	1,299,450		1,322,150		1,263,500
Adams	:	0		0		7,150
Alcorn	:	0		0		600
Attala	:	0		0		9,900
Benton	1/:					1,950
Bolivar	:	117,000		121,350		118,800
Calhoun	:	44,300		45,150		39,050
Carroll	1/:					26,200
Chickasaw	1/:					15,900

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Choctaw	0	0	1,450
Claiborne	0	0	4,400
Clay	0	0	3,850
Coahoma	174,850	179,250	169,600
Copiah	0	0	1,400
Covington	0	0	1,400
Desoto 1/:			22,600
Forrest	0	0	3,250
Franklin 1/:	0	0	
George	0	0	2,850
Greene	0	0	1,350
Grenada 1/:			22,100
Hinds 1/:			21,450
Holmes	102,750	104,250	88,200
Humphreys	85,200	87,200	96,250
Issaquena 1/:			45,950
Itawamba	0	0	1,600
Jackson	0	0	350
Jefferson 1/:			3,550
Lafayette 1/:			9,950
Lawrence	0	0	1,650
Leake 1/:			3,600
Lee 1/:			8,500
Leflore	144,950	148,200	124,450
Lowndes	0	0	7,450
Madison	34,900	35,450	46,500
Marshall 1/:			8,950
Monroe 1/:			20,100
Montgomery 1/:			11,900
Newton	0	0	750
Noxubee	0	0	10,750
Oktibbeha	0	0	1,050
Panola	35,300	36,450	38,100
Perry	0	0	4,250
Pike	0	0	550
Pontotoc 1/:			6,700
Prentiss 1/:			3,900
Quitman	69,900	71,350	69,200
Rankin 1/:			10,850
Scott	0	0	4,800
Sharkey 1/:			73,050

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Smith	1/:	0	:	0	:	
Sunflower	:	156,150	:	161,050	:	129,500
Tallahatchie	:	111,600	:	115,500	:	113,750
Tate	1/:		:		:	11,650
Tippah	1/:		:		:	650
Tishomingo	:	0	:	0	:	950
Tunica	:	51,100	:	51,750	:	67,100
Union	1/:		:		:	3,150
Warren	1/:		:		:	20,550
Washington	:	165,950	:	170,700	:	157,400
Webster	1/:		:		:	22,600
Winston	1/:	0	:	0	:	
Yalobusha	1/:		:		:	15,500
Yazoo	:	130,050	:	133,600	:	106,150
	:		:		:	
Mississippi	:	1,819,250	:	1,866,450	:	1,827,500
	:		:		:	
Bollinger	1/:	0	:	0	:	
Butler	1/:	0	:	0	:	
Dunklin	:	207,050	:	209,950	:	228,500
Jasper	1/:	0	:	0	:	
Mississippi	:	0	:	0	:	3,200
New Madrid	:	161,600	:	164,600	:	156,800
Pemiscot	:	130,700	:	131,650	:	117,300
Scott	1/:		:		:	13,150
Stoddard	1/:		:		:	53,400
Oth	2/:	0	:	0	:	8,850
	:		:		:	
Missouri	:	557,250	:	565,500	:	581,500
	:		:		:	
Chaves	1/:		:		:	18,900
Curry	:	0	:	0	:	2,200
Dona Ana	:	38,950	:	39,300	:	42,050
Eddy	1/:		:		:	19,800
Hidalgo	1/:		:		:	1,150
Lea	:	0	:	0	:	2,850
Luna	1/:		:		:	10,300
Quay	1/:		:		:	1,550
Roosevelt	:	0	:	0	:	2,400
Sierra	:	0	:	0	:	950
	:		:		:	
New Mexico	:	89,600	:	89,900	:	102,150

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Anson	1/:					7,050
Beaufort	1/:					13,000
Bertie	1/:					51,350
Bladen	1/:					7,900
Brunswick	:	0		0		1,000
Cabarrus	:	0		0		3,000
Chowan	:	0		0		29,250
Cleveland	1/:					3,000
Columbus	:	0		0		1,500
Craven	1/:					20,150
Cumberland	:	0		0		4,750
Currituck	:	0		0		4,950
Duplin	1/:					20,200
Edgecombe	1/:					56,800
Franklin	:	0		0		300
Gates	1/:					7,200
Granville	:	0		0		900
Greene	1/:					24,150
Guilford	1/:	0		0		
Halifax	:	89,000		91,400		91,750
Harnett	1/:					13,850
Hertford	1/:					26,750
Hoke	1/:					12,750
Hyde	:	0		0		8,050
Iredell	:	0		0		1,750
Johnston	:	0		0		13,350
Jones	1/:					3,050
Lee	:	0		0		700
Lenoir	1/:					26,700
Martin	1/:					45,850
Nash	1/:					28,200
Northampton	:	82,100		84,900		78,550
Onslow	:	0		0		650
Pamlico	:	0		0		500
Pasquotank	:	0		0		750
Pender	:	0		0		500
Perquimans	1/:					19,150
Pitt	1/:					39,850
Robeson	:	42,900		45,700		15,500
Rowan	:	0		0		600
Rutherford	1/:					350

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced

Sampson	:	75,600	:	78,050	:	34,800
Scotland	1/:		:		:	12,950
Stanly	1/:		:		:	9,650
Tyrrell	:	0	:	0	:	1,900
Union	:	0	:	0	:	9,650
Wake	1/:	0	:	0	:	
Warren	1/:	0	:	0	:	
Washington	:	0	:	0	:	7,200
Wayne	1/:		:		:	25,250
Wilson	1/:		:		:	27,450
Oth	2/:	0	:	0	:	158,750

North Carolina	:	985,100	:	1,013,700	:	973,700

Alfalfa	1/:	0	:	0	:	
Beckham	:	8,050	:	8,250	:	5,650
Blaine	1/:	0	:	0	:	
Bryan	1/:		:		:	
Caddo	:	3,550	:	3,550	:	2,100
Canadian	1/:		:		:	650
Coal	1/:	0	:	0	:	
Comanche	:	0	:	0	:	650
Cotton	1/:		:		:	900
Custer	1/:		:		:	1,200
Garfield	:	0	:	0	:	500
Grady	1/:		:		:	
Greer	:	3,100	:	3,250	:	3,500
Harmon	:	20,450	:	20,450	:	25,450
Hughes	1/:	0	:	0	:	
Jackson	:	53,150	:	53,600	:	51,700
Jefferson	1/:	0	:	0	:	
Kay	1/:	0	:	0	:	
Kiowa	:	8,150	:	8,250	:	8,950
Love	1/:	0	:	0	:	
Mcclain	1/:		:		:	1,250
Muskogee	1/:	0	:	0	:	
Okmulgee	:	0	:	0	:	300
Pottawatomie	:	0	:	0	:	300
Roger Mills	:	0	:	0	:	1,250
Tillman	:	15,150	:	15,650	:	14,300
Wagoner	:	0	:	0	:	700

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Washita	7,850	8,000	9,750
Woods 1/:	0	0	
Oth 2/:	0	0	650
Oklahoma	126,100	127,650	130,950
Abbeville	0	0	1,000
Aiken 1/:			12,200
Allendale 1/:			9,700
Bamberg	0	0	11,800
Barnwell 1/:			6,600
Calhoun	74,200	75,350	43,450
Cherokee 1/:	0	0	
Chester	0	0	1,700
Chesterfield	0	0	1,100
Clarendon	29,950	30,300	19,700
Colleton	0	0	700
Darlington	28,200	28,700	42,300
Dillon 1/:			22,300
Dorchester	0	0	7,900
Edgefield	0	0	4,500
Fairfield 1/:	0	0	
Florence	0	0	19,050
Georgetown	0	0	500
Greenville 1/:	0	0	
Hampton 1/:			22,500
Horry	0	0	1,800
Jasper 1/:	0	0	
Kershaw	0	0	600
Lancaster	0	0	500
Laurens 1/:	0	0	
Lee	48,250	46,900	41,950
Lexington	0	0	1,700
Marion	0	0	4,500
Marlboro	50,000	51,750	49,700
Newberry 1/:	0	0	
Orangeburg	64,700	65,650	60,250
Richland	0	0	500
Saluda 1/:			2,350
Sumter	32,450	33,150	14,600
Williamsburg 1/:			36,550

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
York	1/:					4,600
South Carolina	:	434,000		440,800		447,450
Carroll	1/:					18,900
Chester	:	0		0		4,900
Coffee	1/:	0		0		
Crockett	:	141,600		143,000		107,000
Dyer	1/:					38,800
Fayette	:	48,700		50,750		44,000
Franklin	:	0		0		3,650
Gibson	:	81,700		83,650		63,050
Giles	:	0		0		1,150
Hardeman	1/:					19,150
Hardin	:	0		0		1,550
Haywood	:	174,600		178,250		155,600
Henderson	:	0		0		2,100
Henry	:	0		0		1,150
Lake	1/:					16,400
Lauderdale	:	59,250		60,450		43,600
Lawrence	1/:	0		0		
Lincoln	1/:					3,800
Madison	1/:					52,900
Maury	:	0		0		850
McNairy	:	0		0		1,150
Obion	:	0		0		5,500
Rutherford	:	0		0		2,450
Shelby	:	0		0		19,500
Tipton	:	64,500		66,600		52,800
Weakley	1/:	0		0		
Tennessee	:	664,100		677,400		661,350
Anderson	1/:	0		0		
Andrews	:	0		0		6,900
Archer	:	0		0		400
Armstrong	:	0		0		1,050
Atascosa	:	0		0		1,100
Austin	:	0		0		2,600
Bailey	:	77,200		80,000		65,300
Bastrop	1/:	0		0		

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Baylor	1/:					3,100
Bee	1/:	0		0		
Bell	:	0		0		1,600
Bexar	:	0		0		750
Borden	1/:					2,650
Bowie	1/:	0		0		
Brazoria	:	12,200		12,550		9,750
Brazos	1/:					12,250
Briscoe	:	50,100		51,700		32,850
Brown	1/:	0		0		
Burleson	1/:					22,300
Caldwell	1/:					1,450
Calhoun	1/:					3,900
Callahan	1/:	0		0		
Cameron	:	48,950		50,250		54,350
Castro	:	79,500		80,650		101,800
Childress	1/:					24,150
Clay	1/:					
Cochran	1/:					55,800
Coke	1/:	0		0		
Coleman	1/:					650
Collin	1/:					4,200
Collingsworth	1/:					25,100
Colorado	1/:	0		0		
Comanche	:	0		0		450
Concho	1/:					11,550
Cottle	1/:					12,450
Crosby	:	193,950		198,200		201,650
Dawson	:	90,000		92,700		99,300
De Witt	1/:	0		0		
Deaf Smith	1/:					7,900
Delta	:	0		0		1,500
Denton	:	0		0		1,050
Dickens	1/:					3,350
Donley	1/:					9,950
Eastland	:	0		0		1,100
El Paso	1/:					47,800
Ellis	:	18,700		19,350		20,950
Erath	1/:	0		0		
Falls	1/:					7,050
Fisher	1/:					24,750

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Floyd	170,600	178,250	186,650
Foard	0	0	400
Fort Bend	49,050	50,200	54,350
Frio	0	0	850
Gaines	281,950	292,900	258,900
Garza	17,950	18,300	23,350
Glasscock 1/:			24,900
Grayson 1/:	0	0	
Grimes	0	0	700
Hale	323,400	335,400	298,050
Hall	64,100	66,200	67,200
Hamilton 1/:	0	0	
Hardeman 1/:			3,300
Haskell	47,750	49,450	43,650
Hidalgo	33,200	33,550	33,750
Hill	26,400	27,000	39,550
Hockley	290,650	296,000	227,900
Houston 1/:			1,200
Howard 1/:			9,400
Hudspeth	0	0	17,550
Hunt 1/:			8,450
Irion 1/:	0	0	
Jackson 1/:			22,600
Jim Wells	0	0	3,150
Johnson	0	0	450
Jones	35,800	36,700	29,000
Karnes	0	0	800
Kaufman 1/:			1,700
Kent 1/:			2,000
King	0	0	1,050
Kleberg 1/:			24,750
Knox 1/:			32,400
Lamar 1/:			3,000
Lamb	253,300	264,050	202,350
Lavaca 1/:	0	0	
Lee	0	0	12,200
Leon 1/:	0	0	
Limestone	0	0	1,600
Live Oak	0	0	3,100
Lubbock	262,050	269,550	280,800
Lynn	206,950	213,400	197,350

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	: Running Bales : Ginned	: Equivalent 480-Pound : Bales Ginned	: Running Bales : Produced
Madison	0	0	350
Martin	36,600	37,650	21,050
Matagorda 1/:			29,000
Mcculloch 1/:			2,250
McLennan 1/:			6,800
Medina 1/:			4,600
Midland 1/:			14,300
Milam	6,100	6,050	7,050
Mitchell	10,350	10,550	9,150
Motley 1/:			15,950
Navarro 1/:			12,550
Nolan 1/:			9,200
Nueces	49,050	48,300	55,800
Parmer	101,700	105,450	120,450
Pecos 1/:			9,800
Rains 1/:	0	0	
Reagan	0	0	19,600
Real	0	0	750
Red River	0	0	5,000
Reeves 1/:			11,300
Refugio 1/:			8,950
Robertson	33,350	34,700	27,650
Rockwall	0	0	400
Runnels	28,000	29,000	18,450
San Patricio	66,550	68,600	48,400
Schleicher	0	0	550
Scurry	5,150	5,150	4,650
Shackelford	0	0	600
Starr 1/:			
Stonewall	0	0	2,150
Swisher	66,400	67,900	86,450
Taylor 1/:			9,700
Terry	296,950	304,550	316,450
Throckmorton 1/:			1,750
Tom Green	38,400	39,650	40,000
Travis	0	0	2,400
Upton 1/:			8,350
Uvalde	0	0	9,550
Van Zandt	0	0	450
Victoria	0	0	4,000
Walker 1/:			500

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1996 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Wharton	95,150	96,350	60,100
Wheeler	0	0	2,650
Wichita 1/:			1,150
Wilbarger	6,900	6,850	5,900
Willacy	78,650	80,350	73,150
Williamson	22,550	23,250	21,000
Wilson	0	0	700
Yoakum	149,950	151,750	150,050
Young 1/:			1,500
Zavala 1/:			7,700
Oth 2/:	0	0	1,350
Texas	4,294,450	4,418,550	4,277,050
Accomack 1/:	0	0	
Brunswick 1/:	0	0	
Charles City 1/:	0	0	
Chesapeake c 1/:	0	0	
Dinwiddie	0	0	5,800
Greensville 1/:			11,450
Henrico 1/:	0	0	
Isle of Wigh 1/:			20,400
King William 1/:	0	0	
King and Que 1/:	0	0	
Lancaster 1/:	0	0	
New Kent 1/:	0	0	
Northampton 1/:	0	0	
Northumberla 1/:	0	0	
Prince Georg 1/:	0	0	
Southampton	0	0	64,700
Suffolk City 1/:			19,700
Surry	0	0	7,300
Sussex	0	0	14,600
Virginia Bea 1/:	0	0	
Virginia	153,000	155,250	156,550
US Total	18,438,550	18,928,550	18,438,550

1/ Withheld to avoid disclosing individual gins, but included in State and U. S. totals.

2/ County of origin was not determined.

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Autauga	2	510.1	264
Baldwin	1	482.1	165
Barbour	0	0.0	248
Blount	1	510.6	461
Bullock	0	0.0	497
Butler	0	0.0	514
Calhoun	0	0.0	421
Chambers	0	0.0	547
Cherokee	4	490.5	146
Chilton	1	480.0	462
Choctaw	0	0.0	475
Clarke	0	0.0	571
Clay	0	0.0	592
Coffee	1	497.1	221
Colbert	2	488.3	177
Conecuh	0	0.0	377
Covington	1	499.6	219
Crenshaw	2	474.0	392
Cullman	0	0.0	434
Dale	0	0.0	325
Dallas	2	496.5	249
Dekalb	0	0.0	580
Elmore	3	493.9	246
Escambia	1	502.5	97
Etowah	0	0.0	391
Fayette	1	527.9	374
Franklin	0	0.0	522
Geneva	2	490.0	222
Greene	1	493.1	
Hale	0	0.0	455
Henry	2	490.1	172
Houston	2	493.4	152
Jackson	0	0.0	501
Lamar	0	0.0	493
Lauderdale	1	495.2	143
Lawrence	4	503.3	83
Lee	0	0.0	370
Limestone	7	500.1	47
Lowndes	1	503.2	498
Macon	1	503.0	306

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Madison	4	483.1	76
Marengo	1	473.3	330
Marion	0	0.0	523
Marshall	0	0.0	485
Mobile	1	500.1	192
Monroe	1	509.2	99
Montgomery	0	0.0	431
Morgan	0	0.0	496
Pickens	1	500.0	400
Pike	0	0.0	301
Russell	2	490.1	284
Shelby	0	0.0	332
Talladega	0	0.0	488
Tallapoosa	1	495.2	417
Tuscaloosa	2	489.8	327
Washington	0	0.0	406
Wilcox	0	0.0	363
Winston	0	0.0	614
Alabama	56	496.4	
Cochise	2	493.1	232
Graham	4	489.9	122
Greenlee	0	0.0	404
La Paz	3	501.4	73
Maricopa	18	491.3	8
Mohave	1	501.1	241
Pima	3	503.6	148
Pinal	19	495.0	6
Yuma	4	498.6	72
Arizona	54	494.2	
Arkansas	0	0.0	451
Ashley	6	484.6	41
Calhoun	0	0.0	615
Chicot	5	489.0	63
Clay	3	485.5	118
Craighead	8	490.7	28

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Crittenden	4	484.4	56
Cross	1	504.2	481
Desha	6	484.9	19
Drew	1	486.0	150
Greene	3	487.1	139
Jefferson	13	488.9	39
Lafayette	3	497.1	321
Lee	2	505.2	108
Lincoln	5	494.4	78
Lonoke	5	488.2	92
Miller	1	500.0	425
Mississippi	14	488.3	4
Monroe	3	485.4	134
Phillips	7	489.8	40
Poinsett	8	487.3	46
Prairie	1	480.0	405
Pulaski	0	0.0	423
Saint Francis	4	497.2	145
Woodruff	1	503.0	291
Arkansas	104	488.5	
Butte	0	0.0	554
Colusa	1	500.9	323
Fresno	40	497.8	1
Glenn	0	0.0	452
Imperial	1	489.7	228
Kern	22	494.6	2
Kings	14	496.2	3
Madera	5	497.9	58
Merced	7	494.1	13
Riverside	2	492.6	157
San Bernardi	0	0.0	418
Sutter	1	500.4	561
Tehama	0	0.0	532
Tulare	10	495.6	14
Yolo	0	0.0	368
California	103	496.3	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Alachua	0	0.0	427
Calhoun	0	0.0	307
Columbia	0	0.0	534
Dixie	0	0.0	572
Escambia	1	480.0	224
Flagler	0	0.0	566
Gadsen	0	0.0	533
Gilchrist	0	0.0	539
Hamilton	0	0.0	361
Holmes	0	0.0	548
Jackson	1	493.0	162
Jefferson	0	0.0	398
Levy	0	0.0	581
Madison	0	0.0	426
Marion	0	0.0	616
Okaloosa	0	0.0	334
Putnam	0	0.0	593
Santa Rosa	2	506.4	182
St. Johns	0	0.0	549
Suwannee	0	0.0	395
Walton	0	0.0	424
Washington	0	0.0	463
Florida	4	499.0	
Appling	2	496.3	106
Atkinson	0	0.0	218
Bacon	0	0.0	271
Baker	0	0.0	184
Baldwin	0	0.0	619
Bartow	1	485.0	386
Ben Hill	0	0.0	265
Berrien	2	487.9	132
Bibb	0	0.0	556
Bleckley	1	493.4	164
Blinch	0	0.0	594
Brooks	2	501.6	82
Bryan	0	0.0	458
Bulloch	2	483.4	77

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Burke	5	498.0	66
Calhoun	2	484.5	180
Candler	2	498.1	216
Chattooga	0	0.0	567
Clay	0	0.0	285
Coffee	2	492.3	84
Colquitt	7	493.9	29
Cook	1	494.1	135
Crawford	1	499.0	407
Crisp	2	483.6	96
Decatur	2	495.0	62
Dodge	1	496.2	156
Dooly	8	496.8	36
Dougherty	0	0.0	181
Early	1	490.0	117
Echols	0	0.0	439
Effingham	0	0.0	336
Elbert	1	500.0	371
Emanuel	0	0.0	144
Evans	0	0.0	335
Floyd	0	0.0	339
Franklin	0	0.0	602
Glascocock	0	0.0	409
Grady	0	0.0	112
Hart	0	0.0	555
Henry	0	0.0	535
Houston	0	0.0	202
Irwin	2	497.0	129
Jeff Davis	1	497.9	142
Jefferson	2	504.5	160
Jenkins	0	0.0	223
Johnson	1	497.3	316
Lamar	0	0.0	415
Lanier	0	0.0	304
Laurens	2	500.2	205
Lee	1	483.3	133
Liberty	0	0.0	603
Long	0	0.0	507
Lowndes	1	496.5	239
Macon	0	0.0	155
Marion	0	0.0	582

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
McDuffie	0	0.0	562
Miller	1	491.7	130
Mitchell	2	500.0	55
Monroe	0	0.0	489
Montgomery	0	0.0	375
Morgan	1	500.0	419
Oconee	0	0.0	524
Peach	0	0.0	318
Pierce	0	0.0	210
Pike	0	0.0	618
Polk	0	0.0	412
Pulaski	3	483.2	101
Quitman	0	0.0	387
Randolph	1	498.0	231
Richmond	0	0.0	428
Schley	0	0.0	359
Screven	1	496.0	149
Seminole	1	493.0	127
Stewart	0	0.0	309
Sumter	2	489.1	93
Tattnall	0	0.0	267
Taylor	1	490.0	261
Telfair	0	0.0	296
Terrell	1	495.3	159
Thomas	3	504.2	104
Tift	3	485.2	114
Toombs	0	0.0	269
Treutlen	0	0.0	340
Turner	2	504.3	121
Twiggs	0	0.0	337
Walton	0	0.0	550
Ware	0	0.0	329
Warren	0	0.0	525
Washington	0	0.0	295
Wayne	0	0.0	203
Webster	0	0.0	303
Wheeler	0	0.0	362
Wilcox	1	490.6	140
Wilkes	0	0.0	617
Wilkinson	0	0.0	502

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Worth	1	503.7	61
Georgia	79	494.4	
Kansas 1/	1	480.0	
Avoyelles	1	482.6	169
Bienville	0	0.0	476
Bossier	0	0.0	350
Caddo	6	498.2	147
Caldwell	0	0.0	237
Catahoula	4	489.4	32
Claiborne	0	0.0	595
Concordia	3	488.3	53
Desoto	0	0.0	456
East Carroll	6	474.8	51
Evangeline	0	0.0	429
Franklin	11	487.6	21
Grant	0	0.0	352
Madison	2	487.4	50
Morehouse	6	492.3	31
Natchitoches	2	491.3	238
Ouachita	2	479.8	141
Pointe Coupe	1	484.4	259
Rapides	4	493.3	111
Red River	1	484.1	324
Richland	10	484.8	24
Saint Landry	0	0.0	270
Tensas	7	495.9	26
Union	0	0.0	596
Webster	0	0.0	526
West Carroll	6	495.7	65
West Felicia	0	0.0	515
Louisiana	72	488.4	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Adams	0	0.0	312
Alcorn	0	0.0	527
Attala	0	0.0	274
Benton	2	487.7	420
Bolivar	8	497.9	35
Calhoun	3	489.2	124
Carroll	2	485.0	168
Chickasaw	1	489.0	227
Choctaw	0	0.0	449
Claiborne	0	0.0	351
Clay	0	0.0	358
Coahoma	8	492.1	20
Copiah	0	0.0	453
Covington	0	0.0	454
Desoto	2	486.9	185
Forrest	0	0.0	373
Franklin	0	0.0	604
George	0	0.0	388
Greene	0	0.0	457
Grenada	1	480.0	191
Hinds	2	500.0	193
Holmes	6	487.1	52
Humphreys	4	491.3	48
Issaquena	1	481.6	102
Itawamba	0	0.0	440
Jackson	0	0.0	563
Jefferson	1	499.0	366
Lafayette	1	486.0	272
Lawrence	0	0.0	438
Leake	1	489.0	365
Lee	1	498.0	292
Leflore	11	490.8	33
Lowndes	0	0.0	305
Madison	3	487.3	100
Marshall	1	500.0	288
Monroe	2	501.8	201
Montgomery	1	500.0	255
Newton	0	0.0	503
Noxubee	0	0.0	266
Oktibbeha	0	0.0	477
Panola	3	495.9	126

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Perry	0	0.0	353
Pike	0	0.0	536
Pontotoc	2	479.4	320
Prentiss	1	475.0	356
Quitman	5	489.9	64
Rankin	2	497.9	263
Scott	0	0.0	343
Sharkey	6	491.5	60
Smith	0	0.0	584
Sunflower	10	495.0	30
Tallahatchie	7	496.8	38
Tate	1	486.8	257
Tippah	1	505.9	516
Tishomingo	0	0.0	486
Tunica	5	486.3	68
Union	1	475.0	378
Warren	1	490.4	197
Washington	13	493.7	22
Webster	1	480.0	186
Winston	0	0.0	583
Yalobusha	1	495.0	229
Yazoo	7	493.1	43
Mississippi	129	492.4	
Bollinger	0	0.0	621
Butler	0	0.0	597
Dunklin	12	486.7	11
Jasper	0	0.0	620
Mississippi	0	0.0	376
New Madrid	9	488.9	23
Pemiscot	9	483.4	37
Scott	3	490.5	243
Stoddard	2	492.3	87
Missouri	35	487.1	
Chaves	2	483.3	214
Curry	0	0.0	410

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Dona Ana	8	484.1	115
Eddy	3	477.1	204
Hidalgo	1	480.0	466
Lea	0	0.0	389
Luna	1	477.6	268
Quay	1	460.0	443
Roosevelt	0	0.0	401
Sierra	0	0.0	487
New Mexico	16	481.6	
Anson	1	495.3	313
Beaufort	1	488.0	244
Bertie	2	483.9	91
Bladen	1	486.7	298
Brunswick	0	0.0	482
Cabarrus	0	0.0	383
Chowan	0	0.0	151
Cleveland	4	483.8	384
Columbus	0	0.0	445
Craven	1	492.9	200
Cumberland	0	0.0	344
Currituck	0	0.0	341
Duplin	3	488.4	199
Edgecombe	2	499.6	79
Franklin	0	0.0	568
Gates	1	490.0	310
Granville	0	0.0	490
Greene	1	469.3	178
Guilford	0	0.0	605
Halifax	4	492.9	49
Harnett	1	504.3	240
Hertford	1	478.3	166
Hoke	1	492.3	247
Hyde	0	0.0	297
Iredell	0	0.0	432
Johnston	0	0.0	242
Jones	1	498.2	382
Lee	0	0.0	508
Lenoir	2	490.8	167

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Martin	1	478.3	103
Nash	2	519.8	158
Northampton	6	496.4	57
Onslow	0	0.0	517
Pamlico	0	0.0	540
Pasquotank	0	0.0	504
Pender	0	0.0	541
Perquimans	1	495.3	211
Pitt	3	501.4	120
Robeson	3	511.4	230
Rowan	0	0.0	528
Rutherford	1	460.0	564
Sampson	4	495.7	131
Scotland	2	509.9	245
Stanly	2	498.5	280
Tyrrell	0	0.0	422
Union	0	0.0	281
Wake	0	0.0	585
Warren	0	0.0	574
Washington	0	0.0	311
Wayne	1	497.7	171
Wilson	1	497.1	163
North Carolina	54	493.9	
Alfalfa	0	0.0	623
Beckham	6	493.1	331
Blaine	0	0.0	622
Bryan	1	500.0	624
Caddo	4	480.6	413
Canadian	1	480.0	519
Coal	0	0.0	586
Comanche	0	0.0	518
Cotton	1	480.0	491
Custer	2	493.3	464
Garfield	0	0.0	542
Grady	1	493.9	598
Greer	4	500.5	367

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Harmon	4	479.8	170
Hughes	0	0.0	626
Jackson	5	484.2	90
Jefferson	0	0.0	625
Kay	0	0.0	575
Kiowa	3	485.5	289
Love	0	0.0	599
Mcclain	2	463.3	460
Muskogee	0	0.0	607
Okmulgee	0	0.0	570
Pottawatomie	0	0.0	569
Roger Mills	0	0.0	459
Tillman	6	496.3	235
Wagoner	0	0.0	509
Washita	5	488.8	276
Woods	0	0.0	606
Oklahoma	45	485.8	
Abbeville	0	0.0	483
Aiken	2	523.5	253
Allendale	1	457.0	278
Bamberg	0	0.0	256
Barnwell	1	486.0	322
Calhoun	3	487.6	110
Cherokee	0	0.0	576
Chester	0	0.0	435
Chesterfield	0	0.0	471
Clarendon	3	486.0	206
Colleton	0	0.0	510
Darlington	3	488.3	113
Dillon	2	501.3	189
Dorchester	0	0.0	299
Edgefield	0	0.0	349
Fairfield	0	0.0	628
Florence	0	0.0	213
Georgetown	0	0.0	544
Greenville	0	0.0	608

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Hampton	1	485.0	188
Horry	0	0.0	430
Jasper	0	0.0	577
Kershaw	0	0.0	529
Lancaster	0	0.0	543
Laurens	0	0.0	627
Lee	5	466.6	116
Lexington	0	0.0	436
Marion	0	0.0	348
Marlboro	4	496.9	94
Newberry	0	0.0	600
Orangeburg	4	487.0	74
Richland	0	0.0	545
Saluda	1	492.0	403
Sumter	6	490.3	233
Williamsburg	1	500.0	128
York	1	477.0	346
South Carolina	38	487.6	
Carroll	1	485.0	215
Chester	0	0.0	342
Coffee	0	0.0	530
Crockett	9	484.7	42
Dyer	1	490.0	125
Fayette	3	500.2	105
Franklin	0	0.0	364
Gibson	6	491.6	71
Giles	0	0.0	469
Hardeman	2	497.3	212
Hardin	0	0.0	444
Haywood	9	490.1	25
Henderson	0	0.0	414
Henry	0	0.0	467
Lake	1	484.2	225
Lauderdale	5	489.9	109
Lawrence	0	0.0	601
Lincoln	1	485.0	360
Madison	2	478.2	88
Maury	0	0.0	494

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Mcnairy	0	0.0	468
Obion	0	0.0	333
Rutherford	0	0.0	399
Shelby	0	0.0	209
Tipton	7	495.6	89
Weakley	0	0.0	520
Tennessee	47	489.6	
Anderson	0	0.0	632
Andrews	0	0.0	317
Archer	0	0.0	558
Armstrong	0	0.0	478
Atascosa	0	0.0	473
Austin	0	0.0	396
Bailey	11	497.4	69
Bastrop	0	0.0	590
Baylor	2	490.0	380
Bee	0	0.0	635
Bell	0	0.0	441
Bexar	0	0.0	506
Borden	1	480.0	393
Bowie	0	0.0	609
Brazoria	3	493.4	277
Brazos	3	488.9	252
Briscoe	3	495.4	137
Brown	0	0.0	629
Burleson	1	492.6	190
Caldwell	1	487.6	450
Calhoun	1	496.1	357
Callahan	0	0.0	630
Cameron	9	492.9	86
Castro	7	486.8	44
Childress	2	497.4	179
Clay	1	481.7	578
Cochran	2	496.7	80
Coke	0	0.0	610
Coleman	1	499.0	521
Collin	2	488.7	354
Collingswort	3	504.4	173

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Colorado	0	0.0	591
Comanche	0	0.0	551
Concho	2	489.0	258
Cottle	2	489.3	251
Crosby	7	490.5	16
Dawson	10	494.4	45
De Witt	0	0.0	611
Deaf Smith	1	491.0	300
Delta	0	0.0	447
Denton	0	0.0	480
Dickens	2	491.7	369
Donley	1	498.0	273
Eastland	0	0.0	472
El Paso	6	491.2	98
Ellis	3	496.2	196
Erath	0	0.0	587
Falls	2	490.9	314
Fisher	3	495.1	175
Floyd	11	501.5	18
Foard	0	0.0	557
Fort Bend	7	491.2	85
Frio	0	0.0	495
Gaines	13	498.6	10
Garza	3	488.9	183
Glasscock	2	506.0	174
Grayson	0	0.0	588
Grimes	0	0.0	511
Hale	19	497.8	7
Hall	5	495.8	67
Hamilton	0	0.0	631
Hardeman	2	496.0	372
Haskell	8	497.2	107
Hidalgo	8	485.1	136
Hill	4	491.2	123
Hockley	11	488.8	12
Houston	1	490.0	465
Howard	2	477.6	283
Hudspeth	0	0.0	220
Hunt	2	486.8	293

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Irion	0	0.0	589
Jackson	1	489.9	187
Jim Wells	0	0.0	379
Johnson	0	0.0	552
Jones	9	492.3	153
Karnes	0	0.0	499
Kaufman	1	491.0	437
Kent	1	495.4	416
King	0	0.0	479
Kleberg	2	497.4	176
Knox	4	505.4	138
Lamar	2	491.4	385
Lamb	12	500.4	15
Lavaca	0	0.0	636
Lee	0	0.0	254
Leon	0	0.0	634
Limestone	0	0.0	442
Live Oak	0	0.0	381
Lubbock	18	493.7	9
Lynn	10	495.0	17
Madison	0	0.0	565
Martin	7	493.9	194
Matagorda	1	484.0	154
Mcculloch	1	485.0	408
Mclennan	1	479.0	319
Medina	2	487.5	347
Midland	1	494.7	236
Milam	3	477.2	315
Mitchell	3	489.4	287
Motley	2	498.7	226
Navarro	2	499.1	250
Nolan	1	494.2	286
Nueces	7	472.5	81
Parmer	7	497.8	34
Pecos	1	482.1	275
Rains	0	0.0	633
Reagan	0	0.0	208
Real	0	0.0	505
Red River	0	0.0	338
Reeves	2	481.3	262
Refugio	1	500.0	290

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Robertson	4	499.1	161
Rockwall	0	0.0	559
Runnels	6	497.0	217
San Patricio	9	494.8	95
Schleicher	0	0.0	537
Scurry	3	481.3	345
Shackelford	0	0.0	531
Starr	1	503.0	579
Stonewall	0	0.0	411
Swisher	5	491.0	54
Taylor	2	494.4	279
Terry	10	492.3	5
Throckmorton	1	486.0	433
Tom Green	5	495.7	119
Travis	0	0.0	402
Upton	1	498.2	294
Uvalde	0	0.0	282
Van Zandt	0	0.0	553
Victoria	0	0.0	355
Walker	1	499.7	546
Wharton	6	486.0	75
Wheeler	0	0.0	394
Wichita	1	508.5	470
Wilbarger	4	476.0	326
Willacy	6	490.5	59
Williamson	6	495.4	195
Wilson	0	0.0	512
Yoakum	5	485.8	27
Young	1	488.3	446
Zavala	3	490.3	302
Texas	372	493.9	
Accomack	0	0.0	474
Brunswick	0	0.0	538
Charles City	0	0.0	390
Chesapeake c	0	0.0	613
Dinwiddie	0	0.0	328
Greensville	1	491.2	260

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1996 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Henrico	0	0.0	612
Isle of Wigh	3	483.5	198
King William	0	0.0	448
King and Que	0	0.0	513
Lancaster	0	0.0	637
New Kent	0	0.0	560
Northampton	0	0.0	397
Northumberla	0	0.0	492
Prince Georg	0	0.0	484
Southampton	0	0.0	70
Suffolk City	1	498.3	207
Surry	0	0.0	308
Sussex	0	0.0	234
Virginia Bea	0	0.0	500
Virginia	5	487.1	
	0	0.0	
US Total	1,214	492.8	

1/ Withheld to avoid disclosing individual data.

Note: County of origin was not determined for approximately
265,950 bales in the U.S., and ranking may be affected.

Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 1996

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
All cotton	:		:		:	
US 1/	:	1,214	:	CA	:	103
1 - 2,999	:	148	:	1 - 2,999	:	3
3,000 - 4,999	:	110	:	3,000 - 4,999	:	1
5,000 - 6,999	:	114	:	5,000 - 6,999	:	3
7,000 - 9,999	:	116	:	7,000 - 9,999	:	4
10,000 - 14,999	:	195	:	10,000 - 14,999	:	15
15,000 - 19,999	:	163	:	15,000 - 19,999	:	11
20,000 - 39,999	:	262	:	20,000 - 39,999	:	42
40,000 - and over	:	96	:	40,000 - and over	:	24
AL	:	56	:	GA	:	79
1 - 2,999	:	6	:	1 - 2,999	:	1
3,000 - 4,999	:	6	:	3,000 - 4,999	:	4
5,000 - 6,999	:	9	:	5,000 - 6,999	:	2
7,000 - 9,999	:	9	:	7,000 - 9,999	:	3
10,000 - 14,999	:	6	:	10,000 - 14,999	:	9
15,000 - 19,999	:	7	:	15,000 - 19,999	:	12
20,000 - 39,999	:	10	:	20,000 - 39,999	:	25
40,000 - and over	:	3	:	40,000 - and over	:	23
AZ	:	54	:	LA	:	72
1 - 2,999	:	3	:	1 - 2,999	:	1
3,000 - 4,999	:	3	:	3,000 - 4,999	:	5
5,000 - 6,999	:	5	:	5,000 - 6,999	:	8
7,000 - 9,999	:	5	:	7,000 - 9,999	:	6
10,000 - 14,999	:	3	:	10,000 - 14,999	:	13
15,000 - 19,999	:	8	:	15,000 - 19,999	:	12
20,000 - 39,999	:	22	:	20,000 - 39,999	:	21
40,000 - and over	:	5	:	40,000 - and over	:	6
AR	:	104	:	MS	:	129
1 - 2,999	:	6	:	1 - 2,999	:	12
3,000 - 4,999	:	8	:	3,000 - 4,999	:	12
5,000 - 6,999	:	12	:	5,000 - 6,999	:	6
7,000 - 9,999	:	4	:	7,000 - 9,999	:	20
10,000 - 14,999	:	26	:	10,000 - 14,999	:	26
15,000 - 19,999	:	17	:	15,000 - 19,999	:	26
20,000 - 39,999	:	27	:	20,000 - 39,999	:	25
40,000 - and over	:	4	:	40,000 - and over	:	2

-- continued

Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 1996 (continued)

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
MO	:	35	:	SC	:	38
1 - 2,999	:	0	:	1 - 2,999	:	4
3,000 - 4,999	:	0	:	3,000 - 4,999	:	6
5,000 - 6,999	:	3	:	5,000 - 6,999	:	4
7,000 - 9,999	:	8	:	7,000 - 9,999	:	3
10,000 - 14,999	:	6	:	10,000 - 14,999	:	12
15,000 - 19,999	:	11	:	15,000 - 19,999	:	3
20,000 - 39,999	:	6	:	20,000 - 39,999	:	6
40,000 - and over	:	1	:	40,000 - and over	:	0
NM	:	16	:	TN	:	47
1 - 2,999	:	5	:	1 - 2,999	:	4
3,000 - 4,999	:	1	:	3,000 - 4,999	:	3
5,000 - 6,999	:	2	:	5,000 - 6,999	:	3
7,000 - 9,999	:	5	:	7,000 - 9,999	:	5
10,000 - 14,999	:	0	:	10,000 - 14,999	:	14
15,000 - 19,999	:	3	:	15,000 - 19,999	:	10
20,000 - 39,999	:	0	:	20,000 - 39,999	:	7
40,000 - and over	:	0	:	40,000 - and over	:	1
NC	:	54	:	TX	:	372
1 - 2,999	:	4	:	1 - 2,999	:	67
3,000 - 4,999	:	1	:	3,000 - 4,999	:	55
5,000 - 6,999	:	2	:	5,000 - 6,999	:	50
7,000 - 9,999	:	3	:	7,000 - 9,999	:	39
10,000 - 14,999	:	7	:	10,000 - 14,999	:	58
15,000 - 19,999	:	11	:	15,000 - 19,999	:	32
20,000 - 39,999	:	23	:	20,000 - 39,999	:	47
40,000 - and over	:	3	:	40,000 - and over	:	24
OK	:	45	:		:	
1 - 2,999	:	32	:		:	
3,000 - 4,999	:	5	:		:	
5,000 - 6,999	:	5	:		:	
7,000 - 9,999	:	2	:		:	
10,000 - 14,999	:	0	:		:	
15,000 - 19,999	:	0	:		:	
20,000 - 39,999	:	1	:		:	
40,000 - and over	:	0	:		:	

1/ Total number of gins operating. Data excludes 4 gins in Florida, 1 gin in Kansas, and 5 in Virginia.

Cotton Ginnings 1996: A total of 18.4 million running bales were ginned during the 1996 season, 6 percent more than 1995's ginnings of 17.5 million bales. The crop was characterized by favorable conditions throughout the majority of the cotton belt, although Louisiana's crop experienced dry conditions which lowered production potential from early season expectations. California suffered extremely high temperatures during September, which reduced yields.

There were 1,214 active cotton gins during the 1996 season, down from the 1,274 that operated in 1995. Although there were 5 percent fewer active gins compared to the previous season, the continued changes to high-speed ginning equipment allowed gins to keep pace with the large crop. There were 358 ginning firms processing more than 20,000 bales in 1996, 96 of these processed at least 40,000 bales.

Cotton, 1996 Final: All cotton production in the United States totaled 18.9 million bales in 1996, 6 percent above 1995's production. The 1996 output was the third largest crop on record. Upland cotton production, at 18.4 million bales, was 5 percent higher than the previous year, while American-Pima production totaled 528,500 bales, up 44 percent from 1995.

The area planted to all cotton totaled 14.6 million acres, down 14 percent from 1995, and harvested area at 12.9 million acres, was down 20 percent from the previous year. Abandonment totaled 12 percent compared to 5 percent in 1995, and Texas abandoned 30 percent of their acreage. Yields for the U.S. averaged 707 pounds per harvested acre, the second highest yield on record.

The Delta States' 1996 output increased 2 percent from the 1995 drought and insect reduced production, to 6.06 million bales. Plantings lagged behind the average pace due to wet soils and because other row crops were being planted, but in mid-May, producers exceeded the 5-year average pace and planting was complete in mid-June. Crop development exceeded the 5-year average during the season. Louisiana's crop suffered from dry conditions during early summer and compared to the previous 10 years, boll counts ranked ninth, but boll weights were second highest. Boll weights ranked eighth and sixth in Arkansas and Mississippi, respectively, but Arkansas' large boll counts ranked fifth highest and Mississippi's ranked third highest during the past 10 years. Yields averaged 748 pounds, up 146 pounds from one year earlier.

Production in the Southeast, at 4.33 million bales, was up 20 percent from 1995. Yields averaged 730 pounds, 191 pounds above 1995's yields, which were effected by hot and dry conditions. The planting pace was slightly behind average in Alabama and Georgia early in the season, but early May storms followed by a dry period, allowed producers to exceed the average pace by mid-May. Early June storms in these two States replenished soil moisture, and improved crop condition. Hurricane Fran entered North Carolina on September 5, flooding some acreage and deteriorating the condition and yield prospects as it moved across the cotton producing areas. More storms followed hurricane Fran during the month, which slowed harvest in most of the region.

The Western States Upland production totaled 3.25 million bales, a 2 percent increase from 1995's output. Arizona's acreage was planted well ahead of the average pace, due to approval of early planting dates in an attempt to lessen

any effects of whitefly. California's seeding pace was behind average, as low April soil temperatures and rainfall in mid-April and mid-May, slowed activity and also caused some replantings. California's boll counts were second lowest and boll weights were third lowest since 1986. Yields in this region averaged 1,144 pounds per harvested acre, up 182 pounds from the previous year.

The Texas-Oklahoma Upland production, at 4.48 million bales, was 2 percent below the previous year's output. Storms in early June provided some relief from the dry planting conditions in May. High winds and hail damaged some acreage, forcing producers to replant. Poor growing conditions had adverse effects on the South Texas crop during the planting season. These conditions resulted in an abandonment of 28 percent of Texas' planted acreage. Texas producers planted 5.70 million acres, down 11 percent from 1995, and harvested acres, at 4.10 million were down 29 percent. Beneficial amounts of rainfall in August and September, resulted in the highest boll count and second highest boll weights since 1986. Texas Upland cotton yield was a record high 509 pounds per harvested acre.

Cottonseed: Cottonseed production in 1996 totaled 7.14 million tons, up 4 percent from 1995.

Released May 12, 1997, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, U.S. Department of Agriculture. For information on "Cotton Ginnings Summary" call Roger Latham at (202) 720-5944, office hours 7:30 a.m. to 4:00 p.m. ET.

The next "Cotton Ginnings Summary" report will be released in May 1998.

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint, write the Secretary of Agriculture, USDA, Washington, D.C., 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

SUBSCRIBE TODAY!!

For your convenience, there are several ways to obtain NASS reports, data products, and services:

INTERNET ACCESS

All NASS reports are now available free of charge on the worldwide Internet. For access, connect to the Internet and select:

1. Worldwide Web: <http://www.usda.gov/nass/> **OR**
2. For Gopher/Telenet/FTP access:
HOST=usda.mannlib.cornell.edu **OR**
3. For a subscription direct to your e-mail address,
send an e-mail message to: usda-reports@usda.mannlib.cornell.edu
and in the body of the message type the word: list

AUTOFAX ACCESS

NASSFax service is available for some reports from your fax machine. Please call 202-720-2000, using the handset attached to your fax. Respond to the voice prompts.

PRINTED REPORTS OR DATA PRODUCTS

CALL OUR TOLL-FREE ORDER DESK: 1-800-999-6779 (U.S. and Canada)
Other areas, please call 1-703-834-0125 FAX: 1-703-834-0110
(Visa, MasterCard, check, or money order acceptable for payment.)

ASSISTANCE

For **assistance** with general agricultural statistics or further information about NASS or its products or services, contact the **Agricultural Statistics HOTLINE** at 1-800-727-9540, 7:30 a.m. to 4:00 p.m. ET, or e-mail: NASS@NASS.USDA.GOV.
