

Commodity Economics Division
Economic Research Serv., USDA
301 West Congress
Tucson, Arizona 85701

COTTON QUALITY

SUPPLY - DISAPPEARANCE - CARRY-OVER

1961-62



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

Vol. 35, No. 11

September 1962

STATISTICAL TABLES

<u>Table</u>	<u>Page</u>
1. Carry-over of upland cotton by specified grades and staples, August 1, 1960-1962 . . .	2
2. Grade index and average staple of upland cotton, August 1, 1953-1962	2
3. Grade and staple of upland cotton in the carry-over, August 1, 1962	3
4. Grade and staple of upland cotton in the carry-over, August 1, 1961	4
5. Grade and staple of upland cotton in consuming establishments, August 1, 1962	5
6. Grade and staple of upland cotton in public storage and "elsewhere", August 1, 1962 .	6
7. Grade and staple of CCC stocks of upland cotton, 1961 and earlier crops, as of July 31, 1962	7
8. Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1950-1962	8
9. Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1950-1962	9
10. Grade and staple of upland cotton in the supply, United States, 1961-62	10
11. Tenderability of upland cotton in the carry-over, United States, August 1, 1953-1962 .	11
12. Grade and staple of American-Egyptian cotton in the carry-over, August 1, 1962	11
13. Grade and staple of American-Egyptian cotton in the carry-over, August 1, 1961	11
14. Staple of cotton of foreign growth in the carry-over, August 1, 1955-1962	12

United States Department of Agriculture
 Agricultural Marketing Service
 Market News Section - Cotton Division
 Drawer C - White Station - Memphis 17, Tennessee

COTTON QUALITY, UNITED STATES

Supply - Disappearance - Carry-over

1961-62

Introduction

This report contains information on the quality of cotton on hand in the United States on August 1, 1962, and on the quality of cotton in the crop, supply, and disappearance during the 1961-62 season. To facilitate comparison certain data for previous years are included.

Quality estimates for the carry-over include statistics on the grade and staple of upland and American-Egyptian cotton and on the staple of cotton of foreign growth in the United States on August 1, 1962. Estimates on the quality of cotton in public storage including CCC stocks as of August 1, 1962 were based on actual re-sampling and classification of a representative proportion of these stocks. Sample data were compiled for each state and were raised to the total number of bales in public storage as reported by the Bureau of the Census for upland, American-Egyptian and foreign growths. Quality of cotton stored in consuming establishments was based on grade and staple length data furnished by consuming establishments in which the cotton was stored.

Upland cotton in the United States carry-over on August 1, 1962 contained proportionately more Middling and higher White grades than a year earlier. The proportion of Strict Low Middling Plus and lower White grades in the 1962 carry-over was slightly larger than on August 1, 1961. Light Spotted cotton accounted for a somewhat smaller proportion of the total carry-over than a year earlier. Spotted and other Colored cotton comprised a larger percentage of end-season stocks than in either of the two preceding years. In terms of "grade index", the 1962 carry-over was slightly lower than a year earlier but for the fourth consecutive year was higher than the grade index for the season's supply.

The carry-over of upland cotton on August 1, 1962 contained a somewhat larger proportion of cotton stapling one inch and shorter than a year earlier. The proportion of end-season stocks in the lengths 1-1/32" and 1-1/16" was the smallest since 1959. Cotton stapling 1-3/32" and longer comprised nearly 18 percent of the total carry-over stocks, the largest proportion of these lengths in end-season stocks since 1951. The average staple of upland cotton in the 1962 carry-over was 33.2 thirty-seconds inches compared with 33.3 thirty-seconds a year earlier.

American-Egyptian cotton on hand in the United States on August 1, 1962 averaged moderately higher in grade and longer in staple than a year earlier. Stocks of this cotton at the end of the 1961-62 season contained about 82 percent of Grades 3 and higher against 67 percent at the end of the previous season. American-Egyptian cotton in the staples 1-7/16" and longer comprised 80 percent of the 1962 carry-over against 65 percent a year earlier.

Cotton tenderable in settlement of futures contracts in the 1962 carry-over totaled about 6,796,000 bales, equivalent to 88 percent of the total. This is based on the quality of cotton tenderable with respect to grade and staple only and does not take into consideration cotton reduced for cause or cotton below minimum micronaire requirements.

The United States carry-over of all kinds of cotton totaled 7,850,000 bales on August 1, 1962, according to the Bureau of the Census. This compares with 7,228,000 bales a year earlier and 7,560,000 two years ago. Stocks of upland cotton in the 1962 carry-over totaled 7,743,000 bales, American-Egyptian stocks were 64,000 bales, and foreign growths totaled 42,000 bales.

Table 1. Carry-over of upland cotton by specified grades and staples,
August 1, 1960 - August 1, 1962

Grade and staple	1960		1961		1962 1/	
	Quantity	Percentage	Quantity	Percentage	Quantity	Percentage
	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
White:						
Strict Middling & higher	1,332	18.0	801	11.3	1,368	17.7
Middling Plus	185	2.5	119	1.7	212	2.7
Middling	2,813	38.1	1,978	28.1	2,656	34.3
Strict Low Middling Plus	239	3.2	162	2.3	277	3.6
Strict Low Middling	986	13.3	922	13.0	848	11.0
Low Middling Plus	104	1.4	64	.9	112	1.4
Low Middling & lower	275	3.8	223	3.0	291	3.7
Light Spotted:						
Strict Middling & higher	440	5.9	806	11.4	388	5.0
Middling	469	6.3	1,294	18.3	651	8.4
Strict Low Middling	159	2.2	273	3.9	258	3.3
Low Middling	57	.8	53	.8	105	1.4
Spotted 2/	160	2.2	195	2.7	297	3.9
Other Colored 3/	171	2.3	188	2.6	280	3.6
All Grades	7,390	100.0	7,078	100.0	7,743	100.0
Staples:						
13/16" & shorter	6	0.1	1	•	3	•
7/8"	53	.7	10	0.1	59	0.8
29/32"	132	1.8	35	.5	139	1.8
15/16"	641	8.7	231	3.3	744	9.6
31/32"	598	8.1	321	4.5	432	5.6
1"	733	9.9	668	9.4	701	9.1
1-1/32"	1,546	20.9	2,361	33.4	1,459	18.8
1-1/16"	2,826	38.3	2,817	39.8	2,831	36.6
1-3/32"	590	8.0	458	6.5	979	12.6
1-1/8"	177	2.4	133	1.9	262	3.4
1-5/32"	64	.9	33	.5	112	1.4
1-3/16"	18	.2	8	.1	12	.2
1-7/32"	3	•	1	•	5	.1
1-1/4" & longer	3	•	1	•	5	•
All Staples	7,390	100.0	7,078	100.0	7,743	100.0

1/ Preliminary.

2/ Includes all grades.

3/ Includes Below Grade.

Table 2. Grade index and average staple of upland cotton, August 1, 1953-1962

Year	Grade index (Middling White=100)			Average staple (Thirty-seconds inches)		
	Mill Stocks	Public Storage Stocks	Total Carry-over	Mill Stocks	Public Storage Stocks	Total Carry-over
1953	96.3	94.6	95.0	33.3	31.7	32.1
1954	95.1	95.5	95.4	33.2	32.2	32.3
1955	95.4	95.9	95.9	33.2	32.1	32.2
1956	95.5	93.9	94.0	33.2	32.2	32.2
1957	95.7	91.5	91.9	33.3	31.8	32.0
1958	95.1	90.2	91.1	33.3	31.3	31.7
1959	92.8	95.3	95.0	32.8	31.7	31.9
1960	95.8	98.4	97.9	33.5	32.9	33.0
1961	97.0	97.8	97.6	33.5	33.2	33.3
1962	96.8	96.9	96.9	33.6	33.1	33.2

Table 3. -- Grade and staple of upland cotton in the carry-over, August 1, 1962 1/

Table with columns for Grade, Staple (1-1/16 to 1-1/4 inches), Bales, and Percent. Rows include various grades (White, Light Spotted, Spotted, Finged, Yellow Stained, Light Gray) and a Total row, with sub-totals for all grades.

1/ Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills. 2/ As reported by the Bureau of the Census, running bales. * Less than 0.05 percent. Grade index 96.9 Average staple 33.2

Table 4. --- Grade and staple of upland cotton in the carry-over, August 1, 1961 1/2

Grade	All staples															
	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-1/8 inches	1-3/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	Bales	Percent	
White:																
G.M.	-	-	15	738	1,223	2,097	2,952	8,831	8,844	8,844	2,982	478	-	-	37,094	0.5
S.M.	-	307	1,359	12,495	23,695	56,088	189,943	319,137	43,031	43,031	11,298	154	211	764,193	10.8	
K.+	-	-	-	570	1,782	5,247	19,545	53,933	7,333	7,333	1,925	208	49	119,284	1.7	
M.	-	412	1,968	14,000	37,894	118,744	615,495	1,004,389	25,455	25,455	9,055	151	582	1,975,961	28.1	
S.L.M.+	-	-	112	642	2,267	6,655	46,490	76,248	18,950	18,950	1,118	301	-	161,315	2.3	
S.L.M.	-	149	829	8,351	17,559	82,870	385,424	375,334	40,164	9,702	1,202	10	-	922,124	13.0	
L.M.+	-	-	-	315	1,325	6,367	26,155	24,998	4,009	4,009	75	-	-	64,145	.9	
L.M.	-	74	260	1,951	5,239	28,760	100,086	53,990	2,569	608	150	-	-	193,762	2.7	
S.O.O.+	-	-	389	44	87	259	1,118	931	23	23	-	-	-	2,851	.3	
S.O.O.	-	-	370	1,196	1,753	7,316	10,124	3,350	256	75	-	-	-	24,450	.3	
G.O.+	-	-	-	-	-	-	-	40	-	-	-	-	-	40	.1	
G.O.	-	-	81	457	378	762	591	67	-	-	-	-	-	2,336	.3	
Total	75	942	5,393	40,959	93,212	318,165	1,397,823	1,921,278	353,196	101,756	27,710	315	842	4,267,795	60.3	
Light Spotted:																
G.M.	-	112	341	2,315	2,934	2,763	3,402	3,517	3,972	3,999	624	271	-	24,030	.3	
S.N.	-	2,082	6,902	43,281	58,127	87,419	263,915	258,787	42,819	15,565	1,962	434	311	782,101	11.1	
K.	-	2,380	6,682	46,433	65,044	129,102	479,595	511,508	49,057	8,102	1,328	539	60	1,294,210	18.3	
S.L.M.	-	525	2,926	17,362	24,412	91,066	116,237	55,135	3,788	1,123	443	37	-	273,054	3.9	
L.N.	-	1,339	4,488	7,708	7,708	14,454	18,947	6,266	176	166	-	-	-	53,481	.8	
Total	523	5,099	18,190	113,879	158,225	284,804	876,076	835,213	99,812	28,715	4,357	1,281	371	2,426,876	34.4	
Spotted:																
G.N.	-	-	263	1,173	614	559	339	114	148	149	-	-	-	3,359	.9	
S.N.	-	185	549	2,733	2,940	1,349	602	225	75	-	-	-	-	60,397	.9	
M.	-	74	822	3,173	24,269	26,273	17,192	5,770	1,385	347	112	49	-	91,999	1.3	
S.L.M.	-	337	1,704	8,352	7,193	5,842	5,197	1,569	148	150	37	-	-	30,529	.4	
L.N.	-	112	587	1,781	2,509	3,135	1,144	368	37	37	-	-	-	9,710	.1	
Total	149	1,943	7,969	48,424	48,405	38,446	30,932	14,423	3,118	1,154	299	132	-	195,394	2.7	
Tinged:																
G.N.	-	-	-	75	-	-	-	-	-	-	-	-	-	75	.1	
S.N.	-	-	-	113	-	-	27	64	-	-	-	-	-	231	.3	
M.	-	187	221	2,480	712	184	37	37	-	-	-	-	-	4,045	.1	
Total	187	197	221	2,668	712	211	64	101	-	-	-	-	-	4,351	.1	
Light Gray:																
G.N.	-	-	-	38	11	100	85	465	-	-	-	-	-	699	.9	
S.M.	-	-	68	733	1,069	7,333	23,450	24,475	1,267	748	753	512	-	60,408	.7	
M.	-	34	10	851	1,670	5,956	22,625	16,171	231	86	-	-	-	47,634	.7	
S.L.M.	-	-	75	564	532	1,671	4,001	1,035	37	75	-	-	-	7,990	.1	
Total	-	34	153	2,186	3,282	15,060	50,161	42,146	1,535	909	753	512	-	116,731	1.7	
Gray:																
G.M.	-	-	-	187	-	-	37	-	-	-	-	-	-	224	.3	
S.M.	-	-	-	44	44	275	560	594	-	-	-	-	-	1,473	.2	
M.	-	-	-	532	157	800	2,633	866	-	-	-	-	-	4,968	.1	
S.L.M.	-	-	37	543	312	538	518	44	-	-	-	-	-	1,992	.1	
Total	-	-	37	1,262	513	1,613	3,748	1,504	-	-	-	-	-	8,677	.1	
Below Grade	225	610	670	3,872	2,373	4,152	860	360	102	-	-	-	-	13,224	.2	
All grades	1,196	9,972	35,214	231,489	320,846	608,387	2,361,478	2,815,568	457,872	132,571	33,156	646	1,213	7,077,632	100.0	
All grades	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
	0.1	.5	3.3	4.3	9.4	33.4	39.8	.5	.1	.1	.1	.1	.1	100.0		
1/2 Revised.																
2/2 As reported by the Bureau of the Census, running bales.																
3/2 Less than 0.05 percent.																
															Grade Index	
															Average staple	
															97.6	
															33.3	

Table 5. -- Grade and staple of upland cotton in consuming establishments, August 1, 1962

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:															
G.M.	-	-	-	-	9	1,107	945	2,624	417	10,493	96	-	495	22,151	1.5
S.M.	-	1,346	4	1,760	235	11,015	16,605	99,370	24,931	298	298	193	552	225,968	15.1
M.+	-	9,953	5	3,846	113	4,858	17,520	50,529	11,430	6,476	176	218	316	146,291	9.8
M.	-	2,933	67	7,306	2,388	15,389	42,675	136,855	32,283	5,272	299	321	455	351,535	23.7
S.L.M.+	-	181	11	2,299	487	16,555	18,679	94,750	6,862	213	4	-	1	180,549	12.1
S.L.M.	-	181	4	14,297	4,106	38,532	42,545	105,068	4,230	51	-	-	174	243,607	16.4
L.M.+	-	216	-	1,316	1,822	12,420	31,635	22,041	219	4	-	-	-	73,421	4.9
L.M.	-	-	-	9,545	819	9,141	27,074	22,000	1,714	-	3	-	-	73,890	5.0
S.O.O.+	-	1	-	1,799	110	11,113	12,194	2,781	14	-	-	-	-	3,345	.2
S.O.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	28,043	1.9
G.O.+	-	-	-	-	3	3	-	-	-	-	-	-	-	-	3
G.O.	-	8	-	21	3	1,901	317	22	1	-	-	1	-	2,405	.2
Total	124	11,322	75	42,189	9,991	124,474	230,952	536,701	283,943	81,285	47,430	733	1,933	1,351,108	90.8
Light Spotted:															
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	2,967	2,578	79	2,681	335	275	-	-	-	-	-	418	.7
M.	-	1,224	6,089	15,066	2,129	4,249	2,084	2,315	585	3,111	-	-	319	10,521	1.1
S.L.M.	-	1,348	4,281	18,338	719	5,135	695	560	108	39	-	-	-	37,171	2.5
L.M.	-	39	-	1,643	17	1,783	1,063	1,247	42	6	-	-	-	31,223	2.1
Total	-	3,456	13,337	37,625	2,944	13,848	4,177	4,397	1,934	3,156	-	-	319	85,173	5.7
Spotted:															
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	826	-	657	-	27	478	5	17	-	-	-	-	2,010	.1
M.	-	7,579	95	3,186	29	1,986	90	758	83	-	-	-	108	13,914	.9
S.L.M.	-	4,897	486	4,743	-	1,839	4,505	1,384	76	-	-	-	72	18,002	1.2
L.M.	-	241	-	432	-	210	6,772	301	87	-	-	-	-	8,043	.5
Total	-	13,543	581	9,018	29	4,062	11,845	2,448	263	-	-	-	180	41,969	2.7
Tinged:															
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	209	-	420	-	-	-	-	-	-	-	639	.4
M.	-	1,069	-	1,313	-	136	-	-	-	-	-	-	-	2,508	.2
S.L.M.	-	609	-	546	-	546	-	-	-	-	-	-	-	1,155	.1
L.M.	-	28	-	785	-	236	114	613	-	-	-	-	-	1,776	.1
Total	-	1,696	-	2,853	-	792	114	613	-	-	-	-	-	6,068	.4
Yellow Stained:															
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	420	-	-	-	-	-	-	-	420	.2
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	420	-	-	-	-	-	-	-	422	.2
Light Gray:															
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	137	789	667	1	-	-	-	-	561	.4
M.	-	-	-	-	-	2,040	-	-	-	-	-	-	-	1,594	.1
S.L.M.	-	-	-	13	-	8	-	-	-	-	-	-	-	2,061	.1
Total	-	-	-	13	-	2,177	1,350	675	1	-	-	-	-	4,216	.2
Gray:															
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	4	-	-	-	-	-	-	-	4	.2
M.	-	1	-	2	33	-	55	267	-	-	-	-	-	398	.2
S.L.M.	-	-	-	2	-	624	235	-	-	-	-	-	-	881	.1
Total	-	1	-	4	33	628	310	267	-	-	-	-	-	1,243	.1
Below Grade	-	-	-	7	61	758	68	18	21	-	-	-	-	942	.1
All grades	124	30,007	13,993	91,711	13,056	147,159	227,916	545,119	286,162	84,481	47,430	733	2,432	1,491,141	100.0
All grades	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	2.0	.9	.9	6.2	.9	9.9	15.3	36.4	19.2	5.7	3.2	.1	.2	100.0	

1/ Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.
 2/ As reported by the Bureau of the Census.
 * Less than 0.05 percent.
 Grade Index 96.8
 Average staple 33.6

Table 8. -- Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1950-1962

Year beginning August 1	White 1/						Spotted			Other Colored 2/	All grades 3/
	Good Middling and higher	Strict Middling	Middling	Strict Low Middling	Low Middling	Strict Good & Good Ordinary	Strict Middling and higher	Middling	Strict Low Middling		
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales		
	<u>CARRY-OVER</u>										
1950	44	718	2,376	2,108	562	68	266	383	80	140	6,745
1951	25	319	809	538	116	50	48	78	46	115	2,144
1952	14	200	595	502	348	186	47	151	289	377	2,709
1953	51	761	1,906	1,186	389	144	169	306	266	300	5,478
1954	70	1,327	3,501	2,249	1,190	253	167	291	303	199	9,550
1955	66	1,370	4,106	3,118	1,080	210	255	336	267	191	10,999
1956	47	1,228	4,502	4,151	1,672	414	269	761	908	430	14,382
1957	48	746	2,317	2,297	947	349	627	1,691	1,227	1,002	11,251
1958	28	559	1,212	1,218	576	187	527	1,199	1,585	1,501	8,592
1959	29	905	2,759	1,590	350	71	522	917	769	806	8,718
1960	40	1,292	2,997	1,225	330	49	461	522	220	254	7,390
1961	37	764	2,094	1,084	258	30	870	1,386	304	251	7,078
1962	43	1,326	2,866	1,126	324	79	409	746	356	468	7,743
	<u>CROP</u>										
1950	26	713	3,005	2,933	660	161	698	824	262	564	9,846
1951	41	1,040	4,840	4,141	1,443	371	651	951	769	779	15,026
1952	92	1,591	5,600	3,876	1,171	261	511	1,013	420	323	14,858
1953	63	2,099	5,716	4,175	2,154	604	281	338	436	387	16,253
1954	43	1,531	4,889	4,276	1,173	314	296	458	255	342	13,577
1955	42	905	4,078	4,504	1,804	469	235	940	924	600	14,501
1956	123	1,719	4,489	3,201	913	206	642	1,060	405	344	13,102
1957	63	828	2,731	2,329	745	166	245	938	1,474	1,282	10,801
1958	23	1,107	4,375	3,373	814	116	213	688	408	237	11,354
1959	53	1,253	4,749	3,959	1,205	153	333	1,276	816	649	14,446
1960	39	1,060	3,908	3,631	1,128	147	430	1,814	1,266	776	14,199
1961	69	1,595	4,676	2,483	731	117	493	1,811	1,281	1,007	14,263
	<u>SUPPLY 4/</u>										
1950	70	1,431	5,381	5,041	1,222	229	964	1,207	342	704	16,591
1951	66	1,359	5,649	4,679	1,559	421	699	1,029	815	894	17,170
1952	106	1,791	6,195	4,378	1,519	447	558	1,164	709	700	17,567
1953	114	2,860	7,622	5,361	2,543	748	450	644	702	687	21,731
1954	113	2,858	8,390	6,525	2,363	567	463	749	558	541	23,127
1955	108	2,275	8,184	7,622	2,884	679	490	1,276	1,191	791	25,500
1956	170	2,947	8,991	7,352	2,585	620	911	1,821	1,313	774	27,484
1957	111	1,574	5,048	4,626	1,692	515	872	2,629	2,701	2,284	22,052
1958	51	1,666	5,587	4,591	1,390	303	740	1,887	1,993	1,738	19,946
1959	82	2,158	7,508	5,549	1,555	224	855	2,193	1,585	1,455	23,164
1960	79	2,352	6,905	4,856	1,458	196	891	2,336	1,486	1,030	21,589
1961	106	2,359	6,770	3,567	989	147	1,363	3,197	1,585	1,258	21,341
	<u>DISAPPEARANCE 5/</u>										
1950	45	1,112	4,572	4,503	1,106	179	916	1,129	296	589	14,447
1951	52	1,159	5,055	4,177	1,211	235	651	878	526	517	14,461
1952	55	1,030	4,289	3,192	1,130	303	389	858	443	400	12,089
1953	44	1,533	4,121	3,112	1,353	495	283	353	398	489	12,181
1954	47	1,488	4,284	3,407	1,283	357	208	413	291	350	12,128
1955	61	1,047	3,682	3,471	1,212	265	221	515	283	361	11,118
1956	122	2,201	6,674	5,055	1,638	271	284	130	86	-228	16,233
1957	83	1,015	3,835	3,408	1,116	328	345	1,430	1,116	783	13,459
1958	22	761	2,828	3,001	1,040	232	218	970	1,224	932	11,228
1959	42	866	4,511	4,324	1,225	175	394	1,671	1,365	1,201	15,774
1960	42	1,588	4,873	3,772	1,200	166	21	950	1,182	779	14,511
1961	63	1,033	3,904	2,441	665	68	954	2,451	1,229	790	13,598

1/ Official standards for Extra White cotton abolished effective August 15, 1953. White and Extra White combined in 1952 and earlier years and Good Middling includes higher grades. Plus grades of White included with straight grades; Light Spotted with Spotted; and Light Gray with Gray.

2/ Other Colored includes Low Middling Spotted; all grades of Tinged, Yellow Stained and Gray.

3/ As reported by the Bureau of the Census.

4/ Carry-over at the beginning of the season plus crop.

5/ Supply minus carry-over at the end of the season.

Table 9. -- Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1950-1962

Season beginning August 1	13/16" and shorter 1,000 bales	7/8" and 29/32" 1,000 bales	15/16" and 31/32" 1,000 bales	1" and 1-1/32" 1,000 bales	1-1/16" and 1-3/32" 1,000 bales	1-1/8" and 1-5/32" 1,000 bales	1-3/16" and 1-7/32" 1,000 bales	1-1/4" and longer 1,000 bales	All lengths 1/ 1,000 bales
<u>CARRY-OVER</u>									
1950	54	512	704	2,351	2,751	297	50	26	6,745
1951	14	105	191	668	849	247	48	22	2,144
1952	72	453	384	955	691	102	30	22	2,709
1953	207	867	681	1,730	1,802	150	30	11	5,478
1954	187	1,326	1,376	3,104	3,157	354	36	10	9,550
1955	220	1,759	1,743	3,419	3,266	526	55	11	10,999
1956	449	2,202	2,046	4,168	4,761	677	68	11	14,382
1957	249	1,521	2,003	4,718	2,446	280	26	8	11,251
1958	124	1,431	2,157	3,088	1,588	177	20	7	8,592
1959	50	1,491	2,181	2,412	2,346	224	12	2	8,718
1960	6	185	1,239	2,279	3,417	240	21	3	7,390
1961	1	45	552	3,030	3,274	166	9	1	7,078
1962	3	198	1,177	2,160	3,810	373	17	5	7,743
<u>CROP</u>									
1950	176	1,074	1,092	3,002	4,212	206	67	17	9,846
1951	288	2,080	1,625	5,264	5,446	258	59	6	15,026
1952	499	1,889	1,714	5,292	5,135	293	34	2	14,858
1953	81	1,698	2,172	5,814	6,100	364	23	1	16,253
1954	264	1,756	1,918	5,298	3,890	415	32	4	13,577
1955	372	1,683	1,561	3,807	6,506	547	22	3	14,501
1956	162	1,049	1,580	5,198	4,641	458	12	2	13,102
1957	56	837	1,866	3,498	4,132	406	5	1	10,801
1958	13	505	2,466	3,178	4,682	504	5	1	11,354
1959	21	830	2,596	3,808	6,706	479	5	1	14,446
1960	2	340	3,031	4,095	6,222	503	4	2	14,199
1961	2	591	3,261	3,075	6,829	491	9	5	14,263
<u>SUPPLY 2/</u>									
1950	230	1,586	1,796	5,353	6,963	503	117	43	16,591
1951	302	2,185	1,816	5,932	6,295	505	107	28	17,170
1952	571	2,342	2,098	6,247	5,826	395	64	24	17,567
1953	288	2,565	2,853	7,544	7,902	514	53	12	21,731
1954	451	3,082	3,294	8,402	7,047	769	68	14	23,127
1955	592	3,442	3,304	7,226	9,772	1,073	77	14	25,500
1956	611	3,251	3,626	9,366	9,402	1,135	80	13	27,484
1957	305	2,358	3,869	8,216	6,578	686	31	9	22,052
1958	137	1,936	4,623	6,266	6,270	681	25	8	19,946
1959	71	2,321	4,777	6,220	9,052	703	17	3	23,164
1960	8	525	4,270	6,374	9,639	743	25	5	21,589
1961	3	636	3,813	6,105	10,103	657	18	6	21,341
<u>DISAPPEARANCE 3/</u>									
1950	216	1,481	1,605	4,685	6,114	256	69	21	14,447
1951	230	1,732	1,432	4,977	5,604	403	77	6	14,461
1952	364	1,475	1,417	4,517	4,024	245	34	13	12,089
1953	101	1,239	1,477	4,440	4,745	160	17	2	12,181
1954	231	1,323	1,551	4,983	3,781	243	13	3	12,128
1955	143	1,240	1,258	3,058	5,011	396	9	3	11,118
1956	362	1,730	1,623	4,648	6,956	855	54	5	16,233
1957	181	927	1,712	5,127	4,990	509	11	2	13,459
1958	87	445	2,442	3,854	3,924	457	13	6	11,228
1959	65	2,136	3,538	3,941	5,635	463	-4	0	15,774
1960	7	480	3,718	3,344	6,365	577	16	4	14,511
1961	0	438	2,636	3,945	6,293	284	1	1	13,598

1/ As reported by the Bureau of the Census.

2/ Carry-over at the beginning of the season plus crop.

3/ Supply minus carry-over at the end of the season.

Table 10. -- Grade and staple of upland cotton in the supply, United States, 1961-62 1/2

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-1/8 inches		1-5/32 inches		1-3/16 inches		1-7/32 inches		1-1/4 inches and longer		All staples				
	Sales	Percent	Sales	Percent	Sales	Percent	Sales	Percent	Sales	Percent	Sales	Percent	Sales	Percent	Sales	Percent	Sales	Percent	Sales	Percent	Sales	Percent	Sales	Percent	Sales	Percent	Sales	Percent			
White:																															
G.M.		44	1,781	11,729	183	1,456	2,478	4,436	19,051	20,731	27,193	27,165	1,583	334	434	106,011	0.5														
S.M.		43	1,781	11,729	77,828	106,222	104,866	318,649	1,087,852	409,867	130,255	99,328	5,646	1,444	3,187	2,358,697	11.1														
M.		18	3,099	30,240	201,365	222,573	270,531	1,173,220	3,463,903	933,102	147,122	78,828	3,998	592	1,794	6,330,301	30.7														
S.L.M.		9	1,800	43,246	250,541	120,665	192,064	795,506	1,407,678	303,037	41,241	7,572	702	147	257	3,164,669	14.8														
L.M.		255	3,992	19,542	8,401	13,879	19,542	117,078	32,812	3,149	95	208	91	9	15	251,869	1.2														
L.M.+		22	490	10,471	46,306	34,541	92,938	276,312	239,999	33,134	2,392	9	7	-	-	15,142	0.1														
S.G.O.+		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.G.O.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
G.O.+		11	78	349	1,789	2,160	5,645	5,804	1,454	108	11	-	-	-	-	17,420	0.1														
G.O.		22	78	349	1,789	2,160	5,645	5,804	1,454	108	11	-	-	-	-	17,420	0.1														
Total	346	8,002	103,898	614,747	516,006	734,320	2,776,974	6,683,614	1,885,430	12,723	2,573	5,829	13,938,024	65.5																	
Light Spotted:																															
G.M.		133	433	2,682	3,479	2,933	3,651	3,793	4,004	3,792	668	271	-	-	-	25,869	0.1														
S.M.		343	4,098	30,862	178,354	171,872	145,246	327,512	325,180	52,017	465	326	340	1,263,324	5.9																
M.		394	7,270	141,461	758,581	349,078	257,593	644,252	705,395	73,654	19,952	3,759	610	127	68	2,962,194	13.9														
S.L.M.		105	5,157	121,881	482,195	183,068	142,979	265,453	150,316	15,141	2,870	658	103	48	26	1,370,190	6.4														
L.M.		119	1,255	20,226	63,296	42,372	86,818	128,577	40,146	2,504	245	18	8	53	-	385,637	1.8														
Total	961	17,913	314,883	1,485,108	749,859	635,569	1,369,445	1,225,030	147,350	14,607	9,276	1,467	509	487	6,007,214	28.1															
Spotted:																															
G.M.		-	263	1,173	614	594	348	169	148	149	-	-	-	-	-	3,458	0.0														
S.M.		84	846	3,671	16,078	12,578	12,368	13,906	8,638	543	150	85	65	-	-	70,559	0.3														
M.		125	4,162	49,359	91,425	33,221	20,472	20,155	13,642	2,331	119	59	-	-	-	234,543	1.1														
S.L.M.		208	3,301	46,067	75,697	16,881	18,346	42,578	10,378	796	193	37	-	-	-	214,682	1.0														
L.M.		84	1,395	11,358	16,126	11,748	36,157	45,341	8,122	277	57	-	-	-	-	130,665	0.6														
Total	501	9,704	109,718	200,499	75,042	87,937	122,328	41,149	5,166	306	142	-	-	-	-	653,907	3.0														
Tinged:																															
G.M.		-	-	398	150	37	64	-	-	-	-	-	-	-	-	649	0.0														
S.M.		10	424	1,528	3,156	2,951	1,392	658	294	75	8	-	-	-	-	10,926	0.0														
M.		199	4,361	21,322	19,945	8,365	3,687	2,018	519	52	-	-	-	-	-	60,668	0.3														
S.L.M.		112	2,788	15,658	13,579	3,864	7,551	6,837	696	21	37	-	-	-	-	51,143	0.2														
L.M.		88	1,629	6,242	5,433	3,686	11,234	5,451	208	-	-	-	-	-	-	34,008	0.2														
Total	409	9,202	44,980	42,511	19,016	23,901	15,028	1,717	148	45	37	-	-	-	-	156,994	0.7														
Yellow Stained:																															
G.M.		-	-	75	20	27	27	64	-	-	-	-	-	-	-	75	0.0														
S.M.		337	2,011	2,753	3,059	807	387	59	37	-	-	-	-	-	-	498	0.0														
M.		337	2,115	2,876	3,307	827	414	86	101	-	-	-	-	-	-	9,498	0.0														
Total	674	4,126	5,629	6,366	1,634	414	96	101	-	-	-	-	-	-	-	10,003	0.0														
Light Gray:																															
G.M.		-	20	91	79	129	314	845	9	19	-	-	-	-	-	1,506	0.0														
S.M.		-	65	574	4,584	5,123	10,409	57,513	52,886	3,131	1,422	809	512	-	-	146,058	0.7														
M.		11	330	1,590	8,656	9,727	26,324	73,045	41,275	1,324	188	22	-	-	-	164,902	0.8														
S.L.M.		-	164	629	2,510	2,852	12,500	28,781	5,728	1,02	-	-	-	-	-	53,351	0.2														
Total	11	589	2,813	15,951	17,791	60,362	159,653	100,734	4,566	1,714	961	512	-	-	-	365,417	1.7														
Gray:																															
G.M.		-	-	9	31	12	95	19	-	-	-	-	-	-	-	353	0.0														
S.M.		-	17	127	393	1,137	1,970	1,185	93	22	-	-	-	-	-	5,216	0.0														
M.		9	151	639	2,276	1,949	5,712	8,605	2,329	41	-	-	-	-	-	21,711	0.1														
S.L.M.		28	177	392	1,679	2,273	9,403	7,180	757	9	-	-	-	-	-	20,998	0.1														
Total	37	345	1,167	4,414	4,646	15,264	17,850	4,290	143	22	-	-	-	-	-	48,178	0.2														
Below Grade																															
442	2,747	5,265	26,409	37,741	72,865	12,780	2,382	420	149	-	-	-	-	-	-	161,200	0.8														
All Grades	3,044	50,587	585,600	2,922,846	1,420,918	1,630,632	4,474,144	8,059,017	2,043,223	427,389	259,356	14,844	3,082	6,315	21,340,997	100.0															
All Grades	Percent	0.2	2.7	11.2	6.7	7.6	21.0	37.8	9.6	2.0	1.1	0.1	0.0	0.0	100.0	100.0															
Grade index																															
1/2 1961 carry-over plus 1961-62 crop.	96.3																														
Less than 0.05 percent.	33.0																														

Table 11. -- Tenderability of upland cotton in the carry-over, United States, August 1, 1953-1962

Year	Tenderable 1/		Untenderable		Total 2/	
	Bales	Percent	Bales	Percent	Bales	Percent
1953	4,355,511	79.5	1,122,636	20.5	5,478,147	100.0
1954	8,397,006	87.9	1,152,990	12.1	9,549,996	100.0
1955	9,845,421	89.5	1,153,872	10.5	10,999,293	100.0
1956	11,758,679	81.8	2,623,068	18.2	14,381,747	100.0
1957	6,642,554	59.0	4,608,499	41.0	11,251,053	100.0
1958	4,038,903	47.0	4,553,142	53.0	8,592,045	100.0
1959	6,097,244	69.9	2,620,679	30.1	8,717,923	100.0
1960	6,328,730	85.6	1,061,434	14.4	7,390,164	100.0
1961	6,510,280	92.0	567,352	8.0	7,077,632	100.0
1962	6,795,735	87.8	947,729	12.2	7,743,464	100.0

1/ Qualities tenderable with respect to grade and staple in settlement of cotton futures.

2/ As reported by the Bureau of the Census, 1962 data preliminary.

Table 12. -- Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1962 1/

Grade	1-11/32" and shorter	1-3/8" and 1-13/32"	1-7/16" and 1-15/32"	1-1/2" and 1-17/32"	1-9/16" and longer	Total
	Bales	Bales	Bales	Bales	Bales	
1	1,284	34	4,275	996	127	6,716
2	869	3,124	13,567	2,079	107	19,746
3	1,565	1,315	21,170	2,041	60	26,151
4	536	1,366	6,232	132	12	8,278
5	139	271	347	146	-	903
6	4	425	-	8	-	437
7	3	942	95	-	-	1,040
8	-	86	-	-	-	86
9	99	258	-	-	-	357
10	51	173	-	-	-	224
Total	4,550	7,994	45,686	5,402	306	63,938 2/
Percent	7.1	12.5	71.5	8.4	.5	100.0

1/ Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

2. As reported by the Bureau of the Census. Includes approximately 200 bales of Sealand and Sea Island cotton.

Table 13. -- Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1961 1/

Grade	1-11/32" and shorter	1-3/8" and 1-13/32"	1-7/16" and 1-15/32"	1-1/2" and 1-17/32"	1-9/16" and longer	Total
	Bales	Bales	Bales	Bales	Bales	
1	-	-	243	485	-	728
2	182	2,915	8,865	2,065	850	14,877
3	-	19,128	33,983	3,947	607	57,665
4	182	10,687	15,302	1,215	60	27,446
5	122	4,250	2,611	60	-	7,043
6	60	1,094	243	-	-	1,397
7	-	122	60	-	-	182
8	-	122	-	-	-	122
9	-	60	-	-	-	60
10	-	-	-	-	-	-
Total	546	38,378	61,307	7,772	1,517	109,520 2/
Percent	0.5	35.0	56.0	7.1	1.4	100.0

1/ Revised.

2/ As reported by the Bureau of the Census. Includes approximately .00 bales of Sealand and Sea Island cotton.

Table 14. Staple of foreign growth cotton in the carry-over
August 1, 1955-1962 1/

Growth and length (inches)	1955	1956	1957	1958	1959	1960	1961	1962
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
Egyptian:								
1-3/32 and shorter	-	38	-	-	-	-	-	672
1-1/8 and 1-5/32	139	-	87	-	-	-	-	-
1-3/16 and 1-7/32	224	226	562	64	1,528	-	-	-
1-1/4 to 1-11/32	1,259	1,580	12	509	-	661	1,728	119
1-3/8 to 1-15/32	13,461	7,618	8,634	6,764	19,656	17,961	20,733	17,810
1-1/2 to 1-19/32	14,470	4,437	6,690	657	697	110	628	3,452
1-5/8 to 1-23/32	1,394	310	459	-	-	-	-	-
1-3/4 and longer	-	-	-	-	-	-	-	-
All lengths	30,947	14,209	16,444	7,994	21,881	18,732	23,089	22,053
Peruvian:								
1-1/8 and 1-5/32	-	2	3	-	-	-	-	39
1-3/16 and 1-7/32	46	256	256	-	503	109	-	290
1-1/4 to 1-11/32	-	-	8	103	-	-	-	199
1-3/8 to 1-15/32	143	2,543	3	398	991	-	670	838
1-1/2 to 1-19/32	3,456	1,080	2,904	990	946	913	2,198	2,008
1-5/8 to 1-23/32	1,644	2,177	1,137	1,528	3,241	1,302	1,767	926
1-3/4 and longer	-	1,070	-	609	-	-	366	-
All lengths	5,289	7,128	4,311	3,628	5,681	2,324	5,001	4,300
Indian:								
13/16 and shorter	21,796	17,299	13,756	16,808	13,153	13,032	9,246	14,385
Other Foreign:								
13/16 and shorter	4	-	32	-	-	-	-	141
7/8 and 29/32	2,843	42	-	-	-	-	-	-
15/16 and 31/32	2,960	59	-	177	-	435	-	436
1 and 1-1/32	1	84	689	1,998	130	652	2,954	171
1-1/16 and 1-3/32	618	40	369	3,156	423	1,522	381	694
1-1/8 and 1-5/32	-	-	50	1,031	181	-	-	58
1-3/16 and 1-7/32	-	-	1,295	37	757	-	-	-
1-1/4 and longer	943	36	2,042	56	26	-	-	-
All lengths	7,369	261	4,477	6,455	1,517	2,609	3,335	1,500
All Foreign 2/	65,401	38,568	38,988	34,885	42,232	36,697	40,671	42,238

1/ Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

2/ As reported by the Bureau of the Census.



Growth Through Agricultural Progress