

Commodity Economics Division  
Economic Research Serv., USDA  
301 West Congress  
Tucson, Arizona 85701

# COTTON QUALITY

**SUPPLY - DISAPPEARANCE - CARRY-OVER**

**1962-63**



**UNITED STATES DEPARTMENT OF AGRICULTURE**  
**Agricultural Marketing Service Cotton Division**  
**Memphis, Tennessee**

**Vol. 36, No. 11**

**November 1963**

STATISTICAL TABLES

<u>Table</u>	<u>Page</u>
1. Carry-over of upland cotton by specified grades and staples, August 1, 1961-1963	2
2. Grade index and average staple of upland cotton, August 1, 1954-1963 . . . . .	2
3. Grade and staple of upland cotton in the carry-over, August 1, 1963 . . . . .	3
4. Grade and staple of upland cotton in the carry-over, August 1, 1962 . . . . .	4
5. Grade and staple of upland cotton in consuming establishments, August 1, 1963 .	5
6. Grade and staple of upland cotton in public storage and "elsewhere", August 1, 1963 . . . . .	6
7. Grade and staple of upland cotton in the supply, United States, 1962-63 . . . .	7
8. Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1953-1963 . . . . .	8
9. Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1953-1963 . . . . .	9
10. Tenderability of upland cotton in the carry-over, United States, August 1, 1954-1963 . . . . .	10
11. Grade and staple of American-Egyptian cotton in the carry-over, August 1, 1963 .	10
12. Grade and staple of American-Egyptian cotton in the carry-over, August 1, 1962 .	10
13. Staple of cotton of foreign growth in the carry-over, August 1, 1956-1963 . . .	11

United States Department of Agriculture  
 Agricultural Marketing Service  
 Market News Section - Cotton Division  
 P.O. Box 17723 - Memphis, Tennessee 38117

COTTON QUALITY, UNITED STATES

Supply - Disappearance - Carry-over

1962-63

Introduction

This report contains information on the quality of cotton on hand in the United States on August 1, 1963, and on the quality of cotton in the crop, supply, and disappearance during the 1962-63 season. To facilitate comparison certain data for previous years are included.

Quality estimates for the carry-over include statistics on the grade and staple of upland and American-Egyptian cotton and on the staple of cotton of foreign growth in the United States on August 1, 1963. Estimates of the quality of cotton in public storage were compiled as follows: (1) the grade and staple distribution of 1961 and earlier upland cotton in the CCC inventory was estimated from a sample obtained from the reclassification records on cotton sold in the spring and summer under Sales Announcement NO-C-22, (2) the grade and staple distribution of 1962-crop upland and American-Egyptian cotton which remained in CCC stocks on July 31, 1963 was based on the classification of this cotton as it originally entered the price support program, and (3) the quality of the free stocks was estimated from a sampling of merchants' stocks. Estimates of the quality of 1961 and earlier American-Egyptian and the foreign growths in public storage were obtained from sampling a representative portion of this cotton. Quality of cotton stored in consuming establishments was based on grade and staple data furnished by the establishments in which the cotton was stored. Sample data were raised to the total number of bales in the carry-over as reported by the Bureau of the Census for upland, American-Egyptian and foreign growths.

\*\*\*\*\*

The carry-over of upland cotton in the United States on August 1, 1963 contained smaller proportions of Middling and higher White grades than any carry-over since 1958. White grades below Middling comprised the largest proportion of end-season stocks since 1957. Light Spotted cotton increased sharply over a year earlier. Spotted and other Colored cotton accounted for a smaller percentage of end-season stocks. The grade index of upland cotton in the 1963 carry-over was down moderately from last year and was the lowest since the 1959 carry-over.

Nearly a third of the upland cotton in the 1963 carry-over was in the shorter lengths. Cotton stapling one inch and shorter was equivalent to 33 percent of the total against 27 percent a year earlier. The proportion of the end-season stocks in the lengths 1-1/32" and 1-1/16" was up somewhat - 58 percent against 55 percent a year ago. Cotton stapling 1-3/32" and longer comprised about 9 percent of the total carry-over compared with 18 percent for the 1962 carry-over. The average staple of upland cotton in the 1963 carry-over was 32.7 thirty-seconds inches against 33.2 thirty-seconds a year earlier.

American-Egyptian cotton on hand in the United States on August 1, 1963 averaged lower in grade and shorter in staple than a year earlier. Grade No. 3 and higher accounted for about 68 percent of total end-season stocks against 82 percent at the end of the preceding season. American-Egyptian cotton in the lengths 1-7/16" and longer comprised 71 percent of the 1963 carry-over against 80 percent a year earlier.

Cotton tenderable in settlement of futures contracts in the 1963 carry-over totaled about 9,068,000 bales, equivalent to 83 percent of the total. This is based on the quality of cotton tenderable with respect to grade and staple only and does not take into consideration cotton reduced for cause or cotton below minimum micronaire requirements.

The United States carry-over of all kinds of cotton totaled 11,180,000 bales on August 1, 1963, according to the Bureau of the Census. This compares with 7,831,000 bales a year earlier and 7,228,000 two years ago. Stocks of upland cotton in the 1963 carry-over totaled 10,972,000 bales, American-Egyptian stocks were 120,000 bales, and foreign growths totaled 88,000 bales.

Table 1. -- Carry-over of upland cotton by specified grades and staples,  
August 1, 1961 - August 1, 1963

Grade and staple	1961		1962		1963 1/	
	Quantity	Percentage	Quantity	Percentage	Quantity	Percentage
	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
<b>White:</b>						
Strict Middling & higher	801	11.3	1,364	17.7	775	7.0
Middling Plus	119	1.7	212	2.7	193	1.8
Middling	1,978	28.1	2,649	34.3	2,187	20.1
Strict Low Middling Plus	162	2.3	277	3.6	329	3.0
Strict Low Middling	922	13.0	844	11.0	1,698	15.5
Low Middling Plus	64	.9	112	1.4	180	1.6
Low Middling & lower	223	3.0	291	3.7	693	6.3
<b>Light Spotted:</b>						
Strict Middling & higher	806	11.4	387	5.0	893	8.1
Middling	1,294	18.3	650	8.4	2,095	19.1
Strict Low Middling	273	3.9	257	3.3	1,055	9.6
Low Middling	53	.8	105	1.4	284	2.6
<b>Spotted 2/</b>	195	2.7	297	3.9	441	4.1
<b>Other Colored 3/</b>	188	2.6	280	3.6	149	1.2
<b>All Grades</b>	<b>7,078</b>	<b>100.0</b>	<b>7,725</b>	<b>100.0</b>	<b>10,972</b>	<b>100.0</b>
<b>13/16" &amp; shorter</b>	<b>1</b>	<b>*</b>	<b>3</b>	<b>*</b>	<b>2</b>	<b>*</b>
7/8"	10	0.1	59	0.8	62	0.6
29/32"	35	.5	139	1.8	572	5.2
15/16"	231	3.3	744	9.6	1,641	15.0
31/32"	321	4.5	432	5.6	579	5.3
1"	668	9.4	699	9.1	773	7.0
1-1/32"	2,361	33.4	1,455	18.8	2,408	21.9
1-1/16"	2,817	39.8	2,823	36.5	3,957	36.1
1-3/32"	458	6.5	976	12.6	746	6.8
1-1/8"	133	1.9	261	3.4	160	1.5
1-5/32"	33	.5	112	1.4	59	.5
1-3/16"	8	.1	12	.2	6	.1
1-7/32"	1	*	5	.1	3	*
1-1/4" & longer	1	*	5	.1	4	*
<b>All Staples</b>	<b>7,078</b>	<b>100.0</b>	<b>7,725</b>	<b>100.0</b>	<b>10,972</b>	<b>100.0</b>

1/ Preliminary.

2/ Includes all grades.

3/ Includes Below Grade.

Table 2. -- Grade index and average staple of upland cotton, August 1, 1954-1963

Year	Grade index (Middling White=100)			Average staple (Thirty-seconds inches)		
	Mill Stocks	Public Storage Stocks	Total Carry-over	Mill Stocks	Public Storage Stocks	Total Carry-over
	1954	95.1	95.5	95.4	33.2	32.2
1955	95.4	95.9	95.9	33.2	32.1	32.2
1956	95.5	93.9	94.0	33.2	32.2	32.2
1957	95.7	91.5	91.9	33.3	31.8	32.0
1958	95.1	90.2	91.1	33.3	31.3	31.7
1959	92.8	95.3	95.0	32.8	31.7	31.9
1960	95.8	98.4	97.9	33.5	32.9	33.0
1961	97.0	97.8	97.6	33.5	33.2	33.3
1962	96.8	96.9	96.9	33.6	33.1	33.2
1963	96.5	95.3	95.4	33.9	32.6	32.7





Table 5. -- Grade and staple of upland cotton in consuming establishments, August 1, 1963 1/

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-3/32 inches		1-7/32 inches		1-1/4 inches and longer		All staples			
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent		
<b>White:</b>																										
G.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
K.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.N.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>	97	4,837	60	19,015	6,591	51,426	173,764	475,709	222,569	64,108	34,012	2,173	1,251	1,672	1,057,284	90.7										
<b>Light Spotted:</b>																										
G.N.	233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
K.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>	233	1,061	9,212	17,051	638	7,021	5,901	6,508	3,363	1,455	74	9	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Spotted:</b>																										
G.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
K.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Tinged:</b>																										
G.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
K.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Yellow Stained:</b>																										
G.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
K.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Light Gray:</b>																										
G.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
K.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Gray:</b>																										
G.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
K.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Below Grade</b>																										
All grades	330	13,288	10,287	45,337	7,821	60,806	166,934	497,382	239,493	66,059	34,093	2,182	1,251	1,926	1,168,789 2/100.0											
<b>All grades</b>	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	1.1	.9	3.9	.7	5.2	16.1	42.5	20.5	5.7	2.9	.2	.1	.2	.2	100.0											

1/ Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.  
 2/ As reported by the Bureau of the Census.  
 \* Less than 0.05 percent.  
 Grade index..... 96.5  
 Average staple..... 33.9







Table 8. -- Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States 1953-1963

Year beginning August 1	White 1/						Spotted 1/			Other Colored 2/	All grades 3/
	Good Middling and higher	Strict Middling	Middling	Strict Low Middling	Low Middling	Strict Good Ordinary & Good Ordinary	Strict Middling and higher	Middling	Strict Low Middling		
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
<b>CARRY-OVER</b>											
1953	51	761	1,906	1,186	389	144	169	306	266	300	5,478
1954	70	1,327	3,501	2,249	1,190	253	167	291	303	199	9,550
1955	66	1,370	4,106	3,118	1,080	210	255	336	267	191	10,999
1956	47	1,228	4,502	4,151	1,672	414	269	761	908	430	14,382
1957	48	746	2,317	2,297	947	349	627	1,691	1,227	1,002	11,251
1958	28	559	1,212	1,218	576	187	527	1,199	1,585	1,501	8,592
1959	29	905	2,759	1,590	350	71	522	917	769	806	8,718
1960	40	1,292	2,997	1,225	330	49	461	522	220	254	7,390
1961	37	764	2,094	1,084	258	30	670	1,386	304	251	7,078
1962	43	1,321	2,861	1,121	324	79	409	744	355	468	7,725
1963	23	751	2,379	2,027	711	163	1,027	2,232	1,174	435	10,972
<b>CROP</b>											
1953	63	2,099	5,716	4,175	2,154	604	281	338	436	387	16,253
1954	43	1,531	4,889	4,276	1,173	314	296	458	255	342	13,577
1955	42	905	4,078	4,504	1,804	469	235	940	924	600	14,501
1956	123	1,719	4,489	3,201	913	206	642	1,060	405	344	13,102
1957	63	828	2,731	2,329	745	166	245	938	1,474	1,282	10,801
1958	23	1,107	4,375	3,373	814	116	213	688	408	237	11,354
1959	53	1,253	4,749	3,959	1,205	153	333	1,276	816	649	14,446
1960	39	1,060	3,908	3,631	1,128	147	430	1,814	1,266	776	14,199
1961	69	1,595	4,676	2,483	731	117	493	1,811	1,281	1,007	14,263
1962	18	751	3,501	4,056	1,265	237	225	1,769	2,027	905	14,754
<b>SUPPLY 4/</b>											
1953	114	2,860	7,622	5,361	2,543	748	450	644	702	687	21,731
1954	113	2,858	8,390	6,525	2,363	567	463	749	558	541	23,127
1955	108	2,275	8,184	7,622	2,884	679	490	1,276	1,191	791	25,500
1956	170	2,947	8,991	7,352	2,585	620	911	1,821	1,313	774	27,484
1957	111	1,574	5,048	4,626	1,692	515	872	2,629	2,701	2,284	22,052
1958	51	1,666	5,587	4,591	1,390	303	740	1,887	1,993	1,738	19,946
1959	82	2,158	7,508	5,549	1,555	224	855	2,193	1,585	1,455	23,164
1960	79	2,352	6,905	4,856	1,458	196	691	2,336	1,486	1,030	21,589
1961	106	2,359	6,770	3,567	989	147	1,363	3,197	1,585	1,258	21,341
1962	61	2,072	6,362	5,177	1,589	316	634	2,513	2,382	1,373	22,479
<b>DISAPPEARANCE 5/</b>											
1953	44	1,533	4,121	3,112	1,353	495	283	353	398	489	12,181
1954	47	1,488	4,284	3,407	1,283	357	208	413	291	350	12,128
1955	61	1,047	3,682	3,471	1,212	265	221	515	283	361	11,118
1956	122	2,201	6,674	5,055	1,638	271	284	130	86	-228	16,233
1957	83	1,015	3,835	3,408	1,116	328	345	1,430	1,116	783	13,459
1958	22	761	2,828	3,001	1,040	232	218	970	1,224	932	11,228
1959	42	866	4,511	4,324	1,225	175	394	1,671	1,365	1,201	15,774
1960	42	1,588	4,873	3,772	1,200	166	21	950	1,182	779	14,511
1961	63	1,038	3,909	2,446	665	68	954	2,453	1,230	790	13,616
1962	38	1,321	3,903	3,150	878	153	-393	281	1,208	888	11,507

1/ Plus grades of White included with straight grades; Light Spotted with Spotted.

2/ Other Colored includes Low Middling Spotted, Low Middling Light Spotted, all grades of Tinged, Yellow Stained, Light Gray and Gray.

3/ As reported by the Bureau of the Census.

4/ Carry-over at the beginning of the season plus crop.

5/ Supply minus carry-over at the end of the season.

Table 9. -- Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1953-1963

Season beginning August 1	13/16 <sup>n</sup> and shorter	7/8 <sup>n</sup> and 29/32 <sup>n</sup>	15/16 <sup>n</sup> and 31/32 <sup>n</sup>	1 <sup>n</sup> and 1-1/32 <sup>n</sup>	1-1/16 <sup>n</sup> and 1-3/32 <sup>n</sup>	1-1/8 <sup>n</sup> and 1-5/32 <sup>n</sup>	1-3/16 <sup>n</sup> and 1-7/32 <sup>n</sup>	1-1/4 <sup>n</sup> and longer	All lengths 1/
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
<b>CARRY-OVER</b>									
1953	207	867	681	1,730	1,802	150	30	11	5,478
1954	187	1,326	1,376	3,104	3,157	354	36	10	9,550
1955	220	1,759	1,743	3,419	3,266	526	55	11	10,999
1956	449	2,202	2,046	4,168	4,761	677	68	11	14,382
1957	249	1,521	2,003	4,718	2,446	280	26	8	11,251
1958	124	1,431	2,157	3,088	1,588	177	20	7	8,592
1959	50	1,491	2,181	2,412	2,346	224	12	2	8,718
1960	6	185	1,239	2,279	3,417	240	21	3	7,390
1961	1	45	552	3,030	3,274	166	9	1	7,078
1962	3	198	1,177	2,154	3,798	373	17	5	7,725
1963	2	633	2,220	3,181	4,705	219	8	4	10,972
<b>CROP</b>									
1953	81	1,698	2,172	5,814	6,100	364	23	1	16,253
1954	264	1,756	1,918	5,298	3,890	415	32	4	13,577
1955	372	1,683	1,561	3,807	6,506	547	22	3	14,501
1956	162	1,049	1,580	5,198	4,641	458	12	2	13,102
1957	56	837	1,866	3,498	4,132	406	5	1	10,801
1958	13	505	2,466	3,178	4,682	504	5	1	11,354
1959	21	830	2,596	3,808	6,706	479	5	1	14,446
1960	2	340	3,031	4,095	6,222	503	4	2	14,199
1961	2	591	3,261	3,075	6,829	491	9	5	14,263
1962	3	778	3,061	3,645	6,843	408	10	6	14,754
<b>SUPPLY 2/</b>									
1953	288	2,565	2,853	7,544	7,902	514	53	12	21,731
1954	451	3,082	3,294	8,402	7,047	769	68	14	23,127
1955	592	3,442	3,304	7,226	9,772	1,073	77	14	25,500
1956	611	3,251	3,626	9,366	9,402	1,135	80	13	27,484
1957	305	2,358	3,869	8,216	6,578	686	31	9	22,052
1958	137	1,936	4,623	6,266	6,270	681	25	8	19,946
1959	71	2,321	4,777	6,220	9,052	703	17	3	23,164
1960	8	525	4,270	6,374	9,639	743	25	5	21,589
1961	3	636	3,813	6,105	10,103	657	18	6	21,341
1962	6	976	4,238	5,799	10,641	781	27	11	22,479
<b>DISAPPEARANCE 3/</b>									
1953	101	1,239	1,477	4,440	4,745	160	17	2	12,181
1954	231	1,323	1,551	4,983	3,781	243	13	3	12,128
1955	143	1,240	1,258	3,058	5,011	396	9	3	11,118
1956	362	1,730	1,623	4,648	6,956	855	54	5	16,233
1957	181	927	1,712	5,127	4,990	509	11	2	13,459
1958	87	445	2,442	3,854	3,924	457	13	6	11,228
1959	65	2,136	3,538	3,941	5,635	463	-4	0	15,774
1960	7	480	3,718	3,344	6,365	577	16	4	14,511
1961	0	438	2,636	3,951	6,305	284	1	1	13,616
1962	4	343	2,018	2,618	5,936	562	19	7	11,507

1/ As reported by the Bureau of the Census.

2/ Carry-over at the beginning of the season plus crop.

3/ Supply minus carry-over at the end of the season.

Table 10. -- Tenderability of upland cotton in the carry-over, United States, August 1, 1954-1963

Year	Tenderable 1/		Untenderable		Total 2/	
	Bales	Percent	Bales	Percent	Bales	Percent
1954	8,397,006	87.9	1,152,990	12.1	9,549,996	100.0
1955	9,845,421	89.5	1,153,872	10.5	10,999,293	100.0
1956	11,758,679	81.8	2,623,068	18.2	14,381,747	100.0
1957	6,642,554	59.0	4,608,499	41.0	11,251,053	100.0
1958	4,038,903	47.0	4,553,142	53.0	8,592,045	100.0
1959	6,097,244	69.9	2,620,679	30.1	8,717,923	100.0
1960	6,328,730	85.6	1,061,434	14.4	7,390,164	100.0
1961	6,510,280	92.0	567,352	8.0	7,077,632	100.0
1962	6,778,070	87.7	947,029	12.3	7,725,099	100.0
1963	9,067,769	82.6	1,903,876	17.4	10,971,645	100.0

1/ Qualities tenderable with respect to grade and staple in settlement of cotton futures.

2/ As reported by the Bureau of the Census, 1963 data preliminary.

Table 11. -- Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1963 1/

Grade	1-5/16" and shorter	1-3/8"	1-7/16"	1-1/2"	1-9/16" and longer	Total
	Bales	Bales	Bales	Bales	Bales	
1	-	426	2,123	640	38	3,227
2	19	2,331	23,251	2,202	326	28,129
3	143	10,975	31,404	7,285	18	49,825
4	188	8,795	12,023	2,227	22	23,255
5	356	5,235	1,749	686	4	8,030
6	119	2,386	368	285	2	3,160
7	245	1,708	79	2	1	2,035
8	109	533	46	-	-	688
9	182	362	33	-	-	577
10	665	181	-	-	1	847
Total	2,026	32,932	71,076	13,327	412	119,773 2/
Percent	1.7	27.5	59.4	11.1	.3	100.0

1/ Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

2/ As reported by the Bureau of the Census. Includes approximately 100 bales of Sealand and Sea Island cotton.

Table 12. -- Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1962 1/

Grade	1-5/16" and shorter	1-3/8"	1-7/16"	1-1/2"	1-9/16" and longer	Total
	Bales	Bales	Bales	Bales	Bales	
1	1,284	34	4,275	996	127	6,716
2	869	3,124	13,567	2,079	107	19,746
3	1,565	1,315	21,307	2,041	60	26,288
4	536	1,366	6,232	132	12	8,278
5	139	271	347	146	-	903
6	4	425	-	8	-	437
7	3	942	95	-	-	1,040
8	-	86	-	-	-	86
9	99	258	-	-	-	357
10	51	173	-	-	-	224
Total	4,550	7,994	45,823	5,402	306	64,075 2/
Percent	7.1	12.5	71.5	8.4	.5	100.0

1/ Revised. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

2/ As reported by the Bureau of the Census. Includes approximately 100 bales of Sealand and Sea Island cotton.

Table 13. -- Staple of foreign growth cotton in the carry-over  
August 1, 1956-1963

Growth and length (inches)	1956	1957	1958	1959	1960	1961	1962	1963 <sup>1/</sup>
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
<b>Egyptian:</b>								
1-3/32 and shorter	38	-	-	-	-	-	672	2,109
1-1/8 and 1-5/32	-	87	-	-	-	-	-	-
1-3/16 and 1-7/32	226	562	64	1,528	-	-	-	-
1-1/4 to 1-11/32	1,580	12	509	-	661	1,728	119	6,877
1-3/8 to 1-15/32	7,618	8,634	6,764	19,656	17,961	20,733	17,770	54,983
1-1/2 to 1-19/32	4,437	6,690	657	697	110	628	3,452	7,622
1-5/8 to 1-23/32	310	459	-	-	-	-	-	-
1-3/4 and longer	-	-	-	-	-	-	-	-
<b>All lengths</b>	<b>14,209</b>	<b>16,444</b>	<b>7,994</b>	<b>21,881</b>	<b>18,732</b>	<b>23,089</b>	<b>22,013</b>	<b>71,591</b>
<b>Peruvian:</b>								
1-1/8 and 1-5/32	2	3	-	-	-	-	39	127
1-3/16 and 1-7/32	256	256	-	503	109	-	290	333
1-1/4 to 1-11/32	-	8	103	-	-	-	199	160
1-3/8 to 1-15/32	2,543	3	398	991	-	670	838	1,149
1-1/2 to 1-19/32	1,080	2,904	990	946	913	2,198	1,997	573
1-5/8 to 1-23/32	2,177	1,137	1,528	3,241	1,302	1,767	926	2,115
1-3/4 and longer	1,070	-	609	-	-	366	-	1,285
<b>All lengths</b>	<b>7,128</b>	<b>4,311</b>	<b>3,628</b>	<b>5,681</b>	<b>2,324</b>	<b>5,001</b>	<b>4,289</b>	<b>5,742</b>
<b>Indian:</b>								
13/16 and shorter	17,299	13,756	16,808	13,153	13,032	9,246	15,086	10,128
<b>Other Foreign:</b>								
13/16 and shorter	-	32	-	-	-	-	75	-
7/8 and 29/32	42	-	-	-	-	-	-	-
15/16 and 31/32	59	-	177	-	435	-	233	125
1 and 1-1/32	84	689	1,998	130	652	2,954	91	247
1-1/16 and 1-3/32	40	369	3,156	423	1,522	381	370	250
1-1/8 and 1-5/32	-	50	1,031	181	-	-	31	128
1-3/16 and 1-7/32	-	1,295	37	757	-	-	-	-
1-1/4 and longer	36	2,042	56	26	-	-	-	-
<b>All lengths</b>	<b>261</b>	<b>4,477</b>	<b>6,455</b>	<b>1,517</b>	<b>2,609</b>	<b>3,335</b>	<b>800</b>	<b>750</b>
<b>All Foreign <sup>2/</sup></b>	<b>38,568</b>	<b>38,968</b>	<b>34,885</b>	<b>42,232</b>	<b>36,697</b>	<b>40,671</b>	<b>42,188</b>	<b>88,211</b>

<sup>1/</sup> Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills for 1962 and 1963.

<sup>2/</sup> As reported by the Bureau of the Census.