

Commodity Economics Division
Economic Research Serv., USDA
301 West Congress
Tucson, Arizona 85701

COTTON QUALITY

SUPPLY - DISAPPEARANCE - CARRY-OVER

1963-64



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

Vol. 37, No. 11

September 1964

STATISTICAL TABLES

<u>Table</u>	<u>Page</u>
1. Carry-over of upland cotton by specified grades and staples, August 1, 1962-1964	2
2. Grade index and average staple of upland cotton, August 1, 1955-1964	2
3. Grade and staple of upland cotton in the carry-over, August 1, 1964.	3
4. Grade and staple of upland cotton in the carry-over, August 1, 1963.	4
5. Grade and staple of upland cotton in consuming establishments, August 1, 1964. .	5
6. Grade and staple of upland cotton in public storage and "elsewhere", August 1, 1964	6
7. Grade and staple of upland cotton in the supply, United States, 1963-64.	7
8. Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1954-1964	8
9. Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1954-1964	9
10. Tenderability of upland cotton in the carry-over, United States, August 1, 1955-1964.	10
11. Grade and staple of American-Egyptian cotton in the carry-over, August 1, 1964 .	10
12. Grade and staple of American-Egyptian cotton in the carry-over, August 1, 1963 .	10
13. Staple of foreign growth cotton in the carry-over, August 1, 1957-1964	11
14. Percentage distribution, micronaire readings, August 1, 1964	12

United States Department of Agriculture
 Agricultural Marketing Service
 Market News Section - Cotton Division
 P.O. Box 17723 - Memphis, Tennessee 38117

COTTON QUALITY, UNITED STATES

Supply - Disappearance - Carry-over

1963-64

Introduction

This report contains information on the quality of cotton on hand in the United States on August 1, 1964, and on the quality of cotton in the crop, supply, and disappearance during the 1963-64 season. To facilitate comparison certain data for previous years are included.

Quality estimates for the carry-over include statistics on the grade and staple of upland and American-Egyptian cotton and on the staple of cotton of foreign growth in the United States on August 1, 1964. Estimates on the quality of cotton in public storage including CCC stocks as of August 1, 1964 were based on actual re-sampling and classification of a representative proportion of these stocks. Quality of cotton stored in consuming establishments was based on grade and staple data furnished by the establishments in which the cotton was stored. Sample data were compiled for each state and were raised to the total number of bales in public storage and in consuming establishments as reported by the Bureau of the Census for upland, American-Egyptian and foreign growths.

The carry-over of upland cotton in the United States on August 1, 1964 contained proportionately more Middling and higher White grades than a year earlier. The proportion of cotton in the White grades below Middling was down somewhat from a year ago. Light Spotted cotton comprised a slightly smaller proportion of the carry-over, while the proportion of Spotted cotton was up rather sharply from a year earlier. The grade index of upland cotton in the 1964 carry-over was down slightly from a year ago and was the lowest since the 1959 carry-over.

The proportion of shorter lengths in end-season stocks increased for the third successive year. Nearly 39 percent of the August 1, 1964 stocks was in the lengths one inch and shorter against 33 percent a year earlier and 27 percent two years ago. The lengths 1-1/32" through 1-3/32" were equivalent to 60 percent of this year's carry-over compared with 65 percent last year. Cotton stapling 1-1/8" and longer accounted for the smallest proportion of end-season stocks in more than 20 years. The average staple of upland cotton in the 1964 carry-over was 32.3 thirty-seconds inches. This is the shortest average since the 1959 carry-over and compares with 32.7 thirty-seconds for the 1963 carry-over.

American-Egyptian cotton in the 1964 carry-over averaged somewhat lower in grade and shorter in staple than a year earlier. The two top grades were equivalent to 13 percent of this year's carry-over compared with 26 percent a year ago. Grade No. 3 comprised 54 percent of end-season stocks against 42 percent last year. Cotton in the lengths 1-7/16" and longer accounted for nearly 15 percent of the 1964 carry-over. This was a sharp decrease from a year earlier when these lengths represented over 70 percent of the total stock.

Cotton tenderable in settlement of futures contracts in the 1964 carry-over totaled about 7,372,000 bales, equivalent to 61 percent of the total. This is based on the quality of cotton tenderable with respect to grade and staple only and does not take into consideration cotton reduced for cause or cotton below minimum micronaire requirements.

The United States carry-over of all kinds of cotton totaled 12,384,000 bales on August 1, 1964, according to the Bureau of the Census. This compares with 11,216,000 bales a year earlier and 7,831,000 two years ago. Stocks of upland cotton in the 1964 carry-over totaled 12,116,000 bales, stocks of American-Egyptian were 196,000 bales, and foreign growths totaled 72,000 bales.

Table 1. -- Carry-over of upland cotton by specified grades and staples,
August 1, 1962 - August 1, 1964

Grade and staple	1962		1963		1964 1/	
	Quantity	Percentage	Quantity	Percentage	Quantity	Percentage
	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
White:						
Strict Middling & higher	1,364	17.7	775	7.0	989	8.2
Middling Plus	212	2.7	193	1.7	119	1.0 ^{17.3}
Middling	2,649	34.3	2,206	20.1	2,632	21.7
Strict Low Middling Plus	277	3.6	329	3.0	367	3.0 ^{20.8}
Strict Low Middling	844	11.0	1,702	15.5	1,715	14.2
Low Middling Plus	112	1.4	180	1.6	200	1.7 ^{7.8}
Low Middling & lower	291	3.7	693	6.3	588	4.8
Light Spotted:						
Strict Middling & higher	387	5.0	893	8.1	827	6.8 ^{5.2}
Middling	650	8.4	2,104	19.2	2,093	17.3 ^{15.4}
Strict Low Middling	257	3.3	1,055	9.6	1,235	10.2 ^{10.5}
Low Middling	105	1.4	284	2.6	326	2.7
Spotted 2/	297	3.9	441	4.1	842	7.0
Other Colored 3/	280	3.6	150	1.2	183	1.4
All Grades	7,725	100.0	11,005	100.0	12,116	100.0
13/16" & shorter						
7/8"	3	*	2	*	13	0.1
29/32"	59	0.8	62	0.6	247	2.0
15/16"	139	1.8	572	5.2	1,154	9.5
31/32"	744	9.6	1,641	14.9	1,685	13.9
1"	432	5.6	579	5.3	588	4.9
1-1/32"	699	9.1	773	7.0	1,002	8.3
1-1/16"	1,455	18.8	2,416	22.0	3,253	26.8
1-3/32"	2,823	36.5	3,982	36.1	3,396	28.0
1-1/8"	976	12.6	746	6.8	625	5.2
1-5/32"	261	3.4	160	1.5	99	.8
1-3/16"	112	1.4	59	.5	43	.4
1-7/32"	12	.2	6	.1	7	.1
1-1/4" & longer	5	.1	3	*	1	*
All Staples	5	.1	4	*	3	*
All Staples	7,725	100.0	11,005	100.0	12,116	100.0

1/ Preliminary.

2/ Includes all grades.

3/ Includes Below Grade.

* Less than 0.05 percent.

Table 2. -- Grade index and average staple of upland cotton, August 1, 1955-1964

Year	Grade index (Middling White=100)			Average staple (Thirty-seconds inches)		
	Mill Stocks	Public Storage Stocks	Total Carry-over	Mill Stocks	Public Storage Stocks	Total Carry-over
1955	95.4	95.9	95.9	33.2	32.1	32.2
1956	95.5	93.9	94.0	33.2	32.2	32.2
1957	95.7	91.5	91.9	33.3	31.8	32.0
1958	95.1	90.2	91.1	33.3	31.3	31.7
1959	92.8	95.3	95.0	32.8	31.7	31.9
1960	95.8	98.4	97.9	33.5	32.9	33.0
1961	97.0	97.8	97.6	33.5	33.2	33.3
1962	96.8	96.9	96.9	33.6	33.1	33.2
1963	96.5	95.3	95.5	33.9	32.6	32.7
1964	96.8	95.1	95.3	34.0	32.2	32.3

Table 4. -- Grade and staple of upland cotton in the carry-over, August 1, 1963 1/2

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-3/32 inches		1-1/8 inches		1-5/32 inches		1-3/16 inches		1-7/32 inches		1-1/4 inches and longer		All staples				
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent			
White:																																	
G. M.	39		159		610		920		2,707		6,047		3,541		2,755		6,118		53		701		333		749		333		701		23,395	0.2	
S. M.	41	361	2,908	15,159	16,312	35,344	162,570	394,637	84,404	22,644	15,070	749	333	701	751,353	6.8																	
N.	3		20		688		1,903		23,601		86,027		59,352		8,340		468		261		977		702		1,188		2,205,441	20.1					
S. L. M.	9	5,684	14,357	66,950	57,865	105,300	463,942	1,178,769	250,198	47,612	11,864	222	11	329,203	3.0																		
S. L. M. +	1,191		6,238		6,460		15,074		54,121		173,912		59,311		11,592		962		360		951		241		1,702,390	15.5							
S. L. M. +	200	5,528	84,396	306,230	89,002	96,324	361,577	626,507	110,160	17,944	3,150	77	22	180,446	1.6																		
L. M. +	2	368	8,430	28,359	7,208	8,736	36,812	59,352	8,346	638	77	22	180,446	1.6																			
S. L. M.	156	2,537	32,101	99,500	26,902	54,500	136,639	136,401	15,501	1,650	234	118	123	530,832	4.8																		
S. O. +	76	640	2,013	884	2,043	5,615	6,615	43	655	43	18,630	2.2																					
S. O. +	9	98	2,957	9,860	7,022	29,268	46,306	21,780	2,030	420	17	16	13	119,039	1.1																		
G. O. +	-	-	-	-	35	65	272	445	210	14	-	-	-	1,195	0.2																		
G. O. +	97	17	366	1,771	3,336	7,146	7,501	3,014	277	108	4	5	6	23,748	0.2																		
Total	609	14,834	146,760	537,068	216,494	357,170	1,345,862	2,695,491	593,908	116,631	45,846	3,221	1,630	2,453	6,078,217	55.2																	
Light Spotted:																																	
G. M.	233	638	3,545	6,165	3,077	1,842	2,216	265	227	82	231	183	4	4	1,907																		
S. M.	97	3,438	34,557	119,160	70,184	90,156	229,439	269,960	29,349	18,005	3,714	689	574	429	869,751	7.9																	
N.	586	10,817	124,944	362,210	127,964	129,804	500,210	749,269	78,579	12,200	4,962	995	181	172	2,102,879	19.2																	
S. L. M.	328	13,613	152,810	394,781	88,194	78,486	161,748	145,763	16,562	2,279	466	218	70	1,055,390	9.6																		
L. M.	66	1,638	28,064	77,692	28,653	41,888	62,429	39,138	3,845	554	91	58	36	284,200	2.6																		
Total	1,330	30,144	343,920	960,068	318,094	342,236	956,048	1,205,835	130,806	34,213	9,622	1,991	878	728	4,335,853	39.5																	
Spotted:																																	
G. M.	-	-	70	163	337	341	265	227	82	231	183	4	4	4	1,907																		
S. M.	3	1,556	8,497	18,200	13,990	19,940	33,445	23,940	3,759	5,443	2,623	280	137	367	131,800	1.2																	
N.	130	7,774	31,565	43,962	8,322	9,211	17,810	12,234	1,703	1,764	1,110	213	42	18	137,898	1.3																	
S. L. M.	187	4,523	27,692	46,176	7,577	9,727	14,634	7,090	640	373	12	10	3	3	118,844	1.1																	
L. M.	44	796	6,568	14,609	5,238	7,941	11,329	3,928	237	59	2	4	2	2	50,659	0.5																	
Total	364	14,649	74,392	125,110	35,064	47,060	77,693	47,419	6,421	7,870	3,930	511	185	410	441,066	4.1																	
Tinged:																																	
G. M.	-	-	-	-	-	16	27	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	128	
S. M.	-	-	133	406	221	627	411	124	17	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,321	
N.	2	542	1,706	4,704	1,149	1,845	212	141	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10,318	
S. L. M.	8	326	1,511	2,399	630	2,675	1,682	210	11	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9,475	
L. M.	14	270	534	5,309	995	1,455	932	96	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9,611	
Total	24	1,271	4,157	12,744	3,011	6,629	3,322	571	47	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31,853	
Stained:																																	
G. M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S. M.	-	-	48	50	-	292	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	590
N.	3	26	92	230	33	266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	772
Total	3	26	140	280	33	558	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,162
Light Gray:																																	
G. M.	-	-	-	3	-	33	72	35	6	14	5	5	2	5	168																		
S. M.	8	110	308	1,030	1,010	2,615	8,123	9,150	677	73	16	150	2	77	23,122	0.2																	
N.	14	92	511	1,746	1,732	6,439	12,655	9,956	452	79	5	5	5	33,681	0.3																		
S. L. M.	-	71	139	437	860	2,959	4,186	11,975	13,334	365	10	-	-	34,356	0.3																		
Total	22	273	958	3,216	3,602	12,046	25,036	31,116	14,469	591	36	2	2	91,327	0.8																		
Gray:																																	
G. M.	-	-	-	43	92	134	354	180	6	2	-	-	-	-	855																		
S. M.	19	61	156	359	407	1,186	1,401	908	10	2	-	-	-	4,509																			
N.	-	35	121	338	402	1,483	1,126	326	19	2	-	-	-	3,854																			
S. L. M.	19	96	320	741	901	2,803	2,681	1,416	35	6	-	-	-	9,218																			
Total	57	244	1,143	1,761	1,620	4,768	4,947	1,150	353	277	-	-	-	16,320	0.1																		
Below Grade																																	
All grades	2,428	61,537	571,790	1,640,946	578,819	773,870	2,415,921	3,962,996	746,039	159,825	59,434	5,725	2,693	3,391	11,005,018	2/100.0																	
All grades	Percent	0.6	5.2	14.9	5.3	7.0	22.0	36.1	6.8	1.5	.5	.1	.1	100.0																			

Grade index..... 95.5
Average staple..... 32.7

1/ Revised.
2/ As reported by the Bureau of the Census, running bales.
3/ Less than 0.05 percent.

Table 8. -- Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1954-1964

Year beginning August 1	White 1/						Spotted 1/			Other Colored 2/	All grades 3/
	Good Middling and higher	Strict Middling	Middling	Strict Low Middling	Low Middling	Strict Good Ordinary & Good Ordinary	Strict Middling and higher	Middling	Strict Low Middling		
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
<u>CARRY-OVER</u>											
1954	70	1,327	3,501	2,249	1,190	253	167	291	303	199	9,550
1955	66	1,370	4,106	3,118	1,080	210	255	336	267	191	10,999
1956	47	1,228	4,502	4,151	1,672	414	269	761	908	430	14,382
1957	48	746	2,317	2,297	947	349	627	1,691	1,227	1,002	11,251
1958	28	559	1,212	1,218	576	187	527	1,199	1,585	1,501	8,592
1959	29	905	2,759	1,590	350	71	522	917	769	806	8,718
1960	40	1,292	2,997	1,225	330	49	461	522	220	254	7,390
1961	37	764	2,094	1,084	258	30	870	1,386	304	251	7,078
1962	43	1,321	2,861	1,121	324	79	409	744	355	468	7,725
1963	23	751	2,398	2,032	711	163	1,027	2,241	1,174	485	11,005
1964	22	967	2,751	2,082	645	143	966	2,439	1,524	577	12,116
<u>CROP</u>											
1954	43	1,531	4,889	4,276	1,173	314	296	458	255	342	13,577
1955	42	905	4,078	4,504	1,804	469	235	940	924	600	14,501
1956	123	1,719	4,489	3,201	913	206	642	1,060	405	344	13,102
1957	63	828	2,731	2,329	745	166	245	938	1,474	1,282	10,801
1958	23	1,107	4,375	3,373	814	116	213	688	408	237	11,354
1959	53	1,253	4,749	3,959	1,205	153	333	1,276	816	649	14,446
1960	39	1,060	3,908	3,631	1,128	147	430	1,814	1,266	776	14,199
1961	69	1,595	4,676	2,483	731	117	493	1,811	1,281	1,007	14,263
1962	18	751	3,501	4,056	1,265	237	225	1,769	2,027	905	14,754
1963	8	912	3,778	4,459	1,379	258	225	2,085	1,402	616	15,122
<u>SUPPLY 4/</u>											
1954	113	2,858	8,390	6,525	2,363	567	463	749	558	541	23,127
1955	108	2,275	8,184	7,622	2,884	679	490	1,276	1,191	791	25,500
1956	170	2,947	8,991	7,352	2,585	620	911	1,821	1,313	774	27,484
1957	111	1,574	5,048	4,626	1,692	515	872	2,629	2,701	2,284	22,052
1958	51	1,666	5,587	4,591	1,390	303	740	1,887	1,993	1,738	19,946
1959	82	2,158	7,508	5,549	1,555	224	855	2,193	1,585	1,455	23,164
1960	79	2,352	6,905	4,856	1,458	196	891	2,336	1,486	1,030	21,589
1961	106	2,359	6,770	3,567	989	147	1,363	3,197	1,585	1,258	21,341
1962	61	2,072	6,362	5,177	1,589	316	634	2,513	2,382	1,373	22,479
1963	31	1,663	6,176	6,491	2,090	421	1,252	4,326	2,576	1,101	26,127
<u>DISAPPEARANCE 5/</u>											
1954	47	1,488	4,284	3,407	1,283	357	208	413	291	350	12,128
1955	61	1,047	3,682	3,471	1,212	265	221	515	283	361	11,118
1956	122	2,201	6,674	5,055	1,638	271	284	130	86	-228	16,233
1957	83	1,015	3,835	3,408	1,116	328	345	1,430	1,116	783	13,459
1958	22	761	2,828	3,001	1,040	232	218	970	1,224	932	11,228
1959	42	866	4,511	4,324	1,225	175	394	1,671	1,365	1,201	15,774
1960	42	1,588	4,873	3,772	1,200	166	21	950	1,182	779	14,511
1961	63	1,038	3,909	2,446	665	68	954	2,453	1,230	790	13,616
1962	38	1,321	3,964	3,145	878	153	-393	272	1,208	888	11,474
1963	9	696	3,425	4,409	1,445	278	286	1,887	1,052	524	14,011

1/ Plus grades of White included with straight grades; Light Spotted with Spotted.

2/ Other Colored includes Low Middling Spotted, Low Middling Light Spotted, all grades of Tinged, Stained, Light Gray, Gray and Below Grade.

3/ As reported by the Bureau of the Census.

4/ Carry-over at the beginning of the season plus crop.

5/ Supply minus carry-over at the end of the season.

Table 9. -- Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1954-1964

Season beginning August 1	13/16" and shorter 1,000 bales	7/8" and 29/32" 1,000 bales	15/16" and 31/32" 1,000 bales	1" and 1-1/32" 1,000 bales	1-1/16" and 1-3/32" 1,000 bales	1-1/8" and 1-5/32" 1,000 bales	1-3/16" and 1-7/32" 1,000 bales	1-1/4" and longer 1,000 bales	All lengths 1/ 1,000 bales
<u>CARRY-OVER</u>									
1954	187	1,326	1,376	3,104	3,157	354	36	10	9,550
1955	220	1,759	1,743	3,419	3,266	526	55	11	10,999
1956	449	2,202	2,046	4,168	4,761	677	68	11	14,382
1957	249	1,521	2,003	4,718	2,446	280	26	8	11,251
1958	124	1,431	2,157	3,088	1,588	177	20	7	8,592
1959	50	1,491	2,181	2,412	2,346	224	12	2	8,718
1960	6	185	1,239	2,279	3,417	240	21	3	7,390
1961	1	45	552	3,030	3,274	166	9	1	7,078
1962	3	198	1,177	2,154	3,798	373	17	5	7,725
1963	2	633	2,220	3,189	4,730	219	8	4	11,005
1964	13	1,400	2,273	4,255	4,021	142	9	3	12,116
<u>CROP</u>									
1954	264	1,756	1,918	5,298	3,890	415	32	4	13,577
1955	372	1,683	1,561	3,807	6,506	547	22	3	14,501
1956	162	1,049	1,580	5,198	4,641	458	12	2	13,102
1957	56	837	1,866	3,498	4,132	406	5	1	10,801
1958	13	505	2,466	3,178	4,682	504	5	1	11,354
1959	21	830	2,596	3,808	6,706	479	5	1	14,446
1960	2	340	3,031	4,095	6,222	503	4	2	14,199
1961	2	591	3,261	3,075	6,829	491	9	5	14,263
1962	3	778	3,061	3,645	6,843	408	10	6	14,754
1963	17	1,419	2,436	4,199	6,700	332	17	2	15,122
<u>SUPPLY 2/</u>									
1954	451	3,082	3,294	8,402	7,047	769	68	14	23,127
1955	592	3,442	3,304	7,226	9,772	1,073	77	14	25,500
1956	611	3,251	3,626	9,366	9,402	1,135	80	13	27,484
1957	305	2,358	3,869	8,216	6,578	686	31	9	22,052
1958	137	1,936	4,623	6,266	6,270	681	25	8	19,946
1959	71	2,321	4,777	6,220	9,052	703	17	3	23,164
1960	8	525	4,270	6,374	9,639	743	25	5	21,589
1961	3	636	3,813	6,105	10,103	657	18	6	21,341
1962	6	976	4,238	5,799	10,641	781	27	11	22,479
1963	19	2,052	4,656	7,388	11,430	551	25	6	26,127
<u>DISAPPEARANCE 3/</u>									
1954	231	1,323	1,551	4,983	3,781	243	13	3	12,128
1955	143	1,240	1,258	3,058	5,011	396	9	3	11,118
1956	362	1,730	1,623	4,648	6,956	855	54	5	16,233
1957	181	927	1,712	5,127	4,990	509	11	2	13,459
1958	87	445	2,442	3,854	3,924	457	13	6	11,228
1959	65	2,136	3,538	3,941	5,635	463	-4	0	15,774
1960	7	480	3,718	3,344	6,365	577	16	4	14,511
1961	0	438	2,636	3,951	6,305	284	1	1	13,616
1962	4	343	2,018	2,610	5,911	562	19	7	11,474
1963	6	652	2,383	3,133	7,409	409	16	3	14,011

1/ As reported by the Bureau of the Census.

2/ Carry-over at the beginning of the season plus crop.

3/ Supply minus carry-over at the end of the season.

Table 10. -- Tenderability of upland cotton in the carry-over, United States, August 1, 1955-1964

Year	Tenderable 1/		Untenderable		Total 2/	
	Bales	Percent	Bales	Percent	Bales	Percent
1955	9,845,421	89.5	1,153,872	10.5	10,999,293	100.0
1956	11,758,679	81.8	2,623,068	18.2	14,381,747	100.0
1957	6,642,554	59.0	4,608,499	41.0	11,251,053	100.0
1958	4,038,903	47.0	4,553,142	53.0	8,592,045	100.0
1959	6,097,244	69.9	2,620,679	30.1	8,717,923	100.0
1960	6,328,730	85.6	1,061,434	14.4	7,390,164	100.0
1961	6,510,280	92.0	567,352	8.0	7,077,632	100.0
1962	6,778,070	87.7	947,029	12.3	7,725,099	100.0
1963	9,101,142	82.7	1,903,876	17.3	11,005,018	100.0
1964	7,371,593	60.8	4,744,530	39.2	12,116,123	100.0

1/ Qualities tenderable with respect to grade and staple in settlement of cotton futures.

2/ As reported by the Bureau of the Census, 1964 data preliminary.

Table 11. -- Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1964 1/

Grade	1-5/16" and shorter	1-3/8"	1-7/16"	1-1/2"	1-9/16" and longer	Total	
	Bales	Bales	Bales	Bales	Bales	Bales	Percent
1	-	1,020	776	144	-	1,940	1.0
2	-	16,050	5,797	2,064	26	23,937	12.2
3	2,151	89,535	11,841	2,035	-	105,562	54.0
4	2,392	31,122	4,792	357	-	38,663	19.7
5	3,231	7,976	581	100	-	11,888	6.1
6	2,353	2,606	160	62	-	5,181	2.6
7	1,501	2,044	23	-	-	3,568	1.8
8	1,490	963	-	-	-	2,453	1.3
9	1,371	256	-	-	-	1,627	.8
10	962	21	-	-	-	983	.5
Total	15,451	151,593	23,970	4,762	26	195,802 2/	100.0
Percent	7.9	77.5	12.2	2.4	*	100.0	

1/ Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

2/ As reported by the Bureau of the Census. Includes approximately 100 bales of Sealand and Sea Island cotton.

Table 12. -- Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1963 1/

Grade	1-5/16" and shorter	1-3/8"	1-7/16"	1-1/2"	1-9/16" and longer	Total	
	Bales	Bales	Bales	Bales	Bales	Bales	Percent
1	-	419	2,087	629	37	3,172	2.7
2	19	2,291	22,857	2,165	320	27,652	23.5
3	141	10,789	30,871	7,161	18	48,980	41.6
4	185	8,646	11,818	2,189	22	22,860	19.4
5	350	5,147	1,719	674	4	7,894	6.7
6	117	2,345	362	280	2	3,106	2.6
7	241	1,678	78	2	1	2,000	1.7
8	107	524	45	-	-	676	.6
9	179	356	32	-	-	567	.5
10	654	178	-	-	1	833	.7
Total	1,993	32,373	69,869	13,100	405	117,740 2/	100.0
Percent	1.7	27.5	59.4	11.1	.3	100.0	

1/ Revised. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

2/ As reported by the Bureau of the Census. Includes approximately 100 bales of Sealand and Sea Island cotton.

Table 13. -- Staple of foreign growth cotton in the carry-over,
August 1, 1957-1964

Growth and length (inches)	1957	1958	1959	1960	1961	1962	1963	1964 ^{1/}
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
<u>Egyptian:</u>								
1-3/32 and shorter	-	-	-	-	-	672	2,248	13
1-1/8 and 1-5/32	87	-	-	-	-	-	-	-
1-3/16 and 1-7/32	562	64	1,528	-	-	-	-	-
1-1/4 to 1-11/32	12	509	-	661	1,728	119	7,328	784
1-3/8 to 1-15/32	8,634	6,764	19,656	17,961	20,733	17,770	58,592	35,146
1-1/2 to 1-19/32	6,690	657	697	110	628	3,452	8,122	7,441
1-5/8 to 1-23/32	459	-	-	-	-	-	-	-
1-3/4 and longer	-	-	-	-	-	-	-	-
All lengths	16,444	7,994	21,881	18,732	23,089	22,013	76,290	43,384
<u>Peruvian:</u>								
1-1/8 and 1-5/32	3	-	-	-	-	39	127	14
1-3/16 and 1-7/32	256	-	503	109	-	290	333	216
1-1/4 to 1-11/32	8	103	-	-	-	199	160	555
1-3/8 to 1-15/32	3	398	991	-	670	838	1,129	3,495
1-1/2 to 1-19/32	2,904	990	946	913	2,198	1,997	573	2,094
1-5/8 to 1-23/32	1,137	1,528	3,241	1,302	1,767	926	2,098	3,125
1-3/4 and longer	-	609	-	-	366	-	1,285	4,785
All lengths	4,311	3,628	5,681	2,324	5,001	4,289	5,705	14,284
<u>Indian:</u>								
13/16 and shorter	13,756	16,808	13,153	13,032	9,246	15,086	10,127	13,625
<u>Other Foreign:</u>								
13/16 and shorter	32	-	-	-	-	75	-	-
7/8 and 29/32	-	-	-	-	-	-	-	-
15/16 and 31/32	-	177	-	435	-	233	125	-
1 and 1-1/32	689	1,998	130	652	2,954	91	247	-
1-1/16 and 1-3/32	369	3,156	423	1,522	381	370	250	182 ^{1,250}
1-1/8 and 1-5/32	50	1,031	181	-	-	31	128	876 ^{1,510}
1-3/16 and 1-7/32	1,295	37	757	-	-	-	-	- ⁴⁵
1-1/4 and longer	2,042	56	26	-	-	-	-	- ^{2,062}
All lengths	4,477	6,455	1,517	2,609	3,335	800	750	1,058 ^{4,867}
All Foreign ^{2/}	38,988	34,885	42,232	36,697	40,671	42,188	92,872	72,351

^{1/} Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills for 1962 and subsequent years.

^{2/} As reported by the Bureau of the Census.

Table 14. -- Percentage distribution of micronaire readings of upland and American-Egyptian cotton in public storage on August 1, 1964, by specified groupings

Growth	Readings by groupings					Total
	2.6 and below	2.7-2.9	3.0-3.4	3.5-4.9	5.0 and above	
	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
Upland	0.7	5.1	15.2	72.1	6.9	100.0
American-Egyptian	*	2.0	22.0	76.0	-	100.0

* Less than 0.05 percent.