


Commodity Economics Division
Economic Research Serv., USDA
301 West Congress
Tucson, Arizona 85701

APR 24 1971

COTTON QUALITY

SUPPLY - DISAPPEARANCE - CARRY-OVER

1968-69



UNITED STATES DEPARTMENT OF AGRICULTURE
Consumer and Marketing Service Cotton Division
Memphis, Tennessee

Vol. 42, No. 8

September 1969

STATISTICAL TABLES

<u>Table</u>	<u>Page</u>
1. Carry-over of upland cotton by specified grades and staples, August 1, 1967-1969 . .	2
2. Grade index and average staple of upland cotton, August 1, 1960-1969	2
3. Grade and staple of upland cotton in the carry-over, August 1, 1969.	3
4. Grade and staple of upland cotton in the carry-over, August 1, 1968.	4
5. Grade and staple of upland cotton in consuming establishments, August 1, 1969. . . .	5
6. Grade and staple of upland cotton in public storage and "elsewhere", August 1, 1969	6
7. Grade and staple of upland cotton in the supply, United States, 1968-69.	7
8. Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1961-1969	8
9. Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1961-1969	9
10. Tenderability of upland cotton in the carry-over, United States, August 1, 1960-1969.	10
11. Grade and staple of ex-stockpile American Egyptian cotton in the carry-over, (Sales Announcement NO-C-10 catalog), August 1, 1969	10
12. Grade and staple of American Egyptian cotton in consuming establishments and in public storage (other than ex-stockpile), August 1, 1969	10
13. Staple of foreign growth cotton in the carry-over, August 1, 1962-1969	11
14. Micronaire readings of upland and American Egyptian cotton in public storage, by specified groupings, August 1, 1968-1969.	12

COTTON QUALITY, UNITED STATES

Supply - Disappearance - Carry-over

1968-69

Introduction

This report contains information on the quality of cotton on hand in the United States on August 1, 1969, and on the quality of cotton in the crop, supply and disappearance during the 1968-69 season. To facilitate comparison, certain data for previous seasons are included.

Quality estimates for the carry-over include statistics on the grade and staple of upland and American Egyptian cotton and on the staple of cotton of foreign growth in the United States on August 1, 1969. Sample data were raised to the total number of bales reported by the Bureau of the Census in public storage and in consuming establishments for upland, American Egyptian and foreign growths.

Estimates of the quality distribution of cotton in public storage, including CCC stocks as of August 1, 1969, were based on actual re-sampling and classification of a representative proportion of these stocks. Estimates of the quality distribution of cotton stored in consuming establishments were based on grade and staple data furnished by the establishments in which the cotton was stored.

The carry-over of upland cotton in the United States on August 1, 1969 contained a record-high proportion of cotton stapling 1-1/16" and longer. The average staple was the longest for any carry-over in history. The proportion of Middling and higher White grades in the carry-over was up moderately from a year ago.

The average staple of upland cotton in the 1969 carry-over was 33.8 thirty-seconds inches, the longest on record. Cotton in the lengths shorter than one inch accounted for 13 percent of the carry-over compared with 35 percent a year earlier. The lengths one inch and 1-1/32" were equivalent to 20 percent of this year's carry-over against 26 percent a year ago. Cotton in the combined lengths of 1-1/16" and 1-3/32" comprised 52 percent of end-season stocks, up sharply from 32 percent on August 1, 1968. Cotton stapling 1-1/8" and longer accounted for 15 percent of the 1969 carry-over compared with seven percent a year earlier.

Estimates of the grade distribution of the 1969 upland carry-over compared with that of a year earlier indicate a moderate increase in the proportion of Middling and higher White grades; a much larger proportion of Strict Low Middling Plus and lower White grades; and rather sharp decreases in the proportions of Light Spotted and Spotted cotton. The grade index of upland cotton in the 1969 carry-over was 93.2 (Middling White = 100) against 92.6 a year earlier and 93.1 two years ago.

The carry-over of American Egyptian cotton on August 1, 1969 totaled 142,406 bales compared with 155,643 bales a year earlier. The carry-over quality estimates for this year's stocks of American Egyptian are presented in two tables in this report. One table presents data for ex-stockpile American Egyptian cotton (4,639 bales) based on the classification of this cotton in the CCC sales catalog. The second table contains quality estimates for American Egyptian in consuming establishments and in public storage for other than ex-stockpile cotton - a total of 137,767 bales.

The United States carry-over of all kinds of cotton on August 1, 1969 totaled 6,507,565 bales, according to the Bureau of the Census. This compares with 6,448,260 bales a year earlier and 12,533,317 bales two years ago. Stocks of upland cotton in the 1969 carry-over totaled 6,333,982 bales, stocks of American Egyptian were 142,406 bales, and foreign growths totaled 31,177 bales.

September 4, 1969

Table 1. -- Carry-over of upland cotton by specified grades and staples,
August 1, 1967-1969

Grade and staple Code	1967		1968		1969 ^{1/}	
	Quantity	Percentage	Quantity	Percentage	Quantity	Percentage
	Bales	Percent	Bales	Percent	Bales	Percent
White:						
S.M. (21) & higher	244,309	2.0	128,099	2.0	121,929	1.9
M.+ (30)	96,247	0.8	21,482	0.3	67,124	1.1
M. (31)	1,315,776	10.7	854,467	13.7	1,170,118	18.5
S.L.M.+ (40)	372,792	3.0	223,021	3.6	422,914	6.7
S.L.M. (41)	1,561,456	12.7	1,067,555	17.1	1,756,550	27.8
L.M.+ (50)	151,920	1.2	88,589	1.4	268,886	4.2
L.M. (51) & lower	443,544	3.6	397,694	6.4	574,513	9.0
Light Spotted:						
S.M. (22) & higher	463,541	3.8	145,883	2.3	35,580	0.6
M. (32)	2,684,614	22.0	1,107,130	17.8	651,883	10.3
S.L.M. (42)	2,207,102	18.1	777,577	12.4	612,496	9.7
L.M. (52)	430,052	3.5	212,100	3.4	154,028	2.4
Spotted ^{2/} (13-53)	1,998,797	16.2	1,001,725	16.1	374,054	5.9
Other Colored ^{3/}	300,231	2.4	220,973	3.5	123,907	1.9
All grades	12,270,381	100.0	6,246,295	100.0	6,333,982	100.0
Staples:						
13/16" (26) & shorter	8,260	0.1	8,919	0.1	281	*
7/8" (28)	141,059	1.1	82,952	1.3	15,436	0.2
29/32" (29)	1,037,897	8.5	406,678	6.5	57,458	0.9
15/16" (30)	2,906,245	23.7	1,253,434	20.0	343,128	5.4
31/32" (31)	827,417	6.7	437,401	7.0	404,471	6.4
1" (32)	952,503	7.8	530,277	8.5	508,216	8.0
1-1/32" (33)	3,291,487	26.9	1,110,499	17.9	773,037	12.2
1-1/16" (34)	2,091,860	17.0	1,308,530	21.1	1,791,030	28.3
1-3/32 (35)	651,768	5.3	694,838	11.1	1,513,424	23.9
1-1/8" (36)	219,900	1.8	290,741	4.6	639,853	10.1
1-5/32" (37)	102,646	0.8	81,177	1.3	258,259	4.1
1-3/16" (38)	30,749	0.3	28,806	0.5	24,647	0.4
1-7/32" (39)	3,763	*	2,699	*	1,062	*
1-1/4" (40) & longer	4,827	*	9,344	0.1	3,680	0.1
All staples	12,270,381	100.0	6,246,295	100.0	6,333,982	100.0

^{1/} Preliminary.^{2/} Includes all grades.^{3/} Includes Below Grade.

* Less than 0.05 percent.

Table 2. -- Grade index and average staple of upland cotton, August 1, 1960-1969

Year	Grade index (Middling White=100)			Average staple (Thirty-seconds inches)		
	Mill Stocks	Public Storage Stocks	Total Carry-over	Mill Stocks	Public Storage Stocks	Total Carry-over
1960	95.8	98.4	97.9	33.5	32.9	33.0
1961	97.0	97.8	97.6	33.5	33.2	33.3
1962	96.8	96.9	96.9	33.6	33.1	33.2
1963	96.5	95.3	95.5	33.9	32.6	32.7
1964	96.8	95.1	95.3	34.0	32.2	32.3
1965	96.5	94.6	94.8	34.0	32.2	32.4
1966	96.5	92.6	92.9	34.1	32.0	32.1
1967	95.9	92.7	93.1	34.0	31.7	32.1
1968	94.5	91.9	92.6	33.5	32.1	32.5
1969	94.6	92.8	93.2	34.0	33.8	33.8

Table 3. -- Grade and staple of upland cotton in the carry-over, August 1, 1969 1/2

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1"	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
Whites:																
G.M.	(11)	-	-	-	-	-	412	9,304	35,905	35,077	12,212	1,241	522	28	40	1,662
S.M.	(21)	-	155	487	1,378	1,163	2,960	9,304	35,905	35,077	12,212	1,241	522	28	40	120,267
N.+	(30)	-	-	61	-	2	370	5,950	13,368	20,762	12,557	21,016	1,326	130	130	67,124
M.	(31)	-	1,771	5,878	18,372	33,419	50,629	89,592	302,199	406,357	135,443	125,638	6,036	94	688	1,170,118
S.L.M.+	(40)	-	-	101	10,422	451	13,416	27,820	137,388	152,877	56,999	19,023	3,239	-	1,178	422,914
S.L.M.	(41)	-	104	2,539	50,744	56,923	74,340	155,218	590,060	516,626	247,167	48,561	5,498	416	326	1,756,550
L.M.+	(50)	-	-	51	1,697	2,318	16,861	36,873	168,396	76,209	26,974	2,162	1,238	107	107	266,866
L.M.	(51)	-	-	207	3,956	11,222	30,512	79,272	169,928	105,920	54,339	3,459	1,498	262	131	460,666
S.G.O.+	(60)	-	-	-	-	84	1,969	5,646	6,009	2,800	1,095	8	-	-	-	18,237
S.G.O.	(61)	-	-	68	510	2,641	19,865	11,632	30,427	15,147	4,313	407	55	-	-	85,265
O.O.+	(70)	-	-	-	50	24	489	542	192	-	33	33	-	-	-	1,363
O.O.	(71)	-	207	-	582	1,054	1,830	1,311	2,587	845	575	51	-	-	-	8,962
Total		-	2,237	9,412	87,631	109,501	213,693	422,760	1,405,067	1,322,629	551,709	234,577	19,418	800	2,600	4,362,034
Light Spotted:																
G.M.	(12)	-	-	-	-	382	-	-	-	2	-	-	-	-	-	512
S.M.	(22)	-	275	2,650	4,478	2,556	5,124	8,170	6,708	3,364	1,040	580	13	-	-	35,068
N.	(32)	-	2,561	16,285	106,277	117,166	101,398	97,149	113,348	60,084	25,868	10,608	1,096	13	13	651,893
S.L.M.	(42)	-	108	6,467	73,148	81,150	109,569	146,089	80,248	36,056	4,888	2,699	262	479	612,496	
L.M.	(52)	-	-	108	999	9,373	15,334	17,036	47,261	19,045	6,374	924	424	39	39	154,026
Total		-	5,801	26,401	186,135	200,586	204,706	232,000	316,133	162,753	69,338	17,000	4,229	262	531	1,453,987
Spotted:																
G.M.	(13)	-	-	43	131	432	102	26	95	-	50	-	-	-	-	879
S.M.	(23)	-	314	2,372	5,470	5,036	4,452	2,512	1,655	401	621	384	39	26	26	23,282
N.	(33)	-	1,488	12,190	29,571	43,765	34,326	21,057	14,003	6,690	6,276	2,189	217	52	52	171,794
S.L.M.	(43)	-	3,403	3,255	19,330	17,648	17,398	30,430	21,573	8,949	6,039	3,220	522	419	419	132,206
L.M.	(53)	-	181	340	3,354	4,121	8,233	12,822	11,791	2,599	1,677	723	52	-	-	45,893
Total		-	5,356	18,200	57,856	71,002	64,511	66,847	49,117	18,659	14,663	6,516	830	497	497	374,054
Tinged:																
G.M.	(14)	-	-	-	50	-	50	-	-	-	-	-	-	-	-	100
S.M.	(24)	-	192	447	820	1,261	643	669	540	45	114	45	-	-	-	4,776
N.	(34)	-	365	1,266	4,882	5,155	3,970	3,472	1,964	618	314	45	79	26	26	22,270
S.L.M.	(44)	-	401	658	2,165	3,072	4,459	9,114	6,709	473	115	39	39	26	26	27,231
L.M.	(54)	-	26	482	776	1,888	5,550	7,846	3,091	32	17	-	-	-	-	19,993
Total		-	1,440	2,656	8,693	11,376	14,672	21,101	12,324	1,168	560	90	118	52	52	74,370
Stained:																
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	205	60	30	30	-	-	-	-	-	-	-	-	-
N.	(35)	-	239	467	310	247	43	26	13	-	-	-	-	-	-	338
Total		-	239	672	370	277	73	26	13	-	-	-	-	-	-	1,708
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	31	576	526	97	-	-	-	-	1,230
N.	(36)	-	-	-	60	-	368	1,667	1,348	4,944	2,333	-	-	-	-	10,720
S.L.M.	(46)	-	-	-	50	141	719	351	1,957	896	770	-	-	-	-	4,574
Total		-	-	-	110	141	1,087	2,049	3,881	6,356	3,200	-	-	-	-	16,824
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.	(37)	-	-	-	-	-	235	122	-	282	127	-	-	-	-	836
S.L.M.	(47)	-	-	-	13	135	374	1,394	275	123	-	-	-	-	-	2,314
Total		-	-	-	13	205	609	1,510	275	405	127	-	-	-	-	3,150
Below Grade		13	363	117	2,320	3,383	8,863	6,738	4,220	1,404	256	76	52	-	-	27,855
All grades		281	15,436	57,458	343,128	404,471	508,216	773,037	1,791,030	1,513,424	639,853	258,259	24,647	1,062	3,680	6,333,962 2/100.0
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		0.2	0.9	5.4	6.4	8.0	12.2	23.3	23.9	10.1	4.1	0.4	0.1	0.1	0.1	100.0

1/ Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.
 2/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Grade index..... 93.2
 Average staple..... 33.8

Table 4. -- Grade and staple of upland cotton in the carry-over, August 1, 1968 1/

Grade	Code	13/16" and shorter (26)		7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples	
		Bales	Percent														Bales	Percent
White:																		
G.M.	(11)	-	-	194	147	2,095	1,436	116	370	115	23	87	1,028	-	-	-	-	1,759
S.M.	(20)	-	-	104	925	1,606	518	1,130	23,112	54,919	25,232	7,279	5,188	568	17	17	17	126,360
M.	(31)	21	3,180	6,463	45,259	19,069	52,774	147,984	147,984	272,003	208,228	64,947	26,570	4,337	188	1,487	39	21,482
S.L.M.+	(40)	310	6,605	1,376	9,930	2,384	9,169	22,405	22,405	108,205	44,275	80,210	4,492	890	436	662	1,487	654,467
S.L.N.	(41)	35	7,737	11,402	89,864	34,506	69,835	219,296	319,270	205,485	89,214	12,155	5,735	343	2,678	1,087,555	17.1	2,823,021
L.M.+	(50)	-	-	22	1,505	570	3,530	30,660	30,660	41,437	8,607	1,913	281	5	59	59	86,289	108,205
L.N.	(51)	-	-	3,939	2,599	19,512	5,096	50,286	108,512	72,517	30,648	11,140	1,947	663	17	564	307,459	307,459
S.O.O.+	(60)	-	-	913	1,450	6,141	1,374	32,969	16,927	7,772	3,709	1,257	203	293	-	-	6,914	6,914
S.O.O.	(70)	-	-	-	65	898	656	3,366	138	184	3	-	3	-	-	-	392	392
G.O.	(71)	-	-	-	-	-	-	-	2,562	1,660	490	118	17	69	-	-	9,921	9,921
Total		366	16,568	26,452	173,895	65,736	230,025	579,947	893,746	532,612	197,427	52,368	13,038	1,131	5,706	2,780,907	44.5	2,780,907
Light Spotted:																		
G.M.	(12)	193	-	49	47	264	46	178	111	64	-	-	-	-	-	-	-	616
S.M.	(22)	181	2,667	11,015	30,264	10,208	12,819	35,200	28,819	7,040	5,538	1,574	132	152	-	-	-	145,267
M.	(32)	469	11,626	109,642	388,030	153,368	72,120	144,572	136,639	54,192	7,432	37,505	14,811	3,438	198	330	1,107,130	17.8
S.L.M.	(42)	1,445	6,340	49,197	218,310	67,825	69,198	154,010	114,215	55,033	28,089	7,056	4,766	420	1,073	1,073	777,577	12.4
L.N.	(52)	-	-	1,800	6,656	19,874	15,480	40,710	64,900	40,831	11,976	5,084	651	3,149	374	715	212,100	3.4
Total		2,288	22,433	176,605	656,623	226,917	194,993	390,609	320,768	128,241	76,806	23,892	11,505	992	2,118	2,242,690	35.9	2,242,690
Spotted:																		
G.M.	(13)	-	-	49	47	264	46	178	111	-	-	-	-	-	-	-	-	695
S.M.	(23)	498	8,463	23,778	44,255	16,315	7,636	10,000	7,636	2,564	2,663	1,152	634	-	-	-	-	123,758
M.	(33)	1,541	16,685	98,576	253,354	77,156	27,260	26,063	24,240	7,432	5,328	5,328	1,575	1,092	47	365	540,714	8.7
S.L.M.	(43)	290	6,291	36,777	59,991	18,882	20,461	34,374	35,021	13,253	6,466	1,965	1,852	529	826	826	236,930	3.8
L.N.	(53)	65	794	7,232	15,166	8,052	16,422	25,605	16,671	5,658	1,756	623	1,283	329	329	329	99,628	1.6
Total		2,394	32,242	166,410	373,030	120,421	72,157	96,753	83,496	28,976	14,706	4,817	4,227	576	1,520	1,001,725	16.1	1,001,725
Tinged:																		
G.M.	(14)	-	-	46	46	219	-	-	-	-	-	-	-	-	-	-	-	311
S.M.	(24)	639	1,203	4,860	5,666	2,287	1,283	1,819	1,819	1,545	514	33	-	-	-	-	-	19,849
M.	(34)	697	5,021	18,772	25,327	6,737	4,091	3,756	2,672	728	349	-	-	18	-	-	-	66,168
S.L.M.	(44)	146	1,358	4,155	6,360	1,911	2,146	6,191	2,791	340	281	-	-	-	-	-	-	23,079
L.N.	(54)	32	561	3,220	1,721	1,214	3,343	3,612	1,715	419	-	-	-	-	-	-	-	14,017
Total		1,494	8,143	29,053	39,120	12,368	11,063	15,378	8,723	2,001	663	-	-	18	-	-	-	128,024
Stained:																		
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	512
M.	(35)	1,317	1,750	2,096	1,469	567	90	55	37	123	-	-	18	-	-	-	-	7,616
Total		1,317	1,933	2,096	1,535	633	177	92	337	-	-	-	18	18	-	-	-	8,174
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	226	98	336	363	363	307	437	67	-	-	-	-	-	1,834
M.	(36)	-	-	102	46	708	466	1,518	3,116	823	492	418	-	-	-	-	-	7,689
S.L.M.	(46)	-	-	-	598	544	1,93	1,357	1,432	865	138	147	-	-	-	-	-	5,234
Total		-	-	102	604	1,478	757	3,211	4,911	1,995	1,067	632	-	-	-	-	-	14,757
Gray:																		
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	37	-	-	-	-	-	-	-	37
M.	(37)	-	-	32	30	126	116	366	366	146	99	122	-	-	-	-	-	1,037
S.L.M.	(47)	-	-	-	64	357	1,436	486	773	78	78	-	-	-	-	-	-	3,174
Total		-	-	32	94	463	1,552	852	956	177	122	-	-	-	-	-	-	4,248
Below Grade																		
G.M.	(18)	1,060	1,531	5,426	7,659	10,106	17,199	14,057	6,509	1,764	367	92	-	-	-	-	-	65,770
Total		1,060	1,531	5,426	7,659	10,106	17,199	14,057	6,509	1,764	367	92	-	-	-	-	-	65,770
All grades																		
G.M.	(19)	8,919	82,962	406,678	1,253,434	437,401	530,277	1,110,499	1,206,330	694,838	290,741	81,177	28,806	2,699	9,344	6,246,295	2/100.0	6,246,295
Total		8,919	82,962	406,678	1,253,434	437,401	530,277	1,110,499	1,206,330	694,838	290,741	81,177	28,806	2,699	9,344	6,246,295	2/100.0	6,246,295
All grades																		
G.M.	(20)	0.1	1.3	6.5	20.1	7.0	8.5	17.6	21.0	11.1	4.7	1.3	0.5	0.1	0.1	0.1	100.0	92.6
Total		0.1	1.3	6.5	20.1	7.0	8.5	17.6	21.0	11.1	4.7	1.3	0.5	0.1	0.1	0.1	100.0	92.6

1/ Revised. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.
 2/ As reported by the Bureau of the Census, running bales.
 Less than 0.05 percent.
 Grade index.....
 Average staple..... 32.5

Table 5. -- Grade and staple of upland cotton in consuming establishments, August 1, 1969 1/

Grade	Code	15/16" and shorter (26)		7/8" (28)		29/32" (29)		15/16" (30)		31/32" (31)		1" (32)		1-1/32" (33)		1-1/16" (34)		1-3/32" (35)		1-1/8" (36)		1-5/32" (37)		1-3/16" (38)		1-7/32" (39)		1-1/4" and longer (40)		All staples		
		Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	
White:																																
G.M.	(11)	-	-	-	-	-	-	412	-	2,139	14,492	18,601	-	-	1,241	-	-	-	-	-	5,076	280	-	-	-	-	-	-	40	1,653	0.1	
S.M.	(21)	-	-	-	-	67	-	67	-	4,809	12,066	19,002	11,716	11,483	7,979	-	-	-	-	-	11,716	280	28	-	-	-	130	49,664	3.1			
M.	(31)	-	-	-	-	138	-	7,816	138	28,353	111,263	122,017	26,492	8,390	26,492	-	-	-	-	-	26,492	2,249	-	-	-	-	567	311,295	19.4			
S.L.M.+	(41)	-	-	-	-	37	-	12,383	37	25,438	124,326	129,582	40,691	4,935	4,935	-	-	-	-	-	40,691	2,735	-	-	-	-	1,146	350,880	21.8			
S.L.M.	(41)	-	-	-	-	41	-	9,206	41	45,019	131,458	106,122	25,385	2,943	2,943	-	-	-	-	-	25,385	2,146	-	-	-	-	190	344,980	21.4			
L.M.+	(51)	-	-	-	-	75	-	14,651	75	28,264	80,449	45,424	10,449	869	869	-	-	-	-	-	10,449	446	-	-	-	-	5	181,156	11.3			
L.M.	(51)	-	-	-	-	24	-	14,158	24	33,603	24,668	12,613	5,112	8	8	-	-	-	-	-	5,112	221	-	-	-	13	90,779	5.7				
S.O.O.+	(61)	-	-	-	-	42	-	1,427	42	5,513	1,572	6	6	-	-	-	-	-	-	6	6	-	-	-	-	-	14,595	0.9				
S.O.O.	(61)	-	-	-	-	219	-	16,387	219	1,483	10,370	3,387	202	-	-	-	-	-	-	-	202	-	-	-	-	-	-	32,048	2.0			
O.O.+	(71)	-	-	-	-	24	-	469	24	542	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,092	0.1			
O.O.	(71)	-	-	-	-	518	-	91	518	429	230	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,268	0.1			
Total		1,330	1,897	32,541	603	78,424	176,054	515,473	459,540	125,252	38,277	9,409	28	2,081	1,440,909	89.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Light Spotted:																																
G.M.	(12)	-	-	-	-	997	-	997	-	104	894	29	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
S.M.	(22)	-	-	-	-	67	-	67	-	102	739	165	92	61	61	-	-	-	-	-	92	-	-	-	-	-	-	-	17	6,612	0.4	
M.	(32)	-	-	-	-	1,060	-	7,135	1,060	4,111	4,350	649	378	284	284	-	-	-	-	-	378	-	-	-	-	-	-	-	57,173	3.6		
S.L.M.	(42)	-	-	-	-	4	-	12,082	4	3,842	5,861	1,665	495	81	81	-	-	-	-	-	495	-	-	-	-	-	42	54,370	3.4			
L.M.	(52)	-	-	-	-	38	-	305	38	2,338	3,674	586	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6,954	0.4			
Total		4,137	8,751	61,103	1,102	20,519	10,395	14,779	2,931	675	365	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42	125,109	7.8			
Spotted:																																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(23)	-	-	-	-	67	-	67	-	104	76	28	-	-	-	-	-	-	-	-	28	-	-	-	-	-	-	-	-	-	-	
M.	(33)	-	-	-	-	17	-	476	17	595	761	190	41	-	-	-	-	-	-	-	41	-	-	-	-	-	-	-	-	-	-	
S.L.M.	(43)	-	-	-	-	89	-	1,771	89	959	317	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
L.M.	(53)	-	-	-	-	136	-	2,314	136	1,656	1,634	401	133	61	61	-	-	-	-	-	133	-	-	-	-	-	-	-	-	-	-	
Total		3,865	3,865	9,080	136	2,314	1,656	1,634	401	133	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23,345	1.5		
Tinged:																																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(24)	-	-	-	-	82	-	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	104	-	104	-	10	76	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	52	-	678	52	678	254	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(54)	-	-	-	-	45	-	207	45	566	722	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		282	282	1,702	61	363	1,454	1,052	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,973	0.3		
Light Gray:																																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	43	-	719	43	31	298	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(46)	-	-	-	-	503	-	546	503	750	796	3,309	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	68	-	546	68	750	796	3,309	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Gray:																																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	304	-	304	1,244	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	304	-	304	1,244	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	304	-	304	1,244	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade																																
All grades		110	9,332	14,765	104,507	2,011	104,618	192,232	534,255	466,350	126,261	38,703	9,409	28	2,123	1,604,904 2/	100.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades		Percent	0.6	0.9	6.5	0.1	6.5	12.0	33.3	29.1	7.9	0.6	0.6	0.1	100.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1/ Preliminary. Quality data on bales stored in consuming establishments based on information furnished by mills.
 2/ As reported by the Bureau of the Census.
 * Less than 0.05 percent.

Grade index..... 94.6
 Average staple..... 34.0

Table 6. -- Grade and staple of upland cotton in public storage and "elsewhere", August 1, 1969 1/

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples	
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
White:																	
O.M.	(11)	-	155	487	1,395	1,157	2,070	7,165	21,413	16,366	7,136	13,037	242	-	-	9	70,603
S.M.	(21)	-	-	-	81	303	303	741	1,302	860	841	1,496	-	-	-	-	5,825
M.+	(30)	-	441	3,981	17,599	33,281	42,813	61,239	100,936	278,340	108,953	117,248	3,787	94	121	121	858,823
S.L.M.+	(40)	-	-	101	815	414	1,033	2,382	13,062	23,295	16,308	14,088	504	32	32	32	72,034
S.L.M.	(50)	-	104	2,539	29,064	56,882	65,134	109,399	466,610	410,504	221,782	45,638	3,352	416	146	146	1,411,570
L.M.+	(60)	-	-	51	1,273	2,243	2,210	8,609	27,947	26,785	16,525	1,193	792	102	102	102	87,730
L.M.	(70)	-	-	207	3,932	11,201	16,354	45,669	145,260	93,307	49,210	3,110	1,277	262	118	118	369,907
S.O.O.+	(80)	-	-	-	-	42	562	133	694	1,228	983	-	-	-	-	-	3,642
S.O.O.	(90)	-	-	68	510	2,622	3,478	10,149	20,057	11,760	4,111	407	55	-	-	-	53,217
O.O.+	(10)	-	207	-	50	-	-	155	33	-	-	-	-	-	-	-	7,271
O.O.	(11)	-	-	902	1,054	1,312	1,220	2,158	51	-	-	-	-	-	-	-	7,694
Total		-	907	7,515	55,090	109,898	135,269	246,706	889,594	863,069	426,457	196,300	10,009	772	519	519	2,941,125
Light Spotted:																	
O.M.	(12)	-	-	-	-	362	-	1	127	-	-	-	-	-	-	-	512
S.M.	(22)	-	51	1,001	1,875	2,856	4,127	8,046	5,814	3,335	1,038	580	13	-	-	-	28,456
M.	(32)	-	1,147	10,794	73,996	116,106	94,263	93,038	108,998	59,445	25,490	10,324	1,066	-	13	13	594,710
S.L.M.	(42)	-	358	4,856	39,799	73,144	69,068	105,727	142,628	76,563	35,561	4,807	2,696	262	437	437	595,126
L.M.	(52)	-	108	999	9,362	15,296	16,231	34,773	43,587	18,457	6,374	924	424	39	39	39	147,074
Total		-	1,664	17,650	125,032	207,484	184,189	241,605	301,354	159,822	68,463	16,635	4,229	262	489	489	1,328,878
Spotted:																	
O.M.	(13)	-	-	43	131	432	102	26	96	-	50	-	-	-	-	-	879
S.M.	(23)	-	314	2,372	5,470	5,036	4,452	2,512	1,638	401	621	384	39	-	26	26	23,265
M.	(33)	-	858	9,849	28,015	43,735	34,259	20,955	13,264	6,525	6,184	2,128	217	-	52	52	166,041
S.L.M.	(43)	-	138	1,731	11,806	17,631	16,922	29,895	20,812	8,779	5,998	3,220	522	-	419	419	117,813
L.M.	(53)	-	181	340	3,354	4,032	5,462	11,863	11,474	2,553	1,677	723	52	-	-	-	42,711
Total		-	1,491	14,335	48,776	70,866	62,197	65,191	47,283	18,258	14,530	6,455	880	-	497	497	350,709
Tinged:																	
O.M.	(14)	-	-	-	50	-	-	-	-	-	-	-	-	-	-	-	100
S.M.	(24)	-	102	447	738	1,261	643	669	540	45	114	45	-	-	-	-	4,694
M.	(34)	-	365	1,172	3,262	5,155	3,866	3,462	1,968	590	314	45	79	-	26	26	20,338
S.L.M.	(44)	-	401	500	2,165	3,056	4,407	8,236	6,455	444	115	-	39	-	26	26	25,844
L.M.	(54)	-	26	482	285	776	1,843	7,280	2,369	-	17	-	-	-	-	-	18,421
Total		-	1,440	2,404	6,991	11,315	14,309	19,647	11,272	1,079	560	90	118	-	52	52	69,397
Stained:																	
O.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	205	60	30	30	-	13	-	-	-	-	-	-	-	338
M.	(35)	-	38	239	467	310	247	43	26	-	-	-	-	-	-	-	1,370
Total		-	38	239	672	370	277	73	26	13	-	-	-	-	-	-	1,708
Light Gray:																	
O.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	31	191	525	96	-	-	-	-	-	843
M.	(36)	-	-	-	42	-	325	948	1,718	1,718	2,333	-	-	-	-	-	6,601
S.L.M.	(46)	-	-	-	-	141	216	320	1,659	724	770	-	-	-	-	-	3,830
Total		-	-	-	42	141	541	1,299	3,085	2,967	3,199	-	-	-	-	-	11,274
Gray:																	
O.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	70	235	122	282	127	-	-	-	-	-	-	836
S.L.M.	(47)	-	-	-	-	135	70	150	214	123	-	-	-	-	-	-	692
Total		-	-	-	-	205	305	272	214	405	127	-	-	-	-	-	1,528
Below Grade																	
		13	363	117	2,320	3,274	6,515	6,059	3,060	1,454	256	76	52	-	-	-	24,459
All grades																	
		171	6,104	42,693	238,621	402,460	403,398	590,805	1,256,775	1,047,074	513,592	219,556	15,238	1,034	1,557	1,557	4,759,078
Percent		0.1	0.9	5.0	8.5	8.5	8.5	12.3	26.7	22.2	10.9	4.6	0.3	-	-	-	100.0
All grades																	
1/ Preliminary.																	Grade index.....
2/ As reported by the Bureau of the Census.																	Average staple.....
																	92.8
																	33.8

Grade index..... 92.8
Average staple..... 33.8

Table 8. -- Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1961-1969

Year beginning August 1	White 1/					Light Spotted					Other Colored 2/	All grades 3/	
	Good Middling and higher	Strict Middling	Middling	Strict Low Middling	Low Middling	Strict Good Ordinary & Good Ordinary	Strict Middling and higher	Middling	Strict Low Middling	Low Middling			
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales			Bales
						CARRY-OVER							
1961	37,094	764,193	2,095,245	1,083,639	357,907	29,677	806,131	1,294,210	273,054	53,481	383,001	7,077,632	
1962	42,662	1,321,192	2,860,245	1,121,363	324,207	79,095	387,232	650,277	257,356	104,550	576,920	7,725,099	
1963	23,395	751,353	2,398,026	2,031,593	711,278	162,572	893,384	2,102,879	1,055,390	284,200	590,948	11,005,018	
1964	21,796	967,293	2,746,924	2,079,801	645,117	143,261	827,115	2,092,548	1,234,717	326,307	1,025,611	12,110,490	
1965	21,530	846,426	2,786,364	3,001,472	1,013,424	149,033	801,972	2,249,050	1,343,870	329,331	1,475,876	14,018,348	
1966	14,941	430,125	1,963,179	2,418,300	944,229	269,933	766,166	3,771,627	3,014,587	813,381	2,198,808	16,565,276	
1967	2,957	241,352	1,412,023	1,934,248	486,430	109,034	463,541	2,684,614	2,207,102	430,052	2,299,028	12,270,381	
1968	1,739	126,360	875,949	1,290,576	396,028	90,255	145,883	1,107,130	777,577	212,100	1,222,698	6,246,295	
1969	1,662	120,267	1,237,242	2,179,464	729,572	113,827	35,580	651,883	612,496	154,028	497,961	6,333,982	
						CROP							
1961	68,917	1,594,504	4,676,153	2,482,759	730,875	117,061	483,062	1,667,984	1,097,136	332,156	1,012,758	14,263,365	
1962	17,984	751,403	3,500,940	4,055,621	1,264,712	237,420	220,867	1,648,840	1,815,327	487,773	753,509	14,754,396	
1963	7,573	911,575	3,781,596	4,462,656	1,379,008	258,471	220,600	1,988,988	1,281,733	294,252	542,723	15,128,775	
1964	6,608	559,211	3,123,870	4,881,260	1,797,721	311,230	98,082	1,471,008	1,456,136	428,656	898,532	15,032,314	
1965	2,674	316,032	2,790,979	4,931,445	1,751,299	298,627	73,112	1,694,307	1,919,478	363,909	706,430	14,847,292	
1966	358	125,430	1,568,729	2,797,819	794,672	124,936	33,098	1,060,360	1,479,766	430,754	1,075,275	9,491,197	
1967	344	90,348	1,378,474	2,579,916	577,567	102,881	32,935	972,952	839,724	240,133	555,019	7,370,293	
1968	651	116,830	1,762,903	4,315,000	1,290,631	209,432	24,595	1,012,243	1,314,935	311,317	479,847	10,836,384	
						SUPPLY 4/							
1961	106,011	2,358,697	6,771,398	3,566,398	988,782	146,738	1,289,193	2,962,194	1,370,190	385,637	1,395,759	21,340,997	
1962	60,646	2,072,595	6,361,185	5,176,984	1,588,919	316,515	608,099	2,299,117	2,072,683	592,323	1,330,429	22,479,495	
1963	30,968	1,662,928	6,179,622	6,494,249	2,090,286	421,043	1,113,984	4,091,467	2,337,123	578,452	1,133,671	26,133,793	
1964	28,404	1,526,504	5,870,794	6,961,061	2,442,838	454,491	925,197	3,563,556	2,690,883	754,963	1,924,143	27,142,804	
1965	24,204	1,162,458	5,577,343	7,932,917	2,764,723	447,660	875,084	3,943,357	3,262,348	693,240	2,182,306	28,865,640	
1966	15,299	595,555	3,531,908	5,216,119	1,738,901	394,869	799,264	4,831,967	4,494,353	1,244,135	3,234,083	26,056,473	
1967	3,301	331,700	2,790,497	4,514,164	1,063,997	211,915	496,476	3,657,566	3,046,826	670,185	2,854,047	19,640,674	
1968	2,390	243,190	2,638,852	5,605,576	1,686,659	299,687	170,478	2,119,373	2,092,512	523,417	1,702,545	17,084,679	
						DISAPPEARANCE 5/							
1961	63,349	1,037,505	3,911,153	2,445,035	664,575	67,643	901,961	2,311,917	1,112,834	281,067	818,839	13,615,898	
1962	37,251	1,321,242	3,963,159	3,145,391	877,641	153,943	-285,285	196,238	1,017,293	308,123	739,481	11,474,477	
1963	9,172	695,635	3,432,698	4,414,448	1,445,169	277,782	286,869	1,998,919	1,102,406	252,145	108,060	14,023,303	
1964	6,874	680,078	3,084,430	3,959,589	1,429,414	305,456	123,225	1,314,506	1,346,983	425,632	448,267	13,124,456	
1965	9,263	732,333	3,614,164	5,514,617	1,820,494	177,727	108,918	171,730	2,487,761	-120,141	23,498	12,300,364	
1966	12,342	314,203	2,119,885	3,281,871	1,252,471	285,835	335,723	2,147,373	2,287,251	814,083	935,055	13,786,092	
1967	1,562	205,340	1,914,548	3,223,588	667,969	121,660	350,593	2,550,436	2,269,249	458,085	1,631,349	13,394,379	
1968	728	122,923	1,401,610	3,426,112	957,087	185,860	134,898	1,467,490	1,480,016	369,389	1,204,584	10,750,697	

1/ Plus grades of White included with straight grades.

2/ Other Colored includes all grades of Spotted, Tinged, Stained, Light Gray, Gray and Below Grade.

3/ As reported by the Bureau of the Census.

4/ Carry-over at the beginning of the season plus crop.

5/ Supply minus carry-over at the end of the season.

Table 9. -- Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1961-1969

Year beginning August 1	13/16" and shorter	7/8"	29/32"	15/16"	31/32"	1"	1-1/32"	1-1/16"	1-3/32"	1-1/8" and longer	All lengths 1/
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
						CARRY-OVER					
1961	1,196	9,972	35,214	231,489	320,846	668,387	2,361,478	2,815,568	457,872	175,610	7,077,632
1962	2,934	59,295	136,529	744,494	432,118	698,829	1,455,398	2,823,108	975,653	394,741	7,725,099
1963	2,428	61,537	571,790	1,640,948	578,819	773,270	2,415,921	3,982,998	746,039	231,268	11,005,018
1964	12,850	246,908	1,153,583	1,685,211	588,104	1,002,267	3,250,740	3,392,540	642,676	153,611	12,110,490
1965	25,204	239,688	1,101,709	2,207,676	765,455	1,005,952	3,569,875	3,996,412	832,534	273,843	14,018,348
1966	24,957	391,399	1,682,179	2,927,001	906,551	1,090,280	4,700,330	3,711,244	771,900	359,435	16,565,276
1967	8,260	141,059	1,037,897	2,906,245	827,417	952,503	3,291,487	2,091,860	651,768	361,885	12,270,381
1968	8,919	82,952	406,678	1,253,434	437,401	530,277	1,110,499	1,308,530	694,838	412,767	6,246,295
1969	281	15,436	57,458	343,128	404,471	508,216	773,037	1,791,030	1,513,424	927,501	6,333,982
						CROP					
1961	1,848	40,615	550,366	2,161,357	1,100,072	962,245	2,112,666	5,243,449	1,585,351	505,376	14,263,365
1962	2,533	52,226	726,072	2,301,969	759,231	789,264	2,855,530	5,086,891	1,757,331	423,349	14,754,396
1963	17,495	232,967	1,186,257	1,952,088	484,301	725,379	3,473,404	5,606,717	1,099,347	350,820	15,128,775
1964	49,057	381,622	814,359	1,629,942	564,381	763,977	3,574,201	5,127,506	1,691,874	435,395	15,032,314
1965	9,418	108,286	933,586	2,304,440	642,844	701,033	2,854,465	5,039,822	1,818,436	434,962	14,847,292
1966	7,703	93,359	641,378	1,376,487	437,171	358,874	1,283,336	3,294,000	1,595,353	403,536	9,491,197
1967	1,776	42,829	338,941	780,619	540,669	391,198	717,600	2,110,095	1,697,112	749,454	7,370,293
1968	519	8,199	117,481	762,970	745,859	784,117	923,028	2,814,298	2,862,380	1,819,533	10,838,384
						SUPPLY 2/					
1961	3,044	50,587	585,600	2,392,846	1,420,918	1,630,632	4,474,144	8,059,017	2,043,223	680,986	21,340,997
1962	5,457	111,521	864,601	3,046,463	1,191,349	1,488,093	4,310,928	7,909,999	2,732,984	818,090	22,479,495
1963	19,923	294,504	1,758,047	3,593,036	1,063,120	1,498,649	5,889,325	9,589,715	1,845,386	582,088	26,133,793
1964	61,907	628,530	1,967,942	3,315,153	1,152,485	1,766,244	6,824,941	8,520,046	2,316,550	589,006	27,142,804
1965	34,622	347,974	2,035,295	4,512,116	1,408,299	1,706,985	6,424,340	9,036,234	2,650,970	708,805	28,865,640
1966	32,660	484,758	2,323,557	4,303,488	1,343,722	1,449,154	5,983,666	7,005,244	2,367,253	762,971	26,056,473
1967	10,036	183,888	1,376,838	3,686,864	1,368,086	1,343,701	4,009,087	4,201,955	2,348,880	1,111,339	19,640,674
1968	9,438	91,151	524,159	2,016,404	1,183,260	1,314,394	2,033,527	4,122,828	3,557,218	2,232,300	17,084,679
						DISAPPEARANCE 3/					
1961	110	-8,708	447,071	1,648,352	988,800	931,803	3,018,746	5,235,909	1,067,570	286,245	13,615,898
1962	3,039	49,984	292,811	1,405,515	612,530	714,823	1,895,007	3,927,001	1,986,945	586,822	11,474,477
1963	7,073	47,596	604,464	1,907,825	475,016	496,382	2,638,585	6,197,175	1,220,710	428,477	14,023,303
1964	36,703	388,842	866,233	1,107,477	367,030	760,292	3,255,066	4,523,634	1,484,016	315,163	13,124,456
1965	9,665	-43,425	353,116	1,585,115	501,748	616,705	1,724,010	5,324,990	1,879,070	349,370	12,300,364
1966	24,400	343,699	1,285,660	1,397,243	516,305	496,651	2,692,179	4,913,384	1,715,485	401,086	13,786,092
1967	1,117	100,936	970,160	2,433,430	930,685	813,424	2,898,588	2,893,425	1,654,042	698,572	13,394,379
1968	9,157	75,715	466,701	1,673,276	778,769	806,178	1,260,490	2,331,798	2,043,794	1,304,799	10,750,697

1/ As reported by the Bureau of the Census.

2/ Carry-over at the beginning of the season plus crop.

3/ Supply minus carry-over at the end of the season.

Table 10. -- Tenderability of upland cotton in the carry-over, United States, August 1, 1960-1969

Year	Tenderable 1/		Untenderable		Total 2/	
	Bales	Percent	Bales	Percent	Bales	Percent
1960	6,328,730	85.6	1,061,434	14.4	7,390,164	100.0
1961	6,510,280	92.0	567,352	8.0	7,077,632	100.0
1962	6,778,070	87.7	947,029	12.3	7,725,099	100.0
1963	9,101,142	82.7	1,903,876	17.3	11,005,018	100.0
1964	7,365,960	60.8	4,744,530	39.2	12,110,490	100.0
1965	8,666,348	61.8	5,352,000	38.2	14,018,348	100.0
1966	6,780,215	40.9	9,785,061	59.1	16,565,276	100.0
1967	5,849,232	47.7	6,421,149	52.3	12,270,381	100.0
1968	3,912,508	62.6	2,333,787	37.4	6,246,295	100.0
1969	4,950,694	78.2	1,383,288	21.8	6,333,982	100.0

1/ Qualities tenderable with respect to grade and staple in settlement of cotton futures.

2/ As reported by the Bureau of the Census.

Table 11. -- Grade and staple of ex-stockpile American Egyptian cotton in the carry-over (Sales Announcement NO-C-10 catalog), August 1, 1969

Grade	Code	1-5/16" and shorter (42)	1-3/8" (44)	1-7/16" (46)	1-1/2" (48)	1-9/16" and longer (50)	Total	
		Bales	Bales	Bales	Bales	Bales	Bales	Percent
1	(10)	-	-	-	-	1	1	*
2	(20)	-	1	1	194	-	196	4.2
3	(30)	-	1	966	3,471	4	4,442	95.8
4	(40)	-	-	-	-	-	-	-
5	(50)	-	-	-	-	-	-	-
6	(60)	-	-	-	-	-	-	-
7	(70)	-	-	-	-	-	-	-
8	(80)	-	-	-	-	-	-	-
9	(90)	-	-	-	-	-	-	-
10	(00)	-	-	-	-	-	-	-
Total		-	2	967	3,665	5	4,639	100.0
Percent		-	*	20.8	79.1	0.1	100.0	

* Less than 0.05 percent.

Table 12. -- Grade and staple of American Egyptian cotton in consuming establishments and in public storage (other than ex-stockpile), August 1, 1969 1/

Grade	Code	1-5/16" and shorter (42)	1-3/8" (44)	1-7/16" (46)	1-1/2" (48)	1-9/16" and longer (50)	Total	
		Bales	Bales	Bales	Bales	Bales	Bales	Percent
1	(10)	-	282	84	1,271	-	1,637	1.2
2	(20)	234	11,622	1,938	1,924	7	15,725	11.4
3	(30)	707	39,468	8,300	1,466	7	49,948	36.4
4	(40)	1,872	38,862	7,304	162	-	48,200	35.0
5	(50)	912	12,624	431	9	-	13,976	10.1
6	(60)	770	4,020	40	-	-	4,830	3.5
7	(70)	472	1,751	15	-	-	2,238	1.6
8	(80)	285	266	-	-	-	551	0.4
9	(90)	254	78	-	-	-	332	0.2
10	(00)	284	46	-	-	-	330	0.2
Total		5,790	109,019	18,112	4,832	14	137,767	100.0
Percent		4.2	79.2	13.1	3.5	*	100.0	

1/ Preliminary. Quality data on 19,858 bales stored in consuming establishments included in this table based on information furnished by mills.

* Less than 0.05 percent.

Table 13. Staple of foreign growth cotton in the carry-over,
August 1, 1962-1969 ^{1/}

Growth and length (inches)	1962	1963	1964	1965	1966	1967	1968	1969
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
<u>Egyptian:</u>								
1-3/32 & shorter	672	2,248	12	-	-	826	238	-
1-1/8 & 1-5/32	-	-	-	13	3,431	-	748	-
1-3/16 & 1-7/32	-	-	-	-	2,299	671	20	-
1-1/4 - 1-11/32	119	7,328	724	282	3,596	7,034	696	767
1-3/8 - 1-15/32	17,770	58,592	32,471	35,212	28,948	23,390	21,635	5,608
1-1/2 - 1-19/32	3,452	8,122	6,875	5,294	9,130	12,032	2,708	1,265
1-5/8 - 1-23/32	-	-	-	-	-	-	-	552
1-3/4 & longer	-	-	-	-	-	-	-	-
All lengths	22,013	76,290	40,082	40,801	47,404	43,953	26,045	8,192
<u>Peruvian:</u>								
1-1/8 & 1-5/32	39	127	16	-	16	-	-	-
1-3/16 & 1-7/32	290	333	247	878	70	126	35	343
1-1/4 - 1-11/32	199	160	635	205	28	623	16	23
1-3/8 - 1-15/32	838	1,129	4,000	1,442	1,082	1,922	2,662	422
1-1/2 - 1-19/32	1,997	573	2,397	4,506	1,166	961	743	1,702
1-5/8 - 1-23/32	926	2,098	3,577	3,985	1,769	1,078	5,571	1,718
1-3/4 & longer	-	1,285	5,476	958	1,403	-	-	-
All lengths	4,289	5,705	16,348	11,974	5,534	4,710	9,027	4,208
<u>Indian:</u>								
13/16 & shorter	15,086	10,127	14,644	9,533	5,176	7,078	7,189	12,673
<u>Other Foreign:</u>								
13/16 & shorter	75	-	-	-	-	-	2,551	2,472
7/8 & 29/32	-	-	-	-	-	-	-	-
15/16 & 31/32	233	125	-	-	-	-	-	-
1 & 1-1/32	91	247	-	-	-	-	-	705
1-1/16 & 1-3/32	370	250	182	1,250	3,522	2,100	1,510	2,927
1-1/8 & 1-5/32	31	128	876	1,510	-	-	-	-
1-3/16 & 1-7/32	-	-	-	45	-	-	-	-
1-1/4 & longer	-	-	-	2,062	-	-	-	-
All lengths	800	750	1,058	4,867	3,522	2,100	4,061	6,104
All Foreign ^{2/}	42,188	92,872	72,132	67,175	61,636	57,841	46,322	31,177

^{1/} Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

^{2/} As reported by the Bureau of the Census.

Table 14. -- Micronaire readings of upland and American Egyptian cotton in public storage, by specified groupings, August 1, 1968-1969

Mike readings by groupings	Upland cotton				American Egyptian cotton ^{1/}			
	1968		1969		1968		1969	
	<u>Bales</u>	<u>Percent</u>	<u>Bales</u>	<u>Percent</u>	<u>Bales</u>	<u>Percent</u>	<u>Bales</u>	<u>Percent</u>
2.6 & below	159,577	3.6	94,582	2.0	234	0.2	590	0.5
2.7 - 2.9	474,299	10.7	307,390	6.5	6,915	5.9	6,721	5.7
3.0 - 3.2	722,530	16.3	567,489	12.0	16,993	14.5	17,804	15.1
3.3 - 3.4	407,808	9.2	359,410	7.6	14,883	12.7	16,154	13.7
3.5 - 4.9	2,460,150	55.5	3,125,920	66.1	78,140	66.7	76,624	65.0
5.0 - 5.2	150,712	3.4	217,538	4.6	26	*	16	*
5.3 & above	57,625	1.3	56,749	1.2	-	-	-	-
Total	4,432,701	100.0	4,729,078	100.0	117,191	100.0	117,909	100.0
Average mike		3.7		3.9		3.6		3.6

^{1/} Excludes ex-stockpile American Egyptian cotton.

* Less than 0.05 percent.

