


Commodity Economics Division
Economic Research Serv., USDA
301 West Congress
Tucson, Arizona 85701

SEP 9 1971

COTTON QUALITY

SUPPLY - DISAPPEARANCE - CARRYOVER

1970-71



UNITED STATES DEPARTMENT OF AGRICULTURE

Consumer and Marketing Service Cotton Division

Memphis, Tennessee

Vol. 44, No. 7

September 1971

STATISTICAL TABLES

<u>Table</u>	<u>Page</u>
1. Carryover of upland cotton by specified grades and staples, August 1, 1969-1971 . .	2
2. Grade index and average staple of upland cotton, August 1, 1962-1971	2
3. Grade and staple of upland cotton in the carryover, August 1, 1971	3
4. Grade and staple of upland cotton in the carryover, August 1, 1970	4
5. Grade and staple of upland cotton in consuming establishments, August 1, 1971 . . .	5
6. Grade and staple of upland cotton in public storage and "elsewhere", August 1, 1971	6
7. Grade and staple of upland cotton in the supply, United States, 1970-71	7
8. Carryover, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1963-1971	8
9. Carryover, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1963-1971	9
10. Tenderability of upland cotton in the carryover, United States, August 1, 1962-1971	10
11. Grade and staple of American Pima cotton in the carryover, August 1, 1971	10
12. Grade and staple of American Pima cotton in the carryover, August 1, 1970	10
13. Staple of foreign growth cotton in the carryover, August 1, 1964-1971	11
14. Micronaire readings of upland and American Pima cotton in public storage, by specified groupings, August 1, 1970-1971	12

UNITED STATES DEPARTMENT OF AGRICULTURE
 CONSUMER AND MARKETING SERVICE
 MARKET NEWS SECTION - COTTON DIVISION
 P.O. BOX 17723 MEMPHIS, TENNESSEE 38117

COTTON QUALITY, UNITED STATES

Supply - Disappearance - Carryover

1970-71

Introduction

This report contains information on the quality of cotton on hand in the United States on August 1, 1971, and on the quality of cotton in the crop, supply and disappearance during the 1970-71 season. To facilitate comparison, certain data for previous seasons are included.

Quality estimates for the carryover include statistics on the grade and staple of upland and American Pima cotton and on the staple of cotton of foreign growth in the United States on August 1, 1971. Sample data were raised to the total number of bales reported by the Bureau of the Census in public storage and in consuming establishments for upland, American Pima and foreign growths.

Estimates of the quality distribution of cotton in public storage, including CCC stocks as of August 1, 1971, were based on actual re-sampling and classification of a representative proportion of these stocks. Estimates of the quality distribution of cotton stored in consuming establishments were based on grade and staple data furnished by the establishments in which the cotton was stored.

The carryover of upland cotton in the United States on August 1, 1971 contained a record-high proportion of cotton stapling 1-1/16" and longer. The average staple was the longest on record. Middling and higher White grades comprised a slightly higher proportion of the carryover than a year ago.

The quality distribution of the 1971 carryover of upland cotton shows that cotton shorter than one inch comprised seven percent of the total carryover compared with last year's record-low proportion of six percent. Cotton in the lengths one inch and 1-1/32" accounted for 12 percent of this year's carryover against 18 percent a year earlier. The two lengths 1-1/16" and 1-3/32" were equivalent to 71 percent of the total, the largest percentage of these lengths for any carryover in history. Cotton stapling 1-1/8" and longer accounted for ten percent of the 1971 carryover, the same percentage as a year earlier. The average staple of upland cotton in the 1971 carryover was 34.2 thirty-seconds inches. This is the longest average staple on record and compares with 34.0 thirty-seconds a year ago.

The estimated grade distribution of the 1971 carryover indicates that Middling and higher White grades accounted for 23 percent of the total against 22 percent in the preceding carryover. Lower White grades were equivalent to 47 percent of this year's carryover compared with 48 percent a year ago. The proportion of Light Spotted grades in the 1971 carryover was the same as a year earlier - 26 percent. The grade index of upland cotton in the 1971 carryover was 94.5 (Middling White = 100) against 93.4 a year earlier and 93.2 two years ago.

American Pima cotton in the 1971 carryover contained higher proportions of the longer staples and higher grades than a year ago. The lengths 1-7/16" and longer comprised 17 percent of carryover stocks against 13 percent a year earlier. Grades 3 and higher accounted for 45 percent of the 1971 carryover stocks compared with 33 percent in the 1970 carryover.

The United States carryover of all kinds of cotton on August 1, 1971 totaled 4,252,000 bales, according to the Bureau of the Census. This is the smallest carryover since 1952 and compares with 5,760,000 bales a year earlier and 6,521,000 bales two years ago. Stocks of upland cotton in the 1971 carryover totaled 4,183,000 bales, stocks of American Pima were 53,000 bales and foreign growths totaled 16,000 bales.

September 9, 1971

Table 1. -- Carryover of upland cotton by specified grades and staples,
August 1, 1969-1971

Grade and Staple		1969		1970		1971 ^{1/}	
		Quantity	Percentage	Quantity	Percentage	Quantity	Percentage
Grade	Code	Bales	Percent	Bales	Percent	Bales	Percent
White:							
S.M.	(21) & higher	121,929	1.9	104,981	1.9	87,200	2.1
M.+	(30)	67,124	1.1	52,629	0.9	31,752	0.8
M.	(31)	1,170,118	18.5	1,074,123	19.1	835,729	20.0
S.L.M.+	(40)	422,914	6.7	361,376	6.4	382,378	9.1
S.L.M.	(41)	1,769,479	27.8	1,616,100	28.6	1,078,510	25.8
L.M.+	(50)	268,886	4.2	224,805	4.0	215,282	5.1
L.M.	(51) & lower	574,513	9.0	513,624	9.2	284,698	6.9
Light Spotted:							
S.M.	(22) & higher	35,580	0.6	65,662	1.2	75,937	1.8
M.	(32)	651,883	10.3	575,657	10.2	592,267	14.2
S.L.M.	(42)	612,496	9.7	658,243	11.7	374,902	9.0
L.M.	(52)	154,028	2.4	156,447	2.8	59,311	1.4
Spotted ^{2/} (13-53)		374,054	5.9	144,174	2.5	129,124	3.1
Other Colored ^{3/}		123,907	1.9	87,467	1.5	36,641	0.7
All grades		6,346,911	100.0	5,635,288	100.0	4,183,731	100.0
Staple Code (32nd inches)							
26 & shorter		281	*	1,718	*	397	*
28		15,436	0.2	14,434	0.3	8,566	0.2
29		57,458	0.9	43,944	0.8	35,484	0.8
30		343,128	5.4	155,777	2.8	163,621	3.9
31		404,471	6.4	113,024	2.0	80,109	1.9
32		508,216	8.0	256,773	4.6	172,627	4.1
33		773,037	12.2	744,714	13.2	323,156	7.7
34		1,803,959	28.3	2,337,313	41.4	1,465,625	35.1
35		1,513,424	23.9	1,404,080	24.9	1,501,407	36.0
36		639,853	10.1	358,620	6.4	305,890	7.3
37		258,259	4.1	171,841	3.0	103,906	2.5
38		24,647	0.4	28,920	0.5	17,032	0.4
39		1,062	*	204	*	846	*
40 & longer		3,680	0.1	3,926	0.1	5,065	0.1
All staples		6,346,911	100.0	5,635,288	100.0	4,183,731	100.0

^{1/} Preliminary.^{2/} Includes all grades.^{3/} Includes Below Grade.

* Less than 0.05 percent.

Table 2. -- Grade index and average staple of upland cotton, August 1, 1962-1971

Year	Grade index (Middling White=100)			Average staple (32nd inches)		
	Mill stocks	Public storage stocks	Total carryover	Mill stocks	Public storage stocks	Total carryover
1962	96.8	96.9	96.9	33.6	33.1	33.2
1963	96.5	95.3	95.5	33.9	32.6	32.7
1964	96.8	95.1	95.3	34.0	32.2	32.3
1965	96.5	94.6	94.8	34.0	32.2	32.4
1966	96.5	92.6	92.9	34.1	32.0	32.1
1967	95.9	92.7	93.1	34.0	31.7	32.1
1968	94.5	91.9	92.6	33.5	32.1	32.5
1969	94.6	92.8	93.2	34.0	33.8	33.8
1970	94.1	93.1	93.4	34.0	34.1	34.0
1971	94.4	94.5	94.5	33.9	34.3	34.2

Table 3. -- Grade and staple of upland cotton in the carryover, August 1, 1971 1/2

Grade	Staple Code (32nd inches)														All staples		
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer		Sales	Percent
White:																	
O.M.	291	-	-	-	-	317	-	45	65	-	582	-	-	-	-	-	1,260
S.M.	-	-	-	298	69	349	3,243	25,828	45,643	4,635	5,870	5	-	-	-	-	85,940
M.+	-	-	-	631	-	261	6,035	13,137	5,006	6,075	2	-	-	-	5	-	31,752
Total	-	1,975	1,704	11,890	6,723	10,766	39,015	279,921	389,453	69,296	29,638	1,992	1	1,335	685,729	20.0	20.0
S.L.M.+	-	-	7	10,486	104	11,953	30,174	158,059	98,106	42,897	27,884	1,631	-	1,477	382,378	9.1	9.1
S.L.M.	-	167	856	18,256	11,716	14,022	67,464	418,460	448,590	76,905	17,237	2,855	211	371	1,078,510	25.8	25.8
L.M.+	-	-	7	196	106	11,760	51,481	108,588	36,603	5,225	1,171	66	-	79	215,262	5.1	5.1
L.M.	-	-	24	327	3,702	25,017	20,462	79,727	87,207	15,369	1,326	174	-	48	233,363	5.6	5.6
S.O.O.+	-	-	-	-	21	324	1,123	4,268	1,542	332	109	-	-	-	7,739	0.2	0.2
S.O.O.	-	-	-	17	46	10,756	6,712	13,368	9,345	788	142	-	-	-	41,194	1.0	1.0
O.O.+	-	-	-	-	31	814	374	753	386	-	-	-	-	-	24	-	24
O.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	251	2,142	2,598	42,101	22,518	86,102	220,329	1,091,092	1,130,077	220,453	87,434	6,325	212	3,315	2,915,549	69.8	69.8
Light Spotted:																	
O.M.	-	-	-	-	-	-	-	-	42	-	-	-	-	-	-	-	68
S.M.	-	20	655	5,601	885	726	3,198	24,828	34,272	4,890	735	59	-	-	-	75,869	1.8
M.	-	3,108	6,738	69,721	35,056	35,566	43,909	178,034	166,745	41,817	9,179	4,526	423	445	592,267	14.2	14.2
S.L.M.	-	64	15,252	24,531	11,374	31,143	32,112	106,335	118,575	25,667	3,801	4,647	211	1,090	374,902	9.0	9.0
L.M.	-	-	163	1,140	1,791	2,630	5,645	27,610	16,703	2,859	453	69	-	39	59,311	1.4	1.4
Total	-	3,192	22,808	101,002	46,106	70,265	84,864	336,849	336,421	75,233	14,168	9,301	634	1,574	1,102,417	26.4	26.4
Spotted:																	
O.M.	-	-	-	-	-	-	-	-	58	-	-	-	-	-	-	-	58
S.M.	-	76	947	1,768	544	1,274	1,922	5,850	7,244	2,073	165	42	-	-	-	21,905	0.5
M.	-	1,264	3,183	9,940	5,882	6,915	6,915	11,483	10,352	4,977	1,474	817	-	-	-	62,951	1.5
S.L.M.	-	482	2,377	4,489	1,948	2,655	3,893	8,268	5,990	2,242	665	547	-	59	-	33,615	0.8
L.M.	-	49	245	669	666	2,052	1,723	3,436	1,274	364	-	-	-	117	-	30,895	0.3
Total	49	1,871	6,752	16,866	8,740	12,896	14,453	29,095	24,860	9,656	2,304	1,406	-	176	129,124	3.1	3.1
Tinged:																	
O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	49	250	14	-	36	443	275	69	-	-	-	-	-	17	-
M.	-	146	1,101	1,091	902	483	164	687	803	-	-	-	-	-	-	1,136	-
S.L.M.	-	597	1,174	1,209	345	485	694	824	476	49	-	-	-	-	-	5,377	0.1
L.M.	-	-	307	362	-	79	32	105	-	-	-	-	-	-	-	5,853	0.1
Total	-	925	2,631	2,929	1,261	1,047	926	2,059	1,554	118	-	-	-	-	-	13,480	0.2
Stained:																	
O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	97	253	162	130	-	-	-	64	-	-	-	-	-	-	-	-
M.	-	97	253	162	130	-	-	-	64	-	-	-	-	-	-	-	706
Total	-	97	253	162	130	-	-	-	64	-	-	-	-	-	-	-	706
Light Gray:																	
O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	14	581	440	-	-	-	-	-	-	-	1,035
M.	-	-	-	1	-	20	863	3,029	6,378	373	-	-	-	-	-	-	10,654
S.L.M.	-	-	-	-	-	55	230	565	650	16	-	-	-	-	-	-	1,516
Total	-	-	-	1	-	75	1,097	4,175	7,468	389	-	-	-	-	-	-	13,205
Gray:																	
O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	21	96	1	-	-	-	-	-	-	-	-	117
S.L.M.	-	-	-	-	-	44	11	37	-	-	-	-	-	-	-	-	92
Total	-	-	-	-	-	44	32	132	1	-	-	-	-	-	-	-	209
Below Grade	97	309	442	560	1,354	2,198	1,485	1,623	962	41	-	-	-	-	-	-	9,041
All Grades	397	8,566	35,484	163,621	80,109	172,627	323,156	1,465,625	1,501,407	308,690	103,906	17,032	846	5,065	4,189,731	100.0	100.0

1/ Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.
 2/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Grade Index..... 94.5
 Average staple..... 34.2

Table 4. -- Grade and staple of upland cotton in the carryover, August 1, 1970 1/

Grade	Code	Staple Code (32nd inches)														All staples		
		26 and shorter	26	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent	
White:																		
O.M.	(11)	233	-	-	-	-	185	-	-	-	113	-	-	-	-	-	-	572
S.M.	(21)	-	112	31	91	9	1,587	11,420	50,177	31,686	4,870	4,371	53	-	-	-	-	104,409
M.	(30)	-	-	-	-	-	71	1,022	88,345	7,759	11,043	153	153	31	-	-	-	52,659
S.L.M.+	(40)	-	496	1,011	1,711	2,489	12,314	88,345	519,127	357,300	51,658	31,581	7,191	80	600	-	-	1,074,123
S.L.M.	(41)	-	-	-	8,918	1,494	7,875	32,075	144,648	89,063	41,694	31,511	3,638	-	1,670	-	-	361,376
L.M.+	(50)	-	36	373	10,877	13,608	30,162	168,595	735,450	485,935	123,175	39,813	7,021	-	835	-	-	1,616,100
L.M.	(51)	-	-	73	5,973	14,646	43,736	89,106	47,093	19,814	5,083	2,288	104	-	21	-	-	224,865
S.O.+	(60)	-	40	220	935	3,273	24,633	63,881	183,944	114,797	29,012	5,451	1,749	10	14	-	-	426,959
S.O.	(61)	-	-	46	589	3	3,566	3,568	7,085	732	88	78	-	-	40	-	-	15,576
O.O.+	(70)	-	-	-	10	39	113	567	21,023	7,737	1,992	362	41	-	-	-	-	61,117
O.O.	(71)	-	-	12	707	273	2,262	2,773	2,262	601	107	-	-	-	-	-	-	9,977
Total		233	684	1,769	27,421	23,780	109,966	426,279	1,766,028	1,156,383	279,813	129,263	22,412	104	3,213	-	-	3,947,638
Light Spotted:																		
O.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
S.M.	(22)	-	-	87	1,733	772	6,148	19,780	25,924	4,968	3,458	2,795	69	-	-	-	-	65,634
M.	(32)	-	3,561	7,021	39,801	27,386	46,995	106,297	211,664	74,755	29,654	26,919	1,512	-	82	-	-	575,657
S.L.M.	(42)	-	577	10,468	38,272	31,256	54,985	119,824	235,714	124,415	29,404	9,369	3,825	-	364	-	-	656,243
L.M.	(52)	-	69	789	5,245	5,693	13,443	34,636	63,694	22,258	7,889	1,513	957	-	261	-	-	156,447
Total		-	4,207	18,358	85,101	65,107	121,531	280,637	536,896	226,416	70,430	40,546	6,063	-	697	-	-	1,456,009
Spotted:																		
O.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	81	492	701	1,210	2,967	2,306	799	334	-	-	-	-	-	-	8,890
M.	(33)	-	457	1,297	3,640	5,202	5,003	5,659	7,305	3,072	2,655	769	58	-	-	-	-	35,117
S.L.M.	(44)	-	1,734	4,673	16,217	7,452	9,382	13,532	12,439	5,104	3,244	922	279	16	-	-	-	74,914
L.M.	(54)	-	36	239	1,286	2,031	3,096	7,576	4,872	1,502	520	187	88	10	-	-	-	25,253
Total		36	2,430	7,337	22,380	16,451	19,325	29,734	26,922	10,477	6,753	1,678	425	10	16	-	-	144,174
Tinged:																		
O.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	226	707	96	1,210	2,967	2,306	799	334	-	-	-	-	-	-	1,069
M.	(34)	-	160	665	2,790	417	350	294	244	167	-	-	-	-	-	-	-	5,277
S.L.M.	(44)	-	43	1,250	4,335	6,994	1,872	948	1,134	457	179	67	-	-	-	-	-	17,281
L.M.	(54)	-	153	753	3,898	4,695	2,072	583	1,082	216	-	-	-	-	-	-	-	14,059
Total		198	2,163	9,124	13,186	4,657	1,921	2,310	1,301	592	234	-	-	-	-	-	-	37,686
Stained:																		
O.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	45	-	-	-	-	-	-	-	-	-	-	-	-	-	45
M.	(35)	-	694	1,957	1,435	536	140	-	106	16	-	-	-	-	-	-	-	4,884
Total		-	694	2,002	1,435	536	140	-	106	16	-	-	-	-	-	-	-	4,929
Light Gray:																		
O.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	368	481	53	151	-	-	-	-	-	-	1,053
M.	(36)	-	-	-	45	45	766	978	2,709	9,284	804	82	-	-	-	-	-	14,713
S.L.M.	(46)	-	-	-	-	53	42	673	328	73	-	-	-	-	-	-	-	1,169
Total		-	-	-	45	98	808	2,019	3,518	9,410	955	82	-	-	-	-	-	16,935
Gray:																		
O.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	88	-	-	43	-	-	-	-	-	-	131
S.L.M.	(47)	-	-	-	-	-	-	89	148	121	53	10	-	-	-	-	-	421
Total		-	-	-	-	-	-	89	148	209	53	10	43	-	-	-	-	592
Below Grade		1,251	4,256	5,357	4,209	2,506	2,934	3,326	2,489	576	389	72	-	-	-	-	-	27,365
All grades		1,710	14,434	43,944	155,777	113,024	256,773	744,714	2,337,313	1,404,060	390,620	171,841	28,920	204	3,926	-	-	5,035,286 2/
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1/		0.3	0.9	2.8	2.0	4.6	13.2	41.4	24.9	6.4	3.0	0.5	0.1	0.1	0.1	0.1	0.1	92.4
2/		As reported by the Bureau of the Census, running bales.																
		Revised. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.																
		Average staple..... 34.0																
		* Less than 0.05 percent.																

Table 5. -- Grade and staple of upland cotton in consuming establishments, August 1, 1971 1/

Grade	Code	Staple Code (32nd inches)														All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer			
White:																		
G.M.	(11)	251	-	-	-	-	317	-	1,850	5,794	-	-	582	-	-	-	1,150	0.1
S.M.	(21)	-	-	-	164	-	93	-	1,850	5,794	-	-	582	-	-	-	30,884	1.9
M.	(30)	-	-	-	631	-	-	-	247	6,523	12,918	-	5	-	-	-	31,391	2.0
M.	(31)	-	1,832	-	2,555	2	3,116	-	16,483	83,376	110,744	-	1,457	1	955	-	261,874	16.3
S.L.M.+	(40)	-	-	7	10,451	-	11,324	-	29,501	149,350	80,954	-	25,463	-	1,477	-	343,456	21.5
S.L.M.	(41)	-	-	21	48	14,070	6,679	7,866	49,470	199,296	130,607	-	111	-	159	-	454,203	28.4
L.M.+	(50)	-	-	7	36	34	11,727	50,928	95,360	23,456	1,735	-	1,040	-	-	-	184,324	11.5
L.M.	(51)	-	-	10	109	3,238	24,612	17,927	29,642	6,007	1,424	-	208	-	-	-	83,786	5.2
S.G.O.+	(60)	-	-	-	-	21	324	-	1,123	4,249	1,169	-	109	-	-	-	7,107	0.4
S.G.O.	(61)	-	-	-	-	27	10,671	6,054	7,608	3,002	30	-	42	-	-	-	27,434	1.7
G.O.+	(70)	-	-	-	-	4	-	-	20	-	-	-	-	-	-	-	24	0.1
G.O.	(71)	-	-	-	-	732	160	271	-	-	-	-	-	-	-	-	1,168	0.1
Total		251	1,853	72	28,016	10,001	70,986	173,763	581,469	385,189	100,820	68,544	3,231	1	2,605	1,426,801	89.1	
Light Spotted:																		
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	4,031	-	-	-	1,054	-	-	-	36	-	-	-	5,123	0.3
M.	(32)	-	-	-	46,289	-	5,008	7,006	3,693	541	-	-	853	-	-	-	73,154	4.6
S.L.M.	(42)	-	2,877	-	18,513	2,438	16,843	3,366	5,375	6,708	229	-	671	-	-	-	68,089	4.2
L.M.	(52)	-	-	100	776	509	495	242	12,723	1,272	82	-	8	-	-	-	16,167	1.0
Total		-	2,878	14,516	69,609	9,163	22,306	10,614	23,045	8,521	1,202	679	-	-	-	162,533	10.1	
Spotted:																		
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	149	-	-	1	445	-	-	-	-	-	595	0.1
M.	(33)	-	-	-	1,670	-	12	14	6	12	12	-	-	-	-	-	1,726	0.1
S.L.M.	(43)	-	419	1,513	2,299	183	118	395	825	6	-	-	-	-	-	-	5,798	0.4
L.M.	(53)	-	-	1	51	97	69	175	278	-	-	-	-	-	-	-	671	0.4
Total		-	419	1,514	4,020	280	336	582	1,118	457	12	12	-	-	-	-	8,750	0.5
Finged:																		
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	34	29	3	5	36	4	-	-	-	-	-	-	-	111	0.1
L.M.	(54)	-	-	-	86	-	1	3	18	-	-	-	-	-	-	-	108	0.1
Total		-	-	34	115	3	6	39	24	-	-	-	-	-	-	-	221	0.1
Stained:																		
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(35)	-	-	-	-	-	-	-	-	64	-	-	-	-	-	-	64	0.1
Total		-	-	-	-	-	-	-	-	64	-	-	-	-	-	-	64	0.1
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	1	-	20	575	736	3,696	-	-	-	-	-	-	5,028	0.3
S.L.M.	(46)	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	5	0.1
Total		-	-	-	1	-	20	575	736	3,701	-	-	-	-	-	-	5,033	0.3
Gray:																		
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.1
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.1
Below Grade																		
251 5,150 16,136 101,761 19,450 93,711 185,629 606,478 397,933 102,034 69,235 3,231 1 2,605 1,603,605 2/ 100.0																		
Percent 0.3 1.0 6.3 1.2 5.8 11.6 37.9 24.8 6.4 4.3 0.2 0.2 0.2 0.2 100.0																		

1/ Preliminary. Quality data on bales stored in consuming establishments based on information furnished by mills.
 2/ As reported by the Bureau of the Census.
 * Less than 0.05 percent.
 Grade index..... 94.4
 Average staple..... 33.9

Table 6. --- Grade and staple of upland cotton in public storage and "elsewhere", August 1, 1971 1/

Grade	Staple Code (32nd inches)														All staples		
	26 and shorter	28	29	30	31	32	33	34	35	36	37	39	39	40 and longer			
Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	
White:																	
G.M. (11)	-	-	-	-	-	-	-	45	-	-	-	-	-	-	-	110	•
S.M. (21)	-	-	134	-	69	256	1,393	20,034	29,916	2,412	842	-	-	-	-	55,056	2.1
M.+ (31)	-	-	-	-	-	-	14	112	-	-	-	-	-	-	-	361	•
M. (40)	143	1,704	9,335	6,721	7,670	22,532	192,545	278,709	47,201	6,380	535	-	-	380	573,895	22.3	
S.L.M.+ (41)	-	-	35	104	429	673	8,709	17,152	9,823	1,821	176	-	-	-	38,922	1.5	
S.L.M. (50)	146	808	4,186	5,037	6,156	17,994	219,164	317,963	41,768	8,490	2,144	211	-	72	624,307	24.4	
L.M.+ (51)	-	-	160	33	553	33	13,228	13,147	3,420	131	65	-	-	79	30,958	1.2	
L.M. (60)	-	-	14	219	464	405	2,535	50,085	80,600	13,945	1,118	174	-	39	149,597	5.8	
S.O.O.+ (61)	-	-	-	-	-	-	-	39	373	220	-	-	-	-	632	•	
S.O.O. (70)	-	-	-	-	17	85	658	5,780	6,343	758	100	-	-	-	13,760	0.5	
G.O.+ (71)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
G.O. (71)	-	-	-	-	31	82	214	482	381	-	-	-	-	-	1,190	•	
Total	289	2,226	14,085	12,517	15,116	46,566	510,223	744,888	119,033	18,890	3,094	211	-	710	1,488,748	57.8	
Light Spotted:																	
G.M. (12)	-	-	-	-	-	-	-	42	-	-	-	-	-	-	-	69	•
S.M. (22)	20	655	1,570	885	726	3,198	23,774	34,272	4,852	735	59	-	-	-	70,746	2.7	
M. (32)	21	6,738	23,432	25,840	30,558	36,903	174,341	166,204	40,964	8,508	4,526	423	-	445	519,113	20.2	
S.L.M. (42)	63	836	6,018	8,926	14,300	28,746	100,760	111,967	25,438	3,801	4,647	211	-	1,090	306,813	11.9	
L.M. (52)	-	-	63	373	1,282	2,375	5,463	14,887	15,431	2,777	445	69	-	39	43,144	1.7	
Total	314	8,292	31,993	36,943	47,959	74,250	313,804	327,900	74,031	13,489	9,301	634	-	1,574	939,884	36.5	
Spotted:																	
G.M. (13)	-	-	-	-	-	-	-	58	-	-	-	-	-	-	-	58	•
S.M. (23)	76	947	1,768	544	1,125	1,922	5,849	6,799	2,073	165	42	-	-	-	21,310	0.8	
M. (33)	49	1,264	3,183	8,270	5,582	6,915	6,903	11,469	10,346	4,965	1,462	817	-	-	61,225	2.4	
S.L.M. (43)	-	63	864	2,190	1,705	2,537	3,498	7,443	5,984	2,242	665	547	-	59	27,857	1.1	
L.M. (53)	-	49	244	618	569	1,983	1,548	1,274	364	-	-	-	-	117	9,924	0.4	
Total	49	1,452	5,238	12,846	8,460	12,560	13,871	27,977	24,403	9,644	2,292	1,406	-	176	120,374	4.7	
Tinged:																	
G.M. (14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	•
S.M. (24)	-	-	49	250	14	-	36	443	275	69	-	-	-	-	1,136	•	
M. (34)	-	146	1,101	1,091	902	483	164	685	803	-	-	-	-	-	5,375	0.2	
S.L.M. (44)	-	597	1,140	1,180	342	480	658	820	476	49	-	-	-	-	5,742	0.2	
L.M. (54)	-	212	307	276	-	78	29	87	-	-	-	-	-	-	969	•	
Total	-	955	2,997	2,814	1,298	1,041	887	2,035	1,554	118	-	-	-	-	13,259	0.4	
Stained:																	
G.M. (15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. (35)	-	97	253	162	130	-	-	-	-	-	-	-	-	-	642	•	
Total	-	97	253	162	130	-	-	-	-	-	-	-	-	-	642	•	
Light Gray:																	
G.M. (16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (26)	-	-	-	-	-	-	14	581	440	-	-	-	-	-	1,035	•	
M. (36)	-	-	-	-	-	-	278	2,293	2,682	373	-	-	-	-	5,626	0.2	
S.L.M. (46)	-	-	-	-	-	55	230	565	645	16	-	-	-	-	1,511	0.1	
Total	-	-	-	-	-	55	562	3,439	3,767	389	-	-	-	-	8,172	0.3	
Gray:																	
G.M. (17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. (37)	-	-	-	-	-	-	21	95	-	-	-	-	-	-	116	•	
S.L.M. (47)	-	-	-	-	-	44	11	37	-	-	-	-	-	-	92	•	
Total	-	-	-	-	-	44	32	132	-	-	-	-	-	-	208	•	
Below Grade																	
97	309	442	560	1,351	2,141	1,399	1,337	962	41	-	-	-	-	-	6,839	0.3	
All grades																	
146	3,416	19,348	61,860	60,659	78,916	137,527	859,147	1,103,474	203,856	34,671	13,801	945	2,460	2,980,126	2/ 100.0		
Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
• 0.1	0.7	2.4	2.4	2.4	3.1	5.3	30.3	42.9	7.9	1.3	0.5	•	0.1	100.0	•	•	
All grades																	
1/ Preliminary.																	
2/ As reported by the Bureau of the Census.																	
• Less than 0.05 percent.																	
Grade index..... 94.5																	
Average staple..... 34.3																	

Table 8. -- Carryover, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1963-1971

Year beginning August 1	White 1/					Light Spotted					Other Colored 2/	All grades 3/		
	Good Middling and higher	Strict Middling	Middling	Strict Low Middling	Low Middling	Strict Good Ordinary & Good Ordinary	Strict Middling and higher	Middling	Strict Low Middling	Low Middling			Bales	Bales
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales		
1963	23,395	751,353	2,398,026	2,031,593	711,278	162,572	893,384	2,102,879	1,055,390	284,200	590,948	11,005,018		
1964	21,796	967,293	2,746,924	2,079,801	645,117	143,261	827,115	2,092,548	1,234,717	326,307	1,025,611	12,110,490		
1965	21,530	846,426	2,786,364	3,001,472	1,013,424	149,033	801,972	2,249,050	1,343,870	329,331	1,475,876	14,018,348		
1966	14,941	430,125	1,863,179	2,418,300	944,229	269,933	766,166	3,771,627	3,014,587	813,381	2,158,808	16,565,276		
1967	2,957	241,352	1,412,023	1,934,248	486,430	109,034	463,541	2,684,614	2,207,102	430,052	2,299,028	12,270,381		
1968	1,739	126,360	875,949	1,290,576	396,028	90,255	145,883	1,107,130	777,577	212,100	1,222,698	6,246,295		
1969	1,662	120,267	1,237,242	2,192,393	729,572	113,827	35,580	651,883	612,496	154,028	497,961	6,346,911		
1970	572	104,409	1,126,752	1,977,476	651,764	86,665	65,662	575,657	658,243	156,447	231,641	5,635,288		
1971	1,260	85,940	867,491	1,460,888	448,665	51,315	75,937	592,267	374,902	59,311	165,765	4,183,731		
						CROP								
1963	7,573	911,575	3,781,596	4,462,656	1,379,008	258,471	220,600	1,988,588	1,281,733	294,252	542,723	15,128,775		
1964	6,608	559,211	3,123,870	4,881,260	1,797,721	311,230	98,082	1,471,008	1,456,136	428,656	898,532	15,032,314		
1965	2,674	316,032	2,790,979	4,931,445	1,751,299	298,627	73,112	1,694,307	1,918,478	363,909	706,430	14,847,292		
1966	358	125,430	1,568,729	2,797,619	794,672	124,936	33,098	1,060,360	1,479,766	430,754	1,075,275	9,491,197		
1967	344	90,348	1,378,474	2,579,916	577,567	102,881	32,935	972,952	839,724	240,133	555,019	7,370,293		
1968	651	116,830	1,762,903	4,315,000	1,290,631	209,432	24,595	1,012,243	1,314,935	311,317	479,847	10,838,384		
1969	75	53,699	1,416,374	3,905,984	1,220,328	201,216	5,846	498,239	1,369,972	537,562	650,935	9,860,230		
1970	134	47,097	1,447,642	3,510,589	1,563,969	216,960	5,005	912,405	1,370,208	463,028	418,200	10,055,237		
						SUPPLY 4/								
1963	30,968	1,662,928	6,179,622	6,494,249	2,090,286	421,043	1,113,984	4,091,467	2,337,123	578,452	1,133,671	26,133,793		
1964	28,404	1,526,504	5,870,794	6,961,061	2,442,838	454,491	925,197	3,563,556	2,690,853	754,963	1,924,143	27,142,804		
1965	24,204	1,162,458	5,577,343	7,932,917	2,764,723	447,660	875,084	3,943,357	3,262,348	693,240	2,182,306	28,865,640		
1966	15,299	555,555	3,531,908	5,216,119	1,738,901	394,869	799,264	4,831,987	4,494,353	1,244,135	3,234,083	26,056,473		
1967	3,301	331,700	2,790,497	4,514,164	1,063,997	211,915	496,476	3,657,566	3,046,826	670,185	2,854,047	19,640,674		
1968	2,390	243,190	2,638,852	5,605,576	1,686,659	299,687	170,478	2,119,373	2,092,512	523,417	1,702,545	17,084,679		
1969	1,737	173,966	2,653,616	6,098,377	1,949,900	315,043	41,426	1,150,122	1,982,468	691,590	1,148,896	16,207,141		
1970	706	151,506	2,574,394	5,488,065	2,315,733	303,625	70,667	1,488,062	2,028,451	619,475	649,841	15,690,525		
						DISAPPEARANCE 5/								
1963	9,172	695,635	3,432,698	4,414,448	1,445,169	277,782	286,869	1,998,919	1,102,406	252,145	108,060	14,023,303		
1964	6,874	680,078	3,084,430	3,959,569	1,429,414	305,458	123,225	1,314,506	1,346,983	425,632	448,267	13,124,456		
1965	9,263	732,333	3,614,164	5,514,617	1,820,494	177,727	108,918	171,730	247,761	-120,141	23,498	12,300,364		
1966	12,342	314,203	2,119,885	3,281,871	1,252,471	285,835	335,723	2,147,373	2,287,251	814,083	935,055	13,786,092		
1967	1,562	205,340	1,914,548	3,223,588	657,067	121,660	350,593	2,550,436	2,269,249	458,085	1,631,349	13,394,379		
1968	728	122,923	1,401,610	3,413,183	957,087	185,860	134,898	1,467,490	1,480,016	369,389	1,204,584	10,737,768		
1969	1,165	69,557	1,526,864	4,120,901	1,298,136	228,378	-24,236	574,465	1,324,225	535,143	917,255	10,571,853		
1970	-554	65,566	1,706,913	4,027,177	1,867,068	252,310	-5,270	895,795	1,653,549	560,164	484,076	11,506,794		

1/ Plus grades of White included with straight grades.
 2/ Other Colored includes all grades of Spotted, Tinged, Stained, Light Gray, Gray and Below Grade.
 3/ As reported by the Bureau of the Census.
 4/ Carryover at the beginning of the season plus crop.
 5/ Supply minus carryover at the end of the season.

Table 9. -- Carryover, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1963-1971

Year beginning August 1	Staple Code (32nd inches)										All lengths 1/
	26 and shorter	28	29	30	31	32	33	34	35	36 and longer	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
1963	2,428	61,537	571,790	1,640,948	578,819	773,270	2,415,921	3,962,998	746,039	231,268	11,005,018
1964	12,850	246,908	1,153,583	1,685,211	588,104	1,002,267	3,250,740	3,392,540	624,676	153,611	12,110,490
1965	25,204	239,688	1,101,709	2,207,676	765,455	1,005,952	3,569,875	3,996,412	832,534	273,843	14,018,348
1966	24,957	391,399	1,682,179	2,927,001	906,551	1,090,280	4,700,330	3,711,244	771,900	359,435	16,565,276
1967	8,260	141,059	1,037,897	2,906,245	827,417	952,503	3,291,487	2,091,860	651,768	361,885	12,270,381
1968	8,919	82,952	406,678	1,253,434	437,401	530,277	1,110,499	1,308,530	694,838	412,767	6,246,295
1969	281	15,436	57,458	343,128	404,471	508,216	773,037	1,803,959	1,513,424	927,501	6,346,911
1970	1,718	14,434	43,944	155,777	113,024	256,773	744,714	2,337,313	1,404,080	563,511	5,635,288
1971	397	8,566	35,484	163,621	80,109	172,627	323,156	1,465,625	1,501,407	432,739	4,183,731
CROP											
1963	17,495	232,967	1,186,257	1,952,088	484,301	725,379	3,473,404	5,606,717	1,099,347	350,820	15,128,775
1964	49,057	381,622	814,359	1,629,942	564,381	763,977	3,574,201	5,127,506	1,691,874	435,395	15,032,314
1965	9,418	108,286	933,586	2,304,440	642,844	701,033	2,854,465	5,039,822	1,818,436	434,962	14,847,292
1966	7,703	93,359	641,378	1,376,487	437,171	358,874	1,283,336	3,294,000	1,595,353	403,536	9,491,197
1967	1,776	42,829	338,941	780,619	540,669	391,198	717,600	2,110,095	1,697,112	749,454	7,370,293
1968	519	8,199	117,481	762,970	745,959	784,117	923,028	2,814,298	2,862,380	1,819,533	10,838,384
1969	7,461	133,087	416,120	628,888	498,853	552,404	1,037,337	3,047,406	2,846,049	692,625	9,860,230
1970	1,613	35,468	350,109	1,045,775	588,073	524,438	1,016,370	3,771,690	2,001,728	719,973	10,055,237
SUPPLY 2/											
1963	19,923	294,504	1,756,047	3,593,036	1,063,120	1,496,649	5,889,325	9,589,715	1,845,366	582,088	26,133,793
1964	61,907	628,530	1,967,942	3,315,153	1,152,485	1,766,244	6,824,941	8,520,046	2,316,550	589,006	27,142,804
1965	34,622	347,974	2,035,295	4,512,116	1,408,299	1,706,985	6,424,340	9,036,234	2,650,970	708,805	28,865,640
1966	32,660	484,758	2,323,557	4,303,488	1,343,722	1,449,154	5,983,666	7,005,244	2,367,253	762,971	26,056,473
1967	10,036	183,888	1,376,838	3,686,864	1,368,086	1,343,701	4,009,087	4,201,955	2,348,880	1,111,339	19,640,674
1968	9,438	91,151	524,159	2,016,404	1,183,260	1,314,394	2,033,527	4,122,828	3,557,218	2,232,300	17,084,679
1969	7,742	148,523	473,578	972,016	903,324	1,060,620	1,810,374	4,851,365	4,359,473	1,620,126	16,207,141
1970	3,331	49,902	394,053	1,201,552	701,097	781,211	1,761,084	6,109,003	3,405,808	1,283,484	15,690,525
DISAPPEARANCE 3/											
1963	7,073	47,596	604,464	1,907,825	475,016	496,382	2,638,585	6,197,175	1,220,710	428,477	14,023,303
1964	36,703	388,842	866,233	1,107,477	387,030	760,292	3,255,066	4,523,634	1,484,016	315,163	13,124,456
1965	9,665	-43,425	353,116	1,585,115	501,748	616,705	1,724,010	5,324,990	1,879,070	349,370	12,300,364
1966	24,400	343,699	1,285,660	1,397,243	516,305	496,651	2,692,179	4,913,384	1,715,485	401,086	13,786,092
1967	1,117	100,936	970,160	2,433,430	930,685	813,424	2,898,588	2,893,425	1,654,042	698,572	13,394,379
1968	9,157	75,715	466,701	1,673,276	778,789	806,178	1,260,490	2,318,869	2,043,794	1,304,799	10,737,768
1969	6,024	134,069	429,634	816,239	790,300	803,847	1,065,660	2,514,052	2,955,393	1,056,615	10,571,853
1970	2,934	41,336	358,569	1,037,931	620,988	608,584	1,437,928	4,643,378	1,904,401	850,745	11,506,794

1/ As reported by the Bureau of the Census.
 2/ Carryover at the beginning of the season plus crop.
 3/ Supply minus carryover at the end of the season.

Table 10. -- Tenderability of upland cotton in the carryover, United States, August 1, 1962-1971

Year	Tenderable <u>1/</u>		Untenderable		Total <u>2/</u>	
	Bales	Percent	Bales	Percent	Bales	Percent
1962	6,778,070	87.7	947,029	12.3	7,725,099	100.0
1963	9,101,142	82.7	1,903,876	17.3	11,005,018	100.0
1964	7,365,960	60.8	4,744,530	39.2	12,110,490	100.0
1965	8,666,348	61.8	5,352,000	38.2	14,018,348	100.0
1966	6,780,215	40.9	9,785,061	59.1	16,565,276	100.0
1967	5,849,232	47.7	6,421,149	52.3	12,270,381	100.0
1968	3,912,508	62.6	2,333,787	37.4	6,246,295	100.0
1969	4,963,623	78.2	1,383,288	21.8	6,346,911	100.0
1970	4,497,814	79.8	1,137,474	20.2	5,635,288	100.0
1971	3,526,917	84.3	656,814	15.7	4,183,731	100.0

1/ Qualities tenderable with respect to grade and staple in settlement of cotton futures.

2/ As reported by the Bureau of the Census.

Table 11. -- Grade and staple of American Pima cotton in the carryover, August 1, 1971 1/

Grade	Code	Staple Code (32nd inches)					Total	Percent
		42 and shorter	44	46	48	50 and longer		
		Bales	Bales	Bales	Bales	Bales	Bales	Percent
1	(10)	-	1,265	6	354	-	1,625	3.1
2	(20)	2	2,663	1,568	235	-	4,468	8.4
3	(30)	373	12,943	4,067	162	72	17,617	33.2
4	(40)	-	11,886	2,054	-	-	13,940	26.2
5	(50)	135	8,307	265	-	-	8,707	16.4
6	(60)	231	3,377	17	-	-	3,625	6.8
7	(70)	115	2,243	-	-	-	2,358	4.4
8	(80)	400	208	-	-	-	608	1.1
9	(90)	77	19	-	-	-	96	0.2
10	(00)	19	77	-	-	-	96	0.2
Total		1,429	42,911	7,977	751	72	53,140 <u>2/</u>	100.0
Percent		2.7	80.8	15.0	1.4	0.1	100.0	

1/ Preliminary. Quality data on 16,872 bales stored in consuming establishments included in this table based on information furnished by mills.

2/ As reported by the Bureau of the Census.

Table 12. -- Grade and staple of American Pima cotton in the carryover, August 1, 1970 1/

Grade	Code	Staple Code (32nd inches)					Total	Percent
		42 and shorter	44	46	48	50 and longer		
		Bales	Bales	Bales	Bales	Bales	Bales	Percent
1	(10)	5	26	577	1,623	87	2,318	2.4
2	(20)	162	4,468	1,906	208	-	6,744	6.9
3	(30)	184	18,806	2,466	1,680	-	23,136	23.7
4	(40)	33	28,388	3,008	531	-	31,960	32.7
5	(50)	139	17,841	723	105	-	18,808	19.3
6	(60)	1,367	7,171	145	-	-	8,683	8.9
7	(70)	1,291	2,413	15	-	-	3,719	3.8
8	(80)	680	779	-	-	-	1,459	1.5
9	(90)	469	158	-	-	-	627	0.6
10	(00)	172	53	-	-	-	225	0.2
Total		4,502	80,103	8,840	4,147	87	97,679 <u>2/</u>	100.0
Percent		4.6	82.0	9.1	4.2	0.1	100.0	

1/ Revised. Quality data on 22,170 bales stored in consuming establishments included in this table based on information furnished by mills.

2/ As reported by the Bureau of the Census.

Table 13. -- Staple of foreign growth cotton in the carryover,
August 1, 1964-1971 ^{1/}

Growth and Staple Code (32nd inches)	1964	1965	1966	1967	1968	1969	1970	1971 ^{2/}
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
<u>Egyptian:</u>								
35 & shorter	12	-	-	826	238	-	-	-
36 & 37	-	13	3,431	-	748	-	-	62
38 & 39	-	-	2,299	671	20	-	-	20
40 - 43	724	282	3,596	7,034	696	767	2,772	1,750
44 - 47	32,471	35,212	28,948	23,390	21,635	5,966	2,612	2,979
48 - 51	6,875	5,294	9,130	12,032	2,708	1,265	1,812	2,806
52 - 55	-	-	-	-	-	552	-	-
56 & longer	-	-	-	-	-	-	-	-
All lengths	40,082	40,801	47,404	43,953	26,045	8,550	7,196	7,617
<u>Peruvian:</u>								
36 & 37	16	-	16	-	-	-	-	-
38 & 39	247	878	70	126	35	343	379	219
40 - 43	635	205	28	623	16	23	22	-
44 - 47	4,000	1,442	1,082	1,922	2,662	422	118	2
48 - 51	2,397	4,506	1,166	961	743	1,702	881	215
52 - 55	3,577	3,985	1,769	1,078	5,571	1,733	1,105	1,308
56 & longer	5,476	958	1,403	-	-	-	-	-
All lengths	16,348	11,974	5,534	4,710	9,027	4,223	2,505	1,744
<u>Indian:</u>								
26 & shorter	14,644	9,533	5,176	7,078	7,189	12,467	17,085	4,922
<u>Other Foreign:</u>								
26 & shorter	-	-	-	-	2,551	2,472	-	-
28 & 29	-	-	-	-	-	-	-	-
30 & 31	-	-	-	-	-	-	-	-
32 & 33	-	-	-	-	-	705	160	-
34 & 35	182	1,250	3,522	2,100	1,510	2,927	548	1,262
36 & 37	876	1,510	-	-	-	-	-	-
38 & 39	-	45	-	-	-	-	-	-
40 & longer	-	2,062	-	-	-	-	-	-
All lengths	1,058	4,867	3,522	2,100	4,061	6,104	708	1,262
All Foreign ^{3/}	72,132	67,175	61,636	57,841	46,322	31,344	27,494	15,545

^{1/} Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

^{2/} Preliminary.

^{3/} As reported by the Bureau of the Census.

Table 14. -- Micronaire readings of upland and American Pima cotton in public storage, by specified groupings, August 1, 1970-1971

Mike readings by groupings	Upland cotton				American Pima cotton			
	1970		1971 <u>1/</u>		1970		1971 <u>1/</u>	
	<u>Bales</u>	<u>Percent</u>	<u>Bales</u>	<u>Percent</u>	<u>Bales</u>	<u>Percent</u>	<u>Bales</u>	<u>Percent</u>
2.6 & below	29,724	0.7	20,641	0.8	151	0.2	570	1.6
2.7 - 2.9	106,158	2.5	59,343	2.3	2,718	3.6	4,738	13.2
3.0 - 3.2	220,808	5.2	126,426	4.9	10,571	14.0	6,961	19.2
3.3 - 3.4	195,330	4.6	123,846	4.8	10,345	13.7	4,530	12.5
3.5 - 4.9	3,087,064	72.7	1,932,514	74.9	51,724	68.5	19,469	53.5
5.0 - 5.2	454,355	10.7	260,593	10.1	-	-	-	-
5.3 & above	152,867	3.6	56,763	2.2	-	-	-	-
Total	4,246,306	100.0	2,580,126	100.0	75,509	100.0	36,268	100.0
Average mike		4.3		4.3		3.7		3.5

1/ Preliminary.

