

SEP 30 1975

# COTTON QUALITY

**SUPPLY - DISAPPEARANCE - CARRYOVER**

## 1974 - 75



**UNITED STATES DEPARTMENT OF AGRICULTURE**  
*Agricultural Marketing Service Cotton Division*  
*Memphis, Tennessee*

*Vol. 48, No. 9*

*September 1975*

STATISTICAL TABLES

<u>Table</u>	<u>Page</u>
1. Carryover of upland cotton by specified grades and staples, August 1, 1973-1975. . .	2
2. Grade index and average staple of upland cotton, August 1, 1966-1975 . . . . .	2
3. Grade and staple of upland cotton in the carryover, August 1, 1975 . . . . .	3
4. Grade and staple of upland cotton in the carryover, August 1, 1974 . . . . .	4
5. Grade and staple of upland cotton in consuming establishments, August 1, 1975. . . .	5
6. Grade and staple of upland cotton in public storage and "elsewhere," August 1, 1975 . . . . .	6
7. Grade and staple of upland cotton in the supply, United States, 1974-75. . . . .	7
8. Carryover, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1967-1975 . . . . .	8
9. Carryover, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1967-1975 . . . . .	9
10. Tenderability of upland cotton in the carryover, United States, August 1, 1966-1975. . . . .	10
11. Grade and staple of American Pima cotton in the carryover, August 1, 1975. . . . .	10
12. Grade and staple of American Pima cotton in the carryover, August 1, 1974. . . . .	10
13. Staple of foreign growth cotton in the carryover, August 1, 1968-1975. . . . .	11
14. Micronaire readings of upland and American Pima cotton in public storage, by specified groupings, August 1, 1974-1975 . . . . .	12

UNITED STATES DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 MARKET NEWS SECTION - COTTON DIVISION  
 4841 SUMMER AVENUE - MEMPHIS, TN 38122  
 Telephone No. (901) 534-4736

## QUALITY OF COTTON IN THE CARRYOVER

### UNITED STATES

1975

The 5.5 million bale carryover of upland cotton on August 1, 1975, contained larger proportions of medium and longer staples than last year. The distribution of grades remained much the same as in the 1974 carryover. Staples 34 and longer made up three-fourths of the carryover this year and White grades 41 and above, one-half. Less than one-eighth of the stocks, 643,000 running bales, stapled 31 and shorter, the smallest proportion for this range in four years.

The average length of upland cotton in the 1975 carryover was 33.9 thirty-seconds inches, substantially longer than the 33.1 average length in the 1974 carryover. This year's beginning stocks contained 12 percent of the lengths 36 and longer, compared with eight percent a year ago. Lengths 34 and 35 made up 62 percent, which was the largest proportion for these two staples in any carryover in four years. Staples 32 and 33 accounted for 15 percent against 23 percent the previous year.

Grades 31 and higher accounted for ten percent of the carryover compared with 15 percent the year before. Grades 40 and 41 made up 40 percent of the stocks against 35 percent a year earlier. The Light Spotted grades accounted for 24 percent against 27 percent a year earlier. Spotted and other Colored grades comprised five percent of the 1975 carryover, the same percentage as 1974.

The bulk of the 1.1 million bales stored in consuming establishments on August 1 stapled 34 and longer. Staples 32 and 33 accounted for a little less than 200,000 bales of mill stocks while lengths shorter than 32 totaled only about 85,000 bales.

The total supply for the 1974-75 season was 14,927,000 running bales, compared to 16,396,000 for 1973-74. Staples 36 and longer accounted for 11 percent of the supply against six percent the previous year. Lengths 32 through 35 made up three-fourths of the year's supply, which was about the same proportion as in 1973. Staples 31 and shorter comprised 15 percent, or 2,125,000 bales, of the 1974-75 supply. This was the smallest supply of these shorter lengths on record.

American Pima in the 1975 carryover contained a smaller proportion of the higher grades than in 1974, but the distribution of staples remained much the same. Grades 3 and above accounted for 23 percent of the stocks compared with 40 percent a year ago. Staple 44 made up over 83 percent of this year's beginning stocks, which was about the same as last year.

The carryover of all kinds of cotton in the United States totaled 5,523,000 running bales on August 1, 1975, according to the Bureau of the Census, the largest carryover recorded in five years. Upland cotton accounted for 5,457,000 bales of the total, American Pima 49,000 bales and foreign growths 17,000 bales. The carryover of all kinds of cotton on August 1, 1974 was 3,743,000 running bales and two years before it was 3,929,000 bales.

September 9, 1975



Table 1. - Carryover of upland cotton by specified grades and staples,  
August 1, 1973-1975

Grade and Staple		1973		1974		1975 <sup>1/</sup>	
		Quantity	Percentage	Quantity	Percentage	Quantity	Percentage
Grade	Code	Bales	Percent	Bales	Percent	Bales	Percent
White:							
S.M.	(21) & higher	32,707	0.8	30,808	0.8	27,765	0.5
M.+	(30)	29,854	0.8	26,720	0.7	11,100	0.2
M.	(31)	267,506	6.9	502,498	13.6	515,891	9.5
S.L.M.+	(40)	287,214	7.4	298,199	8.1	381,458	7.0
S.L.M.	(41)	843,295	22.1	988,438	26.8	1,821,733	33.4
L.M.+	(50)	297,280	7.7	260,352	7.1	326,898	6.0
L.M.	(51) & lower	623,972	16.2	395,602	10.8	763,433	14.0
Light Spotted:							
S.M.	(22) & higher	5,812	0.1	15,168	0.4	13,261	0.2
M.	(32)	115,336	3.0	500,397	13.6	312,409	5.7
S.L.M.	(42)	389,448	10.1	397,313	10.8	748,404	13.7
L.M.	(52)	221,412	5.7	92,563	2.5	253,442	4.6
Spotted <sup>2/</sup> (13-53)		468,030	12.1	133,716	3.7	208,163	3.9
Other Colored <sup>3/</sup>		281,156	7.1	45,169	1.1	73,284	1.3
All grades		3,863,022	100.0	3,686,943	100.0	5,457,241	100.0
Staple Code							
26 & shorter		1,027	*	178	*	208	*
28		25,611	0.7	13,058	0.4	7,187	0.1
29		90,101	2.3	99,587	2.7	63,181	1.2
30		384,770	10.0	412,721	11.2	276,619	5.1
31		331,023	8.6	408,748	11.1	295,841	5.4
32		343,577	8.9	384,867	10.4	314,162	5.8
33		467,894	12.1	447,539	12.1	474,556	8.7
34		1,262,564	32.7	918,035	25.0	1,577,424	28.9
35		703,225	18.2	715,485	19.4	1,799,421	32.9
36		198,603	5.1	218,199	5.9	582,315	10.7
37		38,754	1.0	57,037	1.5	57,099	1.0
38		12,515	0.3	8,715	0.2	6,048	0.1
39		2,017	0.1	258	*	-	-
40 & longer		1,341	*	2,516	0.1	3,180	0.1
All staples		3,863,022	100.0	3,686,943	100.0	5,457,241	100.0

<sup>1/</sup> Preliminary.<sup>2/</sup> Includes all grades.<sup>3/</sup> Includes Below Grade.

\* Less than 0.05 percent.

Table 2. - Grade index and average staple of upland cotton, August 1, 1966-1975

Year	Grade index ( Middling White=100)			Average staple		
	Mill stocks	Public storage stocks	Total carryover	Mill stocks	Public storage stocks	Total carryover
1966	96.5	92.6	92.9	34.1	32.0	32.1
1967	95.9	92.7	93.1	34.0	31.7	32.1
1968	94.5	91.9	92.6	33.5	32.1	32.5
1969	94.6	92.8	93.2	34.0	33.8	33.8
1970	94.1	93.1	93.4	34.0	34.1	34.0
1971	94.4	94.5	94.5	33.9	34.3	34.2
1972	93.7	88.0	90.7	33.9	32.9	33.4
1973	92.5	86.5	88.8	33.9	32.8	33.2
1974	93.4	92.3	92.8	33.8	32.7	33.1
1975	93.3	90.7	91.2	34.0	33.9	33.9

Table 3. - Grade and staple of upland cotton in the carryover, August 1, 1975 1/2

Grade Code	Staple Code														All staples	
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
<b>Whiter:</b>																
(11) G.M.	-	39	74	276	139	843	2,809	9,013	10,972	3,007	14	-	-	-	190	-
(21) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27,575	0.5
(30) M.	-	159	2,236	4,074	7,749	9,141	10,662	118,606	237,654	89,662	278	16	-	11,100	0.2	
(40) S.L.M.	-	-	-	4,831	1,881	7,04	9,569	109,326	257,090	86,138	6,462	591	-	15,891	9.5	
(50) L.M.	-	304	2,608	40,742	42,209	60,336	107,365	557,142	753,993	243,593	13,769	1,179	-	836	381,458	7.0
(60) S.G.O.*	-	5	840	8,732	18,713	38,915	66,247	99,700	95,552	40,546	4,496	322	-	768	326,898	33.4
(70) S.O.O.	-	-	-	2	101	133	8,790	3,434	2,702	54,581	1,915	135	-	93	647,119	11.9
(80) G.O.*	-	-	-	1,951	1,557	5,916	13,036	39,378	22,120	2,754	14	122	-	-	16,367	0.3
(90) G.O.	-	-	-	1,070	674	977	2,084	5,566	2,360	158	-	-	-	-	87,028	1.6
Total	-	597	5,797	64,603	73,659	130,628	298,031	1,184,060	1,497,925	530,995	53,476	5,337	-	3,180	3,848,278	70.6
<b>Light Spotted:</b>																
(12) G.M.	-	14	968	1,974	938	929	2,685	3,065	1,505	820	52	-	-	-	104	-
(22) S.M.	-	3,983	10,986	46,023	39,039	26,134	30,410	75,778	67,942	10,200	1,621	293	-	-	13,157	0.2
(32) M.	-	421	22,972	89,098	109,091	88,348	75,487	177,358	152,843	30,919	1,172	95	-	-	312,409	5.7
(42) S.L.M.	-	175	3,601	20,623	38,663	30,994	36,406	76,868	45,631	5,736	469	276	-	-	748,464	13.7
(52) L.M.	-	4,593	30,527	156,318	181,731	146,405	144,088	333,069	267,921	47,727	3,573	664	-	-	253,442	4.6
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,327,516	24.2
<b>Spotted:</b>																
(13) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(23) S.M.	-	-	376	2,339	331	283	636	690	48	40	-	-	-	-	4,743	-
(33) M.	-	100	3,925	10,504	6,050	4,346	2,232	4,025	5,308	174	-	-	-	-	36,664	0.7
(43) S.L.M.	-	545	6,983	25,707	19,201	13,067	8,627	18,283	14,608	2,078	50	47	-	-	109,278	2.0
(53) L.M.	-	70	1,444	3,852	8,005	8,550	9,339	13,323	6,469	917	-	-	-	-	57,478	1.1
Total	-	132	789	15,086	46,595	34,132	25,675	19,834	26,433	3,109	50	47	-	-	208,163	3.9
<b>Tinged:</b>																
(14) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24) S.M.	-	-	-	20	463	359	320	205	242	-	-	-	-	-	75	-
(34) M.	-	254	764	920	671	592	647	1,751	97	-	-	-	-	-	3,327	0.1
(44) S.L.M.	-	402	1,381	2,166	871	562	487	735	224	-	-	-	-	-	7,907	0.1
(54) L.M.	-	152	691	854	675	270	497	735	224	-	-	-	-	-	4,088	0.1
Total	-	800	2,826	3,960	2,009	1,221	1,454	2,746	563	-	-	-	-	-	15,997	0.3
<b>Stained:</b>																
(15) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(35) M.	-	40	-	-	-	12	24	-	-	-	-	-	-	-	36	-
Total	-	40	-	-	-	12	24	-	-	-	-	-	-	-	90	-
<b>Light Gray:</b>																
(16) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(26) S.M.	-	-	-	-	-	-	105	156	351	-	-	-	-	-	-	-
(36) M.	-	-	-	-	-	48	203	1,731	901	161	-	-	-	-	612	-
(46) S.L.M.	-	-	123	185	185	37	1,227	2,621	1,299	-	-	-	-	-	3,044	0.1
Total	-	-	123	185	85	1,535	4,508	2,541	161	-	-	-	-	-	5,482	0.1
<b>Gray:</b>																
(17) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(27) S.M.	-	-	-	-	-	52	-	9	-	-	-	-	-	-	61	-
(37) M.	-	-	-	-	59	62	3	36	3	-	-	-	-	-	143	-
(47) S.L.M.	-	-	-	-	2	183	1,514	493	22	-	-	-	-	-	2,214	-
Total	-	-	-	-	41	297	1,517	538	25	-	-	-	-	-	2,418	-
<b>Below Grade</b>																
(76) 370	-	935	3,060	4,125	10,107	8,405	15,129	3,500	298	-	-	-	-	-	46,005	0.8
<b>All grades</b>																
Percent	7.167	63.181	276.619	295.841	314.162	474.956	1,577.424	1,799.421	582.315	57.099	6.048	-	-	3,180	5,457,241 1/2	100.0
Bales	597	5,797	64,603	73,659	130,628	298,031	1,184,060	1,497,925	530,995	53,476	5,337	-	-	3,180	3,848,278	70.6
Percent	0.1	1.2	5.1	5.4	5.8	6.7	28.9	32.9	10.7	1.0	0.1	-	-	0.1	100.0	-

1/2 Preliminary. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.  
 2/ As reported by the Bureau of the Census, running bales.  
 \* Less than 0.05 percent.  
 Grade Index . . . . . 91.2  
 Average staple . . . . . 33.9

Table 4. - Grade and staple of upland cotton in the carryover, August 1, 1974 1/

Grade	Staple Code														All staples	
	70 and shorter	26	29	30	31	32	33	34	35	36	37	38	39	40 and longer		
Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
<b>White:</b>																
G.M.	133	637	490	613	159	900	1,012	6,811	7	7	498	-	-	-	701	0.8
S.M.	20	514	162	701	3	701	514	5,795	10,503	7,943	2,095	-	-	-	30,107	0.7
M.+	40	1,422	64,894	57,328	36,778	80,035	131,099	56,087	21,260	1,495	1,495	513	297	297	26,720	0.7
S.L.M.+	3	3,259	11,554	63,217	78,288	94,179	20,460	95,381	96,803	37,365	15,349	1,891	403	403	502,498	13.6
S.L.M.	3	3,259	11,554	63,217	78,288	94,179	20,460	95,381	96,803	37,365	15,349	1,891	403	403	298,199	8.1
L.M.+	2	926	3,167	3,435	13,615	63,409	100,687	59,882	14,768	1,091	1,157	1,542	148	148	988,438	26.8
L.M.	2	926	3,167	3,435	13,615	63,409	100,687	59,882	14,768	1,091	1,157	1,542	148	148	260,352	7.1
S.O.O.+	7	7	7	7	24	795	1,547	6,237	2,017	1,047	780	235	66	66	13,525	0.4
S.O.O.	7	7	7	7	24	795	1,547	6,237	2,017	1,047	780	235	66	66	53,694	1.5
G.O.+	25	25	25	25	46	510	181	771	87	1	1	214	-	-	1,621	0.4
G.O.	2	2	2	2	54	374	1,582	2,620	393	71	-	-	-	-	5,016	0.2
Total	4,938	28,546	159,863	156,769	193,954	311,332	763,332	628,720	192,180	54,037	7,573	257	2,516	2,516	2,502,617	67.9
<b>Light Spotted:</b>																
G.M.	2,029	146	2,050	2,448	2,360	2,360	2,159	1,940	1,747	258	-	-	-	-	11	0.4
S.M.	14	1,624	22,936	136,327	136,930	96,034	47,295	32,681	20,157	4,578	1,172	641	-	-	15,157	0.4
M.	122	644	33,371	71,625	69,155	56,370	40,803	73,142	43,571	7,876	562	71	1	1	500,397	13.6
S.L.M.	1	461	9,250	12,438	13,606	15,957	23,032	14,733	3,018	1,049	368	1	1	1	397,313	10.8
L.M.	1	461	9,250	12,438	13,606	15,957	23,032	14,733	3,018	1,049	368	1	1	1	92,563	2.5
Total	4,298	56,914	219,292	220,979	166,990	106,224	130,802	80,212	16,330	2,783	1,060	1	1	1	1,005,441	27.3
<b>Spotted:</b>																
G.M.	18	113	150	193	403	403	5,107	122	35	70	-	-	-	-	-	0.2
S.M.	23	4,331	13,394	11,233	6,271	5,514	6,294	377	8,438	194	-	-	-	-	6,301	0.2
M.	125	2,622	10,665	11,401	9,068	5,799	4,161	1,464	168	23	44	-	-	-	57,514	1.6
S.L.M.	44	378	1,409	1,685	441	67	238	214	122	18	-	-	-	-	44,554	1.2
L.M.	53	212	126	97	81	369	348	314	69	-	-	-	-	-	25,341	0.7
Total	2,295	9,245	27,124	26,372	17,972	22,084	15,890	3,291	9,156	217	62	-	-	-	133,716	3.7
<b>Fringed:</b>																
G.M.	410	52	2,069	426	249	77	55	23	18	-	-	-	-	-	52	-
S.M.	34	1,203	3,665	3,545	3,545	3,545	3,545	3,545	3,545	3,545	3,545	3,545	3,545	3,545	4,530	0.1
M.	44	378	1,409	1,685	441	67	238	214	122	18	-	-	-	-	4,554	0.1
S.L.M.	54	212	126	97	81	369	348	314	69	-	-	-	-	-	1,636	-
Total	1,000	2,790	3,651	948	685	663	583	234	18	-	-	-	-	-	10,772	0.2
<b>Stained:</b>																
G.M.	152	318	166	-	-	-	-	-	-	-	-	-	-	-	636	-
S.M.	152	318	166	-	-	-	-	-	-	-	-	-	-	-	636	-
M.	152	318	166	-	-	-	-	-	-	-	-	-	-	-	636	-
Total	152	318	166	-	-	-	-	-	-	-	-	-	-	-	636	-
<b>Light Gray:</b>																
G.M.	263	263	263	263	263	263	263	263	263	263	263	263	263	263	263	9
S.M.	263	263	263	263	263	263	263	263	263	263	263	263	263	263	263	9
M.	263	263	263	263	263	263	263	263	263	263	263	263	263	263	263	9
S.L.M.	263	263	263	263	263	263	263	263	263	263	263	263	263	263	263	9
Total	263	263	263	263	263	263	263	263	263	263	263	263	263	263	263	9
<b>Gray:</b>																
G.M.	42	375	1,511	3,425	3,316	5,990	5,675	4,928	1,234	104	-	-	-	-	26,602	0.7
S.M.	176	13,058	99,587	412,721	406,748	384,867	447,539	918,035	715,485	218,199	57,037	8,715	258	258	3,686,943	100.0
M.	176	13,058	99,587	412,721	406,748	384,867	447,539	918,035	715,485	218,199	57,037	8,715	258	258	3,686,943	100.0
S.L.M.	176	13,058	99,587	412,721	406,748	384,867	447,539	918,035	715,485	218,199	57,037	8,715	258	258	3,686,943	100.0
Total	42	375	1,511	3,425	3,316	5,990	5,675	4,928	1,234	104	-	-	-	-	26,602	0.7
<b>Below Grade</b>																
All grades	176	13,058	99,587	412,721	406,748	384,867	447,539	918,035	715,485	218,199	57,037	8,715	258	258	3,686,943	100.0
All grades	0.4	2.7	11.2	11.1	10.4	12.1	25.0	19.4	5.9	1.5	0.2	-	-	-	100.0	-

1/ Revised. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.  
 2/ As reported by the Bureau of the Census, running bales.  
 \* Less than 0.05 percent.  
 Grade index..... 92.6  
 Average staple..... 33.1



Table 5. - Grade and staple of upland cotton in consuming establishments, August 1, 1975 1/

Grade	Code	Staple Code														All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent	
<b>White:</b>																		
G.N.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	161
S.M.	(21)	39	39	-	62	-	146	1,294	3,456	4,187	1,229	246	14	-	-	-	-	10,742
M.	(30)	-	16	-	221	-	227	-	3,498	5,388	1,421	228	16	-	-	-	-	10,578
M.	(31)	97	5	5	221	12	1,129	1,701	48,808	45,960	11,026	5,053	544	-	-	-	-	114,571
S.L.M.+	(40)	-	-	12	4,520	1,096	159	7,938	95,248	87,468	17,875	12,795	1,127	-	-	-	-	229,073
S.L.M.	(41)	322	29	18,848	1,121	15,071	23,049	167,572	111,495	24,352	11,471	521	-	-	-	-	-	375,308
L.M.+	(50)	-	-	-	2,374	50	4,328	65,940	70,585	35,002	13,504	282	-	-	-	-	-	196,133
L.M.	(51)	5	17	375	155	9,136	16,055	30,594	15,182	6,989	614	93	-	-	-	-	-	79,215
S.G.O.+	(60)	-	-	2	905	11	47	8,659	1,593	905	294	110	-	-	-	-	-	11,826
S.G.O.	(61)	-	-	-	673	74	1,866	4,737	2,873	308	35	14	-	-	-	-	-	10,581
G.O.+	(70)	-	-	-	-	-	77	370	499	396	-	-	-	-	-	-	-	2,328
G.O.	(71)	-	-	-	986	-	-	-	-	-	-	-	-	-	-	-	-	3,180
Total		463	65	28,059	2,519	32,385	129,729	424,726	306,291	76,726	33,772	2,601	-	-	-	-	-	1,040,516
<b>Light Spotted:</b>																		
G.N.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	14	151	-	1,191	-	261	21	53	53	-	-	-	-	-	-	-	1,744
M.	(32)	3,573	3,395	-	7,582	1,271	904	576	4,524	440	450	757	158	-	-	-	-	23,630
S.L.M.	(42)	41	14,489	-	15,321	1,795	7,650	1,272	4,407	660	122	190	-	-	-	-	-	46,147
L.M.	(52)	-	-	-	591	20	425	2,524	2,024	600	236	469	276	-	-	-	-	7,125
Total		3,628	18,035	24,845	3,086	9,240	4,393	11,008	1,753	808	1,416	434	-	-	-	-	-	78,646
<b>Spotted:</b>																		
G.N.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	2,135	-	-	-	-	-	-	-	-	-	-	-	-	2,135
M.	(33)	56	6	43	105	30	1,258	1,030	224	-	-	-	-	-	-	-	-	35
S.L.M.	(43)	-	749	402	584	82	176	584	930	-	-	-	-	-	-	-	-	2,711
L.M.	(53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,923
Total		56	757	2,674	1,112	1,434	1,616	1,195	-	-	-	-	-	-	-	-	-	7,804
<b>Tinged:</b>																		
G.N.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
S.L.M.	(44)	-	3	1	9	293	15	134	-	-	-	-	-	-	-	-	-	455
L.M.	(54)	-	2	2	16	12	20	309	224	-	-	-	-	-	-	-	-	585
Total		1	5	3	25	305	35	443	224	-	-	-	-	-	-	-	-	1,041
<b>Light Gray:</b>																		
G.N.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	137
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	146
<b>Gray:</b>																		
G.N.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	310
<b>Below Grade</b>																		
		-	5	4	35	2,164	1,216	667	84	-	-	-	-	-	-	-	-	4,175
<b>All grades</b>																		
		4,148	18,867	55,595	5,777	45,533	137,013	436,244	306,584	77,537	35,188	3,035	-	-	-	-	-	1,136,691 2/
<b>All grades</b>																		
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		0.4	1.7	4.9	0.5	4.0	12.1	38.7	27.2	6.8	3.1	0.3	-	-	-	-	-	100.0
<b>Grade index . . . . . 93.3</b>																		
<b>Average staple . . . . . 34.0</b>																		

1/ Preliminary. Quality data on bales stored in consuming establishments based on information furnished by mills.  
 2/ As reported by the Bureau of the Census.  
 \* Less than 0.05 percent.

Table 6. - Grade and Staple of upland cotton in public storage and "elsewhere", August 1, 1975

Grade	Code	Staple Code														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	(11)	-	-	74	214	139	-	616	1,515	5,557	28	-	-	-	155	-	29
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16,833
M*	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	322
M	(31)	62	2,231	4,633	7,737	7,737	8,012	16,961	69,878	211,694	69	99	304	50	1,409	47	401,320
S.L.N.*	(40)	-	-	25	311	785	636	1,631	14,078	65,030	66,263	1,409	52	974	32	152,385	
S.L.N.	(41)	62	2,579	21,894	41,888	84,316	389,570	617,650	219,241	14,419	2,341	40	1,446,425	33.4	1,446,425		
L.N.*	(50)	-	-	153	606	870	2,913	29,195	60,550	35,042	40	1,396	40	1,396	3.0	1,396	
L.N.	(51)	-	-	823	8,357	18,958	29,779	50,182	207,505	203,692	1,301	135	567,904	13.1	567,904		
S.G.O.*	(60)	-	-	-	90	86	161	1,841	1,797	566	-	-	-	-	-	4,541	
S.G.O.	(61)	-	-	-	878	1,463	4,050	8,899	36,505	21,812	121	-	-	-	-	76,447	
G.O.*	(70)	-	-	-	-	-	29	-	-	-	-	-	-	-	-	70	
G.O.	(71)	-	-	-	84	674	900	1,714	5,067	1,924	156	-	-	-	-	10,521	
Total		124	5,732	36,544	71,140	98,243	168,302	759,334	1,191,634	454,269	19,704	2,736	-	-	-	2,807,762	
Light Spotted:																	
G.M.	(12)	-	-	817	783	938	668	2,664	3,012	1,432	-	-	-	-	52	104	
S.M.	(22)	-	-	7,591	38,441	37,768	25,230	29,834	71,254	67,502	9,750	864	135	-	-	11,413	
M.	(32)	-	-	8,483	74,177	107,296	80,698	74,215	172,921	152,183	30,797	982	99	-	-	288,779	
S.L.N.*	(42)	-	-	175	3,601	20,072	32,643	30,569	33,882	74,844	45,031	5,500	-	-	-	702,257	
L.N.	(52)	-	-	965	20,492	133,473	178,645	137,165	140,595	382,061	266,168	46,919	2,137	230	-	246,317	
Total		-	-	965	20,492	133,473	178,645	137,165	140,595	382,061	266,168	46,919	2,137	230	-	1,246,870	
Spotted:																	
G.M.	(13)	-	-	376	204	331	283	636	690	48	-	-	-	-	-	2,608	
S.M.	(23)	-	-	3,925	10,472	6,050	4,346	2,230	4,034	5,308	174	-	-	-	-	36,639	
M.	(33)	62	489	6,975	25,632	19,171	11,829	7,597	18,059	14,608	2,078	50	47	-	-	106,567	
S.L.N.*	(43)	70	144	3,053	7,603	8,468	7,783	7,725	12,393	6,469	817	-	-	-	-	34,555	
L.N.	(53)	-	-	965	20,492	133,473	178,645	137,165	140,595	382,061	266,168	46,919	2,137	230	-	200,359	
Total		132	733	14,329	43,881	34,020	24,241	18,218	35,166	26,433	3,109	50	47	-	-	4,7	
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(24)	-	-	-	20	463	359	320	205	242	-	-	-	-	-	75	
M.	(34)	-	-	253	764	920	882	2,999	632	1,617	97	-	-	-	-	3,326	
S.L.N.*	(44)	-	-	132	1,378	2,165	838	659	467	486	-	-	-	-	-	7,452	
L.N.	(54)	-	-	132	689	838	659	258	467	486	-	-	-	-	-	3,503	
Total		-	-	807	2,831	3,957	1,984	916	1,419	2,303	339	-	-	-	-	14,556	
Stained:																	
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(35)	-	-	40	-	-	-	-	12	34	-	-	-	-	-	36	
Total		-	-	40	-	-	-	-	12	74	-	-	-	-	-	126	
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(26)	-	-	-	-	-	-	-	104	156	351	-	-	-	-	611	
M.	(36)	-	-	-	-	-	-	-	200	1,727	901	161	-	-	-	3,036	
S.L.N.*	(46)	-	-	-	-	-	-	-	2,227	2,920	1,253	-	-	-	-	5,345	
Total		-	-	-	-	-	-	-	4,403	4,403	2,505	161	-	-	-	8,992	
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.N.*	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Below Grade		76	370	930	3,056	4,090	7,943	7,189	14,462	3,416	298	-	-	-	-	41,630	
All grades		208	3,039	44,314	221,034	290,064	266,629	337,543	1,139,180	1,490,637	504,770	21,911	3,013	-	-	4,324,550 $\frac{1}{2}$	
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
		0.1	1.0	5.1	6.7	6.2	7.8	26.3	34.5	11.7	0.5	0.1	-	-	-	100.0	

$\frac{1}{2}$  As reported by the Bureau of the Census.  
 \* Less than 0.05 percent.

Grade Index . . . . . 90.7  
 Average staple . . . . . 33.9





Table 8. - Carryover, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1967-1975

Year beginning August 1	White 1/										Light Spotted				Other Colored 2/	All grades 3/						
	Good Middling and higher (11)		Strict Middling (21)		Middling (31)		Strict Low Middling (41)		Low Middling (51)		Strict Good Ordinary and good Ordinary (61)		Strict Middling and higher (22)				Middling (32)		Strict Low Middling (42)		Low Middling (52)	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales			Bales	Bales	Bales	Bales	Bales	Bales
1967	2,957	241,352	1,412,023	1,934,248	486,430	109,034	463,541	2,684,614	2,207,102	430,052	12,270,381	145,883	1,107,130	777,577	212,100	2,299,028	1,222,698	6,246,295	6,346,911	5,635,288		
1968	1,739	126,360	875,949	1,290,576	396,028	90,255	17,875	120,541	261,854	201,941	165,765	35,580	651,883	612,496	154,028	441,037	3,149,625	3,863,022	3,686,943	5,457,241		
1969	1,662	120,267	1,237,242	2,192,393	729,572	113,827	75,937	592,267	374,902	59,311	281,447	65,662	575,657	658,243	156,447	441,037	1,222,698	6,246,295	6,346,911	5,635,288		
1970	572	104,409	1,126,752	1,977,476	651,764	86,665	15,168	500,397	397,313	92,563	231,641	1,260	1,126,752	1,977,476	651,764	231,641	497,961	6,346,911	5,635,288	5,635,288		
1971	1,260	65,940	867,491	1,460,385	448,665	51,315	17,875	120,541	261,854	201,941	165,765	35,580	651,883	612,496	154,028	441,037	3,149,625	3,863,022	3,686,943	5,457,241		
1972	359	54,664	524,544	982,264	426,842	117,706	5,812	115,336	389,448	221,412	165,765	75,937	592,267	374,902	59,311	441,037	1,222,698	6,246,295	6,346,911	5,635,288		
1973	419	32,288	2,97,360	1,130,509	760,336	160,916	15,168	500,397	397,313	92,563	231,641	1,260	1,126,752	1,977,476	651,764	231,641	497,961	6,346,911	5,635,288	5,635,288		
1974	701	30,107	529,218	1,286,637	581,098	74,856	13,261	312,409	748,404	253,442	165,765	35,580	651,883	612,496	154,028	441,037	1,222,698	6,246,295	6,346,911	5,635,288		
1975	190	27,575	526,991	2,203,191	974,017	116,314	32,935	972,952	839,724	240,133	7,370,293	13,261	312,409	748,404	253,442	281,447	1,222,698	6,246,295	6,346,911	5,635,288		
1967	344	90,348	1,378,474	2,579,916	577,567	102,881	24,595	1,012,243	1,314,935	311,317	479,847	32,935	972,952	839,724	240,133	555,019	7,370,293	10,838,384	9,860,230	10,055,237		
1968	651	116,830	1,762,903	4,315,000	1,290,631	209,432	5,846	498,239	1,369,972	537,562	418,200	5,005	912,405	1,370,208	463,028	418,200	10,055,237	10,055,237	10,055,237	10,055,237		
1969	75	53,699	1,416,374	3,905,984	1,220,328	201,216	2,867	480,878	1,807,134	813,701	1,114,439	4,778	957,692	1,308,597	488,637	301,678	12,532,901	12,532,901	12,532,901	12,532,901		
1970	134	47,097	1,447,642	3,510,589	1,663,969	216,960	4,805	918,180	1,396,937	1,024,778	726,057	2,595	290,201	1,364,126	681,005	359,115	11,239,735	11,239,735	11,239,735	11,239,735		
1971	75	34,115	1,290,846	3,499,629	1,479,858	258,139	2,867	480,878	1,807,134	813,701	1,114,439	4,778	957,692	1,308,597	488,637	301,678	12,532,901	12,532,901	12,532,901	12,532,901		
1972	109	25,019	1,077,914	4,469,323	2,881,475	502,663	2,595	290,201	1,364,126	681,005	359,115	2,595	290,201	1,364,126	681,005	359,115	11,239,735	11,239,735	11,239,735	11,239,735		
1973	79	60,060	2,252,305	5,046,726	1,869,709	242,640	4,778	957,692	1,308,597	488,637	301,678	2,595	290,201	1,364,126	681,005	359,115	11,239,735	11,239,735	11,239,735	11,239,735		
1974	25	23,048	1,369,553	4,632,773	2,216,537	300,757	2,595	290,201	1,364,126	681,005	359,115	2,595	290,201	1,364,126	681,005	359,115	11,239,735	11,239,735	11,239,735	11,239,735		
1967	3,301	331,700	2,790,497	4,514,164	1,063,997	211,915	496,476	3,657,566	3,046,826	670,185	2,854,047	170,478	2,119,373	2,092,512	523,417	1,702,545	17,084,679	17,084,679	17,084,679	17,084,679		
1968	2,390	243,190	2,638,852	5,605,576	1,686,659	299,687	41,426	1,150,122	1,982,468	691,590	1,148,896	170,478	2,119,373	2,092,512	523,417	1,702,545	17,084,679	17,084,679	17,084,679	17,084,679		
1969	1,737	173,966	2,653,616	6,098,377	1,949,900	315,043	41,426	1,150,122	1,982,468	691,590	1,148,896	170,478	2,119,373	2,092,512	523,417	1,702,545	17,084,679	17,084,679	17,084,679	17,084,679		
1970	706	151,506	2,574,394	5,488,065	2,315,733	303,625	70,667	1,488,062	2,028,451	619,475	649,841	70,667	1,488,062	2,028,451	619,475	649,841	15,690,525	15,690,525	15,690,525	15,690,525		
1971	1,335	120,055	2,158,327	4,960,014	1,928,523	309,454	80,742	1,010,447	1,771,839	1,084,069	891,822	80,742	1,010,447	1,771,839	1,084,069	891,822	14,316,647	14,316,647	14,316,647	14,316,647		
1972	468	79,683	1,602,458	5,451,587	3,308,317	620,367	20,742	601,419	2,068,988	1,015,642	1,555,476	20,742	601,419	2,068,988	1,015,642	1,555,476	16,325,147	16,325,147	16,325,147	16,325,147		
1973	498	92,348	2,549,665	6,177,235	2,630,045	403,556	10,590	1,073,028	1,698,045	710,049	1,050,864	10,590	1,073,028	1,698,045	710,049	1,050,864	16,325,147	16,325,147	16,325,147	16,325,147		
1974	726	53,155	1,898,771	5,919,410	2,797,635	375,613	17,763	790,598	1,761,439	773,568	538,000	17,763	790,598	1,761,439	773,568	538,000	14,926,678	14,926,678	14,926,678	14,926,678		
1967	1,562	205,340	1,914,548	3,223,588	667,969	121,660	350,593	2,550,436	2,269,249	458,085	1,631,349	350,593	2,550,436	2,269,249	458,085	1,631,349	13,394,379	13,394,379	13,394,379	13,394,379		
1968	728	122,923	1,401,610	3,413,183	957,087	185,860	134,898	1,467,490	1,480,016	369,389	1,204,584	134,898	1,467,490	1,480,016	369,389	1,204,584	10,737,768	10,737,768	10,737,768	10,737,768		
1969	1,165	69,557	1,526,864	4,120,901	1,298,136	228,378	-24,236	574,465	1,324,225	535,143	917,255	-24,236	574,465	1,324,225	535,143	917,255	10,571,853	10,571,853	10,571,853	10,571,853		
1970	-554	65,566	1,706,913	4,027,680	1,867,068	252,310	-5,270	895,795	1,653,549	560,164	484,076	-5,270	895,795	1,653,549	560,164	484,076	11,507,297	11,507,297	11,507,297	11,507,297		
1971	976	65,391	1,633,783	3,977,750	1,501,681	191,750	62,867	889,906	1,509,985	882,148	450,785	62,867	889,906	1,509,985	882,148	450,785	11,167,022	11,167,022	11,167,022	11,167,022		
1972	49	47,395	1,305,098	4,321,078	2,547,981	459,451	14,930	486,083	1,679,540	794,230	806,290	14,930	486,083	1,679,540	794,230	806,290	12,462,125	12,462,125	12,462,125	12,462,125		
1973	-203	62,241	2,020,447	4,890,598	2,048,947	328,700	-4,578	572,631	1,300,732	617,486	871,979	-4,578	572,631	1,300,732	617,486	871,979	12,708,980	12,708,980	12,708,980	12,708,980		
1974	536	25,580	1,371,780	3,716,219	1,823,618	259,299	4,502	478,189	1,013,035	520,126	256,553	4,502	478,189	1,013,035	520,126	256,553	9,469,437	9,469,437	9,469,437	9,469,437		

1/ Plus grades of White included with straight grades.  
 2/ Other Colored includes all grades of Spotted, Tinged, Stained, Light Gray, Gray and Below Grade.  
 3/ As reported by the Bureau of the Census.  
 4/ Carryover at the beginning of the season plus crop.  
 5/ Supply minus carryover at the end of the season.



Table 9. - Carryover, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1967-1975

Year beginning August 1	Staple Code										All lengths 1/	
	26 and shorter	28	29	30	31	32	33	34	35	36 and longer		
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
1967	8,260	141,059	1,037,897	2,906,245	827,417	952,503	3,291,487	2,091,860	651,768	361,885	12,270,381	
1968	8,919	82,952	406,678	1,253,434	437,401	530,277	1,110,499	1,308,530	694,838	412,767	6,246,295	
1969	281	15,436	57,458	343,128	404,471	508,216	773,037	1,803,959	1,513,424	927,501	6,346,911	
1970	1,718	14,434	43,944	155,777	113,024	256,773	744,714	2,337,313	1,404,080	563,511	5,635,288	
1971	397	8,566	35,484	163,621	80,109	172,627	323,156	1,465,122	1,501,407	432,739	4,183,228	
1972	594	23,169	165,878	391,090	117,756	179,489	242,989	946,871	756,047	325,742	3,149,625	
1973	1,027	25,611	90,101	384,770	331,023	343,577	467,894	1,262,564	703,225	253,230	3,863,022	
1974	178	13,058	99,587	412,721	408,748	384,867	447,539	918,035	715,485	286,725	3,686,943	
1975	208	7,187	63,181	276,619	295,841	314,162	474,556	1,577,424	1,799,421	648,642	5,457,241	
	CROP											
1967	1,776	42,829	338,941	780,619	540,669	391,198	717,600	2,110,095	1,697,112	749,454	7,370,293	
1968	519	8,199	117,481	762,970	745,859	784,117	923,028	2,814,298	2,862,380	1,819,533	10,838,384	
1969	7,461	133,087	416,120	628,888	498,853	552,404	1,037,337	3,047,406	2,846,049	692,625	9,860,230	
1970	1,613	35,468	350,109	1,045,775	588,073	524,438	1,016,370	3,771,690	2,001,728	719,973	10,055,237	
1971	7,262	63,409	334,870	925,724	514,336	310,752	532,010	2,534,219	3,320,672	1,590,165	10,133,419	
1972	366	11,206	156,836	801,964	1,187,711	1,145,587	1,318,444	4,694,006	2,861,066	998,316	13,175,522	
1973	2,476	31,058	242,314	1,207,907	1,534,921	1,103,633	841,338	3,629,384	3,180,464	759,406	12,532,901	
1974	590	11,693	70,314	423,995	683,787	594,366	531,734	2,543,264	4,965,928	1,414,064	11,239,735	
	SUPPLY 2/											
1967	10,036	183,888	1,376,838	3,686,864	1,368,086	1,343,701	4,009,087	4,201,955	2,348,880	1,111,339	19,640,674	
1968	9,438	91,151	524,159	2,016,404	1,183,260	1,314,394	2,033,527	4,122,828	3,557,218	2,232,300	17,084,679	
1969	7,742	148,523	473,578	972,016	903,324	1,060,620	1,810,374	4,851,365	4,359,473	1,620,126	16,207,141	
1970	3,331	49,902	394,053	1,201,552	701,097	781,211	1,761,084	6,109,003	3,405,808	1,283,484	15,690,525	
1971	7,659	71,975	370,354	1,089,345	594,445	483,379	855,166	3,999,341	4,822,079	2,022,904	14,316,647	
1972	980	34,375	322,714	1,193,054	1,305,467	1,325,076	1,561,433	5,640,877	3,617,113	1,324,058	16,325,147	
1973	3,503	56,669	332,415	1,592,677	1,865,944	1,447,210	1,309,232	4,891,948	3,883,689	1,012,636	16,395,923	
1974	768	24,751	169,901	836,716	1,092,535	979,233	979,273	3,461,299	5,681,413	1,700,789	14,926,678	
	DISAPPEARANCE 3/											
1967	1,117	100,936	970,160	2,433,430	930,685	813,424	2,898,588	2,893,425	1,654,042	698,572	13,394,379	
1968	9,157	75,715	466,701	1,673,276	778,789	806,178	1,260,490	2,318,869	2,043,794	1,304,799	10,737,768	
1969	6,024	134,089	429,634	816,239	790,300	803,847	1,065,660	2,514,052	2,955,393	1,056,615	10,571,853	
1970	2,934	41,336	358,569	1,037,931	620,988	608,584	1,437,928	4,643,881	1,904,401	850,745	11,507,297	
1971	7,065	48,806	204,476	698,255	476,689	303,890	612,177	3,052,470	4,066,032	1,697,162	11,167,022	
1972	-47	8,764	232,613	808,284	974,444	981,499	1,093,539	4,378,313	2,913,888	1,070,828	12,462,125	
1973	3,325	43,611	232,828	1,179,956	1,457,196	1,062,343	861,693	3,973,913	3,168,204	725,911	12,708,980	
1974	560	17,564	106,720	560,097	796,694	665,071	504,717	1,883,875	3,881,992	1,052,147	9,469,457	

1/ As reported by the Bureau of the Census.

2/ Carryover at the beginning of the season plus crop.

3/ Supply minus carryover at the end of the season.



Table 10. - Tenderability of upland cotton in the carryover, United States, August 1, 1966-1975

Year	Tenderable <sup>1/</sup>				Untenderable				Total <sup>2/</sup>	
	Contract No. 1		Contract No. 2		Contract No. 1		Contract No. 2		Bales	Pct.
	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.		
1966	6,780,215	40.9	-	-	9,785,061	59.1	-	-	16,565,276	100.0
1967	5,849,232	47.7	-	-	6,421,149	52.3	-	-	12,270,381	100.0
1968	3,912,508	62.6	-	-	2,333,787	37.4	-	-	6,246,295	100.0
1969	4,963,623	78.2	-	-	1,383,288	21.8	-	-	6,346,911	100.0
1970	4,497,814	79.8	4,228,644	75.0	1,137,474	20.2	1,406,644	25.0	5,635,288	100.0
1971	3,526,414	84.3	3,233,160	77.3	656,814	15.7	950,068	22.7	4,183,228	100.0
1972	2,120,104	67.3	1,949,668	61.9	1,029,521	32.7	1,199,957	38.1	3,149,625	100.0
1973	2,329,431	60.3	2,110,466	54.6	1,533,591	39.7	1,752,556	45.4	3,863,022	100.0
1974	2,934,721	79.6	2,014,911	54.6	752,222	20.4	1,672,032	45.4	3,686,943	100.0
1975	4,053,050	74.3	3,663,362	67.1	1,404,191	25.7	1,793,879	32.9	5,457,241	100.0

<sup>1/</sup> Qualities tenderable with respect to grade and staple in settlement of cotton futures.

<sup>2/</sup> As reported by the Bureau of the Census.

Table 11. - Grade and staple of American Pima cotton in the carryover, August 1, 1975 <sup>1/</sup>

Grade	Code	Staple code					Total	
		42 and shorter	44	46	48	50 and longer	Bales	Percent
1	(10)	-	-	22	-	-	22	*
2	(20)	-	1,164	110	12	-	1,286	2.6
3	(30)	1	8,694	1,423	44	-	10,162	20.7
4	(40)	16	22,068	2,146	-	-	24,230	49.6
5	(50)	311	7,116	279	-	-	7,706	15.7
6	(60)	857	1,002	110	-	-	1,969	4.0
7	(70)	1,207	433	-	-	-	1,640	3.3
8	(80)	1,072	185	-	-	-	1,257	2.6
9	(90)	11	34	-	-	-	45	0.1
10	(00)	43	39	624	-	-	706	1.4
Total		3,518	40,735	4,714	56	-	49,023 <sup>2/</sup>	100.0
Percent		7.2	83.1	9.6	0.1	-	100.0	

<sup>1/</sup> Quality data on 13,883 bales stored in consuming establishments included in this table based on information furnished by mills.

<sup>2/</sup> As reported by the Bureau of the Census.

Table 12. - Grade and staple of American Pima cotton in the carryover, August 1, 1974 <sup>1/</sup>

Grade	Code	Staple code					Total	
		42 and shorter	44	46	48	50 and longer	Bales	Percent
1	(10)	-	2	-	-	-	2	*
2	(20)	-	3,373	210	47	-	3,630	8.1
3	(30)	175	12,080	1,998	97	-	14,350	32.0
4	(40)	428	16,057	860	-	-	17,345	38.6
5	(50)	150	3,200	497	-	-	3,847	8.6
6	(60)	227	1,102	161	-	-	1,490	3.3
7	(70)	753	954	-	-	-	1,707	3.8
8	(80)	558	816	-	-	-	1,374	3.1
9	(90)	568	269	-	-	-	837	1.9
10	(00)	269	-	-	-	-	269	0.6
Total		3,128	37,853	3,726	144	-	44,851 <sup>2/</sup>	100.0
Percent		7.0	84.4	8.3	0.3	-	100.0	

<sup>1/</sup> Revised. Quality data on 18,648 bales stored in consuming establishments included in this table based on information furnished by mills.

<sup>2/</sup> As reported by the Bureau of the Census.

Table 13. - Staple of foreign growth cotton in the carryover,  
August 1, 1968-1975 <sup>1/</sup>

Growth and staple code (32nd inches)	1968	1969	1970	1971	1972	1973	1974	1975
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<u>Egyptian:</u>								
35 & shorter	238	-	-	-	-	-	-	-
36 & 37	748	-	-	62	-	44	-	-
38 & 39	20	-	-	20	-	-	-	-
40 - 43	696	767	2,772	1,750	16	879	312	-
44 - 47	21,635	5,966	2,612	2,605	3,913	2,962	2,329	2,783
48 - 51	2,708	1,265	1,812	2,806	4,230	2,198	1,093	521
52 - 55	-	552	-	-	-	-	-	-
56 & longer	-	-	-	-	-	-	-	-
All lengths	26,045	8,550	7,196	7,243	8,159	6,083	3,734	3,304
<u>Peruvian:</u>								
36 & 37	-	-	-	-	-	-	-	-
38 & 39	35	343	379	219	-	-	144	-
40 - 43	16	23	22	-	25	21	-	-
44 - 47	2,662	422	118	2	27	58	735	-
48 - 51	743	1,702	881	215	31	26	534	-
52 - 55	5,571	1,733	1,105	1,308	4,961	587	742	949
56 & longer	-	-	-	-	-	-	-	-
All lengths	9,027	4,223	2,505	1,744	5,044	692	2,155	949
<u>Indian:</u>								
26 & shorter	7,189	12,467	17,085	4,898	7,569	6,684	3,925	2,463
<u>Other Foreign:</u>								
26 & shorter	2,551	2,472	-	-	88	-	104	-
28 & 29	-	-	-	-	328	-	-	3
30 & 31	-	-	-	-	291	-	10	-
32 & 33	-	705	160	-	393	-	256	315
34 & 35	1,510	2,927	548	1,225	2,052	-	1,165	9,643
36 & 37	-	-	-	-	-	-	-	210
38 & 39	-	-	-	-	-	-	-	-
40 & longer	-	-	-	-	-	-	-	-
All lengths	4,061	6,104	708	1,225	3,152	-	1,535	10,171
All Foreign <sup>2/</sup>	46,322	31,344	27,494	15,110	23,924	13,459	11,349	16,887

<sup>1/</sup> Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

<sup>2/</sup> As reported by the Bureau of the Census.

Table 14. - Micronaire readings of upland and American Pima cotton in public storage,  
by specified groupings, August 1, 1974-1975

Mike readings by groupings	Upland cotton				American Pima cotton			
	1974		1975 <u>1/</u>		1974		1975 <u>1/</u>	
	<u>Bales</u>	<u>Percent</u>	<u>Bales</u>	<u>Percent</u>	<u>Bales</u>	<u>Percent</u>	<u>Bales</u>	<u>Percent</u>
2.6 & below	31,855	1.4	181,631	4.2	346	1.3	119	0.4
2.7 - 2.9	54,609	2.4	246,499	5.7	1,456	5.6	2,540	7.2
3.0 - 3.2	88,739	3.9	311,368	7.2	3,820	14.6	5,916	16.8
3.3 - 3.4	79,638	3.5	207,578	4.8	3,633	13.9	5,524	15.7
3.5 - 4.9	1,792,508	78.8	3,035,834	70.2	16,948	64.6	21,041	59.9
5.0 - 5.2	175,203	7.7	263,798	6.1	-	-	-	-
5.3 & above	52,333	2.3	77,842	1.8	-	-	-	-
Total	2,274,885	100.0	4,324,550	100.0	26,203	100.0	35,140	100.0
Average mike		4.2		4.0		3.6		3.6

1/ Preliminary.