

REVISED COTTON QUALITY

SUPPLY - DISAPPEARANCE - CARRY-OVER

1965-66



UNITED STATES DEPARTMENT OF AGRICULTURE
Consumer and Marketing Service Cotton Division
Memphis, Tennessee

F15-901-534-3946

Vol. 39, No. 8

Revised November 1966

This Report Replaces Report Issued September 1966

STATISTICAL TABLES

<u>Table</u>	<u>Page</u>
1. Carry-over of upland cotton by specified grades and staples, August 1, 1964-1966	2
2. Grade index and average staple of upland cotton, August 1, 1957-1966	2
3. Grade and staple of upland cotton in the carry-over, August 1, 1966.	3
4. Grade and staple of upland cotton in the carry-over, August 1, 1965.	4
5. Grade and staple of upland cotton in consuming establishments, August 1, 1966. .	5
6. Grade and staple of upland cotton in public storage and "elsewhere", August 1, 1966	6
7. Grade and staple of upland cotton in the supply, United States, 1965-66.	7
8. Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1956-1966	8
9. Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1956-1966	9
10. Tenderability of upland cotton in the carry-over, United States, August 1, 1957-1966.	10
11. Grade and staple of American-Egyptian cotton in the carry-over, August 1, 1966 .	10
12. Grade and staple of American-Egyptian cotton in the carry-over, August 1, 1965 .	10
13. Staple of foreign growth cotton in the carry-over, August 1, 1959-1966	11
14. Percentage distribution of micronaire readings of cotton in public storage, August 1, 1966	12

UNITED STATES DEPARTMENT OF AGRICULTURE
 CONSUMER AND MARKETING SERVICE
 MARKET NEWS SECTION -- COTTON DIVISION
 P. O. BOX 17723 MEMPHIS, TENNESSEE 38117

COTTON QUALITY, UNITED STATES

Supply - Disappearance - Carry-over

1965-66

Introduction

This report contains revised statistical information on the quality of cotton on hand in the United States on August 1, 1966. The need for revision was indicated from a review of the sample data subsequent to the publication of the preliminary report in September 1966. Rather significant revisions have been made in the estimates of the quality distribution of upland cotton in public storage and in the total carry-over as of August 1, 1966. Revisions in quality estimates for American-Egyptian for both 1965 and 1966 carry-over stocks are also published herein. Estimates published in this report supersede those contained in the report "Cotton Quality - United States, Supply - Disappearance - Carry-over, 1965-66", Volume 39, No. 8, September 1966.

Quality estimates for the carry-over include statistics on the grade and staple of upland and American-Egyptian cotton and on the staple of cotton of foreign growth in the United States on August 1, 1966. Estimates on the quality of cotton in public storage including CCC stocks as of August 1, 1966 were based on actual re-sampling and classification of a representative proportion of these stocks. The quality of cotton stored in consuming establishments was based on grade and staple data furnished by the establishments in which the cotton was stored. Sample data were compiled for each state and were raised to the total number of bales reported by the Bureau of the Census in public storage and in consuming establishments for upland, American-Egyptian and foreign growths.

The carry-over of upland cotton in the United States on August 1, 1966 contained the smallest proportion of Middling and higher White grades of any carry-over on record. These higher grades accounted for less than 15 percent of this year's carry-over compared with 26 percent a year earlier and 31 percent two years ago. The proportion of Strict Low Middling was also down rather sharply from a year earlier, and there were small decreases in the proportions of the other White grades. Light Spotted cotton accounted for slightly over half the total carry-over. The grade index of the end-season stocks of upland cotton decreased for the sixth successive year and was the lowest since 1958.

The average staple of upland cotton in the 1966 carry-over was 32.1 thirty-seconds inches, the shortest since the 1959 carry-over. Cotton in the lengths one inch and shorter accounted for nearly 43 percent of the total carry-over compared with 38 percent a year earlier. The lengths 1-1/32" through 1-3/32" were equivalent to 55 percent of this year's carry-over compared with 60 percent a year ago. Cotton stapling 1-1/8" and longer comprised about two percent of end-season stocks, the same as the 1965 carry-over.

The United States carry-over of all kinds of cotton totaled 16,862,000 bales on August 1, 1966, according to the Bureau of the Census. This is the largest carry-over on record and compares with last year's carry-over of 14,291,000 bales. Stocks of upland cotton in the 1966 carry-over totaled 16,564,000 bales, stocks of American-Egyptian were 236,000 bales, and foreign growths totaled 62,000 bales.

Table 1. -- Carry-over of upland cotton by specified grades and staples,
August 1, 1964-1966

Grade and staple	1964		1965		1966 1/	
	Quantity	Percentage	Quantity	Percentage	Quantity	Percentage
	Bales	Percent	Bales	Percent	Bales	Percent
White:						
S.M. & higher	989,089	8.2	867,956	6.2	445,066	2.7
M.+	119,346	1.0	173,033	1.2	137,498	0.8
M.	2,627,578	21.7	2,613,331	18.8	1,825,681	11.0
S.L.M.+	366,728	3.0	426,670	3.0	330,205	2.0
S.L.M.	1,713,073	14.2	2,574,802	18.5	2,088,095	12.6
L.M.+	199,989	1.7	260,914	1.9	169,073	1.0
L.M. & lower	588,389	4.8	901,543	6.4	1,045,089	6.3
Light Spotted:						
S.M. & higher	827,115	6.8	801,972	5.7	766,166	4.6
M.	2,092,548	17.3	2,249,050	16.0	3,771,627	22.9
S.L.M.	1,234,717	10.2	1,343,870	9.6	3,014,587	18.2
L.M.	326,307	2.7	329,331	2.3	813,381	4.9
Spotted 2/	842,247	7.0	1,181,764	8.4	1,856,742	11.2
Other Colored 3/	183,364	1.4	294,112	2.0	302,066	1.8
All grades	12,110,490	100.0	14,018,348	100.0	16,565,276	100.0
13/16" & shorter	12,850	0.1	25,204	0.2	24,957	0.2
7/8"	246,908	2.0	239,688	1.7	391,399	2.4
29/32"	1,153,583	9.5	1,101,709	7.9	1,682,179	10.2
15/16"	1,685,211	13.9	2,207,676	15.7	2,927,001	17.7
31/32"	588,104	4.9	765,455	5.5	906,551	5.5
1"	1,002,267	8.3	1,005,952	7.2	1,090,280	6.6
1-1/32"	3,250,740	26.8	3,569,875	25.5	4,700,330	28.3
1-1/16"	3,392,540	28.0	3,996,412	28.5	3,711,244	22.4
1-3/32"	624,676	5.2	832,534	5.9	771,900	4.7
1-1/8"	98,692	0.8	201,691	1.4	286,511	1.7
1-5/32"	42,921	0.4	56,451	0.4	56,942	0.3
1-3/16"	7,084	0.1	11,478	0.1	6,996	*
1-7/32"	1,474	*	2,156	*	5,449	*
1-1/4" & longer	3,440	*	2,067	*	3,537	*
All staples	12,110,490	100.0	14,018,348	100.0	16,565,276	100.0

1/ Revised.

2/ Includes all grades.

3/ Includes Below Grade.

* Less than 0.05 percent.

Table 2. -- Grade index and average staple of upland cotton, August 1, 1957-1966

Year	Grade index (Middling White=100)			Average staple (Thirty-seconds inches)		
	Mill Stocks	Public Storage Stocks	Total Carry-over	Mill Stocks	Public Storage Stocks	Total Carry-over
1957	95.7	91.5	91.9	33.3	31.8	32.0
1958	95.1	90.2	91.1	33.3	31.3	31.7
1959	92.8	95.3	95.0	32.8	31.7	31.9
1960	95.8	98.4	97.9	33.5	32.9	33.0
1961	97.0	97.8	97.6	33.5	33.2	33.3
1962	96.8	96.9	96.9	33.6	33.1	33.2
1963	96.5	95.3	95.5	33.9	32.6	32.7
1964	96.8	95.1	95.3	34.0	32.2	32.3
1965	96.5	94.6	94.8	34.0	32.2	32.4
1966	96.5	92.6	92.9	34.1	32.0	32.1

Table 3. -- Grade and staple of upland cotton in the carry-over, August 1, 1966 1/

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-3/32 inches		1-7/32 inches		1-1/4 inches and longer		All staples		
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	
White:																									
G. N.	-	-	-	-	192	574	2,066	181	1,817	8,312	2,158	432	1,268	-	-	-	-	-	-	-	-	7	14,941	0.1	
S. N.	-	-	2,783	5,342	-	-	-	13,296	100,873	221,048	61,684	10,763	9,917	613	124	716	1,490	124	124	124	124	716	430,125	2.6	
K. +	-	-	-	11	-	-	-	792	7,439	32,329	62,857	16,623	15,409	1,758	124	156	1,299	2,835	2,835	2,835	2,835	1,299	137,498	0.8	
S. L. N. +	-	-	30,019	54,790	26,867	44,801	503,244	776,354	228,868	177,993	18,249	10,427	2,635	358	731	804	330,205	11.0	-	-	-	-	1,825,681	11.0	
S. L. N.	29	11,362	90,654	195,664	54,950	79,045	770,345	128,359	128,359	83	1,570	555	2,088,095	12.6	-	-	-	-	-	-	-	-	330,205	2.0	
L. N. +	-	-	3,925	9,018	4,211	14,189	46,096	74,856	13,147	785	16	-	-	-	-	-	-	-	-	-	-	-	169,073	1.0	
L. N.	59	5,273	38,840	69,873	26,716	72,028	328,282	206,887	25,309	2,143	6	-	-	-	-	-	-	-	-	-	-	-	775,156	4.7	
S. O. +	-	-	-	1,647	422	4,603	5,957	10,970	1,159	13	-	-	-	-	-	-	-	-	-	-	-	-	24,771	0.1	
S. O.	29	649	1,654	7,274	9,350	43,082	74,377	73,291	5,545	805	-	-	-	-	-	-	-	-	-	-	-	-	216,055	1.3	
G. O. +	-	-	-	201	516	367	195	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,562	0.0	
G. O.	-	-	287	3,996	4,493	9,416	7,166	1,113	1,074	-	-	-	-	-	-	-	-	-	-	-	-	-	27,545	0.2	
Total	117	25,647	166,739	353,731	129,341	292,999	1,862,918	2,281,258	615,243	225,015	51,248	5,530	5,384	3,537	6,040,707	36.4	-	-	-	-	-	-	-	-	-
Light Spotted:																									
G. N.	401	766	1,171	1,905	614	-	-	10,232	5,528	-	-	-	-	-	-	-	-	-	-	-	-	-	20,617	0.1	
S. N.	822	13,469	47,359	86,996	33,312	49,471	294,923	198,971	17,043	-	-	-	-	-	-	-	-	-	-	-	-	-	745,549	4.5	
K.	906	75,595	456,859	934,850	256,434	215,948	1,036,176	663,691	90,848	34,862	4,801	707	4,801	707	707	707	707	707	707	707	707	707	3,771,627	22.9	
S. L. N.	2,131	105,725	465,354	837,327	224,131	223,035	866,589	277,898	34,312	16,775	668	642	668	642	642	642	642	642	642	642	642	642	3,014,567	18.2	
L. N.	29	10,309	64,711	138,358	76,659	121,009	285,621	113,611	1,468	1,504	26	26	26	26	26	26	26	26	26	26	26	26	813,381	4.9	
Total	4,289	205,814	1,035,434	1,999,436	591,120	609,463	2,433,541	1,279,699	143,671	56,424	5,495	1,375	1,375	1,375	1,856,742	11.2	-	-	-	-	-	-	-	-	
Spotted:																									
G. N.	-	-	222	1,344	65	196	1,380	1,387	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5,368	0.0	
S. N.	1,036	8,369	43,355	62,461	17,622	24,078	94,232	35,904	625	796	-	-	-	-	-	-	-	-	-	-	-	-	268,098	1.7	
K.	4,775	66,195	243,999	282,240	63,163	35,567	79,820	30,141	1,575	1,764	121	121	121	121	121	121	121	121	121	121	121	121	811,720	4.9	
S. L. N.	4,194	49,595	134,612	195,447	61,105	63,647	12,166	2,415	668	668	26	26	26	26	26	26	26	26	26	26	26	26	556,653	3.4	
L. N.	274	6,564	15,379	38,354	27,199	37,880	60,269	7,001	895	1,016	26	26	26	26	26	26	26	26	26	26	26	26	194,903	1.2	
Total	10,279	133,305	436,689	539,296	169,154	161,368	308,349	86,199	5,510	4,264	173	173	173	173	1,856,742	11.2	-	-	-	-	-	-	-	-	
Tinged:																									
G. N.	-	-	26	694	-	-	-	697	-	-	-	-	-	-	-	-	-	-	-	-	-	-	780	0.0	
S. N.	-	-	362	4,747	3,894	2,060	965	3,977	154	-	-	-	-	-	-	-	-	-	-	-	-	-	16,902	0.1	
K.	1,610	16,150	18,465	12,658	2,826	1,780	1,589	154	26	26	26	26	26	26	26	26	26	26	26	26	26	26	55,232	0.3	
S. L. N.	6,060	4,794	5,579	3,120	712	237	569	26	55	-	-	-	-	-	-	-	-	-	-	-	-	-	21,149	0.1	
L. N.	652	1,304	2,501	260	111	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	4,909	0.0	
Total	8,322	22,636	31,292	20,626	5,598	3,093	6,161	1,132	26	26	26	26	26	26	96,912	0.5	-	-	-	-	-	-	-	-	
Stained:																									
G. N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S. N.	-	-	26	747	65	525	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	531	0.0	
K.	-	-	26	747	65	525	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	903	0.0	
Total	-	-	26	747	65	525	-	-	-	-	-	-	-	-	1,454	0.0	-	-	-	-	-	-	-	-	
Light Gray:																									
G. N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S. N.	-	-	-	192	-	839	11,400	2,254	146	-	-	-	-	-	-	-	-	-	-	-	-	-	14,831	0.1	
K.	-	-	-	6,027	21,836	29,084	3,516	3,807	782	-	-	-	-	-	-	-	-	-	-	-	-	-	60,611	0.4	
S. L. N.	-	-	-	66	195	4,191	7,894	16,260	3,807	782	-	-	-	-	-	-	-	-	-	-	-	-	33,195	0.2	
Total	-	-	-	258	341	11,057	41,132	47,598	7,469	782	-	-	-	-	108,637	0.7	-	-	-	-	-	-	-	-	
Gray:																									
G. N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S. N.	-	-	-	649	-	-	840	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,489	0.0	
K.	-	-	-	479	689	961	1,436	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3,567	0.0	
S. L. N.	-	-	-	422	-	1,187	5,006	6,688	5	5	5	5	5	5	5	5	5	5	5	5	5	5	13,308	0.1	
Total	-	-	-	1,071	479	1,876	6,807	8,124	7	7	-	-	-	-	18,364	0.1	-	-	-	-	-	-	-	-	
Below Grade																									
All grades	24,957	591,399	1,662,179	2,927,001	906,551	1,090,280	4,700,330	3,711,244	771,900	286,511	56,942	6,996	5,449	3,537	16,565,276	100.0	-	-	-	-	-	-	-	-	-
Percent	0.2	2.4	10.2	17.7	5.5	6.6	28.3	22.4	4.7	1.7	0.3	0.0	0.0	0.0	100.0	0.0	-	-	-	-	-	-	-	-	

1/ Revised. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.
 2/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Grade index..... 92.9
 Average staple..... 32.1

Table 6. -- Grade and staple of upland cotton in public storage and "elsewhere", August 1, 1966 1/

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-3/32 inches		1-1/8 inches		1-7/32 inches		1-1/4 inches and longer		All staples					
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent				
White:																														
G.M.	-	-	192	574	-	-	2,779	5,273	2,056	-	10,880	7,443	1,802	97,194	166,944	13,290	29	-	-	-	-	-	-	-	10,011	0.1				
S.M.	-	-	2,779	5,273	-	-	192	574	-	-	10,880	7,443	1,802	97,194	166,944	13,290	29	-	-	-	-	-	-	-	300,528	2.0				
M.	-	-	2,783	54,050	365	678	29,914	54,050	26,805	483,627	699,319	11,777	534	19,526	1,526	-	-	-	-	-	-	-	-	13,856	0.1					
S.L.M.+	-	-	2,783	365	29,914	678	54,050	26,805	483,627	699,319	11,777	534	19,526	1,526	-	-	-	-	-	-	-	-	-	322	1,519,451	10.0				
S.L.M.	29	10,359	90,633	107,112	365	678	54,050	26,805	483,627	699,319	11,777	534	19,526	1,526	-	-	-	-	-	-	-	-	-	51	73,193	0.5				
L.M.+	-	-	697	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145			
L.M.	59	5,273	38,840	69,024	26,682	422	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145			
S.O.O.+	29	649	1,654	7,186	9,293	422	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145	3,925	7,999	4,145			
S.O.O.	-	-	287	3,996	4,493	201	184	1,074	99	311	311	195	234	99	311	195	234	99	311	195	234	99	311	195	234	99	311	195		
G.O.	-	-	287	3,996	4,493	201	184	1,074	99	311	311	195	234	99	311	195	234	99	311	195	234	99	311	195	234	99	311	195		
Total	117	19,761	168,609	337,723	129,017	222,317	1,748,904	1,778,678	264,797	131,636	5,111	29	4,953	564	4,612,218	31.7														
Light Spotted:																														
G.M.	192	766	1,171	1,905	614	-	10,232	5,528	-	-	49,360	294,350	198,152	17,043	3,183	-	-	-	-	-	-	-	-	-	20,408	0.1				
S.M.	411	12,826	47,339	85,665	33,312	255,967	210,895	1,033,126	662,507	90,834	34,880	4,782	707	16,775	668	642	26	26	26	26	26	26	26	26	26	26	26	26		
M.	906	74,402	483,001	921,712	255,967	210,895	1,033,126	662,507	90,834	34,880	4,782	707	16,775	668	642	26	26	26	26	26	26	26	26	26	26	26	26	26	26	
S.L.M.	2,131	102,910	462,613	829,161	224,128	76,659	119,994	202,047	107,011	1,458	1,578	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	
L.M.	29	10,300	64,559	137,863	76,659	119,994	202,047	107,011	1,458	1,578	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	
Total	3,669	201,213	1,028,683	1,976,306	590,670	602,215	2,425,310	1,269,861	143,522	56,416	5,476	1,375	65	1,842,005	12.1															
Spotted:																														
G.M.	-	222	1,344	774	65	-	196	1,380	1,387	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5,368	-			
S.M.	1,036	7,998	43,335	61,486	17,622	24,078	94,060	35,504	625	796	625	796	625	796	625	796	625	796	625	796	625	796	625	796	625	796	625	796	625	
M.	4,775	64,787	243,999	278,540	63,163	35,332	79,548	30,097	1,566	1,764	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	
S.L.M.	4,104	49,108	134,451	153,321	61,100	63,555	72,274	12,166	2,184	688	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	
L.M.	274	6,564	15,379	37,112	27,093	37,680	59,930	6,989	895	1,016	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	
Total	10,279	128,679	438,528	531,239	169,041	161,041	307,192	86,143	5,270	4,264	173	65	1,842,005	12.1																
Tinged:																														
G.M.	-	26	4,747	694	-	-	694	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	720	-			
S.M.	1,610	16,150	16,465	11,730	2,826	1,780	1,869	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16,377	0.1			
M.	6,060	4,794	5,579	2,804	712	235	569	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54,304	0.4			
S.L.M.	652	3,304	2,501	81	-	111	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20,831	0.1			
L.M.	8,322	22,636	31,292	19,203	5,598	2,566	6,161	1,132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,730	-			
Total	-	26	4,747	694	-	-	694	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96,962	0.6		
Stained:																														
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Gray:																														
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gray:																														
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade	1,950	3,971	7,278	12,518	10,427	9,835	21,422	7,234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All grades	24,337	376,286	1,675,137	2,878,383	905,664	1,009,866	4,554,830	3,191,650	419,718	193,126	10,786	1,495	5,018	564	15,247,060	2/ 100.0														
All grades	0.2	2.5	11.0	18.9	5.9	6.6	29.8	20.9	2.8	1.3	0.1	-	-	-	100.0															
1/ Revised.																														
2/ As reported by the Bureau of the Census.																														
• Less than 0.05 percent.																														
Grade index.....																														
Average staple.....																														

Table 7. -- Grade and staple of upland cotton in the supply, United States, 1965-66 1/

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-3/32 inches		1-1/8 inches		1-5/32 inches		1-3/16 inches		1-7/32 inches		1-1/4 inches and longer		All staples			
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent		
White:																																
G.M.	-	-	99	668	969	546	760	3,248	10,005	4,056	1,578	61	19	61	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24,204	0.1	
S.M.	316	2,366	12,111	39,952	25,904	45,984	238,375	538,346	182,781	37,774	35,176	991	234	2,148	991	1,162,458	4.0	-	-	-	-	-	-	-	-	-	-	-	1,162,458	4.0		
M.*	780	14,271	67,916	365,370	162,860	193,019	1,013,355	2,232,564	998,830	180,661	120,510	5,832	619	3,205	5,380,592	18.8	-	-	-	-	-	-	-	-	-	-	-	-	5,380,592	18.8		
S.L.M.+	1,053	21,404	87,411	441,997	333,268	442,311	991,497	2,712,890	1,171,134	271,002	86,337	29,423	109	709	702,649	2.4	-	-	-	-	-	-	-	-	-	-	-	-	702,649	2.4		
S.L.M.	10	1,001	19,099	69,388	21,278	38,046	165,759	233,228	61,218	6,078	545	40	190	190	616,635	2.1	-	-	-	-	-	-	-	-	-	-	-	-	616,635	2.1		
L.M.	215	4,201	47,430	151,737	63,651	193,467	747,038	786,962	139,129	11,639	343	89	397	397	2,148,088	7.4	-	-	-	-	-	-	-	-	-	-	-	-	2,148,088	7.4		
S.O.O.+	19	86	14,700	1,069	5,151	13,369	1,597	13,369	1,597	164	61	29	44	44	38,735	0.1	-	-	-	-	-	-	-	-	-	-	-	-	38,735	0.1		
S.O.O.	73	989	6,030	16,354	16,908	64,463	125,275	93,600	9,477	1,191	93	147	52	52	334,660	1.2	-	-	-	-	-	-	-	-	-	-	-	-	334,660	1.2		
G.O.+	20	553	2,727	9,450	9,215	16,432	20,449	12,236	899	120	47	-	-	-	-	2,048	-	-	-	-	-	-	-	-	-	-	-	-	2,048	-		
Total	2,595	45,962	423,525	1,667,439	643,771	914,242	4,157,448	7,008,402	2,408,674	387,384	210,753	12,753	2,204	10,471	17,695,623	62.2	-	-	-	-	-	-	-	-	-	-	-	-	17,695,623	62.2		
Light Spotted:																																
G.M.	215	508	1,241	4,540	3,535	1,070	2,801	3,140	272	61	177	61	183	183	17,560	0.1	-	-	-	-	-	-	-	-	-	-	-	-	17,560	0.1		
S.M.	2,243	15,989	72,093	133,397	52,234	60,424	232,033	233,691	23,525	6,345	3,917	956	183	293	857,524	3.0	-	-	-	-	-	-	-	-	-	-	-	-	857,524	3.0		
M.	6,102	76,774	571,506	1,203,694	293,530	230,359	730,802	712,726	74,531	21,547	25,798	2,032	340	716	3,940,557	13.7	-	-	-	-	-	-	-	-	-	-	-	-	3,940,557	13.7		
S.L.M.	2,938	56,081	434,999	886,085	293,421	280,566	700,070	652,208	91,646	8,550	2,886	105	531	531	3,262,348	11.3	-	-	-	-	-	-	-	-	-	-	-	-	3,262,348	11.3		
L.M.	412	9,064	51,067	105,189	45,108	96,789	211,798	152,972	18,760	1,681	229	49	11	11	693,240	2.4	-	-	-	-	-	-	-	-	-	-	-	-	693,240	2.4		
Total	11,910	158,415	1,130,966	2,332,905	999,828	599,209	1,897,504	1,754,937	208,754	38,300	32,891	3,362	677	1,551	8,771,229	30.5	-	-	-	-	-	-	-	-	-	-	-	-	8,771,229	30.5		
Spotted:																																
G.M.	49	497	2,788	3,770	3,730	1,899	889	562	62	50	50	50	97	97	14,366	-	-	-	-	-	-	-	-	-	-	-	-	-	14,366	-		
S.M.	2,453	10,700	43,358	56,156	24,236	20,998	50,640	28,332	4,139	1,166	501	149	157	157	264,327	0.8	-	-	-	-	-	-	-	-	-	-	-	-	264,327	0.8		
M.	6,439	60,200	217,935	219,714	49,599	32,515	46,118	30,851	3,815	1,180	836	171	157	157	669,530	2.3	-	-	-	-	-	-	-	-	-	-	-	-	669,530	2.3		
S.L.M.	3,639	36,022	127,015	133,840	32,650	32,080	32,646	3,745	742	244	500	74	74	74	459,836	1.6	-	-	-	-	-	-	-	-	-	-	-	-	459,836	1.6		
L.M.	1,428	7,033	22,892	29,475	13,991	23,931	33,327	15,539	1,832	155	19	19	19	19	149,603	0.5	-	-	-	-	-	-	-	-	-	-	-	-	149,603	0.5		
Total	14,006	114,452	413,968	444,955	124,266	111,423	187,013	107,950	13,593	3,295	1,981	670	328	328	1,537,662	5.2	-	-	-	-	-	-	-	-	-	-	-	-	1,537,662	5.2		
Tinged:																																
G.M.	-	311	779	485	100	116	1,462	1,595	-	-	-	-	-	-	4,826	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,826	-	
S.M.	341	3,620	11,650	5,874	2,335	1,402	1,606	971	99	-	-	-	-	-	27,896	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	27,896	0.1	
M.	1,434	10,534	29,388	11,126	3,437	1,795	1,651	846	559	32	32	32	32	32	56,211	0.2	-	-	-	-	-	-	-	-	-	-	-	-	56,211	0.2		
S.L.M.	1,991	7,004	11,917	6,351	1,702	1,660	1,010	559	32	32	32	32	32	32	32,246	0.1	-	-	-	-	-	-	-	-	-	-	-	-	32,246	0.1		
L.M.	1,224	2,260	3,298	1,895	961	1,103	366	2,571	19	-	-	-	-	-	13,917	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13,917	-	
Total	4,990	23,729	53,032	25,731	8,535	6,096	6,335	6,502	150	-	-	-	-	-	135,100	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	135,100	0.4	
Stained:																																
G.M.	-	-	50	596	693	372	-	-	-	-	-	-	-	-	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50	-	
S.M.	49	265	1,025	399	206	49	-	-	49	-	-	-	-	-	3,070	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,070	-	
M.	88	573	1,651	1,444	899	421	-	-	49	-	-	-	-	-	2,669	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,669	-	
Total	137	1,138	1,651	1,444	899	421	-	-	49	-	-	-	-	-	5,789	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5,789	-	
Light Gray:																																
G.M.	-	-	19	703	1,806	1,700	6,400	43,019	25,266	2,615	1,239	10	10	10	829	-	-	-	-	-	-	-	-	-	-	-	-	-	-	829	-	
S.M.	21	329	1,171	3,327	4,931	27,301	71,931	56,675	12,775	229	40	33	33	33	83,215	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	83,215	0.3	
M.	-	11	604	1,545	3,406	12,773	27,341	47,150	3,159	41	-	-	-	-	178,635	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	178,635	0.6	
S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96,032	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	96,032	0.3	
Total	21	340	2,497	6,678	10,039	46,581	142,709	129,338	18,549	1,509	386	33	11	20	358,711	1.2	-	-	-	-	-	-	-	-	-	-	-	-	-	358,711	1.2	
Gray:																																
G.M.	-	-	-	-	19	167	20	-	-	7	-	-	-	-	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	213	-	
S.M.	-	-	93	116	322	624	2,833	1,362	141	114	-	-	-	-	5,025	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5,025	-	
M.	-	120	563	1,374	962	4,292	8,330	4,274	251	10	-	-	-	-	20,176	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	20,176	0.1	
S.L.M.	-	281	605	901	2,325	5,069	5,676	79	-	-	-	-	-	-	19,990	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	19,990	0.1	
Total	-	401	1,261	2,391	3,628	10,152	15,637	11,332	478	124	-	-	-	-	45,404	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	45,404	0.2	
Below Grade	961	3,537	8,395	27,773	17,393	18,861	14,714	7,022	772	173	69	-	-	-	99,640	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	99,640	0.3	
All Grades	34,622	347,974	2,035,295	4,509,316	1,408,299	1,706,985	6,421,3																									

Table 8. -- Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1956-1966

Year beginning August 1	White 1/					Light Spotted			Other Colored 2/	All grades 3/		
	Good Midding and higher	Strict Midding	Strict Low Midding	Low Midding	Strict Good Ordinary & Good Ordinary	Strict Midding and higher	Midding	Strict Low Midding				
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales				
1958	28,443	558,535	1,211,634	1,218,937	575,712	167,412	433,353	900,787	1,002,191	407,993	2,067,046	8,592,043
1959	28,907	904,928	2,758,358	1,589,903	350,468	70,991	476,363	790,611	448,018	257,185	1,042,191	8,717,923
1960	39,995	1,291,966	2,997,548	1,225,172	329,691	49,298	440,137	469,359	159,311	57,376	330,291	7,390,164
1961	37,094	764,193	2,095,245	1,083,639	357,907	29,677	806,131	1,294,210	273,054	53,481	383,001	7,077,632
1962	42,662	1,321,192	2,860,245	1,121,363	324,207	79,095	387,232	650,277	257,356	104,550	576,920	7,725,099
1963	23,395	751,353	2,398,026	2,031,593	711,278	162,572	893,384	2,102,879	1,055,390	284,200	590,948	11,005,018
1964	21,796	967,293	2,746,924	2,079,801	645,117	143,261	827,115	2,092,548	1,234,717	326,307	1,025,611	12,110,490
1965	21,530	846,426	2,786,364	3,001,472	1,013,424	149,033	801,972	2,249,050	1,343,870	329,331	1,475,876	14,018,348
1966 4/	14,941	430,125	1,963,179	2,418,300	944,229	269,939	766,166	3,771,627	3,014,587	813,381	2,158,808	16,565,276
1958	23,405	1,106,571	4,375,567	3,372,784	813,629	115,906	205,674	641,174	362,281	112,932	223,542	11,353,465
1959	53,231	1,253,174	4,747,006	3,959,453	1,205,313	152,908	322,321	1,218,025	770,073	283,863	480,650	14,446,017
1960	38,819	1,059,947	3,909,252	3,630,574	1,128,039	146,953	421,010	1,649,082	1,142,916	223,567	848,928	14,199,087
1961	68,917	1,594,504	4,676,153	2,482,759	730,875	117,061	483,062	1,667,984	1,097,136	332,156	1,012,758	14,263,365
1962	17,984	751,403	3,500,940	4,055,621	1,264,712	237,420	220,867	1,648,840	1,815,327	487,773	753,509	14,754,396
1963	7,573	911,575	3,781,596	4,462,656	1,379,008	258,471	220,600	1,988,588	1,281,733	294,252	542,723	15,128,775
1964	6,608	559,211	3,123,870	4,881,260	1,797,721	311,230	98,082	1,471,008	1,456,136	428,656	896,532	15,032,314
1965	2,674	316,032	2,790,979	4,917,763	1,751,299	298,627	73,112	1,691,507	1,918,478	363,909	706,430	14,830,810
1958	51,848	1,665,106	5,587,201	4,591,721	1,389,341	303,318	639,027	1,541,961	1,364,472	520,925	2,290,588	19,945,506
1959	82,138	2,158,102	7,505,364	5,549,356	1,555,781	223,899	798,684	2,008,636	1,218,091	541,048	1,522,841	23,163,940
1960	78,814	2,351,933	6,906,800	4,855,746	1,457,730	196,251	861,147	2,118,441	1,302,227	280,943	1,179,219	21,589,251
1961	106,011	2,358,697	6,771,398	3,566,398	988,782	146,738	1,289,193	2,962,194	1,370,190	385,637	1,395,759	21,340,997
1962	60,646	2,072,595	6,361,185	5,176,984	1,588,919	316,515	608,099	2,299,117	2,072,683	592,323	1,330,429	22,479,495
1963	30,968	1,662,928	6,179,622	6,494,249	2,090,286	421,043	1,113,984	4,091,467	2,337,123	578,452	1,133,671	26,133,793
1964	28,404	1,526,504	5,870,794	6,961,061	2,442,838	454,491	925,197	3,563,556	2,690,853	754,963	1,924,143	27,142,804
1965	24,204	1,162,458	5,577,343	7,919,235	2,764,723	447,660	875,084	3,940,557	3,262,348	693,240	2,182,306	28,849,158
1958	22,941	760,178	2,828,843	3,001,818	1,038,873	232,327	162,664	751,350	916,454	263,740	1,248,397	11,227,565
1959	42,143	866,116	4,507,816	4,324,184	1,226,090	174,601	358,547	1,539,277	1,058,780	483,672	1,192,550	15,773,776
1960	41,720	1,587,740	4,811,555	3,772,107	1,199,823	166,574	55,016	824,231	1,029,173	227,462	796,218	14,511,619
1961	63,349	1,037,505	3,911,153	2,445,035	664,575	67,643	901,961	2,311,917	1,112,834	281,087	818,839	13,615,898
1962	37,251	1,321,242	3,963,159	3,145,391	877,641	153,943	-285,285	196,238	1,017,293	308,123	739,481	11,474,477
1963	9,172	695,635	3,432,698	4,414,448	1,445,169	277,782	286,869	1,998,919	1,102,406	252,145	108,060	14,023,303
1964	6,874	680,078	3,084,430	3,959,589	1,429,414	305,458	123,225	1,314,506	1,346,983	425,632	448,267	13,124,456
1965 4/	9,263	732,333	3,614,164	5,500,935	1,820,494	177,727	108,918	168,930	247,761	-120,141	23,498	12,283,882

1/ Plus grades of White included with straight grades.

2/ Other Colored includes all grades of Spotted, Tinged, Stained, Light Gray, Gray and Below Grade.

3/ As reported by the Bureau of the Census.

4/ Revised.

5/ Carry-over at the beginning of the season plus crop.

6/ Supply minus carry-over at the end of the season.

Table 9. -- Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1958-1966

Year beginning August 1	13/16" and shorter		7/8"		29/32"		15/16"		31/32"		1"		1-1/32"		1-1/16"		1-3/32"		1-1/8" and longer		All lengths	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
1958	123,859	608,001	822,842	1,212,440	944,663	1,373,636	944,663	1,212,440	944,663	1,373,636	1,713,406	1,281,170	1,713,406	1,281,170	307,313	204,713	307,313	204,713	8,592,043	204,713	307,313	8,592,043
1959	49,921	511,559	979,151	1,438,464	742,265	876,898	742,265	1,438,464	742,265	876,898	1,534,931	1,971,099	1,534,931	1,971,099	375,526	238,109	375,526	238,109	8,717,923	238,109	375,526	8,717,923
1960	6,203	53,018	132,226	640,933	598,432	732,880	598,432	640,933	598,432	732,880	1,546,173	2,827,020	1,546,173	2,827,020	589,523	263,756	589,523	263,756	7,390,164	263,756	589,523	7,390,164
1961	1,196	9,972	35,214	231,489	320,846	668,387	320,846	231,489	320,846	668,387	2,361,478	2,815,568	2,361,478	2,815,568	457,872	175,610	457,872	175,610	7,077,632	175,610	457,872	7,077,632
1962	2,934	59,295	136,529	744,494	432,118	698,829	432,118	744,494	432,118	698,829	1,455,398	2,823,108	1,455,398	2,823,108	975,653	394,741	975,653	394,741	7,725,099	394,741	975,653	7,725,099
1963	2,428	61,537	571,790	1,640,948	578,819	773,270	578,819	1,640,948	578,819	773,270	2,415,921	3,982,998	2,415,921	3,982,998	746,039	231,268	746,039	231,268	11,005,018	231,268	746,039	11,005,018
1964	12,850	246,908	1,153,583	1,685,211	588,104	1,002,267	588,104	1,685,211	588,104	1,002,267	3,250,740	3,992,540	3,250,740	3,992,540	624,676	153,611	624,676	153,611	12,110,490	153,611	624,676	12,110,490
1965	25,204	239,688	1,101,709	2,207,676	765,455	1,005,952	765,455	2,207,676	765,455	1,005,952	3,569,875	3,996,412	3,569,875	3,996,412	832,534	273,843	832,534	273,843	14,018,348	273,843	832,534	14,018,348
1966 2/	24,957	391,399	1,682,179	2,927,001	906,551	1,090,280	906,551	2,927,001	906,551	1,090,280	4,700,330	3,711,244	4,700,330	3,711,244	771,900	359,435	771,900	359,435	16,565,276	359,435	771,900	16,565,276
CROP																						
1958	12,646	117,577	387,144	1,196,918	1,268,781	1,063,378	1,268,781	1,196,918	1,268,781	1,063,378	2,114,914	4,118,009	2,114,914	4,118,009	563,418	510,680	563,418	510,680	11,353,465	510,680	563,418	11,353,465
1959	20,600	200,017	629,939	1,453,414	1,142,809	1,035,677	1,142,809	1,453,414	1,142,809	1,035,677	2,772,591	6,026,062	2,772,591	6,026,062	680,005	484,903	680,005	484,903	14,446,017	484,903	680,005	14,446,017
1960	1,908	30,875	309,429	1,654,737	1,375,982	1,028,201	1,375,982	1,654,737	1,375,982	1,028,201	3,066,981	5,327,640	3,066,981	5,327,640	894,604	508,730	894,604	508,730	14,199,087	508,730	894,604	14,199,087
1961	1,848	40,615	550,386	2,161,357	1,100,072	962,245	1,100,072	2,161,357	1,100,072	962,245	2,112,666	5,243,449	2,112,666	5,243,449	1,585,351	505,376	1,585,351	505,376	14,263,365	505,376	1,585,351	14,263,365
1962	2,533	52,226	726,072	2,301,969	759,231	789,264	759,231	2,301,969	759,231	789,264	2,855,530	5,086,891	2,855,530	5,086,891	1,757,331	423,349	1,757,331	423,349	14,754,396	423,349	1,757,331	14,754,396
1963	17,495	232,967	1,186,257	1,952,088	484,301	725,379	484,301	1,952,088	484,301	725,379	3,473,404	5,606,717	3,473,404	5,606,717	1,099,347	350,820	1,099,347	350,820	15,128,775	350,820	1,099,347	15,128,775
1964	49,057	381,622	814,359	1,629,942	564,361	763,977	564,361	1,629,942	564,361	763,977	3,574,201	5,127,506	3,574,201	5,127,506	1,691,874	435,395	1,691,874	435,395	15,032,314	435,395	1,691,874	15,032,314
1965	9,418	108,286	933,586	2,301,640	642,884	701,033	642,884	2,301,640	642,884	701,033	2,851,485	5,029,120	2,851,485	5,029,120	1,818,436	434,962	1,818,436	434,962	14,630,810	434,962	1,818,436	14,630,810
SUPPLY 3/																						
1958	136,505	725,578	1,209,986	2,409,358	2,213,444	2,437,014	2,213,444	2,409,358	2,213,444	2,437,014	3,828,320	5,399,179	3,828,320	5,399,179	870,731	715,393	870,731	715,393	19,945,508	715,393	870,731	19,945,508
1959	70,521	711,576	1,609,090	2,891,878	1,865,074	1,912,575	1,865,074	2,891,878	1,865,074	1,912,575	4,307,522	7,997,161	4,307,522	7,997,161	1,055,531	723,012	1,055,531	723,012	23,163,940	723,012	1,055,531	23,163,940
1960	8,111	83,893	441,655	2,295,670	1,974,414	1,761,081	1,974,414	2,295,670	1,974,414	1,761,081	4,613,154	8,154,660	4,613,154	8,154,660	1,484,127	772,486	1,484,127	772,486	21,589,251	772,486	1,484,127	21,589,251
1961	3,044	50,587	585,600	2,392,846	1,420,918	1,630,632	1,420,918	2,392,846	1,420,918	1,630,632	4,474,144	8,059,017	4,474,144	8,059,017	2,043,223	680,986	2,043,223	680,986	21,340,997	680,986	2,043,223	21,340,997
1962	5,467	111,521	864,601	3,046,463	1,191,349	1,488,093	1,191,349	3,046,463	1,191,349	1,488,093	4,310,928	7,909,999	4,310,928	7,909,999	2,732,984	818,090	2,732,984	818,090	22,479,495	818,090	2,732,984	22,479,495
1963	19,923	294,504	1,758,047	3,593,036	1,063,120	1,498,649	1,063,120	3,593,036	1,063,120	1,498,649	5,889,325	9,589,715	5,889,325	9,589,715	1,845,386	582,088	1,845,386	582,088	26,133,793	582,088	1,845,386	26,133,793
1964	61,907	628,530	1,967,942	3,315,153	1,152,485	1,766,244	1,152,485	3,315,153	1,152,485	1,766,244	6,824,941	8,520,046	6,824,941	8,520,046	2,316,550	589,006	2,316,550	589,006	27,142,804	589,006	2,316,550	27,142,804
1965	34,622	347,974	2,035,295	4,509,316	1,408,299	1,706,985	1,408,299	4,509,316	1,408,299	1,706,985	6,421,360	9,025,532	6,421,360	9,025,532	2,650,970	708,805	2,650,970	708,805	28,649,158	708,805	2,650,970	28,649,158
DISAPPEARANCE 4/																						
1958	86,584	214,019	230,835	970,894	1,471,179	1,560,116	1,471,179	970,894	1,471,179	1,560,116	2,293,389	3,428,080	2,293,389	3,428,080	495,205	477,284	495,205	477,284	11,227,585	477,284	495,205	11,227,585
1959	64,318	658,558	1,476,864	2,250,945	1,286,642	1,179,695	1,286,642	2,250,945	1,286,642	1,179,695	2,761,349	5,170,141	2,761,349	5,170,141	466,008	459,256	466,008	459,256	15,773,776	459,256	466,008	15,773,776
1960	6,915	73,921	406,441	2,064,181	1,653,568	1,092,694	1,653,568	2,064,181	1,653,568	1,092,694	2,251,676	5,339,092	2,251,676	5,339,092	1,026,255	596,876	1,026,255	596,876	14,511,619	596,876	1,026,255	14,511,619
1961	110	-8,708	447,071	1,648,352	988,800	931,803	988,800	1,648,352	988,800	931,803	3,018,746	5,235,909	3,018,746	5,235,909	1,067,570	286,245	1,067,570	286,245	13,615,898	286,245	1,067,570	13,615,898
1962	3,039	49,984	292,811	1,405,515	612,530	714,823	612,530	1,405,515	612,530	714,823	1,895,007	3,927,001	1,895,007	3,927,001	1,986,945	586,822	1,986,945	586,822	11,474,477	586,822	1,986,945	11,474,477
1963	7,073	47,596	604,464	1,907,825	475,016	496,382	475,016	1,907,825	475,016	496,382	2,638,585	6,197,175	2,638,585	6,197,175	1,220,710	428,477	1,220,710	428,477	14,023,303	428,477	1,220,710	14,023,303
1964	36,703	388,842	865,233	1,107,477	387,030	760,292	387,030	1,107,477	387,030	760,292	3,255,066	4,523,634	3,255,066	4,523,634	1,484,016	315,163	1,484,016	315,163	13,124,456	315,163	1,484,016	13,124,456
1965 2/	9,665	-43,425	353,116	1,582,315	501,748	616,705	501,748	1,582,315	501,748	616,705	1,721,030	5,314,288	1,721,030	5,314,288	1,879,070	349,370	1,879,070	349,370	12,283,882	349,370	1,879,070	12,283,882

1/ As reported by the Bureau of the Census.

2/ Revised.

3/ Carry-over at the beginning of the season plus crop.

4/ Supply minus carry-over at the end of the season.

Table 10. -- Tenderability of upland cotton in the carry-over, United States, August 1, 1957-1966

Year	Tenderable <u>1/</u>		Untenderable		Total <u>2/</u>	
	Bales	Percent	Bales	Percent	Bales	Percent
1957	6,642,554	59.0	4,608,499	41.0	11,251,053	100.0
1958	4,038,901	47.0	4,553,142	53.0	8,592,043	100.0
1959	6,097,244	69.9	2,620,679	30.1	8,717,923	100.0
1960	6,328,730	85.6	1,061,434	14.4	7,390,164	100.0
1961	6,510,280	92.0	567,352	8.0	7,077,632	100.0
1962	6,778,070	87.7	947,029	12.3	7,725,099	100.0
1963	9,101,142	82.7	1,903,876	17.3	11,005,018	100.0
1964	7,365,960	60.8	4,744,530	39.2	12,110,490	100.0
1965	8,666,348	61.8	5,352,000	38.2	14,018,348	100.0
1966 <u>3/</u>	6,780,215	40.9	9,785,061	59.1	16,565,276	100.0

1/ Qualities tenderable with respect to grade and staple in settlement of cotton futures.

2/ As reported by the Bureau of the Census.

3/ Revised.

Table 11. -- Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1966 1/

Grade	1-5/16" and shorter	1-3/8"	1-7/16"	1-1/2"	1-9/16" and longer	Total	
	Bales	Bales	Bales	Bales	Bales	Bales	Percent
1	-	643	148	-	-	791	0.3
2	21	8,065	1,563	171	2	9,822	4.2
3	867	31,947	9,070	2,648	-	44,532	18.9
4	1,713	61,617	21,071	3,252	-	87,653	37.3
5	8,384	37,113	11,959	410	-	57,866	24.6
6	4,260	17,387	1,747	143	-	23,537	10.0
7	2,514	4,638	-	-	-	7,152	3.0
8	1,660	684	-	-	-	2,344	1.0
9	1,137	370	-	-	-	1,507	0.6
10	341	-	-	-	-	341	0.1
Total	20,897	162,464	45,558	6,624	2	235,545 <u>2/</u>	100.0
Percent	8.9	69.0	19.3	2.8	*	100.0	

1/ Revised. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills. Includes 38,365 bales of ex-stockpile cotton.

2/ As reported by the Bureau of the Census.

* Less than 0.05 percent.

Table 12. -- Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1965 1/

Grade	1-5/16" and shorter	1-3/8"	1-7/16"	1-1/2"	1-9/16" and longer	Total	
	Bales	Bales	Bales	Bales	Bales	Bales	Percent
1	14	645	262	234	369	1,524	0.7
2	614	21,286	2,168	453	-	24,521	12.0
3	474	65,490	11,813	3,272	-	81,049	39.4
4	456	38,429	19,499	3,599	88	62,071	30.3
5	670	11,044	10,999	454	-	23,167	11.3
6	1,036	5,246	1,225	139	-	7,646	3.7
7	929	1,594	49	-	-	2,572	1.3
8	675	583	-	-	-	1,258	0.6
9	560	165	-	-	-	725	0.4
10	539	-	-	-	-	539	0.3
Total	5,967	144,482	46,015	8,151	457	205,072 <u>2/</u>	100.0
Percent	2.9	70.5	22.4	4.0	0.2	100.0	

1/ Revised. Quality data on bales stored in consuming establishments included in this table based on information furnished by mills. Includes 42,461 bales of ex-stockpile cotton.

2/ As reported by the Bureau of the Census.

Table 13. -- Staple of foreign growth cotton in the carry-over,
August 1, 1959-1966

Growth and length (inches)	1959	1960	1961	1962	1963	1964	1965	1966 ^{1/}
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
Egyptian:								
1-3/32 and shorter	-	-	-	672	2,248	12	-	-
1-1/8 and 1-5/32	-	-	-	-	-	-	13	3,431
1-3/16 and 1-7/32	1,528	-	-	-	-	-	-	2,299
1-1/4 to 1-11/32	-	661	1,728	119	7,328	724	282	3,596
1-3/8 to 1-15/32	19,656	17,961	20,733	17,770	58,592	32,471	35,212	28,948
1-1/2 to 1-19/32	697	110	628	3,452	8,122	6,875	5,294	9,130
1-5/8 to 1-23/32	-	-	-	-	-	-	-	-
1-3/4 and longer	-	-	-	-	-	-	-	-
All lengths	21,881	18,732	23,089	22,013	76,290	40,082	40,801	47,404
Peruvian:								
1-1/8 and 1-5/32	-	-	-	39	127	16	-	16
1-3/16 and 1-7/32	503	109	-	290	333	247	878	70
1-1/4 to 1-11/32	-	-	-	199	160	635	205	28
1-3/8 to 1-15/32	991	-	670	838	1,129	4,000	1,442	1,082
1-1/2 to 1-19/32	946	913	2,198	1,997	573	2,397	4,506	1,166
1-5/8 to 1-23/32	3,241	1,302	1,767	926	2,098	3,577	3,985	1,769
1-3/4 and longer	-	-	366	-	1,285	5,476	958	1,403
All lengths	5,681	2,324	5,001	4,289	5,705	16,348	11,974	5,534
Indian:								
13/16 and shorter	13,153	13,032	9,246	15,086	10,127	14,644	9,533	5,176
Other Foreign:								
13/16 and shorter	-	-	-	75	-	-	-	-
7/8 and 29/32	-	-	-	-	-	-	-	-
15/16 and 31/32	-	435	-	233	125	-	-	-
1 and 1-1/32	130	652	2,954	91	247	-	-	-
1-1/16 and 1-3/32	423	1,522	381	370	250	182	1,250	3,522
1-1/8 and 1-5/32	181	-	-	31	128	876	1,510	-
1-3/16 and 1-7/32	757	-	-	-	-	-	45	-
1-1/4 and longer	26	-	-	-	-	-	2,062	-
All lengths	1,517	2,609	3,335	800	750	1,058	4,867	3,522
All Foreign ^{2/}	42,232	36,697	40,671	42,188	92,872	72,132	67,175	61,636

^{1/} Quality data on bales stored in consuming establishments included in this table based on information furnished by mills for 1962 and subsequent years.

^{2/} As reported by the Bureau of the Census.

Table 14. -- Percentage distribution of micronaire readings of upland and American-Egyptian cotton in public storage on August 1, 1966, by specified groupings

Growth	Readings by groupings							Total	Average Mike
	2.6 and below	2.7-2.9	3.0-3.2	3.3-3.4	3.5-4.9	5.0-5.2	5.3 and above		
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Ave.
Upland <u>1</u> /	2.0	6.3	11.0	7.6	63.6	6.5	3.0	100.0	4.0
American-Egyptian	0.4	4.2	14.2	11.0	70.0	0.2	-	100.0	3.7

1/ Revised.