Pawson

COTTON QUALITY CROP OF 1965

UNITED STATES DEPARTMENT OF AGRICULTURE
Consumer and Marketing Service Cotton Division
Memphis, Tennessee

Vol. 39, No. 7 *June 1966*

Cotton Quality - United States

1965 Crop

Introduction

The quality of cotton ginned in the United States from the 1965 crop is presented in this report. These quality estimates are based on the classification of samples representing approximately ten percent of the 1965 cotton crop. The sample distribution of the various qualities of upland and American-Egyptian cotton was raised to total ginnings as reported by the Bureau of the Census.

Quality statistics on the grade and staple of the 1965 crop for the major cotton producing states are presented in three groups of tables in this report. The first group of tables contains cross-class data on upland cotton ginned by states from the 1965 crop. The second and third groups of tables contain grade and staple estimates by specified reporting periods and by state districts, respectively. Comparable statistics on the micronaire distribution of the 1965 crop are also presented in this annual quality report.

A report covering the qualities of cotton on hand August 1, 1966 by principal types of storage will be released as soon as possible after August 1. In addition to quality estimates of cotton in the carry-over, this report will include quality data on the crop, supply and disappearance of upland cotton for the 1965-66 season with comparative data for preceding years.

****

Upland cotton ginned from the 1965 crop contained a record low proportion - 21 percent - of Middling and higher White grades. This was the second consecutive season in which these higher White grades comprised a record low proportion of ginnings. Strict Low Middling and Strict Low Middling Plus, combined, accounted for 33 percent of 1965 ginnings, up slightly from a year earlier and the largest proportion of any season's ginnings since 1946. Light Spotted grades comprised 27 percent of the 1965 upland crop compared with 23 percent a year earlier and 25 percent two years ago. The 1965 grade index was 93.0 (Middling White equals 100) against the 1964 index of 93.2

The average length of the 1965 upland crop was 32.8 thirty-seconds inches, the same as a year earlier. The season's ginnings contained nearly 3.4 million bales of cotton stapling 15/16" and shorter, the largest proportion - 23 percent - of these shorter lengths in any crop since the 1951-52 season. The lengths 1-1/32" and 1-1/16", combined, accounted for 53 percent of 1965 ginnings compared with 58 percent a year earlier. Over 15 percent of the 1965 crop stapled 1-3/32" and longer, a record high proportion of these longer lengths.

The distribution of the 1965 upland crop by micronaire readings indicated that 74 percent of total ginnings was in the 3.5-4.9 range. This compares with 77 percent of 1964 ginnings in this generally preferred mike category. The 1965 average micronaire reading was 4.2, the same as in 1964.

The 1965 American-Egyptian cotton crop averaged slightly lower in grade than a year earlier but a little longer in staple. About 80 percent of 1965 ginnings was Grade 4 and higher against 88 percent in the previous season. Cotton stapling 1-3/8" and longer accounted for 90 percent of the crop compared with 89 percent in 1964 ginnings.

Cotton ginned from the 1965 crop totaled 14,916,000 bales, according to the Bureau of the Census. This was the smallest crop since 1962 and compared with 1964 ginnings of 15,149,000 bales and the 1959-63 average of 14,652,000 bales.

CONTENTS

Table No.		Page No.
	DISTRIBUTION OF COTTON PRODUCTION: UNITED STATES	3
	UNITED STATES TABLES:	
1.	Grade and staple of upland cotton ginned in the United States, 1965-66	4
2.	Grade and staple of upland cotton ginned in the United States, during specified periods, 1965-66	5
3.	Grade and staple of American-Egyptian cotton ginned, by states and United States, 1965-66	6
4.	Grade and staple of American-Egyptian cotton ginned in the United States, during specified periods, 1965-66	7
5.	Grade index and average staple of upland cotton ginned in the United States, by states, crops of 1962-1965	8
6.	Preparation and grade reductions by specified causes of upland cotton ginned in the United States, by states, 1965-66	9
7.	Tenderability of upland cotton ginned by states, 1965-66	10
8.	Tenderability of upland cotton ginned in the United States, 1949-1965	10
12.	Percentage distribution of micronaire readings of upland cotton ginned in the United States, by individual readings and by states, 1964-65	54
13.	Percentage distribution of micronaire readings of upland cotton ginned in the United States, by individual readings and by states, 1965-66	55
16.	Percentage distribution of micronaire readings of American-Egyptian cotton ginned in the United States, by individual readings and by states, 1965-66	61
	STATE TABLES, 1965-66 UPLAND CROP:	
9.	Grade and staple of upland cotton ginned by states	11-29
10.	Grade and staple of upland cotton ginned, during specified periods, by states	30-39
11.	Grade and staple of upland cotton ginned, by states and districts	40-53
14.	Percentage distribution of micronaire readings of upland cotton ginned, during specified periods, by states	56-58
15.	Percentage distribution of micronaire readings of upland cotton ginned, by states and districts	59-60

United States Department of Agriculture
Consumer and Marketing Service
Market News Section - Cotton Division
P. O. Box 17723 - Memphis, Tennessee 38117


DISTRIBUTION OF COTTON PRODUCTION: UNITED STATES
Each dot represents 5,000 bales.
Ginnings from 1964 Crop
NEG. C&MS 15-65(5) CONSUMER AND MARKETING SERVICE
U.S. DEPARTMENT OF AGRICULTURE

Table 1. -- Grade and staple of upland cotton ginned in the United States, 1965-66

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	10	-	37	233	660	679	353	681	11	10	-	2,674	*
S.M.	20	288	1,146	4,272	4,789	10,561	46,061	149,441	64,578	12,589	21,304	606	-	377	316,032	2.1
M.+.	-	-	41	136	97	376	2,227	11,554	6,916	1,182	1,027	21	-	141	23,718	0.2
M.	199	4,517	49,177	205,294	89,057	83,184	402,617	1,022,412	705,713	97,495	102,796	2,140	99	2,561	2,767,261	18.7
S.L.M.+.	-	137	1,434	6,059	3,850	5,814	37,788	92,326	106,436	14,092	7,007	268	59	709	275,979	1.9
S.L.M.	462	9,239	139,316	590,066	201,590	188,470	982,170	1,832,693	502,226	63,067	26,153	1,128	607	4,597	4,641,784	31.1
L.M.+.	10	481	7,715	31,284	9,109	14,174	86,551	156,270	42,565	4,692	520	120	40	190	355,721	2.4
L.M.	70	1,715	20,525	76,150	36,726	106,399	420,138	601,634	121,259	8,632	1,539	305	89	397	1,395,578	9.4
S.G.O.+.	10	36	253	1,324	658	3,128	9,140	9,186	1,324	139	61	10	29	44	25,342	0.2
S.G.O.	24	418	4,033	11,762	12,560	30,783	72,512	75,884	8,195	876	93	147	48	32	217,367	1.5
G.O.+.	-	-	20	133	67	158	326	327	48	-	-	-	-	-	1,079	*
G.O.	20	370	1,842	8,156	7,921	10,474	14,786	10,360	753	117	21	19	-	-	54,839	0.4
Total	815	17,201	225,502	934,646	366,424	453,558	2,074,549	3,964,747	1,660,692	203,234	161,202	4,775	981	9,048	10,077,374	67.9
Light Spotted:																
G.M.	-	-	-	-	-	-	34	42	-	-	11	-	-	-	87	*
S.M.	224	1,945	7,998	13,065	5,468	3,840	12,735	21,880	1,766	1,714	2,358	21	11	-	73,025	0.5
M.	1,110	28,638	296,883	636,565	121,137	59,212	185,910	286,043	38,529	13,859	22,557	474	20	570	1,691,507	11.4
S.L.M.	967	24,298	260,174	528,811	94,930	81,640	342,466	495,358	79,896	7,036	2,347	188	31	336	1,918,478	12.9
L.M.	163	3,851	30,165	58,222	17,957	35,330	96,652	104,632	15,492	1,240	155	39	-	11	363,909	2.5
Total	2,464	58,732	595,220	1,236,663	239,492	180,022	637,797	907,955	135,683	23,849	27,428	722	62	917	4,047,006	27.3
Spotted:																
G.M.	-	-	10	9	-	-	10	17	-	-	-	-	-	-	46	*
S.M.	21	209	592	565	182	238	769	845	18	73	42	-	-	-	3,554	*
M.	457	7,358	39,972	39,036	3,979	3,075	10,434	9,053	867	142	109	-	10	-	114,492	0.8
S.L.M.	1,486	13,114	48,806	48,695	5,827	8,846	26,051	20,958	2,266	270	42	10	-	-	176,371	1.2
L.M.	1,118	3,555	9,070	10,604	3,805	8,143	14,469	9,465	1,125	81	-	-	-	-	61,435	0.4
Total	3,082	24,236	98,450	98,909	13,793	20,302	51,733	40,338	4,276	566	193	10	10	-	355,898	2.4
Tinged:																
G.M.	-	-	-	-	-	9	-	-	-	-	-	-	-	-	9	*
S.M.	10	11	15	-	-	-	11	30	-	-	-	-	-	-	77	*
M.	240	1,054	2,730	899	90	183	307	80	-	-	-	-	-	-	5,583	*
S.L.M.	1,260	3,695	4,634	1,885	139	284	353	150	32	-	-	-	-	-	12,432	0.1
L.M.	979	1,263	1,094	1,080	236	417	182	73	19	-	-	-	-	-	5,343	*
Total	2,489	6,023	8,473	3,864	465	893	853	333	51	-	-	-	-	-	23,444	0.1
Stained:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	21	137	92	10	9	-	-	-	-	-	-	-	-	-	269	*
Total	21	137	92	10	9	-	-	-	-	-	-	-	-	-	269	*
Light Gray:																
G.M.	-	-	19	-	-	17	116	37	-	-	10	-	-	-	199	*
S.M.	-	-	71	417	618	2,771	13,399	10,430	1,745	1,114	336	-	11	10	30,922	0.2
M.	21	163	736	2,504	3,430	17,349	37,522	46,727	12,005	136	40	33	-	-	120,666	0.8
S.L.M.	-	11	265	1,117	2,856	9,504	19,711	45,226	3,022	41	-	-	-	-	81,753	0.6
Total	21	174	1,091	4,038	6,904	29,641	70,748	102,420	16,772	1,291	386	33	11	10	233,540	1.6
Gray:																
G.M.	-	-	-	-	19	28	20	-	7	-	-	-	-	-	74	*
S.M.	-	-	43	66	62	167	366	355	22	21	-	-	-	-	1,102	*
M.	-	21	172	535	585	2,560	2,850	2,653	227	10	-	-	-	-	9,613	0.1
S.L.M.	-	61	149	548	1,560	2,943	3,044	4,865	55	-	-	-	-	-	13,225	0.1
Total	-	82	364	1,149	2,226	5,698	6,280	7,873	311	31	-	-	-	-	24,014	0.2
Below Grade. . . .	526	1,701	4,394	22,361	13,531	10,919	9,525	5,454	651	173	20	-	-	10	69,265	0.5
All grades	9,418	108,286	933,586	2,301,640	642,844	701,033	2,851,485	5,029,120	1,818,436	229,144	189,229	5,540	1,064	9,985	14,830,810 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	0.1	0.7	6.3	15.5	4.3	4.7	19.2	34.0	12.3	1.5	1.3	*	*	0.1	100.0	

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation.....	0.1
Grade index.....	93.0
Average staple.....	32.8

Staple 31.16

Table 2. -- Grade and staple of upland cotton ginned in the United States, during specified periods, 1965-66

Grade and staple	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent
White:												
G.M.	192	687	1,538	238	19	2,674	•	•	•	•	•	•
S.M.	39,338	139,506	97,746	37,691	1,751	316,032	4.3	5.1	1.9	1.4	0.1	2.1
M.+.	1,232	15,080	5,201	1,840	365	23,718	0.1	0.6	0.1	0.1	•	0.2
M.	163,361	649,429	1,043,849	706,392	204,230	2,767,261	17.7	23.8	19.9	25.6	6.4	18.7
S.L.M.+. . . .	14,452	62,734	101,353	79,300	18,140	275,979	1.6	2.3	1.9	2.9	0.6	1.9
S.L.M.	278,169	634,417	1,795,286	864,716	869,196	4,641,784	30.3	30.6	34.4	31.3	27.5	31.1
L.M.+.	14,983	74,577	155,421	54,586	56,154	355,721	1.6	2.7	3.0	2.0	1.8	2.4
L.M.	115,257	194,350	536,218	223,217	326,536	1,395,578	12.5	7.1	10.2	8.1	10.3	9.4
S.G.O.+. . . .	1,546	2,606	9,150	7,397	4,643	25,342	0.2	0.1	0.2	0.3	0.1	0.2
S.G.O.	16,369	16,903	48,484	45,239	90,372	217,367	1.8	0.6	0.9	1.6	2.8	1.5
G.O.+.	-	44	223	409	403	1,079	-	•	•	•	•	•
G.O.	4,060	2,652	5,900	8,388	33,839	54,839	0.4	0.1	0.1	0.3	1.1	0.4
Total	648,959	1,992,985	3,800,369	2,029,413	1,605,648	10,077,374	70.5	73.0	72.6	73.6	50.7	67.9
Light Spotted:												
G.M.	-	22	56	9	-	87	-	•	•	•	-	•
S.M.	11,257	12,411	34,102	12,571	2,684	73,025	1.2	0.5	0.6	0.5	0.1	0.5
M.	103,551	323,009	423,793	356,028	485,126	1,691,507	11.2	11.8	8.1	12.9	15.3	11.4
S.L.M.	99,372	316,589	711,389	237,764	553,364	1,918,478	10.8	11.6	13.5	8.6	17.4	12.9
L.M.	18,684	49,847	154,564	48,747	92,067	363,909	2.0	1.8	2.9	1.8	2.9	2.5
Total	232,864	701,878	1,323,904	655,119	1,133,241	4,047,006	25.2	25.7	25.1	23.8	35.7	27.3
Spotted:												
G.M.	-	10	12	15	9	46	-	•	•	•	•	•
S.M.	322	440	1,459	771	562	3,554	•	•	•	•	•	•
M.	2,183	7,855	22,856	16,215	65,383	114,492	0.2	0.3	0.4	0.6	2.1	0.8
S.L.M.	2,507	13,747	45,971	18,695	95,451	176,371	0.3	0.5	0.9	0.7	3.0	1.2
L.M.	1,204	5,728	19,426	7,165	27,912	61,435	0.1	0.2	0.4	0.3	0.9	0.4
Total	6,216	27,780	89,724	42,861	189,317	355,898	0.6	1.0	1.7	1.6	6.0	2.4
Tinged:												
G.M.	-	-	-	9	-	9	-	-	-	•	-	•
S.M.	-	12	-	7	58	77	-	•	-	•	•	•
M.	-	-	43	261	5,279	5,583	-	-	•	•	0.2	•
S.L.M.	21	108	335	493	11,475	12,432	•	•	•	•	0.4	0.1
L.M.	-	-	438	393	4,512	5,343	-	-	•	•	0.1	•
Total	21	120	816	1,163	21,324	23,444	•	•	•	•	0.7	0.1
Stained:												
G.M.	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	269	269	-	-	-	-	•	•
Total	-	-	-	-	269	269	-	-	-	-	•	•
Light Gray:												
G.M.	10	-	103	67	19	199	•	-	•	•	•	•
S.M.	3,308	2,922	10,449	7,915	6,328	30,922	0.4	0.1	0.2	0.3	0.2	0.2
M.	13,293	3,100	12,461	9,816	81,996	120,666	1.4	0.1	0.2	0.4	2.6	0.8
S.L.M.	12,688	1,195	3,916	2,279	61,675	81,753	1.4	•	0.1	0.1	1.9	0.6
Total	29,299	7,217	26,929	20,077	150,018	233,540	3.2	0.2	0.5	0.8	4.7	1.6
Gray:												
G.M.	-	-	-	7	67	74	-	-	-	•	•	•
S.M.	58	93	251	271	429	1,102	•	•	•	•	•	•
M.	1,675	289	1,118	545	5,986	9,613	0.2	•	•	•	0.2	0.1
S.L.M.	2,000	205	579	456	9,985	13,225	0.2	•	•	•	0.3	0.1
Total	3,733	587	1,948	1,279	16,467	24,014	0.4	•	•	•	0.5	0.2
Below Grade. . .	702	1,404	7,287	4,997	54,875	69,265	0.1	0.1	0.1	0.2	1.7	0.5
All grades . . .	921,794	2,731,971	5,250,977	2,754,909	3,171,159	14,830,810 1/	100.0	100.0	100.0	100.0	100.0	100.0
Grade index. . .	93.2	94.6	93.2	94.1	90.3	93.0	-	-	-	-	-	-
Staple (inches)												
13/16 & shorter.	297	250	860	1,497	6,514	9,418	•	•	•	0.1	0.2	0.1
7/8.	6,691	3,652	11,563	25,300	61,080	108,286	0.7	0.1	0.2	0.9	1.9	0.7
29/32.	37,923	97,778	103,622	180,207	514,056	933,586	4.1	3.6	2.0	6.5	16.2	6.3
15/16.	89,878	199,873	206,146	457,084	1,348,659	2,301,640	9.8	7.3	3.9	16.6	42.6	15.5
31/32.	83,741	30,938	73,031	167,483	287,651	642,844	9.1	1.1	1.4	6.1	9.1	4.3
1	126,490	42,543	209,809	154,981	167,210	701,033	13.7	1.6	4.0	5.6	5.3	4.7
1-1/32	254,580	443,721	1,368,004	509,360	275,820	2,851,485	27.6	16.2	26.1	18.5	8.7	19.2
1-1/16	302,694	1,507,106	2,338,414	500,996	379,910	5,029,120	32.9	55.3	44.5	18.2	12.0	34.0
1-3/32	18,686	377,644	696,729	621,658	103,719	1,818,436	2.0	13.8	13.3	22.6	3.3	12.3
1-1/8.	666	17,167	100,823	89,960	20,528	229,144	0.1	0.6	1.9	3.3	0.6	1.5
1-5/32	-	10,604	133,653	42,061	2,911	189,229	-	0.4	2.5	1.5	0.1	1.3
1-3/16	54	309	3,487	681	1,009	5,540	•	•	0.1	•	•	•
1-7/32	52	22	140	328	522	1,064	•	•	•	•	•	•
1-1/4 & longer .	42	364	4,696	3,313	1,570	9,985	•	•	0.1	0.1	•	0.1
All staples. . .	921,794	2,731,971	5,250,977	2,754,909	3,171,159	14,830,810 1/	100.0	100.0	100.0	100.0	100.0	100.0
Average staple (32nd inches) .	32.6	33.5	33.6	32.8	30.9	32.8	-	-	-	-	-	-

1/ As reported by the Bureau of the Census, running bales.
• Less than 0.05 percent.

Table 3. -- Grade and staple of American-Egyptian cotton ginned, by states and United States, 1965-66

Grade	Ginnings							Percentages						
	1-1/4 inches and shorter	1-5/16 inches	1-3/8 inches	1-7/16 inches	1-1/2 inches	1-9/16 inches and longer	All staples	1-1/4 inches and shorter	1-5/16 inches	1-3/8 inches	1-7/16 inches	1-1/2 inches	1-9/16 inches and longer	All staples
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
							ARIZONA							
1	-	-	520	25	-	-	545	-	-	1.3	2.8	-	-	1.2
2	-	22	6,051	130	-	-	6,203	-	0.7	14.9	14.6	-	-	13.8
3	11	89	14,278	420	-	-	14,798	3.7	2.9	35.2	47.0	-	-	33.2
4	-	242	9,774	270	-	-	10,286	-	7.8	24.1	30.2	-	-	22.9
5	-	776	6,655	48	-	-	7,479	-	25.0	16.4	5.4	-	-	16.7
6	-	825	2,250	-	-	-	3,075	-	26.4	5.6	-	-	-	6.9
7	37	439	573	-	-	-	1,049	12.4	14.1	1.4	-	-	-	2.3
8	27	346	185	-	-	-	558	9.0	11.1	0.5	-	-	-	1.2
9	67	201	113	-	-	-	381	22.4	6.5	0.3	-	-	-	0.8
10	157	170	132	-	-	-	459	52.5	5.5	0.3	-	-	-	1.0
All grades	299	3,110	40,531	893	-	-	44,833 1/	100.0	100.0	100.0	100.0	-	-	100.0
							CALIFORNIA							
1	-	-	10	-	-	-	10	-	-	3.0	-	-	-	1.1
2	-	-	-	10	-	-	10	-	-	-	100.0	-	-	1.1
3	-	29	82	-	-	-	111	-	5.2	24.6	-	-	-	12.2
4	-	59	80	-	-	-	139	-	10.6	24.0	-	-	-	15.3
5	10	173	142	-	-	-	325	100.0	31.2	42.4	-	-	-	35.7
6	-	173	20	-	-	-	193	-	31.1	6.0	-	-	-	21.2
7	-	102	-	-	-	-	102	-	18.3	-	-	-	-	11.2
8	-	20	-	-	-	-	20	-	3.6	-	-	-	-	2.2
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades	10	556	334	10	-	-	910 1/	100.0	100.0	100.0	100.0	-	-	100.0
							NEW MEXICO							
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	509	70	-	-	579	-	-	7.5	15.1	-	-	6.9
3	-	245	4,146	210	-	-	4,601	-	21.2	61.2	45.1	-	-	54.4
4	-	588	2,027	174	-	-	2,789	-	50.9	29.9	37.4	-	-	33.1
5	-	251	92	11	-	-	354	-	21.7	1.4	2.4	-	-	4.2
6	-	30	-	-	-	-	30	-	2.6	-	-	-	-	0.4
7	-	12	-	-	-	-	12	-	1.0	-	-	-	-	0.1
8	6	24	-	-	-	-	30	14.3	2.1	-	-	-	-	0.4
9	6	6	-	-	-	-	12	14.3	0.5	-	-	-	-	0.1
10	30	-	-	-	-	-	30	71.4	-	-	-	-	-	0.4
All grades	42	1,156	6,774	465	-	-	8,437 1/	100.0	100.0	100.0	100.0	-	-	100.0
							TEXAS							
1	-	-	53	-	-	-	53	-	-	0.2	-	-	-	0.2
2	-	32	3,549	96	-	-	3,677	-	1.1	13.3	6.6	-	-	11.7
3	-	83	13,730	681	-	-	14,494	-	2.9	51.5	46.7	-	-	46.1
4	-	604	8,195	636	-	-	9,435	-	21.0	30.8	43.7	-	-	30.0
5	7	788	959	43	-	-	1,797	1.7	27.4	3.6	3.0	-	-	5.7
6	77	545	97	-	-	-	719	18.2	18.9	0.4	-	-	-	2.3
7	138	477	65	-	-	-	680	32.7	16.6	0.2	-	-	-	2.2
8	84	191	-	-	-	-	275	19.9	6.6	-	-	-	-	0.9
9	74	117	-	-	-	-	191	17.5	4.1	-	-	-	-	0.6
10	42	41	-	-	-	-	83	10.0	1.4	-	-	-	-	0.3
All grades	422	2,878	26,648	1,456	-	-	31,404 1/	100.0	100.0	100.0	100.0	-	-	100.0
							UNITED STATES							
1	-	-	583	25	-	-	608	-	-	0.8	0.9	-	-	0.7
2	-	54	10,109	306	-	-	10,469	-	0.7	13.6	10.8	-	-	12.2
3	11	446	32,236	1,311	-	-	34,004	1.4	5.8	43.3	46.5	-	-	39.7
4	-	1,493	20,076	1,080	-	-	22,649	-	19.4	27.0	38.2	-	-	26.5
5	17	1,988	7,848	102	-	-	9,955	2.2	25.9	10.6	3.6	-	-	11.6
6	77	1,573	2,367	-	-	-	4,017	10.0	20.4	3.2	-	-	-	4.7
7	175	1,030	638	-	-	-	1,843	22.6	13.4	0.9	-	-	-	2.2
8	117	581	185	-	-	-	883	15.1	7.5	0.2	-	-	-	1.0
9	147	324	113	-	-	-	584	19.0	4.2	0.2	-	-	-	0.7
10	229	211	132	-	-	-	572	29.7	2.7	0.2	-	-	-	0.7
All grades	773	7,700	74,287	2,824	-	-	85,584 1/	100.0	100.0	100.0	100.0	-	-	100.0

1/ As reported by the Bureau of the Census, running bales.

Table 4. -- Grade and staple of American-Egyptian cotton ginned in the United States, during specified periods, 1965-66

Grade and staple	Ginnings					
	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales
1	-	-	276	269	63	608
2	-	10	2,128	7,505	826	10,469
3	-	19	5,258	19,674	9,053	34,004
4	-	130	2,804	9,083	10,632	22,649
5	-	75	292	899	8,689	9,955
6	-	-	58	191	3,768	4,017
7	-	-	22	126	1,695	1,843
8	-	-	-	21	862	883
9	-	-	-	-	584	584
10	-	-	-	33	539	572
All grades	-	234	10,838	37,801	36,711	85,584 1/
Staple (inches)						
1-1/4 and shorter. . .	-	-	-	41	732	773
1-5/16	-	41	210	587	6,862	7,700
1-3/8.	-	193	9,804	35,298	28,992	74,287
1-7/16	-	-	824	1,875	125	2,824
1-1/2.	-	-	-	-	-	-
1-9/16 and longer. . .	-	-	-	-	-	-
All staples	-	234	10,838	37,801	36,711	85,584 1/
Grade	Percent	Percent	Percent	Percent	Percent	Percent
1	-	-	2.5	0.7	0.2	0.7
2	-	4.3	19.6	19.9	2.3	12.2
3	-	8.1	48.6	52.0	24.7	39.7
4	-	55.5	25.9	24.0	28.8	26.5
5	-	32.1	2.7	2.4	23.7	11.6
6	-	-	0.5	0.5	10.3	4.7
7	-	-	0.2	0.3	4.6	2.2
8	-	-	-	0.1	2.3	1.0
9	-	-	-	-	1.6	0.7
10	-	-	-	0.1	1.5	0.7
All grades	-	100.0	100.0	100.0	100.0	100.0
Staple (inches)						
1-1/4 and shorter. . .	-	-	-	0.1	2.0	0.9
1-5/16	-	17.5	1.9	1.6	18.7	9.0
1-3/8.	-	82.5	90.5	93.3	79.0	86.8
1-7/16	-	-	7.6	5.0	0.3	3.3
1-1/2.	-	-	-	-	-	-
1-9/16 and longer. . .	-	-	-	-	-	-
All staples	-	100.0	100.0	100.0	100.0	100.0

1/ As reported by the Bureau of the Census, running bales.

Table 5. -- Grade index and average staple of upland cotton ginned in the United States, by states, crops of 1962-1965

State	Grade index 1/				Average staple 2/			
	1962	1963	1964	1965	1962	1963	1964	1965
	Index	Index	Index	Index	32d inches	32d inches	32d inches	32d inches
Alabama	95.7	95.7	93.0	93.1	33.2	33.1	33.1	33.2
Arizona	92.9	92.4	92.4	93.1	33.6	33.3	33.6	33.6
Arkansas	91.7	94.8	93.5	91.7	33.8	33.8	33.8	33.8
California	96.2	92.8	95.3	94.0	34.5	34.1	34.6	34.5
Florida	91.0	92.2	88.2	87.9	32.9	32.8	32.7	33.1
Georgia	94.8	93.6	89.3	90.6	32.9	33.0	33.0	33.2
Illinois	93.0	91.8	92.4	91.2	33.9	33.8	33.6	33.3
Kentucky	92.4	95.1	95.6	92.6	33.6	33.7	33.7	33.5
Louisiana	95.3	95.2	94.4	93.4	33.7	33.7	33.5	33.8
Mississippi	96.2	96.8	95.1	93.5	33.9	33.9	33.9	34.0
Missouri	93.2	93.9	93.5	91.6	33.8	33.8	33.7	33.4
Nevada	97.1	96.6	99.6	92.5	36.9	36.4	36.8	35.8
New Mexico	95.9	96.7	97.1	96.9	35.0	35.4	35.4	35.5
North Carolina	93.8	94.2	88.8	92.5	33.5	33.3	33.3	33.4
Oklahoma	87.6	93.7	86.4	90.9	30.6	30.2	30.1	30.4
South Carolina	95.0	95.1	90.4	92.7	33.5	33.2	33.5	33.9
Tennessee	95.8	98.1	94.8	93.9	33.6	33.7	33.7	33.4
Texas	92.5	93.8	92.3	93.0	30.9	30.5	30.5	30.7
Virginia	94.8	94.2	89.4	98.5	33.7	33.2	33.4	32.8
United States	93.9	94.6	93.2	93.0	32.8	32.7	32.8	32.8

1/ Computed by weighting the quantity in each grade by the 1937-39 average price per pound for such grade of 15/16 inch staple. Converted to an index with Middling White equaling 100.

2/ Averages calculated on numerical equivalents of the staple designations (for example, 29/32"=29).

Table 6. -- Preparation and grade reductions by specified causes of upland cotton ginned in the United States, by states, 1965-66

State	Preparation			Grade Reductions by Causes 1/										Total
	Normal	Rough Preparation		Grass	Bark	Sand and Dust	Spindle Twist	Seed and Hulls	Oil	Stems	Motes	Plastic Mulch	Cloth	
		Prep. 3 and 4	Gin Cut											
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
Alabama	845,574	523	-	48,160	1,464	-	11	11	31	-	-	-	-	49,677
Arizona	738,587	62	-	8,275	57,305	768	356	433	-	11	10	68	-	67,226
Arkansas	1,444,891	539	-	43,099	12,692	-	23	163	197	176	43	-	12	56,405
California	1,716,410	355	12	36,405	40,860	-	968	1,361	59	-	-	-	-	79,653
Florida	12,174	11	-	1,320	89	-	-	-	-	-	-	-	-	1,409
Georgia	561,006	547	-	31,645	1,436	-	19	20	-	-	-	-	-	33,120
Illinois	1,221	-	-	24	-	-	-	-	-	-	-	-	-	24
Kentucky	5,089	-	-	118	30	-	-	-	-	-	-	-	-	148
Louisiana	558,750	140	-	45,513	3,886	-	-	-	33	10	-	-	-	49,442
Mississippi	2,007,526	3,066	-	110,363	6,769	-	42	-	6	28	11	-	-	117,219
Missouri	392,854	237	-	4,081	1,617	-	67	-	-	-	-	-	-	5,765
Nevada	3,806	-	-	-	198	-	-	-	-	-	-	-	-	198
New Mexico	205,525	135	-	686	6,345	-	405	105	-	-	-	-	-	7,541
North Carolina	235,707	53	-	13,741	-	-	30	-	-	-	-	-	-	13,771
Oklahoma	356,537	1,192	10	1,765	18,347	1,929	-	110	31	-	-	-	-	22,182
South Carolina	504,654	733	-	30,898	3,321	-	9	-	10	-	-	-	10	34,248
Tennessee	626,734	179	-	13,789	2,107	-	6	36	28	11	11	-	-	15,988
Texas	4,589,202	10,288	-	27,997	140,590	41	685	249	237	153	19	-	-	169,971
Virginia	6,481	-	-	10	-	-	-	-	-	-	-	-	-	10
United States	14,812,728	18,060	22	417,889	297,056	2,738	2,621	2,488	632	389	94	68	22	723,997

1/ Cotton reduced in grade for reasons other than preparation.

Table 7. -- Tenderability of upland cotton ginned, by states, 1965-66

State	Tenderable 1/		Untenderable		Total crop 2/	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
Alabama	637,348	75.3	208,749	24.7	846,097	100.0
Arizona	495,156	67.0	243,493	33.0	738,649	100.0
Arkansas	1,026,852	71.0	418,578	29.0	1,445,430	100.0
California	1,414,817	82.4	301,960	17.6	1,716,777	100.0
Florida	7,203	59.1	4,982	40.9	12,185	100.0
Georgia	366,089	65.2	195,464	34.8	561,553	100.0
Illinois	773	63.3	448	36.7	1,221	100.0
Kentucky	3,341	65.7	1,748	34.3	5,089	100.0
Louisiana	355,463	63.6	203,427	36.4	558,890	100.0
Mississippi	1,516,173	75.4	494,419	24.6	2,010,592	100.0
Missouri	278,355	70.8	114,736	29.2	393,091	100.0
Nevada	2,918	76.7	888	23.3	3,806	100.0
New Mexico	169,135	82.2	36,525	17.8	205,660	100.0
North Carolina	196,693	83.4	39,067	16.6	235,760	100.0
Oklahoma	81,205	22.7	276,534	77.3	357,739	100.0
South Carolina	386,894	76.6	118,493	23.4	505,387	100.0
Tennessee	448,680	71.6	178,233	28.4	626,913	100.0
Texas	2,133,153	46.4	2,466,337	53.6	4,599,490	100.0
Virginia	6,185	95.4	296	4.6	6,481	100.0
All states	9,526,433	64.2	5,304,377	35.8	14,830,810	100.0

1/ Tenderable with respect to grade and staple in settlement of futures contracts.
2/ As reported by the Bureau of the Census, running bales.

Table 8. -- Tenderability of upland cotton ginned in the United States, 1949-1965

Year	Tenderable 1/		Untenderable		Total crop 2/	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
1949	11,791,158	74.1	4,113,544	25.9	15,904,702	100.0
1950	7,234,459	73.5	2,611,224	26.5	9,845,683	100.0
1951	10,793,023	71.8	4,232,480	28.2	15,025,503	100.0
1952	10,982,423	73.9	3,875,742	26.1	14,858,165	100.0
1953	13,691,670	84.2	2,560,929	15.8	16,252,599	100.0
1954	11,506,960	84.8	2,070,033	15.2	13,576,993	100.0
1955	11,106,760	76.6	3,393,764	23.4	14,500,524	100.0
1956	10,609,930	81.0	2,492,207	19.0	13,102,137	100.0
1957	6,859,873	63.5	3,940,845	36.5	10,800,718	100.0
1958	9,768,742	86.0	1,584,723	14.0	11,353,465	100.0
1959	11,401,025	78.9	3,044,992	21.1	14,446,017	100.0
1960	10,050,977	70.8	4,148,110	29.2	14,199,087	100.0
1961	11,655,270	81.7	2,608,095	18.3	14,263,365	100.0
1962	11,373,949	77.1	3,380,447	22.9	14,754,396	100.0
1963	12,395,120	81.9	2,733,655	18.1	15,128,775	100.0
1964	10,154,264	67.5	4,878,050	32.5	15,032,314	100.0
1965	9,526,433	64.2	5,304,377	35.8	14,830,810	100.0

1/ Tenderable with respect to grade and staple in settlement of futures contracts.
2/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned in Alabama, 1965-66

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	12	-	-	-	-	-	-	-	12	*
S.M.	-	-	-	21	44	1,256	10,919	15,764	911	19	-	-	-	-	28,934	3.4
M.+.	-	-	-	-	-	44	808	1,816	117	12	-	-	-	-	2,797	0.3
M.	-	-	-	164	446	8,546	83,556	77,704	3,695	73	-	-	-	-	174,184	20.6
S.L.M.+.	-	-	-	20	88	1,387	14,110	11,221	379	-	-	-	-	-	27,205	3.2
S.L.M.	-	19	-	476	1,355	27,049	164,721	94,490	3,038	112	-	-	-	-	291,260	34.4
L.M.+.	-	-	-	19	190	3,414	21,895	14,986	770	24	-	-	-	-	41,298	4.9
L.M.	-	-	19	184	705	12,253	60,825	26,322	1,002	30	-	-	-	-	101,340	12.0
S.G.O.+.	-	-	-	11	33	308	921	448	12	-	-	-	-	-	1,733	0.2
S.G.O.	-	-	8	41	297	3,409	8,712	3,191	51	10	-	-	-	-	15,719	1.9
G.O.+.	-	-	-	-	-	9	21	-	-	-	-	-	-	-	30	*
G.O.	-	-	-	26	129	732	1,065	428	-	-	-	-	-	-	2,380	0.3
Total	-	19	27	962	3,287	58,407	367,565	246,370	9,975	280	-	-	-	-	686,892	81.2
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	19	-	385	1,440	472	-	-	-	-	-	-	2,316	0.3
M.	-	-	-	76	425	5,301	21,995	9,764	314	-	-	-	-	-	37,875	4.5
S.L.M.	-	-	43	215	548	9,805	40,487	18,622	815	52	-	-	-	-	70,587	8.3
L.M.	-	-	51	100	345	4,496	14,108	4,450	208	-	-	-	-	-	23,758	2.8
Total	-	-	94	410	1,318	19,987	78,030	33,308	1,337	52	-	-	-	-	134,536	15.9
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	11	-	17	21	11	-	-	-	-	-	-	60	*
M.	-	-	-	8	42	658	1,383	437	-	-	-	-	-	-	2,528	0.3
S.L.M.	-	-	-	43	94	813	2,469	649	33	-	-	-	-	-	4,101	0.5
L.M.	-	-	-	33	212	1,167	1,897	360	10	-	-	-	-	-	3,679	0.4
Total	-	-	-	95	348	2,655	5,770	1,457	43	-	-	-	-	-	10,368	1.2
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	12	-	-	-	-	-	-	12	*
M.	-	-	-	32	40	84	53	-	-	-	-	-	-	-	209	*
S.L.M.	-	-	-	11	-	93	40	-	-	-	-	-	-	-	144	*
L.M.	-	-	-	-	-	38	21	-	-	-	-	-	-	-	59	*
Total	-	-	-	43	40	215	114	12	-	-	-	-	-	-	424	*
Light Gray:																
G.M.	-	-	-	-	-	9	9	-	-	-	-	-	-	-	18	*
S.M.	-	-	-	-	8	594	1,822	260	-	-	-	-	-	-	2,684	0.3
M.	-	-	8	16	156	1,698	4,181	471	-	-	-	-	-	-	6,530	0.8
S.L.M.	-	-	-	18	139	778	1,333	60	-	-	-	-	-	-	2,328	0.3
Total	-	-	8	34	303	3,079	7,345	791	-	-	-	-	-	-	11,560	1.4
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	55	76	-	-	-	-	-	-	-	131	*
M.	-	-	11	-	17	156	268	11	8	-	-	-	-	-	471	0.1
S.L.M.	-	-	-	-	30	215	61	21	-	-	-	-	-	-	327	*
Total	-	-	11	-	47	426	405	32	8	-	-	-	-	-	929	0.1
Below Grade. . . .	-	-	12	77	116	671	463	49	-	-	-	-	-	-	1,388	0.2
All grades	-	19	152	1,621	5,459	85,440	459,692	282,019	11,363	332	-	-	-	-	846,097 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	*	*	0.2	0.6	10.1	54.5	33.3	1.3	*	-	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation.....	0.1
Grade index.....	93.1
Average staple.....	33.2

Table 9. -- Grade and staple of upland cotton ginned in Arizona, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	83	187	33	61	22	-	-	-	386	0.1
S.M.	-	-	-	-	-	22	3,956	21,245	2,278	1,481	1,718	174	-	-	30,874	4.2
M.+.	-	-	-	-	-	22	346	2,229	250	327	228	10	-	-	3,412	0.5
M.	-	-	-	-	39	119	22,964	173,402	18,277	10,356	14,560	626	-	107	240,450	32.5
S.L.M.+.	-	-	-	-	10	10	2,244	14,593	2,551	1,557	1,980	89	-	67	23,101	3.1
S.L.M.	-	-	-	89	460	4,521	28,800	62,523	6,159	3,813	2,115	147	-	119	108,746	14.7
L.M.+.	-	-	-	9	70	955	4,309	5,557	630	331	61	-	-	41	11,963	1.6
L.M.	-	-	-	588	2,434	17,128	29,351	11,763	1,501	564	286	11	-	21	63,647	8.6
S.G.O.+.	-	-	-	41	50	616	848	339	102	52	-	-	-	21	2,069	0.3
S.G.O.	-	-	39	1,175	3,757	9,941	5,433	1,172	238	142	21	-	-	-	21,918	3.0
G.O.+.	-	-	-	-	20	39	9	-	10	-	-	-	-	-	78	*
G.O.	-	29	152	3,134	4,423	4,079	521	134	17	-	-	-	-	-	12,489	1.7
Total	-	29	191	5,036	11,263	37,452	98,864	293,144	32,046	18,684	20,991	1,057	-	376	519,133	70.3
Light Spotted:																
G.M.	-	-	-	-	-	-	12	23	-	-	11	-	-	-	46	*
S.M.	-	-	-	-	-	42	3,769	13,372	458	392	180	-	-	-	18,213	2.5
M.	-	-	-	29	41	290	15,247	72,671	4,599	1,010	1,312	53	-	8	95,260	12.9
S.L.M.	-	-	-	169	473	1,388	3,775	11,139	1,170	256	97	-	-	10	18,477	2.5
L.M.	-	10	21	1,336	1,999	3,568	1,552	1,363	318	18	18	-	-	-	10,203	1.4
Total	-	10	21	1,534	2,513	5,288	24,355	98,568	6,545	1,676	1,618	53	-	18	142,199	19.3
Spotted:																
G.M.	-	-	-	-	-	-	10	12	-	-	-	-	-	-	22	*
S.M.	-	-	-	-	-	-	230	282	-	11	-	-	-	-	523	0.1
M.	-	-	-	-	-	18	1,383	3,045	274	-	9	-	-	-	4,729	0.6
S.L.M.	-	-	-	38	70	202	399	702	80	21	-	-	-	-	1,512	0.2
L.M.	-	-	31	578	510	439	247	206	43	-	-	-	-	-	2,054	0.3
Total	-	-	31	616	580	659	2,269	4,247	397	32	9	-	-	-	8,840	1.2
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	10	-	-	-	-	-	-	-	-	10	*
S.L.M.	-	-	-	-	-	10	-	-	-	-	-	-	-	-	10	*
L.M.	-	-	10	20	10	10	-	8	9	-	-	-	-	-	67	*
Total	-	-	10	20	10	30	-	8	9	-	-	-	-	-	87	*
Light Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	108	1,296	1,811	40	97	10	-	-	-	3,362	0.5
M.	-	-	-	39	386	4,023	9,796	3,535	49	19	-	-	-	-	17,847	2.4
S.L.M.	-	-	-	186	1,085	4,127	3,904	595	-	-	-	-	-	-	9,897	1.3
Total	-	-	-	225	1,471	8,258	14,996	5,941	89	116	10	-	-	-	31,106	4.2
Gray:																
G.M.	-	-	-	-	19	28	11	-	-	-	-	-	-	-	58	*
S.M.	-	-	-	-	-	31	56	31	-	-	-	-	-	-	118	*
M.	-	-	-	48	229	789	949	264	-	-	-	-	-	-	2,279	0.3
S.L.M.	-	10	-	228	722	1,368	508	82	-	-	-	-	-	-	2,918	0.4
Total	-	10	-	276	970	2,216	1,524	377	-	-	-	-	-	-	5,373	0.7
Below Grade. . . .	10	554	1,678	14,769	9,482	4,678	419	250	20	41	-	-	-	10	31,911	4.3
All grades	10	603	1,931	22,476	26,289	58,581	142,427	402,535	39,106	20,549	22,628	1,110	-	404	738,649 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	*	0.1	0.3	3.0	3.6	7.9	19.3	54.4	5.3	2.8	3.1	0.2	-	*	100.0	

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation..... *
Grade index..... 93.1
Average staple..... 33.6

Ar. Staple 30.6

Table 9. -- Grade and staple of upland cotton ginned in Arkansas, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	10	10	13	12	12	-	-	-	-	57	*
S.M.	-	-	-	13	73	354	2,691	7,533	2,734	48	-	-	-	-	13,446	0.9
M.+.	-	-	-	-	-	13	23	389	213	-	-	-	-	-	638	*
M.	-	-	11	112	648	4,187	32,741	84,357	22,675	1,069	75	11	-	-	145,886	10.1
S.L.M.+.	-	-	-	-	20	227	1,717	6,379	2,176	147	8	13	-	-	10,687	0.7
S.L.M.	-	-	7	424	1,278	14,764	143,970	380,197	83,395	3,786	421	43	8	33	628,326	43.5
L.M.+.	-	-	-	11	100	1,232	10,612	35,913	11,882	956	56	-	19	11	60,792	4.2
L.M.	-	-	48	301	1,092	10,893	61,121	92,111	20,195	1,373	79	11	11	78	187,313	13.0
S.G.O.+.	-	-	-	-	26	535	2,054	2,247	340	11	8	-	-	-	5,221	0.4
S.G.O.	-	-	-	103	447	3,176	10,539	7,288	892	11	-	-	-	-	22,456	1.6
G.O.+.	-	-	-	-	-	31	121	96	-	-	-	-	-	-	248	*
G.O.	-	-	-	61	171	999	1,944	536	56	-	-	-	-	-	3,767	0.3
Total	-	-	66	1,025	3,855	36,421	267,543	617,059	144,570	7,413	647	78	38	122	1,078,837	74.7
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	38	61	133	321	350	64	10	-	-	-	-	977	0.1
M.	-	18	75	249	553	3,633	18,279	30,700	4,191	169	8	-	-	-	57,875	4.0
S.L.M.	-	7	21	313	934	8,764	66,045	134,826	26,857	1,073	78	-	-	33	238,951	16.5
L.M.	-	-	-	102	337	3,290	13,459	18,055	3,044	153	-	-	-	-	38,440	2.7
Total	-	25	96	702	1,885	15,820	98,104	183,931	34,156	1,405	86	-	-	33	336,243	23.3
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	16	58	-	-	-	-	-	-	74	*
M.	-	-	10	10	27	229	843	736	78	-	-	-	-	-	1,933	0.1
S.L.M.	-	-	-	110	157	1,768	6,635	7,290	939	57	-	-	-	-	16,956	1.2
L.M.	-	10	-	69	89	861	2,131	1,626	202	21	-	-	-	-	5,009	0.3
Total	-	10	10	189	273	2,858	9,625	9,710	1,219	78	-	-	-	-	23,972	1.6
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	15	8	-	-	-	-	-	-	-	23	*
S.L.M.	-	-	-	-	-	41	40	19	-	-	-	-	-	-	100	*
L.M.	-	-	-	11	-	31	15	11	-	-	-	-	-	-	68	*
Total	-	-	-	11	-	87	63	30	-	-	-	-	-	-	191	*
Light Gray:																
G.M.	-	-	-	-	-	8	18	-	-	-	-	-	-	-	26	*
S.M.	-	-	-	8	8	108	520	351	18	-	-	-	-	-	1,013	0.1
M.	-	-	-	18	8	333	1,023	491	13	-	-	-	-	-	1,886	0.1
S.L.M.	-	-	-	8	8	114	263	151	13	-	-	-	-	-	557	*
Total	-	-	-	34	24	563	1,824	993	44	-	-	-	-	-	3,482	0.2
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	8	11	11	-	-	-	-	-	30	*
M.	-	-	-	-	-	8	83	-	12	-	-	-	-	-	103	*
S.L.M.	-	-	-	-	-	57	39	8	-	-	-	-	-	-	104	*
Total	-	-	-	-	-	65	130	19	23	-	-	-	-	-	237	*
Below Grade. . . .	-	-	10	112	160	934	894	291	67	-	-	-	-	-	2,468	0.2
All grades	-	35	182	2,073	6,197	56,748	378,183	812,033	180,079	8,896	733	78	38	155	1,445,430 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	*	*	0.1	0.4	3.9	26.2	56.2	12.5	0.6	0.1	*	*	*	100.0	

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation.....	*
Grade index.....	91.7
Average staple.....	33.8

Table 9. -- Grade and staple of upland cotton ginned in California, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	-	86	430	114	-	-	-	-	630	*
S.M.	-	-	-	-	7	7	49	4,062	26,297	2,996	-	-	-	-	33,418	1.9
M.+.	-	-	-	-	-	-	-	92	1,009	202	-	-	-	-	1,303	0.1
M.	-	-	-	9	11	1,094	7,699	59,569	530,794	32,042	27	-	-	-	631,245	36.9
S.L.M.+.	-	-	-	-	11	317	2,015	5,964	83,772	8,231	21	-	-	-	100,331	5.8
S.L.M.	-	-	-	119	829	10,642	50,721	74,233	314,626	22,612	143	31	18	40	474,014	27.6
L.M.+.	-	-	-	9	86	905	2,136	3,672	10,702	833	18	-	-	-	18,361	1.1
L.M.	-	-	11	907	3,333	12,230	16,720	102,632	51,312	1,957	130	103	20	147	189,502	11.0
S.G.O.+.	-	-	-	9	29	-	11	981	239	18	-	-	-	-	1,287	0.1
S.G.O.	-	9	64	1,324	3,062	2,360	10,818	30,577	3,458	139	11	20	9	22	51,873	3.0
G.O.+.	-	-	-	-	-	9	11	73	11	-	-	-	-	-	104	*
G.O.	-	9	143	2,132	1,505	1,015	5,114	5,485	191	18	11	-	-	-	15,623	0.9
Total	-	18	218	4,509	8,873	28,579	95,294	287,426	1,022,841	69,162	361	154	47	209	1,517,691	88.4
Light Spotted:																
G.M.	-	-	-	-	-	-	-	9	-	-	-	-	-	-	9	*
S.M.	-	-	-	-	-	11	83	559	464	37	-	-	-	-	1,154	0.1
M.	-	-	-	-	73	158	1,643	7,553	11,212	1,288	-	-	-	-	21,927	1.3
S.L.M.	-	-	-	128	538	808	1,963	7,168	10,801	1,106	9	-	-	-	22,521	1.3
L.M.	-	-	82	1,119	1,599	719	1,708	4,615	1,353	155	-	-	-	-	11,350	0.7
Total	-	-	82	1,247	2,210	1,696	5,397	19,904	23,830	2,586	9	-	-	-	56,961	3.4
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	11	46	-	-	-	-	-	-	57	*
M.	-	-	-	-	9	62	40	331	185	12	-	-	-	-	639	*
S.L.M.	-	-	-	-	9	95	320	855	439	12	-	-	-	-	1,730	0.1
L.M.	-	-	11	48	49	84	461	1,292	160	-	-	-	-	-	2,105	0.1
Total	-	-	11	48	67	241	832	2,524	784	24	-	-	-	-	4,531	0.2
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	-	9	-	-	-	-	-	-	9	*
S.L.M.	-	-	-	-	-	-	31	31	-	-	-	-	-	-	62	*
L.M.	-	-	-	-	-	-	11	22	-	-	-	-	-	-	33	*
Total	-	-	-	-	-	-	42	62	-	-	-	-	-	-	104	*
Light Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	18	20	314	1,322	974	-	-	-	-	-	2,648	0.2
M.	-	-	-	60	358	6,627	9,362	35,715	11,463	9	-	11	-	-	63,605	3.7
S.L.M.	-	-	-	181	933	1,975	7,065	38,239	2,909	11	-	-	-	-	51,313	3.0
Total	-	-	-	241	1,309	8,622	16,741	75,276	15,346	20	-	11	-	-	117,566	6.9
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	22	-	22	198	11	-	-	-	-	-	253	*
M.	-	-	11	9	95	897	502	1,831	196	-	-	-	-	-	3,541	0.2
S.L.M.	-	-	-	117	594	636	1,263	4,159	44	-	-	-	-	-	6,813	0.4
Total	-	-	11	126	711	1,533	1,787	6,188	251	-	-	-	-	-	10,607	0.6
Below Grade. . . .	-	46	434	3,204	1,223	917	2,307	1,073	113	-	-	-	-	-	9,317	0.5
All grades	-	64	756	9,375	14,393	41,588	122,400	392,453	1,063,165	71,792	370	165	47	209	1,716,777 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	*	*	0.5	0.8	2.4	7.1	22.9	62.1	4.2	*	*	*	*	100.0	

Staple
31.5

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation..... *
Grade index..... 94.0
Average staple..... 34.5

Table 9. -- Grade and staple of upland cotton ginned in Florida, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	43	-	-	-	-	-	-	-	43	0.4
M.+.	-	-	-	-	-	-	-	11	-	-	-	-	-	-	11	0.1
M.	-	-	-	-	-	86	869	554	11	-	-	-	-	-	1,520	12.5
S.L.M.+.	-	-	-	-	-	-	32	32	-	-	-	-	-	-	64	0.5
S.L.M.	-	-	-	-	-	153	1,155	756	11	-	-	-	-	-	2,075	17.0
L.M.+.	-	-	-	-	-	11	170	32	-	-	-	-	-	-	213	1.7
L.M.	-	-	-	11	11	419	2,417	1,093	21	-	-	-	-	-	3,972	32.7
S.G.O.+.	-	-	-	-	-	11	43	-	-	-	-	-	-	-	54	0.4
S.G.O.	-	-	-	-	54	131	400	65	-	-	-	-	-	-	650	5.3
G.O.+.	-	-	-	-	-	11	-	-	-	-	-	-	-	-	11	0.1
G.O.	-	-	-	11	10	54	32	-	-	-	-	-	-	-	107	0.9
Total	-	-	-	22	75	876	5,161	2,543	43	-	-	-	-	-	8,720	71.6
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	11	-	-	-	-	-	-	-	11	0.1
M.	-	-	-	-	-	75	202	43	-	-	-	-	-	-	320	2.6
S.L.M.	-	-	-	-	22	108	581	118	-	-	-	-	-	-	829	6.8
L.M.	-	-	-	-	11	345	765	183	11	-	-	-	-	-	1,315	10.8
Total	-	-	-	-	33	528	1,559	344	11	-	-	-	-	-	2,475	20.3
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	22	-	-	-	-	-	-	-	-	22	0.2
S.L.M.	-	-	-	-	-	22	42	11	-	-	-	-	-	-	75	0.6
L.M.	-	-	-	11	32	77	86	-	-	-	-	-	-	-	206	1.7
Total	-	-	-	11	32	121	128	11	-	-	-	-	-	-	303	2.5
Light Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	11	10	-	-	-	-	-	-	-	21	0.2
M.	-	-	-	-	11	21	182	11	-	-	-	-	-	-	225	1.8
S.L.M.	-	-	-	-	10	96	173	86	-	-	-	-	-	-	365	3.0
Total	-	-	-	-	21	128	365	97	-	-	-	-	-	-	611	5.0
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	11	-	-	-	-	-	-	-	11	0.1
S.L.M.	-	-	-	-	-	11	-	-	-	-	-	-	-	-	11	0.1
Total	-	-	-	-	-	11	11	-	-	-	-	-	-	-	22	0.2
Below Grade. . . .	-	-	-	11	11	21	11	-	-	-	-	-	-	-	54	0.4
All grades	-	-	-	44	172	1,685	7,235	2,995	54	-	-	-	-	-	12,185 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	-	-	0.4	1.4	13.8	59.4	24.6	0.4	-	-	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.

Percentage rough preparation..... 0.1
Grade index..... 87.9
Average staple..... 33.1

Table 9. -- Grade and staple of upland cotton ginned in Georgia, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	-	10	10	-	-	-	-	-	20	*
S.M.	-	-	-	10	-	317	4,867	4,430	292	12	-	-	-	-	9,928	1.8
M.+.	-	-	-	-	-	11	189	202	46	12	-	-	-	-	460	0.1
M.	-	-	-	-	72	1,887	34,013	38,203	2,327	144	-	-	-	-	76,646	13.6
S.L.M.+.	-	-	-	-	-	165	4,071	4,981	328	10	-	-	-	-	9,555	1.7
S.L.M.	-	-	10	39	580	6,512	85,143	57,452	1,398	45	-	-	-	-	151,179	26.8
L.M.+.	-	-	-	-	49	798	11,504	10,760	257	23	-	-	-	-	23,391	4.2
L.M.	-	-	-	319	2,078	12,844	64,744	28,780	583	-	-	-	-	-	109,348	19.5
S.G.O.+.	-	-	-	10	42	607	1,527	719	58	-	-	-	-	-	2,963	0.5
S.G.O.	-	-	-	157	642	2,824	7,643	2,035	81	-	-	-	-	-	13,382	2.4
G.O.+.	-	-	-	-	24	10	-	22	-	-	-	-	-	-	56	*
G.O.	-	-	8	51	81	626	732	90	-	-	-	-	-	-	1,588	0.3
Total	-	-	18	586	3,568	26,601	214,433	147,684	5,380	246	-	-	-	-	398,516	70.9
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	38	424	1,951	1,016	115	-	-	-	-	-	3,544	0.6
M.	-	-	-	19	399	3,613	17,250	7,326	547	22	12	-	-	-	29,188	5.2
S.L.M.	-	-	-	158	1,842	8,651	40,969	14,970	503	35	-	-	-	-	67,128	12.0
L.M.	-	-	29	451	2,470	9,348	22,543	6,259	186	10	-	-	-	-	41,296	7.4
Total	-	-	29	628	4,749	22,036	82,713	29,571	1,351	67	12	-	-	-	141,156	25.2
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	32	177	60	-	-	-	-	-	-	269	*
M.	-	-	-	29	20	305	941	335	12	-	-	-	-	-	1,642	0.3
S.L.M.	-	-	14	79	349	1,621	3,192	769	12	-	-	-	-	-	6,036	1.1
L.M.	-	-	-	157	969	2,492	2,946	435	40	-	-	-	-	-	7,039	1.3
Total	-	-	14	265	1,338	4,450	7,256	1,599	64	-	-	-	-	-	14,986	2.7
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	9	20	9	-	-	-	-	-	-	-	38	*
S.L.M.	-	-	14	-	29	78	84	-	-	-	-	-	-	-	205	*
L.M.	-	-	10	31	87	215	45	-	-	-	-	-	-	-	388	0.1
Total	-	-	24	31	125	313	138	-	-	-	-	-	-	-	631	0.1
Light Gray:																
G.M.	-	-	-	-	-	-	10	-	-	-	-	-	-	-	10	*
S.M.	-	-	-	-	10	98	474	91	-	-	-	-	-	-	673	0.1
M.	-	-	-	29	126	641	1,269	132	10	-	-	-	-	-	2,207	0.4
S.L.M.	-	-	-	18	64	174	186	-	-	-	-	-	-	-	442	0.1
Total	-	-	-	47	200	913	1,939	223	10	-	-	-	-	-	3,332	0.6
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	10	-	21	-	-	-	-	-	-	-	31	*
M.	-	-	-	27	51	100	41	-	-	-	-	-	-	-	219	*
S.L.M.	-	-	-	-	-	10	29	-	-	-	-	-	-	-	39	*
Total	-	-	-	27	61	110	91	-	-	-	-	-	-	-	289	*
Below Grade. . . .	-	8	24	283	725	850	632	121	-	-	-	-	-	-	2,643	0.5
All grades	-	8	109	1,867	10,766	55,273	307,202	179,198	6,805	313	12	-	-	-	561,553 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	*	*	0.3	1.9	9.8	54.8	31.9	1.2	0.1	*	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation.....	0.1
Grade index.....	90.6
Average staple.....	33.2

Table 9. -- Grade and staple of upland cotton ginned in Illinois, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	15	81	34	-	-	-	-	-	-	130	10.6
S.L.M.+.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	-	-	-	-	-	29	206	183	10	-	-	-	-	-	428	35.2
L.M.+.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	-	-	-	-	-	20	96	103	-	-	-	-	-	-	219	17.9
S.G.O.+.	-	-	-	-	-	-	5	-	-	-	-	-	-	-	5	0.4
S.G.O.	-	-	-	-	-	-	5	-	-	-	-	-	-	-	5	0.4
G.O.+.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	64	393	320	10	-	-	-	-	-	787	64.5
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	5	-	-	-	-	-	-	-	-	5	0.4
M.	-	-	-	-	-	-	20	47	-	-	-	-	-	-	67	5.5
S.L.M.	-	-	-	-	-	44	173	92	-	-	-	-	-	-	309	25.3
L.M.	-	-	-	-	-	-	29	14	-	-	-	-	-	-	43	3.5
Total	-	-	-	-	-	49	222	153	-	-	-	-	-	-	424	34.7
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	-	-	-	-	-	-	10	-	-	-	-	-	-	-	10	0.8
L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	-	10	-	-	-	-	-	-	-	10	0.8
All grades	-	-	-	-	-	113	625	473	10	-	-	-	-	-	1,221 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	-	-	-	-	9.3	51.2	38.7	0.8	-	-	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.

Percentage rough preparation.....	0
Grade index.....	91.2
Average staple.....	33.3

Table 9. -- Grade and staple of upland cotton ginned in Kentucky, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	27	-	-	-	-	-	-	27	0.5
M.+.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	96	309	14	-	-	-	-	-	419	8.2
S.L.M.+.	-	-	-	-	-	-	-	14	-	-	-	-	-	-	14	0.3
S.L.M.	-	-	-	-	10	79	1,012	1,390	14	-	-	-	-	-	2,505	49.2
L.M.+.	-	-	-	-	-	-	56	21	-	-	-	-	-	-	77	1.5
L.M.	-	-	-	-	-	53	207	84	-	-	-	-	-	-	344	6.8
S.G.O.+.	-	-	-	-	-	-	5	-	-	-	-	-	-	-	5	0.1
S.G.O.	-	-	-	-	-	5	15	-	-	-	-	-	-	-	20	0.4
G.O.+.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	-	-	-	-	-	16	-	-	-	-	-	-	-	-	16	0.3
Total	-	-	-	-	10	153	1,391	1,845	28	-	-	-	-	-	3,427	67.3
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	24	-	-	-	-	-	-	24	0.5
M.	-	-	-	-	-	15	129	296	-	-	-	-	-	-	440	8.6
S.L.M.	-	-	-	-	-	57	412	463	55	-	-	-	-	-	987	19.4
L.M.	-	-	-	-	-	15	84	21	-	-	-	-	-	-	120	2.4
Total	-	-	-	-	-	87	625	804	55	-	-	-	-	-	1,571	30.9
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	15	-	-	-	-	-	-	-	-	15	0.3
S.L.M.	-	-	-	-	-	5	10	14	-	-	-	-	-	-	29	0.6
L.M.	-	-	-	-	-	-	16	-	-	-	-	-	-	-	16	0.3
Total	-	-	-	-	-	20	26	14	-	-	-	-	-	-	60	1.2
Light Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	5	21	-	-	-	-	-	-	-	26	0.5
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	5	21	-	-	-	-	-	-	-	26	0.5
Below Grade. . . .	-	-	-	-	5	-	-	-	-	-	-	-	-	-	5	0.1
All grades	-	-	-	-	15	265	2,063	2,663	83	-	-	-	-	-	5,089 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	-	-	-	0.3	5.2	40.5	52.4	1.6	-	-	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.

Percentage rough preparation..... 0
Grade index..... 92.6
Average staple..... 33.5

Table 9. -- Grade and staple of upland cotton ginned in Louisiana, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	48	33	10	-	-	-	-	-	91	*
S.M.	-	-	-	-	-	272	3,045	11,819	2,747	37	-	-	-	-	17,920	3.2
M.+.	-	-	-	-	-	-	16	100	33	-	-	-	-	-	149	*
M.	-	-	-	-	117	2,108	23,249	80,962	10,565	124	-	-	-	-	117,125	21.0
S.L.M.+.	-	-	-	-	-	-	254	1,529	392	-	-	-	-	-	2,175	0.4
S.L.M.	-	-	-	17	25	1,030	38,295	133,468	18,619	322	101	22	-	-	191,899	34.3
L.M.+.	-	-	-	-	-	21	533	4,321	1,113	-	-	-	-	-	5,988	1.1
L.M.	-	-	-	7	34	746	14,417	25,672	3,541	31	-	11	-	-	44,459	8.0
S.G.O.+.	-	-	-	-	-	-	54	136	20	-	-	-	-	-	210	*
S.G.O.	-	-	-	-	-	241	3,389	2,527	172	-	-	-	-	-	6,329	1.1
G.O.+.	-	-	-	-	-	-	-	10	-	-	-	-	-	-	10	*
G.O.	-	-	-	-	-	125	782	172	10	-	-	-	-	-	1,089	0.2
Total	-	-	-	24	176	4,543	84,082	260,749	37,222	514	101	33	-	-	387,444	69.3
Light Spotted:																
G.M.	-	-	-	-	-	-	11	-	-	-	-	-	-	-	11	*
S.M.	-	-	-	-	-	72	505	571	30	-	-	-	-	-	1,178	0.2
M.	-	-	-	-	101	1,885	20,722	32,212	2,349	62	-	-	-	-	57,331	10.3
S.L.M.	-	-	-	10	44	1,772	23,788	45,183	6,174	74	10	33	-	-	77,088	13.8
L.M.	-	-	-	-	31	627	6,552	9,902	1,643	41	-	-	-	-	18,796	3.4
Total	-	-	-	10	176	4,356	51,578	87,868	10,196	177	10	33	-	-	154,404	27.7
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	10	27	17	-	-	-	-	-	-	54	*
M.	-	-	-	-	-	160	1,587	876	57	-	-	-	-	-	2,680	0.5
S.L.M.	-	-	-	-	25	473	2,696	1,743	123	-	-	-	-	-	5,060	0.9
L.M.	-	-	-	17	-	214	1,411	907	82	-	-	-	-	-	2,631	0.5
Total	-	-	-	17	25	857	5,721	3,543	262	-	-	-	-	-	10,425	1.9
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	7	-	-	-	-	-	-	7	*
M.	-	-	-	-	-	-	10	21	-	-	-	-	-	-	31	*
S.L.M.	-	-	-	-	10	33	41	-	-	-	-	-	-	-	84	*
L.M.	-	-	-	-	-	10	37	-	-	-	-	-	-	-	47	*
Total	-	-	-	-	10	43	88	28	-	-	-	-	-	-	169	*
Light Gray:																
G.M.	-	-	-	-	-	-	10	11	-	-	-	-	-	-	21	*
S.M.	-	-	-	-	-	28	503	1,599	19	-	-	-	-	-	2,149	0.4
M.	-	-	-	7	-	150	1,070	607	-	-	-	-	-	-	1,834	0.3
S.L.M.	-	-	-	7	-	71	356	49	-	-	-	-	-	-	483	0.1
Total	-	-	-	14	-	249	1,939	2,266	19	-	-	-	-	-	4,487	0.8
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	11	-	-	-	-	-	-	-	11	*
M.	-	-	-	-	-	14	55	41	-	-	-	-	-	-	110	*
S.L.M.	-	-	-	-	7	27	58	31	-	-	-	-	-	-	123	*
Total	-	-	-	-	7	41	124	72	-	-	-	-	-	-	244	*
Below Grade. . . .	-	-	-	20	25	388	834	440	10	-	-	-	-	-	1,717	0.3
All grades	-	-	-	85	419	10,477	144,366	354,966	47,709	691	111	66	-	-	558,890 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	-	-	*	0.1	1.9	25.8	63.6	8.5	0.1	*	*	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation..... *
Grade index..... 93.4
Average staple..... 33.8

Table 9. -- Grade and staple of upland cotton ginned in Mississippi, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	14	222	150	11	-	-	-	-	397	*
S.M.	-	-	-	-	34	308	6,111	55,840	21,781	884	38	-	-	-	84,996	4.2
M.+.	-	-	-	-	-	-	393	5,831	4,850	453	-	-	-	-	11,527	0.6
M.	-	-	-	8	74	3,828	56,598	260,826	68,325	2,888	97	-	-	-	392,644	19.5
S.L.M.+.	-	-	-	-	17	76	1,993	27,807	12,747	535	68	-	-	-	43,243	2.2
S.L.M.	-	42	14	26	159	6,315	112,748	545,835	117,440	3,742	283	22	-	-	786,626	39.2
L.M.+.	-	-	-	-	-	224	4,255	33,114	10,439	457	54	-	-	-	48,543	2.4
L.M.	-	9	5	27	103	2,879	39,862	143,315	25,368	956	226	-	-	-	212,750	10.6
S.G.O.+.	-	-	-	-	11	35	256	1,429	246	19	53	-	-	-	2,049	0.1
S.G.O.	-	-	-	9	41	1,207	9,089	14,683	1,703	116	41	-	-	-	26,889	1.3
G.O.+.	-	-	-	-	-	6	39	58	11	-	-	-	-	-	114	*
G.O.	-	-	-	-	100	652	2,099	2,037	52	3	-	-	-	-	4,943	0.2
Total	-	51	19	70	539	15,530	233,457	1,090,997	263,112	10,064	860	22	-	-	1,614,721	80.3
Light Spotted:																
G.M.	-	-	-	-	-	-	11	-	-	-	-	-	-	-	11	*
S.M.	-	-	-	-	11	238	1,337	2,339	203	-	-	-	-	-	4,128	0.2
M.	-	-	-	43	201	3,063	29,873	68,093	8,469	192	-	-	-	-	109,934	5.5
S.L.M.	-	-	-	26	175	3,517	44,663	135,502	23,421	432	22	-	-	-	207,758	10.3
L.M.	-	-	-	13	50	1,350	12,145	29,640	4,329	117	-	-	-	-	47,644	2.4
Total	-	-	-	82	437	8,168	88,029	235,574	36,422	741	22	-	-	-	369,475	18.4
Spotted:																
G.M.	-	-	-	-	-	-	-	5	-	-	-	-	-	-	5	*
S.M.	-	-	-	-	-	-	87	134	-	-	-	-	-	-	221	*
M.	-	-	-	11	28	218	1,141	1,677	135	6	-	-	-	-	3,216	0.2
S.L.M.	-	-	-	6	-	377	2,754	4,242	349	-	-	-	-	-	7,728	0.4
L.M.	-	-	-	19	41	519	1,671	1,857	206	-	-	-	-	-	4,313	0.2
Total	-	-	-	36	69	1,114	5,653	7,915	690	6	-	-	-	-	15,483	0.8
Tinged:																
G.M.	-	-	-	-	-	9	-	-	-	-	-	-	-	-	9	*
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	5	-	11	-	-	-	-	-	-	16	*
S.L.M.	-	-	-	-	-	-	33	51	32	-	-	-	-	-	116	*
L.M.	-	-	-	-	-	-	-	15	-	-	-	-	-	-	15	*
Total	-	-	-	-	-	14	33	77	32	-	-	-	-	-	156	*
Light Gray:																
G.M.	-	-	-	-	-	-	32	26	-	-	-	-	-	-	58	*
S.M.	-	-	-	5	-	173	1,429	1,682	65	-	-	-	-	-	3,354	0.2
M.	-	-	-	-	-	368	1,532	1,354	68	-	-	-	-	-	3,322	0.2
S.L.M.	-	-	-	-	-	54	343	337	36	-	-	-	-	-	770	*
Total	-	-	-	5	-	595	3,336	3,399	169	-	-	-	-	-	7,504	0.4
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	43	52	-	-	-	-	-	-	95	*
M.	-	-	-	-	-	14	65	70	11	-	-	-	-	-	160	*
S.L.M.	-	-	-	3	-	13	37	25	-	-	-	-	-	-	78	*
Total	-	-	-	3	-	27	145	147	11	-	-	-	-	-	333	*
Below Grade. . . .	-	3	-	63	32	572	1,209	905	136	-	-	-	-	-	2,920	0.1
All grades	-	54	19	259	1,077	26,020	331,862	1,339,014	300,572	10,811	882	22	-	-	2,010,592 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	*	*	*	0.1	1.3	16.5	66.7	14.9	0.5	*	*	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation.....	0.2
Grade index.....	93.5
Average staple.....	34.0

Table 9. -- Grade and staple of upland cotton ginned in Missouri, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	29	172	3,276	2,990	171	-	-	-	-	6,638	1.7
M.+.	-	-	-	-	-	-	-	14	14	-	-	-	-	-	28	•
M.	-	-	-	32	50	525	4,232	18,588	6,479	242	-	-	-	-	30,148	7.7
S.L.M.+.	-	-	-	-	10	64	595	1,738	707	-	-	-	-	-	3,114	0.8
S.L.M.	-	-	-	271	1,229	11,150	72,778	79,151	8,527	114	-	-	-	-	173,220	44.2
L.M.+.	-	-	-	39	91	850	4,556	6,090	917	24	-	-	-	-	12,567	3.2
L.M.	-	-	13	473	1,813	10,321	27,599	14,488	455	-	-	-	-	-	55,162	14.0
S.G.O.+.	-	-	-	7	56	318	687	281	21	-	-	-	-	-	1,370	0.3
S.G.O.	-	-	7	183	560	1,716	1,422	355	10	-	-	-	-	-	4,253	1.1
G.O.+.	-	-	-	13	-	-	20	-	-	-	-	-	-	-	33	•
G.O.	-	-	-	67	144	365	137	10	-	-	-	-	-	-	723	0.2
Total	-	-	20	1,085	3,953	25,338	112,198	123,991	20,120	551	-	-	-	-	287,256	73.2
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	7	-	-	-	-	-	-	-	-	7	•
M.	-	-	-	17	58	812	4,449	5,944	409	-	-	-	-	-	11,689	3.0
S.L.M.	-	-	19	239	976	5,978	35,461	29,954	746	-	-	-	-	-	73,373	18.7
L.M.	-	7	-	120	495	2,113	3,607	1,850	38	-	-	-	-	-	8,230	2.1
Total	-	7	19	376	1,529	8,910	43,517	37,748	1,193	-	-	-	-	-	93,299	23.8
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	10	19	187	450	276	14	-	-	-	-	-	956	0.2
S.L.M.	-	-	10	99	213	1,111	2,222	1,304	-	-	-	-	-	-	4,959	1.3
L.M.	-	-	-	104	150	501	316	190	28	-	-	-	-	-	1,289	0.3
Total	-	-	10	213	382	1,799	2,988	1,770	42	-	-	-	-	-	7,204	1.8
Light Gray:																
G.M.	-	-	-	-	-	-	7	-	-	-	-	-	-	-	7	•
S.M.	-	-	-	7	45	528	1,873	775	-	-	-	-	-	-	3,228	0.8
M.	-	-	-	-	131	251	779	90	-	-	-	-	-	-	1,251	0.3
S.L.M.	-	-	-	7	21	61	61	-	-	-	-	-	-	-	150	•
Total	-	-	-	14	197	840	2,720	865	-	-	-	-	-	-	4,636	1.1
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	10	41	10	-	-	-	-	-	-	61	•
M.	-	-	-	-	-	64	81	-	-	-	-	-	-	-	145	•
S.L.M.	-	-	-	-	14	19	10	-	-	-	-	-	-	-	43	•
Total	-	-	-	-	14	93	132	10	-	-	-	-	-	-	249	•
Below Grade. . . .	-	11	8	73	158	108	51	38	-	-	-	-	-	-	447	0.1
All grades	-	18	57	1,761	6,233	37,088	161,606	164,422	21,355	551	-	-	-	-	393,091 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	•	•	0.4	1.6	9.4	41.2	41.9	5.4	0.1	-	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.
• Less than 0.05 percent.

Percentage rough preparation.....	0.1
Grade index.....	91.6
Average staple.....	33.4

Table 9. -- Grade and staple of upland cotton ginned in Nevada, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	36	23	-	-	-	59	1.6
M.+.	-	-	-	-	-	-	-	-	-	-	13	-	-	-	13	0.3
M.	-	-	-	-	-	-	-	-	43	445	50	-	-	-	538	14.1
S.L.M.+.	-	-	-	-	-	-	-	10	-	747	80	-	-	-	837	22.0
S.L.M.	-	-	-	-	-	-	-	30	100	717	66	-	-	-	913	23.9
L.M.+.	-	-	-	-	-	-	-	40	10	289	-	-	-	-	339	8.9
L.M.	-	-	-	-	-	-	-	49	50	130	-	-	-	-	229	6.0
S.G.O.+.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.G.O.	-	-	-	-	-	-	10	20	-	-	-	-	-	-	30	0.8
G.O.+.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	-	-	-	-	-	-	-	59	10	-	-	-	-	-	69	1.8
Total	-	-	-	-	-	-	10	208	213	2,364	232	-	-	-	3,027	79.4
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	-	-	10	130	23	-	-	-	163	4.3
S.L.M.	-	-	-	-	-	-	-	40	20	258	10	-	-	-	328	8.6
L.M.	-	-	-	-	-	-	10	59	40	70	10	-	-	-	189	5.0
Total	-	-	-	-	-	-	10	99	70	458	43	-	-	-	680	17.9
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	-	-	-	-	-	-	-	-	-	10	-	-	-	-	10	0.3
Total	-	-	-	-	-	-	-	-	-	10	-	-	-	-	10	0.3
Light Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	-	-	-	10	-	-	-	-	10	0.3
S.L.M.	-	-	-	-	-	-	-	-	10	-	-	-	-	-	10	0.3
Total	-	-	-	-	-	-	-	-	10	10	-	-	-	-	20	0.6
Below Grade. . . .	-	-	-	-	-	-	20	20	29	-	-	-	-	-	69	1.8
All grades	-	-	-	-	-	-	40	327	322	2,842	275	-	-	-	3,806 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	-	-	-	-	-	1.1	8.6	8.5	74.6	7.2	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.

Percentage rough preparation..... 0
Grade index..... 92.5
Average staple..... 35.8

Table 9. -- Grade and staple of upland cotton ginned in New Mexico, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	-	-	-	77	229	11	-	-	317	0.2
S.M.	-	-	149	93	225	327	64	176	352	3,930	11,866	312	-	22	17,516	8.5
M.+.	-	-	-	21	-	-	-	-	-	56	379	-	-	-	456	0.2
M.	-	50	518	2,467	1,812	875	379	771	3,823	27,395	56,777	893	-	299	96,059	47.0
S.L.M.+.	-	10	60	130	50	-	9	10	54	1,647	2,832	73	-	152	5,027	2.4
S.L.M.	-	157	2,043	6,694	2,663	637	330	1,341	7,007	11,758	9,676	310	-	132	42,748	20.8
L.M.+.	-	19	141	343	107	49	27	18	156	674	153	11	-	8	1,706	0.8
L.M.	-	10	162	778	293	127	199	679	1,474	1,234	332	11	-	-	5,299	2.6
S.G.O.+.	-	-	-	11	-	-	5	-	-	-	-	-	-	-	16	*
S.G.O.	-	-	26	5	54	92	190	252	369	93	-	-	-	-	1,081	0.5
G.O.+.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	-	-	-	14	-	28	58	124	143	9	-	-	-	-	376	0.2
Total	-	246	3,099	10,556	5,204	2,135	1,261	3,371	13,378	46,873	82,244	1,621	-	613	170,601	83.2
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	10	21	20	11	19	11	30	74	803	756	-	-	-	1,755	0.9
M.	10	139	599	1,416	376	39	43	232	930	4,789	8,311	192	-	56	17,132	8.3
S.L.M.	-	110	926	1,776	632	94	198	489	1,231	1,976	1,035	43	-	-	8,510	4.1
L.M.	-	24	150	304	99	88	345	900	897	242	52	-	-	-	3,101	1.5
Total	10	283	1,696	3,516	1,118	240	597	1,651	3,132	7,810	10,154	235	-	56	30,498	14.8
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	8	39	42	-	-	-	89	*
M.	-	19	20	10	10	-	-	-	37	71	31	-	-	-	198	0.1
S.L.M.	10	55	176	108	29	29	35	24	38	110	10	-	-	-	624	0.3
L.M.	-	75	94	28	20	-	20	140	57	20	-	-	-	-	454	0.2
Total	10	149	290	146	59	29	55	164	140	240	83	-	-	-	1,365	0.6
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	8	-	-	-	-	-	-	-	-	8	*
S.L.M.	-	5	-	-	-	-	-	-	-	-	-	-	-	-	5	*
L.M.	-	5	6	10	-	-	5	17	-	-	-	-	-	-	43	*
Total	-	10	6	10	-	8	5	17	-	-	-	-	-	-	56	*
Stained:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	9	-	-	-	-	-	-	-	-	-	9	*
Total	-	-	-	-	9	-	-	-	-	-	-	-	-	-	9	*
Light Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	39	39	39	-	69	347	525	231	-	-	-	1,289	0.6
M.	-	-	29	29	10	-	19	63	124	11	-	-	-	-	285	0.1
S.L.M.	-	-	-	10	-	-	-	-	-	19	-	-	-	-	29	*
Total	-	-	29	78	49	39	19	132	471	555	231	-	-	-	1,603	0.7
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	-	-	-	10	-	-	-	-	10	*
S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	-	-	-	-	10	-	-	-	-	10	*
Below Grade. . . .	-	5	16	40	88	262	505	509	93	-	-	-	-	-	1,518	0.7
All grades	20	693	5,136	14,346	6,527	2,713	2,442	5,844	17,214	55,488	92,712	1,856	-	669	205,660 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	*	0.3	2.5	7.0	3.2	1.3	1.2	2.8	8.4	27.0	45.1	0.9	-	0.3	100.0	

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation.....	0.1
Grade index.....	96.9
Average staple.....	35.5

Staple 33.03

Table 9. -- Grade and staple of upland cotton ginned in North Carolina, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	257	1,509	119	-	-	-	-	-	1,885	0.8
M.+.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	10	1,223	29,298	30,874	1,238	10	-	-	-	-	62,653	26.6
S.L.M.+.	-	-	-	-	-	53	1,086	1,368	20	-	-	-	-	-	2,527	1.1
S.L.M.	-	-	-	23	60	2,041	42,068	31,598	734	-	-	-	-	-	76,524	32.6
L.M.+.	-	-	-	-	-	165	8,790	9,709	315	10	-	-	-	-	18,989	8.1
L.M.	-	-	-	12	19	949	25,325	16,782	347	-	-	-	-	-	43,434	18.4
S.G.O.+.	-	-	-	-	-	61	1,273	701	30	-	-	-	-	-	2,065	0.9
S.G.O.	-	-	-	-	18	400	3,867	1,402	10	-	-	-	-	-	5,697	2.4
G.O.+.	-	-	-	-	-	29	15	19	-	-	-	-	-	-	63	*
G.O.	-	-	-	-	-	164	408	144	-	-	-	-	-	-	716	0.3
Total	-	-	-	35	107	5,085	112,387	94,106	2,813	20	-	-	-	-	214,553	91.2
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	240	105	-	-	-	-	-	-	345	0.1
M.	-	-	-	-	-	147	3,343	868	32	-	-	-	-	-	4,390	1.9
S.L.M.	-	-	-	-	-	299	4,448	1,971	-	-	-	-	-	-	6,718	2.8
L.M.	-	-	-	-	-	216	2,476	1,852	41	-	-	-	-	-	4,585	1.9
Total	-	-	-	-	-	662	10,507	4,796	73	-	-	-	-	-	16,038	6.7
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	37	38	-	-	-	-	-	-	75	*
M.	-	-	-	-	-	72	780	90	-	-	-	-	-	-	942	0.4
S.L.M.	-	-	-	-	26	109	1,294	153	-	-	-	-	-	-	1,582	0.7
L.M.	-	-	-	-	-	177	920	237	-	-	-	-	-	-	1,334	0.6
Total	-	-	-	-	26	358	3,031	518	-	-	-	-	-	-	3,933	1.7
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	118	-	-	-	-	-	-	-	118	0.1
S.L.M.	-	-	-	-	-	-	66	-	-	-	-	-	-	-	66	*
L.M.	-	-	-	-	-	-	32	-	-	-	-	-	-	-	32	*
Total	-	-	-	-	-	-	216	-	-	-	-	-	-	-	216	0.1
Light Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	51	267	11	-	-	-	-	-	-	329	0.1
M.	-	-	-	-	-	113	225	71	-	-	-	-	-	-	409	0.2
S.L.M.	-	-	-	-	-	-	98	10	-	-	-	-	-	-	108	*
Total	-	-	-	-	-	164	590	92	-	-	-	-	-	-	846	0.3
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	8	-	10	8	-	-	-	-	-	-	-	26	*
M.	-	-	-	-	-	-	35	-	-	-	-	-	-	-	35	*
S.L.M.	-	-	-	-	-	10	21	-	-	-	-	-	-	-	31	*
Total	-	-	-	8	-	20	64	-	-	-	-	-	-	-	92	*
Below Grade. . . .	-	-	-	-	-	34	28	20	-	-	-	-	-	-	82	*
All grades	-	-	-	43	133	6,323	126,823	99,532	2,886	20	-	-	-	-	235,760 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	-	-	*	0.1	2.7	53.8	42.2	1.2	*	-	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation.....	*
Grade index.....	92.5
Average staple.....	33.4

Table 9. -- Grade and staple of upland cotton ginned in Oklahoma, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	8	-	-	-	-	-	-	-	-	8	*
S.M.	-	-	-	135	292	287	113	94	51	-	-	-	-	-	972	0.3
M.+.	-	-	-	10	25	34	-	-	17	-	-	-	-	-	86	*
M.	-	61	1,084	4,822	3,222	1,778	859	2,071	791	50	-	-	-	-	14,738	4.1
S.L.M.+.	-	-	10	229	141	167	140	324	277	-	-	-	-	-	1,288	0.4
S.L.M.	-	209	3,868	18,656	9,152	3,550	3,074	8,108	3,367	408	70	-	-	-	50,462	14.1
L.M.+.	-	-	107	555	294	176	123	370	231	40	10	-	-	-	1,906	0.5
L.M.	-	30	955	5,185	2,084	1,051	779	1,246	374	70	-	-	-	-	11,774	3.3
S.G.O.+.	-	10	30	118	32	29	-	-	10	-	-	-	-	-	229	0.1
S.G.O.	-	-	174	624	174	170	80	100	19	10	-	-	-	-	1,351	0.4
G.O.+.	-	-	10	10	-	-	-	-	-	-	-	-	-	-	20	*
G.O.	-	-	60	132	31	30	30	29	-	-	-	-	-	-	312	0.1
Total	-	310	6,298	30,476	15,447	7,280	5,198	12,342	5,137	578	80	-	-	-	83,146	23.3
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	58	468	385	174	19	29	-	-	-	-	-	-	1,133	0.3
M.	51	1,060	14,538	50,329	15,929	3,835	1,220	991	209	70	-	-	-	-	88,232	24.7
S.L.M.	50	835	16,194	72,186	21,827	4,466	1,471	1,598	376	39	-	-	-	-	119,042	33.2
L.M.	10	117	1,523	7,658	2,234	1,211	385	210	39	-	10	-	-	-	13,397	3.7
Total	111	2,012	32,313	130,641	40,375	9,686	3,095	2,828	624	109	10	-	-	-	221,804	61.9
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	70	108	98	-	-	-	-	-	-	-	-	-	276	0.1
M.	21	467	5,408	9,331	1,562	340	59	40	10	10	-	-	-	-	17,248	4.8
S.L.M.	59	673	5,060	14,087	2,476	610	249	113	43	-	-	-	-	-	23,370	6.5
L.M.	80	231	1,186	2,497	598	297	120	61	19	-	-	-	-	-	5,089	1.4
Total	160	1,371	11,724	26,023	4,734	1,247	428	214	72	10	-	-	-	-	45,983	12.8
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	20	91	192	31	-	-	-	-	-	-	-	-	-	334	0.1
S.L.M.	-	84	402	727	61	11	10	10	-	-	-	-	-	-	1,305	0.4
L.M.	-	74	300	752	93	91	11	-	-	-	-	-	-	-	1,321	0.4
Total	-	178	793	1,671	185	102	21	10	-	-	-	-	-	-	2,960	0.9
Light Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	11	-	-	38	30	19	-	-	-	-	-	98	*
M.	-	29	80	-	-	19	20	10	50	27	19	-	-	-	254	0.1
S.L.M.	-	-	-	-	-	10	-	10	9	-	-	-	-	-	29	*
Total	-	29	80	11	-	29	58	50	78	27	19	-	-	-	381	0.1
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	10	-	-	-	10	-	-	-	-	-	-	20	*
S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	10	-	-	-	10	-	-	-	-	-	-	20	*
Below Grade. . . .	10	82	609	2,021	329	212	121	61	-	-	-	-	-	-	3,445	1.0
All grades	281	3,982	51,817	190,853	61,070	18,556	8,921	15,515	5,911	724	109	-	-	-	357,739 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	0.1	1.1	14.5	53.3	17.1	5.2	2.5	4.3	1.7	0.2	*	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation.....	0.3
Grade index.....	90.9
Average staple.....	30.4

Table 9. -- Grade and staple of upland cotton ginned in South Carolina, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	333	3,081	1,126	59	-	-	-	-	4,599	0.9
M.+.	-	-	-	-	-	-	-	58	38	-	-	-	-	-	96	*
M.	-	-	-	-	-	29	7,789	77,372	21,274	1,033	16	-	-	-	107,513	21.3
S.L.M.+.	-	-	-	-	-	-	534	4,660	1,371	36	-	-	-	-	6,601	1.3
S.L.M.	-	-	-	-	-	306	31,252	131,619	19,516	268	-	-	-	-	182,961	36.3
L.M.+.	-	-	-	-	-	-	3,885	16,510	3,956	20	-	-	-	-	24,371	4.8
L.M.	-	-	-	-	-	576	16,836	53,758	10,793	100	-	-	-	-	82,063	16.2
S.G.O.+.	-	-	-	-	-	-	442	754	170	-	-	-	-	-	1,366	0.3
S.G.O.	-	-	-	9	-	434	3,115	4,314	500	10	-	-	-	-	8,382	1.7
G.O.+.	-	-	-	-	-	-	25	21	7	-	-	-	-	-	53	*
G.O.	-	-	-	-	18	239	495	234	9	-	-	-	-	-	995	0.2
Total	-	-	-	9	18	1,584	64,706	292,381	58,760	1,526	16	-	-	-	419,000	83.0
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	10	1,034	1,801	120	23	-	-	-	-	2,988	0.6
M.	-	-	-	-	-	170	4,537	12,673	1,589	82	-	-	-	-	19,051	3.8
S.L.M.	-	-	-	-	10	161	6,307	24,599	3,213	64	-	-	-	-	34,354	6.8
L.M.	-	-	-	-	9	296	3,028	9,868	1,591	36	-	-	-	-	14,828	2.9
Total	-	-	-	-	19	637	14,906	48,941	6,513	205	-	-	-	-	71,221	14.1
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	107	178	-	-	-	-	-	-	285	0.1
M.	-	-	-	-	-	42	651	425	19	-	-	-	-	-	1,137	0.2
S.L.M.	-	-	-	-	9	66	384	515	29	-	-	-	-	-	1,003	0.2
L.M.	-	-	-	-	7	187	356	665	103	-	-	-	-	-	1,318	0.3
Total	-	-	-	-	16	295	1,498	1,783	151	-	-	-	-	-	3,743	0.8
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	11	11	-	-	-	-	-	-	22	*
M.	-	-	-	-	-	31	103	29	-	-	-	-	-	-	163	*
S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	-	-	-	-	17	7	-	-	-	-	-	-	-	-	24	*
Total	-	-	-	-	17	38	114	40	-	-	-	-	-	-	209	*
Light Gray:																
G.M.	-	-	-	-	-	-	10	-	-	-	-	-	-	-	10	*
S.M.	-	-	-	-	-	133	3,263	1,803	66	-	-	-	-	-	5,265	1.0
M.	-	-	-	-	-	287	3,081	796	48	-	-	-	-	-	4,212	0.8
S.L.M.	-	-	-	-	18	158	441	158	-	-	-	-	-	-	775	0.2
Total	-	-	-	-	18	578	6,795	2,757	114	-	-	-	-	-	10,262	2.0
Gray:																
G.M.	-	-	-	-	-	-	9	-	7	-	-	-	-	-	16	*
S.M.	-	-	-	-	-	28	59	33	-	-	-	-	-	-	120	*
M.	-	-	-	-	-	16	77	62	-	-	-	-	-	-	155	*
S.L.M.	-	-	-	-	-	78	31	12	-	-	-	-	-	-	121	*
Total	-	-	-	-	-	122	176	107	7	-	-	-	-	-	412	*
Below Grade. . . .	-	-	10	7	25	168	113	217	-	-	-	-	-	-	540	0.1
All grades	-	-	10	16	113	3,422	88,308	346,226	65,545	1,731	16	-	-	-	505,387 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	-	*	*	*	0.7	17.5	68.5	13.0	0.3	*	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation.....	0.1
Grade index.....	92.7
Average staple.....	33.9

Table 9. -- Grade and staple of upland cotton ginned in Tennessee, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	9	-	-	-	-	-	-	-	-	9	*
S.M.	-	-	-	9	22	609	3,700	12,184	1,364	-	-	-	-	-	17,888	2.9
M.+.	-	-	-	-	-	15	173	552	160	-	-	-	-	-	900	0.1
M.	-	-	-	88	473	8,354	46,105	71,176	6,808	61	-	-	-	-	133,065	21.2
S.L.M.+.	-	-	-	9	30	578	3,371	4,206	500	-	-	-	-	-	8,694	1.4
S.L.M.	-	-	-	175	1,394	19,208	105,028	102,390	4,273	11	11	-	-	-	232,490	37.1
L.M.+.	-	-	-	6	70	2,064	9,643	7,959	243	-	-	-	-	-	19,985	3.2
L.M.	-	-	-	51	665	7,141	23,030	11,683	307	15	-	-	-	-	42,892	6.8
S.G.O.+.	-	-	-	13	19	400	659	189	6	-	-	-	-	-	1,286	0.2
S.G.O.	-	-	-	39	123	1,138	2,719	569	26	-	-	-	-	-	4,614	0.7
G.O.+.	-	-	-	-	13	6	45	28	-	-	-	-	-	-	92	*
G.O.	-	-	-	13	19	181	286	18	-	-	-	-	-	-	517	0.1
Total	-	-	-	403	2,828	39,703	194,759	210,954	13,687	87	11	-	-	-	462,432	73.7
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	6	15	290	759	551	44	-	-	-	-	-	1,665	0.3
M.	-	-	6	95	400	6,019	26,362	21,984	959	11	-	-	-	-	55,836	8.9
S.L.M.	-	-	-	72	683	9,136	41,439	32,625	953	22	-	-	-	-	84,930	13.5
L.M.	-	-	-	69	410	2,386	6,307	3,361	47	-	-	-	-	-	12,580	2.0
Total	-	-	6	242	1,508	17,831	74,867	58,521	2,003	33	-	-	-	-	155,011	24.7
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	136	14	21	-	-	-	-	-	-	171	*
M.	-	-	-	18	22	315	853	460	15	-	-	-	-	-	1,683	0.3
S.L.M.	-	-	-	-	40	725	2,114	1,143	55	-	-	-	-	-	4,077	0.7
L.M.	-	-	-	46	102	272	543	187	-	-	-	-	-	-	1,150	0.2
Total	-	-	-	64	164	1,448	3,524	1,811	70	-	-	-	-	-	7,081	1.2
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	6	-	-	-	-	-	-	-	6	*
S.L.M.	-	-	-	-	-	7	8	-	-	-	-	-	-	-	15	*
L.M.	-	-	-	-	20	-	-	-	-	-	-	-	-	-	20	*
Total	-	-	-	-	20	7	14	-	-	-	-	-	-	-	41	*
Light Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	6	19	120	603	196	-	-	-	-	-	-	944	0.2
M.	-	-	-	-	41	125	397	59	-	-	-	-	-	-	622	0.1
S.L.M.	-	-	-	-	21	31	92	57	-	-	-	-	-	-	201	*
Total	-	-	-	6	81	276	1,092	312	-	-	-	-	-	-	1,767	0.3
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	11	-	-	-	-	-	-	-	11	*
M.	-	-	-	-	-	20	23	-	-	-	-	-	-	-	43	*
S.L.M.	-	-	-	-	25	30	18	15	-	-	-	-	-	-	88	*
Total	-	-	-	-	25	50	52	15	-	-	-	-	-	-	142	*
Below Grade. . . .	-	-	-	11	36	194	148	50	-	-	-	-	-	-	439	0.1
All grades	-	-	6	726	4,662	59,509	274,456	271,663	15,760	120	11	-	-	-	626,913 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	-	*	0.1	0.7	9.5	43.9	43.3	2.5	*	*	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation..... *
Grade index..... 93.9
Average staple..... 33.4

Table 9. -- Grade and staple of upland cotton ginned in Texas, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	10	-	10	66	109	34	78	430	-	10	-	747	*
S.M.	20	288	997	3,991	4,092	6,769	9,713	8,401	1,526	2,916	7,659	120	-	355	46,847	1.0
M.+.	-	-	41	105	72	237	279	260	169	120	407	11	-	141	1,842	*
M.	199	4,406	47,564	197,592	81,973	47,162	49,400	45,037	8,564	21,563	31,194	610	99	2,155	537,518	11.7
S.L.M.+.	-	127	1,364	5,671	3,473	2,717	5,510	7,457	1,152	1,182	2,018	93	59	490	31,313	0.7
S.L.M.	462	8,812	133,374	563,057	182,390	80,235	100,209	127,757	13,992	15,359	13,267	553	581	4,273	1,244,321	27.0
L.M.+.	10	462	7,467	30,293	8,052	3,304	4,036	9,198	944	1,011	168	109	21	130	65,205	1.4
L.M.	70	1,666	19,312	67,307	22,062	16,769	36,601	71,047	3,936	2,172	486	158	58	151	241,795	5.3
S.G.O.+.	10	26	223	1,104	360	208	350	962	70	39	-	10	29	23	3,414	0.1
S.G.O.	24	409	3,715	8,093	3,331	3,539	5,066	7,334	666	345	20	127	39	10	32,718	0.7
G.O.+.	-	-	10	110	10	8	20	-	9	-	-	-	-	-	167	*
G.O.	20	332	1,479	2,515	1,290	1,169	1,083	860	265	87	10	19	-	-	9,129	0.2
Total	815	16,528	215,546	879,848	307,105	162,127	212,333	278,422	31,327	44,872	55,659	1,810	896	7,728	2,215,016	48.1
Light Spotted:																
G.M.	-	-	-	-	-	-	-	10	-	-	-	-	-	-	10	*
S.M.	224	1,935	7,919	12,514	4,947	2,013	1,251	661	194	449	1,422	21	11	-	33,561	0.7
M.	1,049	27,421	281,665	584,282	102,581	30,153	20,468	14,646	2,710	6,034	12,891	229	20	506	1,084,655	23.6
S.L.M.	917	23,346	242,971	453,519	66,226	26,565	30,230	35,999	3,561	1,649	1,086	112	31	293	886,505	19.3
L.M.	153	3,693	28,309	46,950	7,868	5,262	7,549	12,030	1,707	398	65	39	-	11	114,034	2.5
Total	2,343	56,395	560,864	1,097,265	181,622	63,993	59,498	63,346	8,172	8,530	15,464	401	62	810	2,118,765	46.1
Spotted:																
G.M.	-	-	10	9	-	-	-	-	-	-	-	-	-	-	19	*
S.M.	21	209	522	446	84	43	42	-	10	23	-	-	-	-	1,400	*
M.	436	6,872	34,534	29,609	2,240	432	323	325	31	43	69	-	10	-	74,924	1.6
S.L.M.	1,417	12,386	43,546	34,125	2,330	800	1,207	1,431	126	70	32	10	-	-	97,480	2.1
L.M.	1,038	3,239	7,748	6,997	1,026	856	1,328	1,302	175	30	-	-	-	-	23,739	0.5
Total	2,912	22,706	86,360	71,186	5,680	2,131	2,900	3,058	342	166	101	10	10	-	197,562	4.2
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	10	11	15	-	-	-	-	-	-	-	-	-	-	-	36	*
M.	240	1,034	2,639	675	10	10	-	10	-	-	-	-	-	-	4,618	0.1
S.L.M.	1,260	3,606	4,218	1,147	39	11	-	39	-	-	-	-	-	-	10,320	0.2
L.M.	979	1,184	768	256	9	15	5	-	10	-	-	-	-	-	3,226	0.1
Total	2,489	5,835	7,640	2,078	58	36	5	49	10	-	-	-	-	-	18,200	0.4
Stained:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	21	137	92	10	-	-	-	-	-	-	-	-	-	-	260	*
Total	21	137	92	10	-	-	-	-	-	-	-	-	-	-	260	*
Light Gray:																
G.M.	-	-	19	-	-	-	20	-	-	-	10	-	-	-	49	*
S.M.	-	-	71	341	471	743	957	430	197	492	95	-	11	10	3,818	0.1
M.	21	134	619	2,306	2,203	2,693	4,586	3,322	180	60	21	22	-	-	16,167	0.4
S.L.M.	-	11	265	682	557	1,855	5,396	5,474	45	11	-	-	-	-	14,296	0.3
Total	21	145	974	3,329	3,231	5,291	10,959	9,226	422	563	126	22	11	10	34,330	0.8
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	43	58	30	33	10	20	-	21	-	-	-	-	215	*
M.	-	21	150	441	193	482	660	364	-	-	-	-	-	-	2,311	0.1
S.L.M.	-	51	149	200	168	469	969	512	11	-	-	-	-	-	2,529	0.1
Total	-	72	342	699	391	984	1,639	896	11	21	-	-	-	-	5,055	0.2
Below Grade. . . .	506	992	1,593	1,670	1,116	910	1,770	1,410	183	132	20	-	-	-	10,302	0.2
All grades	9,107	102,810	873,411	2,056,085	499,203	235,472	289,104	356,407	40,467	54,284	71,370	2,243	979	8,548	4,599,490 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	0.2	2.2	19.0	44.7	10.9	5.1	6.3	7.7	0.9	1.2	1.6	*	*	0.2	100.0	

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Percentage rough preparation.....	0.2
Grade index.....	93.0
Average staple.....	30.7

Table 9. -- Grade and staple of upland cotton ginned in Virginia, 1965-66 (Continued)

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	4	28	-	10	-	-	-	-	-	42	0.6
M.+.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	110	1,368	2,689	603	10	-	-	-	-	-	4,780	73.8
S.L.M.+.	-	-	-	-	-	53	107	33	10	-	-	-	-	-	203	3.1
S.L.M.	-	-	-	-	6	249	660	172	-	-	-	-	-	-	1,087	16.8
L.M.+.	-	-	-	-	-	6	21	-	-	-	-	-	-	-	27	0.4
L.M.	-	-	-	-	-	-	9	27	-	-	-	-	-	-	36	0.6
S.G.O.+.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.G.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.+.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	116	1,680	3,514	835	30	-	-	-	-	-	6,175	95.3
Light Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	17	4	-	-	-	-	-	-	-	21	0.3
M.	-	-	-	10	-	4	128	-	-	-	-	-	-	-	142	2.2
S.L.M.	-	-	-	-	-	27	56	-	-	-	-	-	-	-	83	1.3
L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	10	-	48	188	-	-	-	-	-	-	-	246	3.8
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	-	-	-	-	-	20	19	-	-	-	-	-	-	-	39	0.6
L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	20	19	-	-	-	-	-	-	-	39	0.6
Light Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	12	9	-	-	-	-	-	-	-	21	0.3
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	12	9	-	-	-	-	-	-	-	21	0.3
All grades	-	-	-	10	116	1,760	3,730	835	30	-	-	-	-	-	6,481 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades	-	-	-	0.2	1.8	27.2	57.4	12.9	0.5	-	-	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.

Percentage rough preparation..... 0
Grade index..... 98.5
Average staple..... 32.8

Table 10. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1965-66

Grade and staple	ALABAMA Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	ARIZONA Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
G.M.	-	12	-	-	-	12	20	105	204	49	8	386
S.M.	602	17,983	9,331	988	30	28,934	211	3,182	18,213	8,828	440	30,874
M.+.	48	2,437	279	24	9	2,797	34	591	1,897	660	230	3,412
M.	7,571	87,300	66,920	12,052	341	174,184	264	6,239	102,203	111,974	19,770	240,450
S.L.M.+. . . .	219	10,853	13,182	2,942	9	27,205	-	347	6,666	9,962	6,126	23,101
S.L.M.	7,365	97,273	149,482	35,223	1,917	291,260	14	797	11,744	33,467	62,724	108,746
L.M.+.	276	11,499	23,837	5,454	232	41,298	-	-	517	2,740	8,706	11,963
L.M.	2,280	29,474	49,404	17,265	2,917	101,340	-	31	984	5,595	57,037	63,647
S.G.O.+. . . .	-	120	1,023	581	9	1,733	-	11	36	128	1,894	2,069
S.G.O.	266	3,070	7,639	3,878	866	15,719	-	11	151	1,066	20,690	21,918
G.O.+.	-	-	21	9	-	30	-	-	-	9	69	78
G.O.	9	232	1,200	672	267	2,380	-	-	-	309	12,180	12,489
Total	18,636	260,253	322,318	79,088	6,597	686,892	543	11,314	142,615	174,787	189,874	519,133
Light Spotted:												
G.M.	-	-	-	-	-	-	-	-	46	-	-	46
S.M.	57	714	1,190	306	49	2,316	-	1,089	13,319	3,693	112	18,213
M.	682	13,020	19,157	4,252	764	37,875	109	5,986	48,395	38,323	2,447	95,260
S.L.M.	925	20,726	38,096	8,426	2,414	70,587	-	852	5,995	7,193	4,437	18,477
L.M.	381	5,352	13,065	3,594	1,366	23,758	-	88	621	1,230	8,264	10,203
Total	2,045	39,812	71,508	16,578	4,593	134,536	109	8,015	68,376	50,439	15,260	142,199
Spotted:												
All grades . .	90	2,333	4,590	1,814	1,541	10,368	-	586	3,935	1,968	2,351	8,840
Tinged:												
All grades . .	-	46	81	75	222	424	-	-	-	-	87	87
Light Gray:												
G.M.	-	-	9	9	-	18	-	-	-	-	-	-
S.M.	346	467	1,224	553	94	2,684	-	-	35	335	2,992	3,362
M.	469	492	3,851	1,193	525	6,530	-	-	23	747	17,077	17,847
S.L.M.	18	100	1,779	332	99	2,328	-	-	12	301	9,584	9,897
Total	833	1,059	6,863	2,087	718	11,560	-	-	70	1,383	29,653	31,106
Gray:												
All grades . .	36	45	580	179	89	929	-	-	-	86	5,287	5,373
Below Grade. . .	18	90	532	408	340	1,388	-	20	46	27	31,818	31,911
All grades . . .	21,658	303,638	406,472	100,229	14,100	846,097 1/	652	19,935	215,042	228,690	274,330	738,649 1/
Grade index. . .	94.8	94.7	92.5	91.1	86.3	93.1	100.9	98.7	98.8	97.4	84.8	93.1
Staple (inches)												
13/16 & shorter.	-	-	-	-	-	-	-	-	-	-	10	10
7/8.	-	-	11	8	-	19	-	-	-	-	603	603
29/32.	-	12	108	32	-	152	-	-	12	-	1,919	1,931
15/16.	-	46	907	561	107	1,621	-	-	-	36	22,440	22,476
31/32.	-	196	3,094	1,458	711	5,459	-	11	36	142	26,100	26,289
1	972	6,276	44,265	28,425	5,502	85,440	-	98	199	1,664	56,620	58,581
1-1/32	14,315	126,252	248,958	62,847	7,320	459,692	481	5,381	24,363	26,107	86,095	142,427
1-1/16	6,021	162,365	106,518	6,655	460	282,019	157	12,545	150,183	167,300	72,350	402,535
1-3/32	323	8,270	2,552	218	-	11,363	2	1,015	14,799	17,706	5,584	39,106
1-1/8.	27	221	59	25	-	332	12	403	8,610	9,546	1,978	20,549
1-5/32	-	-	-	-	-	-	-	373	16,037	5,783	435	22,628
1-3/16	-	-	-	-	-	-	-	76	791	203	40	1,110
1-7/32	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 & longer .	-	-	-	-	-	-	-	33	12	203	156	404
All staples. . .	21,658	303,638	406,472	100,229	14,100	846,097 1/	652	19,935	215,042	228,690	274,330	738,649 1/
Average staple (32nd inches) .	33.3	33.6	33.1	32.7	32.5	33.2	33.3	33.9	34.3	34.1	32.7	33.6

1/ As reported by the Bureau of the Census, running bales.

Table 10. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1965-66 (Continued)

Grade and staple	ARKANSAS						CALIFORNIA					
	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
G.M.	-	37	20	-	-	57	-	55	514	50	11	630
S.M.	-	10,594	2,266	578	8	13,446	26	1,154	19,295	12,766	177	33,418
M.+.	-	497	104	37	-	638	-	47	757	455	44	1,303
M.	-	66,048	66,155	13,366	317	145,886	-	1,039	306,098	303,682	20,426	631,245
S.L.M.+. . . .	-	4,358	5,332	958	39	10,687	-	50	43,598	52,266	4,417	100,331
S.L.M.	-	113,753	452,786	57,880	3,907	628,326	-	289	107,410	258,303	108,012	474,014
L.M.+.	-	9,177	44,466	6,626	523	60,792	-	-	1,263	9,191	7,907	18,361
L.M.	-	13,806	124,735	43,744	5,028	187,313	-	15	4,769	22,695	162,023	189,502
S.G.O.+. . . .	-	173	2,549	2,300	199	5,221	-	-	37	146	1,104	1,287
S.G.O.	-	385	8,212	11,218	2,641	22,456	-	-	98	1,627	50,148	51,873
G.O.+.	-	12	42	171	23	248	-	-	-	-	104	104
G.O.	-	-	765	2,109	893	3,767	-	-	12	237	15,374	15,623
Total	-	218,840	707,432	138,987	13,578	1,078,837	26	2,649	483,851	661,418	369,747	1,517,691
Light Spotted:												
G.M.	-	-	-	-	-	-	-	-	-	9	-	9
S.M.	-	211	606	152	8	977	-	37	465	630	22	1,154
M.	-	22,879	30,159	4,354	483	57,875	-	355	9,260	10,248	2,064	21,927
S.L.M.	-	55,388	165,813	14,724	3,026	238,951	-	96	4,054	11,330	7,041	22,521
L.M.	-	3,977	24,398	7,239	2,826	38,440	-	7	351	1,645	9,347	11,350
Total	-	82,455	220,976	26,469	6,343	336,243	-	495	14,130	23,862	18,474	56,961
Spotted:												
All grades . .	-	3,482	17,030	2,288	1,172	23,972	-	37	370	705	3,419	4,531
Tinged:												
All grades . .	-	-	54	82	55	191	-	-	-	27	77	104
Light Gray:												
G.M.	-	-	10	16	-	26	-	-	-	-	-	-
S.M.	-	87	593	271	62	1,013	-	-	245	341	2,062	2,648
M.	-	112	1,006	659	109	1,886	-	-	110	2,424	61,071	63,605
S.L.M.	-	25	178	261	93	557	-	-	-	279	51,034	51,313
Total	-	224	1,787	1,207	264	3,482	-	-	355	3,044	114,167	117,566
Gray:												
All grades . .	-	12	84	86	55	237	-	-	-	165	10,442	10,607
Below Grade. . .	-	13	1,113	830	512	2,468	-	-	12	155	9,150	9,317
All grades . . .	-	305,026	948,476	169,949	21,979	1,445,430 1/	26	3,181	498,718	689,376	525,476	1,716,777 1/
Grade index. . .	-	94.2	91.5	89.1	84.6	91.7	104.0	100.1	98.3	96.6	86.6	94.0
Staple (inches)												
13/16 & shorter.	-	-	-	-	-	-	-	-	-	-	-	-
7/8.	-	-	21	14	-	35	-	-	-	-	64	64
29/32.	-	-	168	14	-	182	-	-	-	-	756	756
15/16.	-	87	1,211	643	132	2,073	-	-	-	-	9,375	9,375
31/32.	-	399	3,299	2,278	221	6,197	-	7	-	11	14,375	14,393
1	-	2,890	28,925	21,665	3,268	56,748	-	7	56	223	41,302	41,588
1-1/32	-	35,156	243,081	86,972	12,974	378,183	-	229	1,067	12,374	108,730	122,400
1-1/16	-	191,811	560,799	54,318	5,105	812,033	26	1,266	40,623	78,631	271,907	392,453
1-3/32	-	70,989	105,257	3,578	255	180,079	-	709	412,059	572,576	77,821	1,063,165
1-1/8.	-	3,380	5,157	335	24	8,896	-	963	44,864	25,407	558	71,792
1-5/32	-	288	337	108	-	733	-	-	49	154	167	370
1-3/16	-	26	44	8	-	78	-	-	-	-	165	165
1-7/32	-	-	22	16	-	38	-	-	-	-	47	47
1-1/4 & longer .	-	-	155	-	-	155	-	-	-	-	209	209
All staples. . .	-	305,026	948,476	169,949	21,979	1,445,430 1/	26	3,181	498,718	689,376	525,476	1,716,777 1/
Average staple (32nd inches) .	-	34.1	33.8	33.2	33.1	33.8	34.0	34.7	35.0	34.9	33.6	34.5

1/ As reported by the Bureau of the Census, running bales.

Table 10. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1965-66 (Continued)

Grade and staple	FLORIDA Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	GEORGIA Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
G.M.	-	-	-	-	-	-	-	-	20	-	-	20
S.M.	11	32	-	-	-	43	4,344	4,426	1,110	48	-	9,928
M.+.	11	-	-	-	-	11	66	364	20	10	-	460
M.	466	1,032	22	-	-	1,520	13,751	49,041	11,808	1,746	300	76,646
S.L.M.+. . . .	21	43	-	-	-	64	1,295	6,906	1,232	104	18	9,555
S.L.M.	223	1,542	86	166	58	2,075	11,054	83,493	42,745	12,485	1,402	151,179
L.M.+.	21	181	11	-	-	213	866	14,826	6,057	1,580	62	23,391
L.M.	85	1,224	2,273	344	46	3,972	2,618	36,314	54,129	14,339	1,948	109,348
S.G.O.+. . . .	-	-	54	-	-	54	9	1,116	1,358	456	24	2,963
S.G.O.	21	138	324	114	53	650	140	3,084	5,896	3,111	1,151	13,382
G.O.+.	-	-	11	-	-	11	-	12	10	10	24	56
G.O.	11	43	11	31	11	107	9	267	520	579	213	1,588
Total	870	4,235	2,792	655	168	8,720	34,152	199,849	124,905	34,468	5,142	398,516
Light Spotted:												
G.M.	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	11	-	-	-	-	11	246	1,396	1,516	308	78	3,544
M.	96	160	54	10	-	320	843	8,416	12,722	5,764	1,443	29,188
S.L.M.	85	394	237	83	30	829	1,005	20,082	32,036	11,777	2,226	67,128
L.M.	32	234	874	145	30	1,315	351	7,527	26,186	5,482	1,750	41,296
Total	224	788	1,165	238	60	2,475	2,445	37,421	72,460	23,331	5,499	141,156
Spotted:												
All grades . .	-	85	163	21	34	303	83	2,843	7,187	2,605	2,268	14,986
Tinged:												
All grades . .	-	-	-	-	-	-	-	-	216	158	257	631
Light Gray:												
G.M.	-	-	-	-	-	-	-	-	10	-	-	10
S.M.	21	-	-	-	-	21	19	134	345	175	-	673
M.	43	11	140	31	-	225	65	281	1,197	621	43	2,207
S.L.M.	-	-	302	52	11	365	19	83	194	59	87	442
Total	64	11	442	83	11	611	103	498	1,746	855	130	3,332
Gray:												
All grades . .	-	-	22	-	-	22	20	72	164	33	-	289
Below Grade. . .	11	-	32	-	11	54	9	156	1,565	384	529	2,643
All grades . . .	1,169	5,119	4,616	997	284	12,185 1/	36,812	240,839	208,243	61,834	13,825	561,553 1/
Grade index. . .	94.6	91.1	83.7	84.7	82.3	87.9	96.5	92.7	88.2	88.1	84.7	90.6
Staple (inches)												
13/16 & shorter.	-	-	-	-	-	-	-	-	-	-	-	-
7/8.	-	-	-	-	-	-	-	-	-	5	-	8
29/32.	-	-	-	-	-	-	-	-	20	16	73	109
15/16.	-	-	22	-	22	44	59	22	1,231	324	231	1,867
31/32.	11	-	66	72	23	172	36	132	7,351	1,665	1,582	10,766
1	247	215	647	437	139	1,685	882	6,535	31,102	11,968	4,786	55,273
1-1/32	751	2,932	2,974	478	100	7,235	20,244	116,086	123,707	40,571	6,594	307,202
1-1/16	160	1,918	907	10	-	2,995	15,359	113,186	43,024	7,090	539	179,198
1-3/32	-	54	-	-	-	54	223	4,610	1,778	174	20	6,805
1-1/8.	-	-	-	-	-	-	9	256	30	18	-	313
1-5/32	-	-	-	-	-	-	-	12	-	-	-	12
1-3/16	-	-	-	-	-	-	-	-	-	-	-	-
1-7/32	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 & longer .	-	-	-	-	-	-	-	-	-	-	-	-
All staples. . .	1,169	5,119	4,616	997	284	12,185 1/	36,812	240,839	208,243	61,834	13,825	561,553 1/
Average staple (32nd inches) .	32.9	33.4	33.0	32.4	32.1	33.1	33.4	33.5	33.0	32.9	32.4	33.2

1/ As reported by the Bureau of the Census, running bales.

Table 10. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1965-66 (Continued)

Grade and staple	ILLINOIS						KENTUCKY					
	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
G.M.	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	27	-	-	-	27
M.+.	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	96	34	-	130	-	302	93	24	-	419
S.L.M.+. . . .	-	-	-	-	-	-	-	14	-	-	-	14
S.L.M.	-	-	288	140	-	428	-	589	1,703	213	-	2,505
L.M.+.	-	-	-	-	-	-	-	-	72	5	-	77
L.M.	-	14	125	63	17	219	-	27	144	173	-	344
S.G.O.+. . . .	-	-	-	5	-	5	-	-	-	5	-	5
S.G.O.	-	-	-	5	-	5	-	-	10	10	-	20
G.O.+.	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	-	-	-	-	-	-	-	-	-	-	16	16
Total	-	14	509	247	17	787	-	959	2,022	430	16	3,427
Light Spotted:												
G.M.	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	5	-	5	-	14	10	-	-	24
M.	-	14	38	15	-	67	-	110	320	10	-	440
S.L.M.	-	30	211	63	5	309	-	274	660	53	-	987
L.M.	-	14	19	5	5	43	-	-	93	10	17	120
Total	-	58	268	88	10	424	-	398	1,083	73	17	1,571
Spotted:												
All grades . .	-	-	10	-	-	10	-	14	20	10	16	60
Light Gray:												
All grades . .	-	-	-	-	-	-	-	-	21	5	-	26
Below Grade. . .	-	-	-	-	-	-	-	-	-	5	-	5
All grades . . .	-	72	787	335	27	1,221 1/	-	1,371	3,146	523	49	5,089 1/
Grade index. . .	-	88.0	91.6	91.6	84.8	91.2	-	94.6	92.5	89.7	75.1	92.6
Staple (inches)												
13/16 & shorter.	-	-	-	-	-	-	-	-	-	-	-	-
7/8.	-	-	-	-	-	-	-	-	-	-	-	-
29/32.	-	-	-	-	-	-	-	-	-	-	-	-
15/16.	-	-	-	-	-	-	-	-	-	-	-	-
31/32.	-	-	-	-	-	-	-	-	-	15	-	15
1	-	-	40	73	-	113	-	-	133	116	16	265
1-1/32	-	15	402	198	10	625	-	137	1,535	358	33	2,063
1-1/16	-	57	335	64	17	473	-	1,151	1,478	34	-	2,663
1-3/32	-	-	10	-	-	10	-	83	-	-	-	83
1-1/8.	-	-	-	-	-	-	-	-	-	-	-	-
1-5/32	-	-	-	-	-	-	-	-	-	-	-	-
1-3/16	-	-	-	-	-	-	-	-	-	-	-	-
1-7/32	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 & longer .	-	-	-	-	-	-	-	-	-	-	-	-
All staples. . .	-	72	787	335	27	1,221 1/	-	1,371	3,146	523	49	5,089 1/
Average staple (32nd inches) .	-	33.8	33.4	33.0	33.6	33.3	-	34.0	33.4	32.8	32.7	33.5

1/ As reported by the Bureau of the Census, running bales.

Table 10. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1965-66 (Continued)

Grade and staple	LOUISIANA Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	MISSISSIPPI Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
G.M.	16	44	31	-	-	91	-	311	54	32	-	397
S.M.	7,285	7,866	2,295	454	20	17,920	6,097	65,091	11,365	2,396	47	84,996
M.+.	41	87	-	21	-	149	461	9,758	1,057	240	11	11,527
M.	16,719	51,590	39,409	8,944	463	117,125	13,213	190,202	154,240	33,835	1,154	392,644
S.L.M.+. . . .	143	1,404	284	344	-	2,175	379	25,860	13,534	3,207	263	43,243
S.L.M.	4,508	69,323	96,934	19,498	1,636	191,899	1,174	251,263	451,479	77,761	4,949	786,626
L.M.+.	52	2,616	2,965	355	-	5,988	-	14,829	27,376	5,954	384	48,543
L.M.	281	11,072	22,290	9,740	1,076	44,459	22	37,680	134,874	36,597	3,577	212,750
S.G.O.+. . . .	-	-	162	41	7	210	-	190	1,289	538	32	2,049
S.G.O.	-	660	2,936	2,333	400	6,329	-	1,747	13,465	10,317	1,360	26,889
G.O.+.	-	-	10	-	-	10	-	-	54	51	9	114
G.O.	-	32	455	462	140	1,089	-	157	1,940	2,273	573	4,943
Total	29,045	144,694	167,771	42,192	3,742	387,444	21,346	597,088	810,727	173,201	12,359	1,614,721
Light Spotted:												
G.M.	-	11	-	-	-	11	-	11	-	-	-	11
S.M.	25	403	594	156	-	1,178	-	1,209	2,203	645	71	4,128
M.	754	18,100	35,245	3,060	172	57,331	160	37,071	61,188	10,642	873	109,934
S.L.M.	372	16,975	52,335	6,617	789	77,088	92	44,765	143,595	17,681	1,625	207,758
L.M.	-	3,181	12,473	2,718	424	18,796	10	5,850	33,703	6,945	1,136	47,644
Total	1,151	38,670	100,647	12,551	1,385	154,404	262	88,906	240,689	35,913	3,705	369,475
Spotted:												
All grades . .	-	1,694	7,231	1,177	323	10,425	-	1,441	10,778	2,675	589	15,483
Tinged:												
All grades . .	-	-	100	49	20	169	-	-	108	35	13	156
Light Gray:												
All grades . .	508	1,595	1,208	889	287	4,487	40	851	4,345	1,985	283	7,504
Gray:												
All grades . .	-	21	103	113	7	244	-	55	140	107	31	333
Below Grade. . .	-	84	1,167	402	64	1,717	-	263	1,337	999	321	2,920
All grades . . .	30,704	186,758	278,227	57,373	5,828	558,890 1/	21,648	688,604	1,068,124	214,915	17,301	2,010,592 1/
Grade index. . .	99.6	95.0	92.3	90.9	88.2	93.4	100.7	95.9	92.4	91.3	88.0	93.5
Staple (inches)												
13/16 & shorter.	-	-	-	-	-	-	-	-	-	-	-	-
7/8.	-	-	-	-	-	-	-	-	-	51	3	54
29/32.	-	-	-	-	-	-	-	-	-	19	-	19
15/16.	-	-	50	35	-	85	-	8	107	133	11	259
31/32.	32	121	121	131	14	419	-	25	484	498	70	1,077
1	875	2,505	3,465	3,156	476	10,477	118	1,218	13,516	9,766	1,402	26,020
1-1/32	3,589	36,801	67,163	32,807	4,006	144,366	3,092	42,839	200,275	77,544	8,112	331,862
1-1/16	20,075	130,967	182,112	20,513	1,299	354,966	16,363	459,373	742,588	113,523	7,167	1,339,014
1-3/32	6,010	16,068	24,874	724	33	47,709	2,045	178,248	107,007	12,745	527	300,572
1-1/8.	123	230	331	7	-	691	30	6,438	3,716	618	9	10,811
1-5/32	-	-	111	-	-	111	-	455	409	18	-	882
1-3/16	-	66	-	-	-	66	-	-	22	-	-	22
1-7/32	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 & longer .	-	-	-	-	-	-	-	-	-	-	-	-
All staples. . .	30,704	186,758	278,227	57,373	5,828	558,890 1/	21,648	688,604	1,068,124	214,915	17,301	2,010,592 1/
Average staple (32nd inches) .	34.0	33.9	33.8	33.3	33.1	33.8	33.9	34.2	33.9	33.6	33.4	34.0

1/ As reported by the Bureau of the Census, running bales.

Table 10. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1965-66 (Continued)

Grade and staple	MISSOURI Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	NEVADA Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
G.M.	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	6,536	95	7	-	6,638	-	-	-	39	20	59
M.+.	-	28	-	-	-	28	-	-	-	13	-	13
M.	-	22,655	6,478	1,015	-	30,148	-	-	-	119	419	538
S.L.M.+. . . .	-	2,036	999	79	-	3,114	-	-	-	-	837	837
S.L.M.	-	42,193	119,025	11,855	147	173,220	-	-	-	66	847	913
L.M.+.	-	3,332	8,096	1,107	32	12,567	-	-	-	-	339	339
L.M.	-	2,748	41,514	9,285	1,615	55,162	-	-	-	-	229	229
S.G.O.+. . . .	-	28	685	646	11	1,370	-	-	-	-	-	-
S.G.O.	-	57	1,303	2,201	692	4,253	-	-	-	-	30	30
G.O.+.	-	-	-	33	-	33	-	-	-	-	-	-
G.O.	-	-	152	455	116	723	-	-	-	-	69	69
Total	-	79,613	178,347	26,683	2,613	287,256	-	-	-	237	2,790	3,027
Light Spotted:												
G.M.	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	7	-	7	-	-	-	-	-	-
M.	-	6,564	4,462	652	11	11,689	-	-	-	13	150	163
S.L.M.	-	22,142	50,276	797	158	73,373	-	-	-	-	328	328
L.M.	-	669	6,298	969	294	8,230	-	-	-	-	189	189
Total	-	29,375	61,036	2,425	463	93,299	-	-	-	13	667	680
Spotted:												
All grades . .	-	2,093	4,661	158	292	7,204	-	-	-	-	10	10
Light Gray:												
All grades . .	-	114	3,881	567	74	4,636	-	-	-	-	20	20
Gray:												
All grades . .	-	28	201	20	-	249	-	-	-	-	-	-
Below Grade. . .	-	14	133	72	228	447	-	-	-	-	69	69
All grades . . .	-	111,237	248,259	29,925	3,670	393,091 1/	-	-	-	250	3,556	3,806 1/
Grade index. . .	-	94.4	90.9	88.6	80.9	91.6	-	-	-	99.0	92.1	92.5
Staple (inches)												
13/16 & shorter.	-	-	-	-	-	-	-	-	-	-	-	-
7/8.	-	-	-	7	11	18	-	-	-	-	-	-
29/32.	-	-	29	20	8	57	-	-	-	-	-	-
15/16.	-	14	926	726	95	1,761	-	-	-	-	-	-
31/32.	-	14	3,733	1,747	739	6,233	-	-	-	-	-	-
1	-	512	24,181	10,316	2,079	37,088	-	-	-	-	-	-
1-1/32	-	13,655	131,392	15,843	716	161,606	-	-	-	-	40	40
1-1/16	-	76,937	86,217	1,246	22	164,422	-	-	-	-	327	327
1-3/32	-	19,564	1,771	20	-	21,355	-	-	-	53	269	322
1-1/8.	-	541	10	-	-	551	-	-	-	132	2,710	2,842
1-5/32	-	-	-	-	-	-	-	-	-	65	210	275
1-3/16	-	-	-	-	-	-	-	-	-	-	-	-
1-7/32	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 & longer .	-	-	-	-	-	-	-	-	-	-	-	-
All staples. . .	-	111,237	248,259	29,925	3,670	393,091 1/	-	-	-	250	3,556	3,806 1/
Average staple (32nd inches) .	-	34.1	33.2	32.5	31.9	33.4	-	-	-	36.0	35.8	35.8

1/ As reported by the Bureau of the Census, running bales.

Table 10. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1965-66 (Continued)

Grade and staple	NEW MEXICO Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	NORTH CAROLINA Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
G.M.	-	-	307	10	-	317	-	-	-	-	-	-
S.M.	-	1,071	12,469	3,681	295	17,516	-	1,597	270	18	-	1,885
M.+.	-	100	346	10	-	456	-	-	-	-	-	-
M.	-	3,152	57,126	29,552	6,229	96,059	-	12,832	35,381	13,382	1,058	62,653
S.L.M.+. . . .	-	160	2,322	2,070	475	5,027	-	711	1,484	316	16	2,527
S.L.M.	-	488	7,479	16,994	17,787	42,748	-	12,466	44,382	17,147	2,529	76,524
L.M.+.	-	-	77	719	910	1,706	-	4,749	11,382	2,590	268	18,989
L.M.	-	-	231	1,369	3,699	5,299	-	7,353	24,361	10,636	1,084	43,434
S.G.O.+. . . .	-	-	-	-	16	16	-	383	801	827	54	2,065
S.G.O.	-	-	-	165	916	1,081	-	595	2,152	2,346	604	5,697
G.O.+.	-	-	-	-	-	-	-	10	21	17	15	63
G.O.	-	-	-	27	349	376	-	71	147	296	202	716
Total	-	4,971	80,357	54,597	30,676	170,601	-	40,767	120,381	47,575	5,830	214,553
Light Spotted:												
G.M.	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	39	1,107	553	56	1,755	-	33	95	150	67	345
M.	-	397	9,497	5,115	2,123	17,132	-	473	1,489	1,598	830	4,390
S.L.M.	-	71	1,189	2,303	4,947	8,510	-	1,001	3,254	1,601	862	6,718
L.M.	-	-	107	507	2,487	3,101	-	1,269	2,197	850	269	4,585
Total	-	507	11,900	8,478	9,613	30,498	-	2,776	7,035	4,199	2,028	16,038
Spotted:												
All grades . .	-	-	106	334	925	1,365	-	340	836	963	1,794	3,933
Tinged:												
All grades . .	-	-	-	9	47	56	-	-	-	72	144	216
Stained:												
All grades . .	-	-	-	-	9	9	-	-	-	-	-	-
Light Gray:												
All grades . .	-	-	54	937	612	1,603	-	73	436	197	140	846
Gray:												
All grades . .	-	-	-	-	10	10	-	30	30	-	32	92
Below Grade. . .	-	-	-	19	1,499	1,518	-	10	48	9	15	82
All grades . . .	-	5,478	92,417	64,374	43,391	205,660 1/	-	43,996	128,766	53,015	9,983	235,760 1/
Grade index. . .	-	99.9	99.5	97.2	90.8	96.9	-	93.2	92.8	91.9	89.6	92.5
Staple (inches)												
13/16 & shorter.	-	-	-	-	20	20	-	-	-	-	-	-
7/8.	-	-	-	200	493	693	-	-	-	-	-	-
29/32.	-	-	203	1,446	3,487	5,136	-	-	-	-	-	-
15/16.	-	-	86	3,829	10,431	14,346	-	35	-	-	8	43
31/32.	-	-	128	1,538	4,861	6,527	-	-	99	8	26	133
1	-	-	191	981	1,541	2,713	-	232	2,965	1,974	1,152	6,323
1-1/32	-	-	171	230	2,041	2,442	-	4,445	69,528	44,293	8,557	126,823
1-1/16	-	9	555	851	4,429	5,844	-	36,804	55,756	6,732	240	99,532
1-3/32	-	145	1,075	5,686	10,308	17,214	-	2,460	418	8	-	2,886
1-1/8.	-	881	22,111	27,332	5,164	55,488	-	20	-	-	-	20
1-5/32	-	4,372	66,126	22,001	213	92,712	-	-	-	-	-	-
1-3/16	-	71	1,559	172	54	1,856	-	-	-	-	-	-
1-7/32	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 & longer .	-	-	212	108	349	669	-	-	-	-	-	-
All staples. . .	-	5,478	92,417	64,374	43,391	205,660 1/	-	43,996	128,766	53,015	9,983	235,760 1/
Average staple (32nd inches) .	-	36.8	36.7	35.5	32.7	35.5	-	33.9	33.4	33.1	32.9	33.4

1/ As reported by the Bureau of the Census, running bales.

Table 10. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1965-66 (Continued)

Grade and staple	OKLAHOMA Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	SOUTH CAROLINA Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
G.M.	-	8	-	-	-	8	-	-	-	-	-	-
S.M.	-	691	154	117	10	972	373	3,670	506	50	-	4,599
M.+.	-	86	-	-	-	86	10	86	-	-	-	96
M.	-	2,042	6,547	4,546	1,603	14,738	7,259	62,318	33,604	4,072	260	107,513
S.L.M.+. . . .	-	184	753	240	111	1,288	478	3,190	2,340	566	27	6,601
S.L.M.	-	1,421	12,628	18,807	17,606	50,462	2,066	73,069	85,048	20,579	2,199	182,961
L.M.+.	-	126	566	569	645	1,906	308	8,927	12,387	2,685	64	24,371
L.M.	-	168	1,512	4,126	5,968	11,774	496	34,164	34,985	10,067	2,351	82,063
S.G.O.+. . . .	-	8	22	78	121	229	10	407	587	344	18	1,366
S.G.O.	-	25	78	321	927	1,351	26	2,233	3,034	2,160	929	8,382
G.O.+.	-	-	-	-	20	20	-	-	32	21	-	53
G.O.	-	-	11	79	222	312	18	58	339	296	284	995
Total	-	4,759	22,271	28,883	27,233	83,146	11,044	188,122	172,862	40,840	6,132	419,000
Light Spotted:												
G.M.	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	577	447	58	51	1,133	31	1,165	986	766	38	2,988
M.	-	2,963	21,041	23,643	40,585	88,232	214	8,499	6,678	2,931	729	19,051
S.L.M.	-	1,023	17,525	35,554	64,940	119,042	191	16,650	14,028	2,654	831	34,354
L.M.	-	50	1,057	3,119	9,171	13,397	49	7,078	6,068	981	652	14,828
Total	-	4,613	40,070	62,374	114,747	221,804	485	33,392	27,760	7,334	2,250	71,221
Spotted:												
G.M.	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	69	149	38	20	276	-	58	63	76	88	285
M.	-	550	4,510	4,557	7,631	17,248	10	101	120	245	661	1,137
S.L.M.	-	220	4,031	5,874	13,245	23,370	20	260	351	121	251	1,003
L.M.	-	34	255	782	4,018	5,089	20	482	504	63	249	1,318
Total	-	873	8,945	11,251	24,914	45,983	50	901	1,038	505	1,249	3,743
Tinged:												
All grades . .	-	-	192	477	2,291	2,960	-	-	-	38	171	209
Light Gray:												
All grades . .	-	-	22	229	130	381	31	721	3,052	4,784	1,674	10,262
Gray:												
All grades . .	-	-	-	20	-	20	-	10	134	133	135	412
Below Grade. . .	-	-	98	564	2,783	3,445	18	144	204	43	131	540
All grades . . .	-	10,245	71,598	103,798	172,098	357,739 1/	11,628	223,290	205,050	53,677	11,742	505,387 1/
Grade index. . .	-	96.2	93.0	91.3	89.5	90.9	97.5	93.4	92.2	91.4	87.6	92.7
Staple (inches)												
13/16 & shorter.	-	-	33	97	151	281	-	-	-	-	-	-
7/8.	-	16	193	1,350	2,423	3,982	-	-	-	-	-	-
29/32.	-	335	4,167	13,964	33,351	51,817	10	-	-	-	-	10
15/16.	-	2,487	25,101	53,056	110,209	190,853	-	-	-	7	9	16
31/32.	-	3,000	20,733	20,930	16,407	61,070	8	10	-	7	88	113
1	-	2,157	7,224	4,758	4,417	18,556	43	69	700	522	2,088	3,422
1-1/32	-	685	3,188	2,727	2,321	8,921	1,333	7,384	33,270	38,162	8,159	88,308
1-1/16	-	861	8,002	4,736	1,916	15,515	8,858	160,157	161,421	14,466	1,324	346,226
1-3/32	-	669	2,723	1,856	663	5,911	1,338	54,075	9,623	435	74	65,545
1-1/8.	-	35	213	276	200	724	38	1,579	36	78	-	1,731
1-5/32	-	-	21	48	40	109	-	16	-	-	-	16
1-3/16	-	-	-	-	-	-	-	-	-	-	-	-
1-7/32	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 & longer .	-	-	-	-	-	-	-	-	-	-	-	-
All staples. . .	-	10,245	71,598	103,798	172,098	357,739 1/	11,628	223,290	205,050	53,677	11,742	505,387 1/
Average staple (32nd inches) .	-	31.6	31.2	30.5	30.0	30.4	34.0	34.2	33.9	33.3	32.9	33.9

1/ As reported by the Bureau of the Census, running bales.

Table 10. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1965-66 (Continued)

Grade and staple	TENNESSEE Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	TEXAS Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
G.M.	-	-	9	-	-	9	156	115	379	97	-	747
S.M.	-	9,999	7,415	474	-	17,888	20,389	5,577	12,936	7,241	704	46,847
M.+.	-	646	229	25	-	900	561	353	512	345	71	1,842
M.	-	44,441	75,701	12,704	219	133,065	104,118	48,964	79,729	153,176	151,531	537,518
S.L.M.+. . . .	-	2,640	5,210	829	15	8,694	11,917	3,939	4,288	5,405	5,764	31,313
S.L.M.	-	36,882	160,746	33,243	1,619	232,490	251,765	49,479	50,802	250,559	641,716	1,244,321
L.M.+.	-	1,777	13,261	4,859	88	19,985	13,460	2,538	3,067	10,146	35,994	65,205
L.M.	-	2,577	24,542	13,989	1,784	42,892	109,475	17,664	15,329	23,190	76,137	241,795
S.G.O.+. . . .	-	-	390	844	52	1,286	1,527	170	157	458	1,102	3,414
S.G.O.	-	58	1,187	2,640	729	4,614	15,916	4,840	1,999	1,727	8,236	32,718
G.O.+.	-	-	22	70	-	92	-	10	-	18	139	167
G.O.	-	15	78	279	145	517	4,013	1,777	270	284	2,785	9,129
Total	-	99,035	288,790	69,956	4,651	462,432	533,297	135,426	169,468	452,646	924,179	2,215,016
Light Spotted:												
G.M.	-	-	-	-	-	-	-	-	10	-	-	10
S.M.	-	529	920	194	22	1,665	10,887	4,995	10,623	4,946	2,110	33,561
M.	-	16,720	34,469	4,235	412	55,836	100,693	181,282	129,606	241,134	431,940	1,084,655
S.L.M.	-	17,605	59,440	6,219	1,666	84,930	96,702	98,515	122,632	110,689	457,967	886,505
L.M.	-	1,047	7,950	2,055	1,528	12,580	17,861	13,504	19,104	11,253	52,312	114,034
Total	-	35,901	102,779	12,703	3,628	155,011	226,143	298,296	281,975	368,022	944,329	2,118,765
Spotted:												
G.M.	-	-	-	-	-	-	-	-	-	10	9	19
S.M.	-	-	11	6	154	171	313	158	490	236	203	1,400
M.	-	364	1,046	177	96	1,683	2,127	3,279	7,276	7,287	54,955	74,924
S.L.M.	-	873	2,666	246	292	4,077	2,406	4,385	8,145	6,513	76,031	97,480
L.M.	-	160	616	83	291	1,150	1,147	1,839	2,570	1,829	16,354	23,739
Total	-	1,397	4,339	512	833	7,081	5,993	9,661	18,481	15,875	147,552	197,562
Tinged:												
All grades . .	-	-	-	6	35	41	21	74	65	135	17,905	18,200
Stained:												
All grades . .	-	-	-	-	-	-	-	-	-	-	260	260
Light Gray:												
All grades . .	-	102	1,228	386	51	1,767	27,720	1,969	1,398	1,439	1,804	34,330
Gray:												
All grades . .	-	29	88	25	-	142	3,677	285	402	312	379	5,055
Below Grade. . .	-	131	134	95	79	439	646	479	866	985	7,326	10,302
All grades . . .	-	136,595	397,358	83,683	9,277	626,913 1/	797,497	446,190	472,655	839,414	2,043,734	4,599,490 1/
Grade index. . .	-	96.1	93.7	91.8	86.2	93.9	92.5	93.7	93.7	94.7	92.2	93.0
Staple (inches)												
13/16 & shorter.	-	-	-	-	-	-	297	250	827	1,400	6,333	9,107
7/8.	-	-	-	-	-	-	6,691	3,636	11,338	23,662	57,483	102,810
29/32.	-	-	-	6	-	6	37,913	97,431	98,915	164,690	474,462	873,411
15/16.	-	15	371	289	51	726	89,819	197,159	176,134	397,445	1,195,528	2,056,085
31/32.	-	58	1,548	2,739	317	4,662	83,654	26,965	32,253	134,214	222,117	499,203
1	-	907	34,512	21,402	2,688	59,509	123,353	18,922	16,737	36,815	39,645	235,472
1-1/32	-	24,018	196,790	48,620	5,028	274,456	210,775	27,677	18,556	17,522	14,574	289,104
1-1/16	-	100,173	159,822	10,482	1,186	271,663	235,675	57,188	37,672	14,250	11,622	356,407
1-3/32	-	11,365	4,249	139	7	15,760	8,745	9,290	8,534	5,740	8,158	40,467
1-1/8.	-	59	55	6	-	120	427	2,161	15,631	26,180	9,885	54,284
1-5/32	-	-	11	-	-	11	-	5,068	50,552	13,884	1,846	71,370
1-3/16	-	-	-	-	-	-	54	70	1,071	298	750	2,243
1-7/32	-	-	-	-	-	-	52	22	118	312	475	979
1-1/4 & longer .	-	-	-	-	-	-	42	331	4,317	3,002	856	8,548
All staples. . .	-	136,595	397,358	83,683	9,277	626,913 1/	797,497	446,190	472,655	839,414	2,043,734	4,599,490 1/
Average staple (32nd inches) .	-	33.9	33.3	32.8	32.8	33.4	32.4	30.8	31.5	30.5	30.0	30.7

1/ As reported by the Bureau of the Census, running bales.

Table 10. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1965-66 (Continued)

VIRGINIA

Grade and staple	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales
White:						
G.M.	-	-	-	-	-	-
S.M.	-	10	26	6	-	42
M.+.	-	-	-	-	-	-
M.	-	232	2,239	2,169	140	4,780
S.L.M.+. . . .	-	39	129	12	23	203
S.L.M.	-	97	519	330	141	1,087
L.M.+.	-	-	21	6	-	27
L.M.	-	19	17	-	-	36
S.G.O.+. . . .	-	-	-	-	-	-
S.G.O.	-	-	-	-	-	-
G.O.+.	-	-	-	-	-	-
G.O.	-	-	-	-	-	-
Total	-	397	2,951	2,523	304	6,175
Light Spotted:						
G.M.	-	-	-	-	-	-
S.M.	-	-	21	-	-	21
M.	-	-	13	29	100	142
S.L.M.	-	-	13	-	70	83
L.M.	-	-	-	-	-	-
Total	-	-	47	29	170	246
Spotted:						
All grades . .	-	-	4	-	35	39
Light Gray:						
All grades . .	-	-	21	-	-	21
All grades . . .	-	397	3,023	2,552	509	6,481 1/
Grade index. . .	-	97.6	98.6	99.2	94.9	98.5
Staple (inches)						
13/16 & shorter.	-	-	-	-	-	-
7/8.	-	-	-	-	-	-
29/32.	-	-	-	-	-	-
15/16.	-	-	-	-	10	10
31/32.	-	-	86	30	-	116
1	-	-	951	720	89	1,760
1-1/32	-	29	1,584	1,707	410	3,730
1-1/16	-	338	402	95	-	835
1-3/32	-	30	-	-	-	30
1-1/8.	-	-	-	-	-	-
1-5/32	-	-	-	-	-	-
1-3/16	-	-	-	-	-	-
1-7/32	-	-	-	-	-	-
1-1/4 & longer .	-	-	-	-	-	-
All staples. . .	-	397	3,023	2,552	509	6,481 1/
Average staple (32nd inches) .	-	34.0	32.8	32.7	32.8	32.8

1/ As reported by the Bureau of the Census, running bales.

Table 11. -- Grade and staple of upland cotton ginned, by states and districts, 1965-66

Grade and staple	ALABAMA				ARIZONA				
	Ginned in District			Ginned in the state	Ginned in District				Ginned in the state
	1	2	3		1	2	3	4	
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:									
G.M.	12	-	-	12	68	100	135	83	386
S.M.	21,636	6,370	928	28,934	1,258	9,340	18,414	1,862	30,874
M.+.	2,073	693	31	2,797	23	515	2,399	475	3,412
M.	102,259	56,048	15,877	174,184	11,597	75,631	132,209	21,013	240,450
S.L.M.+.	23,122	3,624	459	27,205	364	6,805	12,633	3,299	23,101
S.L.M.	184,165	71,674	35,421	291,260	23,488	50,806	28,625	5,827	108,746
L.M.+.	31,791	7,747	1,760	41,298	1,353	6,002	4,124	484	11,963
L.M.	40,434	34,744	26,162	101,340	20,100	25,296	16,791	1,460	63,647
S.G.O.+.	949	508	276	1,733	176	831	1,033	29	2,069
S.G.O.	4,271	5,178	6,270	15,719	4,791	9,471	7,208	448	21,918
G.O.+.	21	9	-	30	9	19	50	-	78
G.O.	569	883	928	2,380	2,844	5,651	3,901	93	12,489
Total	411,302	187,478	88,112	686,892	66,071	190,467	227,522	35,073	519,133
Light Spotted:									
G.M.	-	-	-	-	-	-	35	11	46
S.M.	1,449	663	204	2,316	987	6,440	10,266	520	18,213
M.	25,823	8,036	4,016	37,875	7,439	42,460	42,984	2,377	95,260
S.L.M.	43,047	15,900	11,640	70,587	4,536	6,861	6,554	526	18,477
L.M.	6,770	6,760	10,228	23,758	1,262	4,831	3,638	472	10,203
Total	77,089	31,359	26,088	134,536	14,224	60,592	63,477	3,906	142,199
Spotted:									
All grades . . .	4,798	2,096	3,474	10,368	761	3,742	4,157	180	8,840
Tinged:									
All grades . . .	294	38	92	424	-	30	40	17	87
Light Gray:									
G.M.	-	18	-	18	-	-	-	-	-
S.M.	896	1,058	730	2,684	528	1,839	888	107	3,362
M.	1,668	2,059	2,803	6,530	7,141	8,332	2,355	19	17,847
S.L.M.	238	275	1,815	2,328	2,941	4,790	2,166	-	9,897
Total	2,802	3,410	5,348	11,560	10,610	14,961	5,409	126	31,106
Gray:									
All grades . . .	165	124	640	929	1,409	2,895	1,069	-	5,373
Below Grade. . . .	537	254	597	1,388	3,969	14,904	12,759	279	31,911
All grades	496,987	224,759	124,351	846,097 1/	97,044	287,591	314,433	39,581	738,649 1/
Grade index. . . .	94.1	93.0	89.5	93.1	89.2	92.1	94.8	97.1	93.1
Staple (inches)									
13/16 & shorter. .	-	-	-	-	-	-	10	-	10
7/8.	19	-	-	19	74	242	287	-	603
29/32.	152	-	-	152	538	610	783	-	1,931
15/16.	1,430	117	74	1,621	3,863	9,324	9,289	-	22,476
31/32.	4,044	769	646	5,459	5,525	12,179	8,585	-	26,289
1	58,242	16,331	10,867	85,440	16,089	24,813	17,655	24	58,581
1-1/32	258,297	123,590	77,805	459,692	26,342	60,566	55,407	112	142,427
1-1/16	167,968	79,866	34,185	282,019	43,076	166,678	191,842	939	402,535
1-3/32	6,678	3,970	715	11,363	1,503	12,768	22,016	2,819	39,106
1-1/8.	157	116	59	332	34	355	5,191	14,969	20,549
1-5/32	-	-	-	-	-	46	2,597	19,985	22,628
1-3/16	-	-	-	-	-	-	525	585	1,110
1-7/32	-	-	-	-	-	-	-	-	-
1-1/4 & longer . .	-	-	-	-	-	10	246	148	404
All staples. . . .	496,987	224,759	124,351	846,097 1/	97,044	287,591	314,433	39,581	738,649 1/
Average staple (32nd inches) . .	33.2	33.3	33.2	33.2	33.1	33.4	33.6	36.4	33.6

1/ As reported by the Bureau of the Census, running bales.

ALABAMA
DISTRICTS FOR COTTON QUALITY REPORTS

ARIZONA
DISTRICTS FOR COTTON QUALITY REPORTS

Table 11. -- Grade and staple of upland cotton ginned, by states and districts, 1965-66 (Continued)

Grade and staple	ARKANSAS					CALIFORNIA		
	Ginned in District				Ginned in the state	Ginned in District		Ginned in the state
	1	2	3	4		1	2	
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:								
G.M.	-	20	37	-	57	581	49	630
S.M.	561	7,129	1,227	4,529	13,446	32,370	1,048	33,418
M.+.	52	307	79	200	638	1,274	29	1,303
M.	5,955	79,828	16,603	43,500	145,886	601,455	29,790	631,245
S.L.M.+.	610	6,115	686	3,276	10,687	96,906	3,425	100,331
S.L.M.	14,213	349,230	41,435	223,448	628,326	377,449	96,565	474,014
L.M.+.	1,733	34,997	1,855	22,207	60,792	14,447	3,914	18,361
L.M.	2,311	108,450	7,897	68,655	187,313	156,897	32,605	189,502
S.G.O.+.	102	4,148	66	905	5,221	1,227	60	1,287
S.G.O.	144	13,198	909	8,205	22,456	44,926	6,947	51,873
G.O.+.	-	203	11	34	248	95	9	104
G.O.	15	2,435	106	1,211	3,767	11,361	4,262	15,623
Total	25,696	606,060	70,911	376,170	1,078,837	1,338,988	178,703	1,517,691
Light Spotted:								
G.M.	-	-	-	-	-	9	-	9
S.M.	89	513	169	206	977	632	522	1,154
M.	2,287	32,006	6,077	17,505	57,875	14,685	7,242	21,927
S.L.M.	3,912	134,382	12,039	88,618	238,951	17,270	5,251	22,521
L.M.	415	22,595	1,574	13,856	38,440	7,491	3,859	11,350
Total	6,703	189,496	19,859	120,185	336,243	40,087	16,874	56,961
Spotted:								
All grades . . .	378	9,174	1,781	12,639	23,972	3,988	543	4,531
Tinged:								
All grades . . .	-	65	74	52	191	104	-	104
Light Gray:								
G.M.	-	26	-	-	26	-	-	-
S.M.	7	534	76	396	1,013	2,142	506	2,648
M.	29	929	168	760	1,886	45,624	17,981	63,605
S.L.M.	-	283	30	244	557	47,143	4,170	51,313
Total	36	1,772	274	1,400	3,482	94,909	22,657	117,566
Gray:								
All grades . . .	-	115	8	114	237	7,698	2,909	10,607
Below Grade. . . .	21	1,367	181	899	2,468	4,301	5,016	9,317
All grades	32,834	808,049	93,088	511,459	1,445,430 1/	1,490,075	226,702	1,716,777 1/
Grade index. . . .	93.6	91.6	93.2	91.4	91.7	94.5	91.0	94.0
Staple (inches)								
13/16 & shorter. .	-	-	-	-	-	-	-	-
7/8.	14	10	11	-	35	-	64	64
29/32.	92	50	40	-	182	-	756	756
15/16.	447	1,142	172	312	2,073	11	9,364	9,375
31/32.	885	3,869	332	1,111	6,197	149	14,244	14,393
1	3,993	34,256	3,667	14,832	56,748	2,086	39,502	41,588
1-1/32	11,491	231,547	23,525	111,620	378,183	32,896	89,504	122,400
1-1/16	14,135	464,734	54,949	278,215	812,033	320,142	72,311	392,453
1-3/32	1,744	69,796	10,216	98,323	180,079	1,062,834	331	1,063,165
1-1/8.	33	2,600	169	6,094	8,896	71,754	38	71,792
1-5/32	-	45	7	681	733	203	167	370
1-3/16	-	-	-	78	78	-	165	165
1-7/32	-	-	-	38	38	-	47	47
1-1/4 & longer . .	-	-	-	155	155	-	209	209
All staples. . . .	32,834	808,049	93,088	511,459	1,445,430 1/	1,490,075	226,702	1,716,777 1/
Average staple (32nd inches) . .	33.3	33.7	33.8	33.9	33.8	34.8	32.9	34.5

1/ As reported by the Bureau of the Census, running bales.

ARKANSAS

DISTRICTS FOR COTTON QUALITY REPORTS

CALIFORNIA

DISTRICTS FOR COTTON QUALITY REPORTS

Table 11. -- Grade and staple of upland cotton ginned, by states and districts, 1965-66 (Continued)

Grade and staple	GEORGIA				LOUISIANA				
	Ginned in District			Ginned in the state	Ginned in District				Ginned in the state
	1	2	3		1	2	3	4	
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:									
G.M.	20	-	-	20	21	-	59	11	91
S.M.	2,633	3,025	4,270	9,928	2,879	-	7,929	7,112	17,920
M.+.	168	252	40	460	-	-	114	35	149
M.	22,308	25,864	28,474	76,646	18,809	82	70,673	27,561	117,125
S.L.M.+.	1,848	4,324	3,383	9,555	73	8	1,723	371	2,175
S.L.M.	34,026	62,849	54,304	151,179	46,210	163	121,830	23,696	191,899
L.M.+.	4,549	9,617	9,225	23,391	692	30	5,102	164	5,988
L.M.	12,772	66,251	30,325	109,348	11,454	8	27,011	5,986	44,459
S.G.O.+.	645	1,682	636	2,963	-	-	210	-	210
S.G.O.	2,163	7,860	3,359	13,382	2,039	-	2,996	1,294	6,329
G.O.+.	46	10	-	56	-	-	10	-	10
G.O.	254	997	337	1,588	338	-	483	268	1,089
Total	81,432	182,731	134,353	398,516	82,515	291	238,140	66,498	387,444
Light Spotted:									
G.M.	-	-	-	-	-	-	11	-	11
S.M.	2,347	838	359	3,544	345	-	766	67	1,178
M.	16,175	6,953	6,060	29,188	10,248	83	41,611	5,389	57,331
S.L.M.	19,932	28,233	18,963	67,128	16,406	72	52,190	8,420	77,088
L.M.	5,060	27,334	8,902	41,296	3,529	23	12,449	2,795	18,796
Total	43,514	63,358	34,284	141,156	30,528	178	107,027	16,671	154,404
Spotted:									
All grades . . .	5,347	7,395	2,244	14,986	2,253	-	6,836	1,336	10,425
Tinged:									
All grades . . .	329	283	19	631	30	-	139	-	169
Light Gray:									
All grades . . .	132	2,154	1,046	3,332	708	-	884	2,895	4,487
Gray:									
All grades . . .	31	179	79	289	102	-	59	83	244
Below Grade. . . .	342	1,770	531	2,643	422	-	1,029	266	1,717
All grades	131,127	257,870	172,556	561,553 1/	116,558	469	354,114	87,749	558,890 1/
Grade index. . . .	92.5	88.9	91.6	90.6	92.7	93.8	93.3	94.7	93.4
Staple (inches)									
13/16 & shorter. .	-	-	-	-	-	-	-	-	-
7/8.	-	8	-	8	-	-	-	-	-
29/32.	57	52	-	109	-	-	-	-	-
15/16.	242	1,432	193	1,867	30	-	55	-	85
31/32.	1,910	7,895	961	10,766	10	-	398	11	419
1	13,941	33,317	8,015	55,273	1,054	-	8,713	710	10,477
1-1/32	69,035	149,003	89,164	307,202	41,824	168	83,607	18,767	144,366
1-1/16	40,945	65,436	72,817	179,198	72,324	301	221,875	60,466	354,966
1-3/32	4,689	710	1,406	6,805	1,295	-	38,752	7,662	47,709
1-1/8.	296	17	-	313	21	-	537	133	691
1-5/32	12	-	-	12	-	-	111	-	111
1-3/16	-	-	-	-	-	-	66	-	66
1-7/32	-	-	-	-	-	-	-	-	-
1-1/4 & longer . .	-	-	-	-	-	-	-	-	-
All staples. . . .	131,127	257,870	172,556	561,553 1/	116,558	469	354,114	87,749	558,890 1/
Average staple (32nd inches) . .	33.2	33.1	33.4	33.2	33.6	33.6	33.8	33.9	33.8

1/ As reported by the Bureau of the Census, running bales.

GEORGIA

DISTRICTS FOR COTTON QUALITY REPORTS



LOUISIANA

DISTRICTS FOR COTTON QUALITY REPORTS

Table 11. -- Grade and staple of upland cotton ginned, by states and districts, 1965-66 (Continued)

Grade and staple	MISSISSIPPI					NEW MEXICO		
	Ginned in District				Ginned in the state	Ginned in District		Ginned in the state
	1	2	3	4		1	2	
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:								
G.M.	344	22	31	-	397	190	127	317
S.M.	47,422	22,362	12,671	2,541	84,996	5,239	12,277	17,516
M.+.	9,384	1,219	805	119	11,527	347	109	456
M.	181,803	128,472	59,776	22,593	392,644	39,176	56,883	96,059
S.L.M.+.	32,152	7,108	3,029	954	43,243	4,568	459	5,027
S.L.M.	531,740	173,263	64,168	17,455	786,626	13,572	29,176	42,748
L.M.+.	38,120	7,618	2,434	371	48,543	867	839	1,706
L.M.	159,230	29,603	17,252	6,665	212,750	1,881	3,418	5,299
S.G.O.+.	1,673	315	61	-	2,049	-	16	16
S.G.O.	19,558	3,017	3,009	1,305	26,889	280	801	1,081
G.O.+.	71	18	9	16	114	-	-	-
G.O.	3,670	453	460	360	4,943	282	94	376
Total	1,025,167	373,470	163,705	52,379	1,614,721	66,402	104,199	170,601
Light Spotted:								
G.M.	-	11	-	-	11	-	-	-
S.M.	1,415	1,352	1,095	266	4,128	465	1,290	1,755
M.	54,124	35,984	14,108	5,718	109,934	6,347	10,785	17,132
S.L.M.	151,567	37,389	13,734	5,048	207,758	1,483	7,027	8,510
L.M.	35,345	6,934	3,422	1,943	47,644	854	2,247	3,101
Total	242,471	81,670	32,359	12,975	369,475	9,149	21,349	30,498
Spotted:								
All grades . . .	10,730	2,665	1,146	942	15,483	185	1,180	1,365
Tinged:								
All grades . . .	129	18	9	-	156	25	31	56
Stained:								
All grades . . .	-	-	-	-	-	9	-	9
Light Gray:								
All grades . . .	3,978	1,430	1,052	1,044	7,504	258	1,345	1,603
Gray:								
All grades . . .	181	64	64	24	333	-	10	10
Below Grade. . . .	2,188	298	233	201	2,920	398	1,120	1,518
All grades	1,284,844	459,615	198,568	67,565	2,010,592 1/	76,426	129,234	205,660 1/
Grade index. . . .	92.8	95.0	94.9	94.3	93.5	97.4	96.7	96.9
Staple (inches)								
13/16 & shorter. .	-	-	-	-	-	-	20	20
7/8.	54	-	-	-	54	-	693	693
29/32.	19	-	-	-	19	-	5,136	5,136
15/16.	97	96	18	48	259	27	14,319	14,346
31/32.	155	713	93	116	1,077	35	6,492	6,527
1	5,893	15,589	2,055	2,483	26,020	111	2,602	2,713
1-1/32	141,433	141,017	31,408	18,004	331,862	396	2,046	2,442
1-1/16	884,344	273,061	139,608	42,001	1,339,014	1,589	4,255	5,844
1-3/32	242,460	28,643	24,564	4,905	300,572	6,205	11,009	17,214
1-1/8.	9,548	485	770	8	10,811	28,166	27,322	55,488
1-5/32	819	11	52	-	882	38,762	53,950	92,712
1-3/16	22	-	-	-	22	477	1,379	1,856
1-7/32	-	-	-	-	-	-	-	-
1-1/4 & longer . .	-	-	-	-	-	658	11	669
All staples. . . .	1,284,844	459,615	198,568	67,565	2,010,592 1/	76,426	129,234	205,660 1/
Average staple (32nd inches) . .	34.1	33.7	34.0	33.7	34.0	36.4	34.9	35.5

1/ As reported by the Bureau of the Census, running bales.



MISSISSIPPI

DISTRICTS FOR COTTON QUALITY REPORTS



NEW MEXICO

DISTRICTS FOR COTTON QUALITY REPORTS

Table 11. -- Grade and staple of upland cotton ginned, by states and districts, 1965-66 (Continued)

Grade and staple	NORTH CAROLINA				OKLAHOMA			
	Ginned in District			Ginned in the state	Ginned in District			Ginned in the state
	1	2	3		1	2	3	
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:								
G.M.	-	-	-	-	8	-	-	8
S.M.	1,341	230	314	1,885	536	145	291	972
M.+.	-	-	-	-	76	-	10	86
M.	18,868	29,023	14,762	62,653	6,003	4,456	4,279	14,738
S.L.M.+.	908	836	783	2,527	558	536	194	1,288
S.L.M.	12,707	30,770	33,047	76,524	27,484	10,831	12,147	50,462
L.M.+.	5,162	5,608	8,219	18,989	633	547	726	1,906
L.M.	6,434	15,591	21,409	43,434	5,136	2,226	4,412	11,774
S.G.O.+.	123	1,100	842	2,065	80	50	99	229
S.G.O.	243	2,123	3,331	5,697	513	359	479	1,351
G.O.+.	11	24	28	63	-	10	10	20
G.O.	26	294	396	716	61	141	110	312
Total	45,823	85,599	83,131	214,553	41,088	19,301	22,757	83,146
Light Spotted:								
G.M.	-	-	-	-	-	-	-	-
S.M.	238	60	47	345	1,085	27	21	1,133
M.	1,327	1,892	1,171	4,390	70,922	5,866	11,444	88,232
S.L.M.	1,223	2,547	2,948	6,718	98,480	5,855	14,707	119,042
L.M.	532	1,331	2,722	4,585	9,738	715	2,944	13,397
Total	3,320	5,830	6,888	16,038	180,225	12,463	29,116	221,804
Spotted:								
G.M.	-	-	-	-	-	-	-	-
S.M.	65	-	10	75	266	-	10	276
M.	690	154	98	942	16,504	316	428	17,248
S.L.M.	921	405	256	1,582	22,290	551	529	23,370
L.M.	139	658	537	1,334	4,778	151	160	5,089
Total	1,815	1,217	901	3,933	43,838	1,018	1,127	45,983
Tinged:								
All grades . . .	157	51	8	216	2,883	41	36	2,960
Light Gray:								
All grades . . .	128	406	312	846	241	21	119	381
Gray:								
All grades . . .	-	21	71	92	-	10	10	20
Below Grade. . . .	-	24	58	82	3,107	110	228	3,445
All grades	51,243	93,148	91,369	235,760 1/	271,382	32,964	53,393	357,739 1/
Grade index. . . .	94.4	93.1	91.0	92.5	90.5	92.8	91.7	90.9
Staple (inches)								
13/16 & shorter. .	-	-	-	-	200	10	71	281
7/8.	-	-	-	-	3,041	281	660	3,982
29/32.	-	-	-	-	41,050	2,831	7,936	51,817
15/16.	35	-	8	43	153,371	12,010	25,472	190,853
31/32.	26	22	85	133	43,995	7,485	9,590	61,070
1	1,575	2,695	2,053	6,323	13,801	2,671	2,084	18,556
1-1/32	31,249	57,992	37,582	126,823	5,637	1,658	1,626	8,921
1-1/16	17,908	31,997	49,627	99,532	6,547	4,267	4,701	15,515
1-3/32	450	442	1,994	2,886	3,090	1,718	1,103	5,911
1-1/8.	-	-	20	20	541	33	150	724
1-5/32	-	-	-	-	109	-	-	109
1-3/16	-	-	-	-	-	-	-	-
1-7/32	-	-	-	-	-	-	-	-
1-1/4 & longer . .	-	-	-	-	-	-	-	-
All staples. . . .	51,243	93,148	91,369	235,760 1/	271,382	32,964	53,393	357,739 1/
Average staple (32nd inches) . .	33.3	33.3	33.6	33.4	30.3	31.2	30.6	30.4

1/ As reported by the Bureau of the Census, running bales.

NORTH CAROLINA

DISTRICTS FOR COTTON
QUALITY REPORTS

OKLAHOMA

DISTRICTS FOR COTTON
QUALITY REPORTS

Table 11. -- Grade and staple of upland cotton ginned, by states and districts, 1965-66 (Continued)

Grade and staple	SOUTH CAROLINA				TENNESSEE		
	Ginned in District			Ginned in the state	Ginned in District		Ginned in the state
	1	2	3		1	2	
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	-	-	-	-	-	9	9
S.M.	344	2,623	1,632	4,599	12,803	5,085	17,888
M.+.	-	48	48	96	709	191	900
M.	22,327	52,883	32,303	107,513	118,771	14,294	133,065
S.L.M.+.	1,042	3,178	2,381	6,601	6,397	2,297	8,694
S.L.M.	19,487	106,147	57,327	182,961	220,669	11,821	232,490
L.M.+.	3,043	12,585	8,743	24,371	19,135	850	19,985
L.M.	9,470	44,871	27,722	82,063	42,193	699	42,892
S.G.O.+.	180	786	400	1,366	1,259	27	1,286
S.G.O.	818	4,550	3,014	8,382	4,536	78	4,614
G.O.+.	-	24	29	53	92	-	92
G.O.	147	471	377	995	517	-	517
Total	56,858	228,166	133,976	419,000	427,081	35,351	462,432
Light Spotted:							
G.M.	-	-	-	-	-	-	-
S.M.	1,125	1,486	377	2,988	1,277	388	1,665
M.	5,529	9,857	3,665	19,051	53,518	2,318	55,836
S.L.M.	3,123	20,591	10,640	34,354	83,605	1,325	84,930
L.M.	1,155	9,065	4,608	14,828	12,347	233	12,580
Total	10,932	40,999	19,290	71,221	150,747	4,264	155,011
Spotted:							
All grades . . .	1,748	1,406	589	3,743	6,842	239	7,081
Tinged:							
All grades . . .	175	34	-	209	41	-	41
Light Gray:							
All grades . . .	760	7,210	2,292	10,262	1,713	54	1,767
Gray:							
All grades . . .	100	240	72	412	133	9	142
Below Grade. . . .	45	296	199	540	439	-	439
All grades	70,618	278,351	156,418	505,387 1/	586,996	39,917	626,913 1/
Grade index. . . .	94.0	92.5	92.4	92.7	93.6	97.3	93.9
Staple (inches)							
13/16 & shorter. .	-	-	-	-	-	-	-
7/8.	-	-	-	-	-	-	-
29/32.	-	-	10	10	6	-	6
15/16.	-	16	-	16	446	280	726
31/32.	17	63	33	113	4,215	447	4,662
1	543	1,991	888	3,422	52,157	7,352	59,509
1-1/32	20,078	48,528	19,702	88,308	256,903	17,553	274,456
1-1/16	38,983	195,854	111,389	346,226	258,099	13,564	271,663
1-3/32	9,925	31,552	24,068	65,545	15,039	721	15,760
1-1/8.	1,056	347	328	1,731	120	-	120
1-5/32	16	-	-	16	11	-	11
1-3/16	-	-	-	-	-	-	-
1-7/32	-	-	-	-	-	-	-
1-1/4 & longer . .	-	-	-	-	-	-	-
All staples. . . .	70,618	278,351	156,418	505,387 1/	586,996	39,917	626,913 1/
Average staple (32nd inches) . .	33.9	33.9	34.0	33.9	33.4	33.1	33.4

1/ As reported by the Bureau of the Census, running bales.

SOUTH CAROLINA

DISTRICTS FOR COTTON
QUALITY REPORTS



TENNESSEE

DISTRICTS FOR COTTON
QUALITY REPORTS

Table 11. -- Grade and staple of upland cotton ginned, by states and districts, 1965-66 (Continued)

TEXAS

Grade and staple	Ginned in District 1	2	3	4	5	6	7	8	9	10	Ginned in the state
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:											
G.M.	-	10	-	-	11	581	-	-	-	145	747
S.M.	8,219	2,075	23	709	1,470	12,755	603	1,482	1,790	17,721	46,847
M.+.	233	10	-	-	229	756	9	23	30	552	1,842
M.	279,212	37,048	246	23,392	11,752	59,869	12,976	24,469	20,630	67,924	537,518
S.L.M.+. . . .	8,766	1,677	11	308	1,642	4,567	-	2,901	4,575	6,866	31,313
S.L.M.	812,974	63,768	1,797	18,795	29,301	43,102	1,056	74,160	81,830	117,538	1,244,321
L.M.+.	42,513	2,616	140	985	1,547	2,395	-	4,410	3,428	7,171	65,205
L.M.	82,458	11,512	748	7,922	11,779	5,512	179	18,723	10,451	92,511	241,795
S.G.O.+. . . .	1,221	130	-	142	34	265	-	212	86	1,324	3,414
S.G.O.	6,330	728	105	1,628	1,104	2,091	84	3,525	654	16,469	32,718
G.O.+.	120	10	-	10	8	19	-	-	-	-	167
G.O.	1,609	146	-	162	212	1,099	-	1,904	89	3,908	9,129
Total	1,243,655	119,730	3,070	54,053	59,089	133,011	14,907	131,809	123,563	332,129	2,215,016
Light Spotted:											
G.M.	10	-	-	-	-	-	-	-	-	-	10
S.M.	5,474	7,807	57	2,816	465	2,626	3,420	6,603	449	3,844	33,561
M.	475,440	250,483	2,795	191,173	9,276	22,898	26,300	62,902	26,075	17,313	1,084,655
S.L.M.	355,367	216,138	5,416	164,708	21,436	5,691	3,651	50,812	35,164	28,122	886,505
L.M.	34,693	18,773	1,103	24,012	5,899	4,891	202	8,827	4,292	11,342	114,034
Total	870,984	493,201	9,371	382,709	37,076	36,106	33,573	129,144	65,980	60,621	2,118,765
Spotted:											
G.M.	10	-	-	9	-	-	-	-	-	-	19
S.M.	324	504	11	112	12	33	-	112	41	251	1,400
M.	40,671	25,722	633	4,979	485	273	164	1,121	291	585	74,924
S.L.M.	54,032	27,430	319	10,001	1,282	458	275	1,658	988	1,037	97,480
L.M.	9,583	5,885	152	3,399	873	1,310	110	760	600	1,067	23,739
Total	104,620	59,541	1,115	18,500	2,652	2,074	549	3,651	1,920	2,940	197,562
Tinged:											
All grades . .	15,164	2,732	7	41	48	109	13	44	-	42	18,200
Stained:											
All grades . .	242	18	-	-	-	-	-	-	-	-	260
Light Gray:											
All grades . .	1,775	384	7	934	1,080	796	12	5,239	1,853	22,250	34,330
Gray:											
All grades ...	416	73	-	231	186	-	-	601	131	3,417	5,055
Below Grade. . .	2,344	663	22	1,037	598	4,281	9	584	119	645	10,302
All grades . . .	2,239,200	676,342	13,592	457,505	100,729	176,377	49,063	271,072	193,566	422,044	4,599,490 1/
Grade index. . .	93.4	92.6	90.4	92.4	91.4	95.1	97.3	92.8	93.2	91.4	93.0
Staple (inches)											
13/16 & shorter.	6,536	1,178	43	587	146	10	168	270	-	169	9,107
7/8.	57,502	21,668	1,381	8,945	1,253	20	4,636	5,421	97	1,887	102,810
29/32.	462,932	183,294	6,045	151,144	5,246	266	25,271	32,126	998	6,089	873,411
15/16.	1,258,062	400,352	5,377	268,552	8,023	1,657	17,590	70,486	7,912	18,074	2,056,085
31/32.	333,234	46,714	567	19,334	3,619	3,964	1,010	48,432	21,442	20,887	499,203
1	70,398	12,811	157	3,540	6,097	4,969	235	44,797	46,357	46,111	235,472
1-1/32	26,105	4,336	11	3,063	17,546	6,500	109	36,375	63,925	131,134	289,104
1-1/16	9,091	3,967	11	2,143	51,281	20,019	35	30,488	49,889	189,483	356,407
1-3/32	3,890	1,298	-	177	7,467	14,708	-	2,579	2,674	7,674	40,467
1-1/8.	7,150	588	-	20	51	45,739	-	98	272	366	54,284
1-5/32	3,380	53	-	-	-	67,937	-	-	-	-	71,370
1-3/16	601	20	-	-	-	1,559	9	-	-	54	2,243
1-7/32	81	21	-	-	-	803	-	-	-	74	979
1-1/4 & longer .	238	42	-	-	-	8,226	-	-	-	42	8,548
All staples. . .	2,239,200	676,342	13,592	457,505	100,729	176,377	49,063	271,072	193,566	422,044	4,599,490 1/
Average staple (32nd inches) .	30.0	29.8	29.4	29.7	33.0	35.9	29.3	31.2	32.7	33.1	30.7

1/ As reported by the Bureau of the Census, running bales.



TEXAS

DISTRICTS FOR COTTON
QUALITY REPORTS

Table 12. -- Percentage distribution of micronaire readings of upland cotton ginned in the United States, by individual readings and by states, 1964-65 1/

State	Readings																																Total	Average mike
	2.4 and below	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.8	3.9	4.0	4.1	4.2	4.3	4.4	4.5	4.6	4.7	4.8	4.9	5.0	5.1	5.2	5.3	5.4	5.5 and above		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
Alabama	-	-	*	*	0.1	*	0.6	0.3	1.8	0.8	3.7	1.6	6.9	2.6	10.1	4.0	12.5	6.0	13.0	6.2	10.9	4.6	7.0	2.1	3.0	0.7	1.0	0.2	0.3	*	*	*	100.0	4.1
Arizona	0.2	0.2	0.4	0.3	0.8	0.7	1.3	1.3	1.7	1.6	2.2	2.2	2.7	2.4	3.1	3.1	3.8	3.2	3.9	3.7	5.3	5.3	7.3	7.1	8.8	7.0	7.1	4.9	4.2	2.1	1.3	0.8	100.0	4.4
Arkansas	0.1	*	0.1	0.1	0.3	0.3	0.5	0.6	0.8	0.7	1.1	1.1	1.8	1.4	2.6	1.9	3.9	3.2	5.9	4.5	8.2	5.4	9.4	5.4	9.0	4.8	8.1	3.6	5.8	2.4	3.5	3.5	100.0	4.6
California	*	0.1	0.1	0.3	0.5	0.6	1.0	1.2	1.5	1.7	2.3	2.5	3.4	3.8	5.2	6.3	8.1	9.0	11.0	10.0	10.1	7.6	5.3	2.8	2.0	1.2	1.1	0.6	0.4	0.2	0.1	*	100.0	4.1
Florida	-	-	-	-	0.1	-	0.1	0.3	0.2	0.6	1.2	1.7	3.3	4.1	7.9	9.1	9.9	9.8	12.7	9.7	11.3	7.7	4.4	2.0	1.7	1.0	0.6	0.4	0.1	-	0.1	-	100.0	4.1
Georgia	-	*	*	*	0.1	0.2	0.4	0.4	0.7	0.9	1.7	2.0	3.8	3.9	7.0	7.8	11.2	11.4	14.0	10.3	10.7	5.5	4.2	1.8	1.2	0.4	0.2	0.1	0.1	*	*	*	100.0	4.1
Illinois	-	-	-	-	-	0.7	-	2.0	-	1.3	-	1.4	0.7	1.3	6.2	3.5	10.9	8.3	23.1	9.6	7.2	9.0	3.8	0.7	1.7	5.2	1.7	1.7	-	-	-	-	100.0	4.2
Kentucky	-	0.3	-	-	-	0.5	-	0.8	3.9	2.0	0.8	0.4	2.4	1.3	4.0	2.7	5.0	5.1	9.1	11.5	13.5	8.6	7.4	5.8	3.0	3.7	4.1	1.7	2.4	-	-	-	100.0	4.3
Louisiana	*	0.1	0.1	0.2	0.3	0.3	0.4	0.5	0.5	0.5	0.7	0.7	1.0	0.8	1.5	1.6	2.5	3.1	4.6	4.4	7.0	5.8	8.8	7.4	8.6	7.5	7.9	6.5	6.1	4.1	3.4	3.1	100.0	4.6
Mississippi	*	*	*	*	0.1	0.2	0.3	0.3	0.5	0.4	0.7	0.7	1.1	0.9	1.8	1.7	2.7	2.9	4.8	4.5	7.1	6.3	9.3	7.3	10.0	7.2	8.3	5.6	5.9	3.3	3.4	2.7	100.0	4.6
Missouri	*	0.1	0.1	0.1	0.2	0.1	0.3	0.4	0.6	0.7	1.1	1.3	1.7	1.8	2.4	3.4	4.1	5.0	6.2	7.0	7.7	7.7	8.1	7.6	7.4	6.1	5.9	3.7	3.7	2.2	1.5	1.8	100.0	4.5
Nevada	4.3	2.1	1.3	2.0	8.5	10.5	12.7	10.7	12.9	13.6	10.0	3.0	3.2	1.5	3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	3.1
New Mexico	2.2	1.0	2.3	2.0	3.1	2.5	4.1	3.1	3.9	3.2	4.9	3.9	6.1	4.6	6.9	6.9	9.2	7.1	7.3	5.4	4.4	2.6	1.5	0.9	0.6	0.2	0.1	*	*	*	*	-	100.0	3.7
North Carolina	*	*	0.1	0.2	0.2	0.2	0.4	0.6	0.8	1.0	1.4	2.4	3.2	4.0	6.1	7.5	10.2	11.4	12.4	11.3	8.9	6.4	5.2	2.9	1.5	1.0	0.5	0.1	0.1	*	*	-	100.0	4.1
Oklahoma	0.7	0.5	0.7	0.8	1.1	1.2	1.6	1.5	1.7	1.6	2.2	2.3	3.0	2.9	3.5	3.7	4.6	4.8	5.9	5.7	7.3	6.6	7.6	5.6	6.1	4.8	4.7	2.8	2.2	1.2	0.6	0.5	100.0	4.2
South Carolina	-	*	*	*	0.1	0.2	0.3	0.5	0.8	1.1	1.7	2.0	3.2	3.7	6.0	7.4	10.6	10.9	12.5	10.7	9.8	6.1	5.0	2.5	2.0	1.2	1.0	0.4	0.2	0.1	*	*	100.0	4.1
Tennessee	*	0.1	0.2	0.4	0.6	0.7	1.2	1.2	1.5	1.8	2.1	2.7	3.3	2.9	4.3	4.1	6.0	5.6	7.9	7.0	8.2	6.5	7.0	6.0	5.9	4.0	3.6	2.1	1.5	0.7	0.6	0.3	100.0	4.2
Texas	0.6	0.3	0.6	0.7	1.3	1.4	2.6	2.8	3.7	3.4	4.7	4.0	5.9	4.6	6.3	4.9	6.6	5.5	6.6	4.9	6.2	4.2	5.2	3.1	3.4	1.9	1.8	1.0	0.8	0.4	0.3	0.3	100.0	4.0
Virginia	-	-	-	-	0.2	0.1	-	0.3	0.4	1.3	0.9	4.0	5.1	6.4	12.7	11.5	14.7	15.2	12.2	7.5	4.7	1.0	0.6	0.1	1.1	-	-	-	-	-	-	-	100.0	4.0
United States	0.2	0.1	0.3	0.3	0.6	0.7	1.2	1.3	1.8	1.7	2.5	2.3	3.6	3.0	4.8	4.2	6.3	5.7	7.8	6.2	7.9	5.6	6.7	4.4	5.2	3.4	3.9	2.3	2.4	1.3	1.2	1.1	100.0	4.2

* Less than 0.05 percent.
1/ Revised.

Table 13. -- Percentage distribution of micronaire readings of upland cotton ginned in the United States, by individual readings and by states, 1965-66

State	Readings																																Total	Average mike
	2.4 and below	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.8	3.9	4.0	4.1	4.2	4.3	4.4	4.5	4.6	4.7	4.8	4.9	5.0	5.1	5.2	5.3	5.4	5.5 and above		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
Alabama	-	-	*	*	*	*	0.1	0.1	0.1	0.2	0.3	0.4	0.7	0.8	2.0	2.2	4.7	4.7	10.0	8.2	14.3	9.6	14.2	7.4	9.0	4.0	3.9	1.3	1.1	0.3	0.3	0.1	100.0	4.5
Arizona	0.3	0.2	0.4	0.6	0.9	1.0	1.5	1.7	2.0	1.8	2.6	2.3	3.3	2.4	4.2	2.8	5.2	3.5	6.1	4.0	7.6	5.1	9.2	5.3	8.1	4.6	5.8	2.6	2.7	1.0	0.9	0.3	100.0	4.3
Arkansas	*	*	*	*	0.1	0.1	0.2	0.3	0.5	0.4	0.8	0.8	1.6	1.2	2.6	2.3	4.5	3.8	6.9	5.1	9.4	5.8	10.2	5.7	9.8	4.9	7.4	3.4	4.9	1.9	2.7	2.7	100.0	4.6
California	0.1	0.1	0.4	0.7	1.4	1.6	2.2	2.0	2.3	2.0	2.8	2.9	4.5	4.6	7.1	7.1	10.0	8.7	10.7	7.6	8.3	4.7	4.0	1.7	1.4	0.5	0.4	0.1	0.1	*	*	*	100.0	4.0
Florida	-	-	-	-	-	-	0.1	0.2	0.1	0.1	0.3	0.6	1.5	0.9	2.4	3.0	5.1	5.5	8.7	11.2	12.7	12.0	10.6	7.3	7.4	5.0	1.9	1.2	1.0	0.8	0.4	-	100.0	4.4
Georgia	-	-	*	*	*	0.1	0.1	0.2	0.4	0.5	0.9	0.9	2.0	1.8	4.3	4.1	7.4	7.3	10.9	9.1	12.4	8.7	9.7	5.7	5.5	2.7	2.4	1.2	1.0	0.3	0.2	0.2	100.0	4.3
Illinois	-	-	-	0.4	0.4	-	-	0.4	-	0.4	1.6	0.4	5.5	0.8	3.7	8.0	14.8	6.5	13.2	8.8	7.5	0.8	11.4	6.9	2.1	2.1	4.3	-	-	-	-	-	100.0	4.2
Kentucky	-	-	-	-	0.1	-	-	0.4	0.4	0.2	0.4	0.7	0.9	2.2	4.5	6.6	11.7	9.9	11.8	13.0	6.6	8.9	8.5	3.4	5.0	2.3	2.4	0.1	-	-	-	-	100.0	4.3
Louisiana	-	*	*	*	0.1	0.1	0.3	0.4	0.6	0.6	1.0	0.8	1.6	1.5	2.8	2.6	4.5	4.4	7.1	6.2	10.2	7.5	10.8	6.7	8.8	5.0	5.3	3.1	3.1	1.6	1.6	1.7	100.0	4.5
Mississippi	*	*	*	*	*	*	0.1	0.2	0.2	0.3	0.4	0.4	0.8	0.8	1.4	1.4	2.7	2.7	4.8	4.4	8.3	6.8	11.3	7.3	11.7	7.0	8.9	4.8	5.5	2.6	2.7	2.5	100.0	4.7
Missouri	*	*	*	*	0.1	0.1	0.3	0.4	0.6	0.7	1.2	1.5	2.6	2.6	4.3	4.0	6.7	5.6	8.3	6.4	9.6	6.9	9.3	5.8	6.7	4.7	4.4	2.4	2.4	1.0	0.9	0.5	100.0	4.4
Nevada	34.1	15.2	17.0	9.8	12.8	5.3	3.0	0.7	0.6	0.3	-	0.3	0.3	0.3	-	-	-	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	2.6
New Mexico	5.6	3.0	4.3	4.0	5.6	4.9	6.4	6.2	7.0	5.8	6.5	5.4	7.1	5.7	6.4	4.5	4.5	3.1	2.1	1.0	0.6	0.2	0.1	*	*	-	*	-	-	-	-	-	100.0	3.3
North Carolina	*	*	*	0.1	0.2	0.2	0.4	0.6	0.7	1.0	1.9	2.2	3.2	3.4	6.3	5.8	9.5	7.8	11.0	8.0	10.0	6.1	7.4	4.0	4.5	2.2	2.0	0.8	0.5	0.1	0.1	*	100.0	4.2
Oklahoma	1.1	0.6	1.1	1.0	1.5	1.6	2.0	2.0	2.3	2.0	3.0	3.0	4.4	4.0	6.3	5.5	7.8	6.6	8.4	6.3	7.5	4.8	5.5	3.0	3.4	1.8	1.6	0.7	0.6	0.2	0.2	0.2	100.0	4.0
South Carolina	-	-	*	*	0.1	0.2	0.3	0.4	0.6	0.7	1.1	1.3	2.2	2.5	3.6	4.4	6.8	7.2	9.3	10.0	11.4	9.5	9.8	6.6	5.3	2.9	2.1	0.9	0.5	0.2	0.1	*	100.0	4.3
Tennessee	*	*	*	*	*	0.1	0.1	0.3	0.5	0.5	1.0	1.2	2.3	2.4	4.2	4.5	7.3	7.2	10.7	8.6	12.2	7.2	9.6	4.7	5.9	2.8	2.6	1.3	1.3	0.6	0.5	0.4	100.0	4.3
Texas	1.3	0.9	2.0	2.2	4.0	3.6	5.3	4.3	5.1	3.6	5.0	3.5	5.2	3.5	5.3	3.6	5.4	3.8	5.5	3.4	5.2	3.0	4.5	2.3	3.2	1.6	1.7	0.7	0.7	0.2	0.2	0.2	100.0	3.8
Virginia	-	-	-	-	-	-	-	-	-	0.1	-	-	0.4	0.2	0.9	1.4	4.0	2.4	6.8	5.7	13.0	11.0	17.6	8.7	10.3	5.7	5.8	1.8	2.7	0.9	0.2	0.4	100.0	4.6
United States	0.5	0.4	0.8	0.9	1.6	1.5	2.2	1.9	2.3	1.8	2.5	2.1	3.2	2.6	4.3	3.6	5.7	4.8	7.2	5.4	8.2	5.4	7.7	4.3	5.9	3.2	3.7	1.8	2.0	0.8	0.9	0.8	100.0	4.2

* Less than 0.05 percent.

Table 14. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states, 1965-66

Period	Readings																																Total	Average mike
	2.4 and below	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.8	3.9	4.0	4.1	4.2	4.3	4.4	4.5	4.6	4.7	4.8	4.9	5.0	5.1	5.2	5.3	5.4	5.5 and above		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
ALABAMA																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	0.2	0.2	0.3	0.2	0.7	1.8	3.5	4.1	10.2	7.6	14.7	10.2	16.0	7.4	9.3	4.7	5.7	0.8	1.3	0.8	0.3	-	100.0	4.5
Sept.	-	-	-	-	-	*	*	*	*	0.1	0.1	0.3	0.6	0.6	1.8	2.1	4.4	4.8	9.5	9.2	13.2	10.2	13.7	8.2	8.9	4.4	4.2	1.5	1.3	0.4	0.4	0.1	100.0	4.5
Oct.	-	-	-	-	-	*	*	0.1	0.1	0.1	0.2	0.3	0.6	0.7	1.7	1.9	4.1	4.2	9.8	7.4	15.1	9.7	15.5	7.6	9.9	4.1	4.0	1.2	1.1	0.3	0.2	0.1	100.0	4.5
Nov.	-	-	*	*	0.1	*	0.2	0.2	0.3	0.3	0.6	0.7	1.4	1.4	3.5	3.6	7.9	5.7	12.3	8.4	14.8	8.0	11.8	5.3	6.7	2.5	2.5	0.9	0.6	0.2	0.1	*	100.0	4.3
After Nov. 30	-	-	0.2	-	0.2	0.4	0.8	1.6	1.3	2.0	2.4	3.0	4.3	4.0	5.2	4.5	9.3	6.9	10.0	7.6	11.7	6.8	7.7	4.0	3.2	1.3	1.1	0.5	*	-	-	-	100.0	4.1
Total crop	-	-	*	*	*	*	0.1	0.1	0.1	0.2	0.3	0.4	0.7	0.8	2.0	2.2	4.7	4.7	10.0	8.2	14.3	9.6	14.2	7.4	9.0	4.0	3.9	1.3	1.1	0.3	0.3	0.1	100.0	4.5
ARIZONA																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	0.6	0.6	0.3	1.7	-	-	1.7	-	3.4	3.4	8.4	3.4	15.2	13.5	35.4	8.4	3.4	-	100.0	5.0
Sept.	-	-	0.1	-	-	-	-	0.1	-	0.1	0.2	0.7	0.5	0.8	1.8	2.0	2.6	2.6	3.6	3.0	6.3	6.2	10.1	7.7	12.7	7.7	10.1	6.0	5.9	3.3	4.4	1.5	100.0	4.7
Oct.	-	*	*	*	0.1	0.1	0.4	0.4	0.6	0.7	1.4	1.1	2.3	1.7	3.4	2.4	4.5	3.0	5.2	3.9	7.4	5.5	10.4	6.4	10.2	6.4	8.9	4.3	4.7	1.9	1.9	0.8	100.0	4.5
Nov.	0.3	0.2	0.5	0.5	0.8	0.5	0.8	0.8	1.2	1.0	1.5	1.3	2.0	1.5	2.9	1.9	4.2	2.8	5.8	3.9	8.2	6.1	11.6	6.8	10.8	6.3	7.5	3.1	3.2	1.1	0.7	0.2	100.0	4.4
After Nov. 30	0.6	0.3	0.7	1.1	1.8	2.1	3.2	3.5	3.8	3.6	4.5	4.1	5.4	3.9	6.1	3.9	6.7	4.5	7.0	4.1	7.5	4.0	6.3	3.0	3.8	1.6	1.7	0.6	0.5	0.1	*	*	100.0	3.9
Total crop	0.3	0.2	0.4	0.6	0.9	1.0	1.5	1.7	2.0	1.8	2.6	2.3	3.3	2.4	4.2	2.8	5.2	3.5	6.1	4.0	7.6	5.1	9.2	5.3	8.1	4.6	5.8	2.6	2.7	1.0	0.9	0.3	100.0	4.3
ARKANSAS																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	*	*	0.1	*	0.2	0.2	0.6	0.5	1.5	1.3	3.5	3.0	5.5	4.4	8.7	5.5	10.3	5.8	10.4	5.5	8.8	4.5	6.6	3.1	4.3	5.7	100.0	4.7
Oct.	-	*	*	*	*	*	0.1	0.2	0.3	0.3	0.6	0.7	1.3	1.1	2.4	2.2	4.5	3.9	7.1	5.4	9.9	6.2	10.9	6.1	10.2	5.0	7.6	3.3	4.7	1.7	2.4	1.9	100.0	4.6
Nov.	*	*	0.1	0.2	0.4	0.4	1.1	1.1	1.8	1.5	3.0	2.3	4.5	3.1	5.7	4.0	6.5	4.6	7.8	4.6	8.1	4.3	7.9	3.5	6.6	3.2	4.3	2.0	3.0	1.1	1.8	1.5	100.0	4.3
After Nov. 30	0.1	0.2	0.3	0.2	0.6	0.9	2.2	1.5	2.8	2.3	3.9	2.8	6.1	3.5	6.7	3.5	7.1	4.4	7.7	4.5	7.8	4.0	7.5	3.3	5.3	1.9	3.7	1.1	2.2	0.7	0.8	0.4	100.0	4.1
Total crop	*	*	*	*	0.1	0.1	0.2	0.3	0.5	0.4	0.8	0.8	1.6	1.2	2.6	2.3	4.5	3.8	6.9	5.1	9.4	5.8	10.2	5.7	9.8	4.9	7.4	3.4	4.9	1.9	2.7	2.7	100.0	4.6
CALIFORNIA																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50.0	50.0	-	-	-	-	-	-	-	-	-	-	-	-	100.0	4.3
Sept.	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	0.6	1.8	4.8	4.7	4.8	5.5	12.9	14.1	18.1	10.8	9.4	5.8	3.1	0.9	1.3	0.4	0.4	-	100.0	4.5
Oct.	-	-	-	-	*	*	0.1	0.2	0.3	0.5	0.8	1.2	2.4	3.1	5.4	6.8	10.5	10.7	14.5	11.4	13.1	8.0	6.1	2.4	1.6	0.5	0.3	0.1	*	*	*	*	100.0	4.2
Nov.	*	*	0.1	0.2	0.3	0.4	0.7	0.9	1.2	1.4	2.0	2.7	4.6	5.3	8.6	8.8	12.4	10.3	12.0	8.2	8.0	4.1	3.5	1.4	1.5	0.6	0.5	0.2	0.1	*	*	*	100.0	4.0
After Nov. 30	0.2	0.3	1.1	1.9	4.1	4.6	6.2	5.2	5.8	4.4	5.8	4.8	6.3	5.2	6.8	5.3	6.6	4.7	5.5	3.3	4.3	2.2	2.6	1.2	1.1	0.3	0.2	*	*	-	*	*	100.0	3.6
Total crop	0.1	0.1	0.4	0.7	1.4	1.6	2.2	2.0	2.3	2.0	2.8	2.9	4.5	4.6	7.1	7.1	10.0	8.7	10.7	7.6	8.3	4.7	4.0	1.7	1.4	0.5	0.4	0.1	0.1	*	*	*	100.0	4.0
FLORIDA																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	2.7	2.7	5.3	6.7	6.7	13.3	10.7	10.7	17.1	8.0	6.7	5.3	2.7	-	-	-	-	-	100.0	4.4
Sept.	-	-	-	-	-	-	-	-	-	0.3	0.3	0.6	-	0.6	1.6	2.9	5.8	6.1	7.4	8.3	10.0	9.3	8.3	9.6	10.5	8.3	3.5	2.2	1.9	1.9	0.6	-	100.0	4.5
Oct.	-	-	-	-	-	-	-	0.5	-	-	-	0.5	1.8	1.4	2.3	1.8	3.2	4.6	9.7	14.3	17.2	15.3	11.6	6.0	5.5	2.3	0.5	0.5	0.5	-	0.5	-	100.0	4.4
Nov.	-	-	-	-	-	-	-	-	1.0	-	2.1	-	2.1	1.0	5.2	6.2	9.3	5.2	10.4	11.5	10.4	15.8	11.5	3.1	4.2	1.0	-	-	-	-	-	-	100.0	4.3
After Nov. 30	-	-	-	-	-	-	3.9	-	-	-	1.4	8.1	20.3	1.4	8.1	13.4	9.5	3.9	18.7	1.4	2.1	-	3.9	-	-	-	-	3.9	-	-	-	-	100.0	3.9
Total crop	-	-	-	-	-	-	0.1	0.2	0.1	0.1	0.3	0.6	1.5	0.9	2.4	3.0	5.1	5.5	8.7	11.2	12.7	12.0	10.6	7.3	7.4	5.0	1.9	1.2	1.0	0.8	0.4	-	100.0	4.4
GEORGIA																																		
Prior to Sept. 1	-	-	-	-	-	-	-	0.1	-	0.1	0.2	0.4	0.8	0.8	2.5	2.9	5.7	6.3	9.6	9.3	14.3	9.2	11.7	6.0	6.1	4.0	3.5	2.0	2.1	0.8	0.8	0.8	100.0	4.5
Sept.	-	-	*	*	*	*	0.1	0.1	0.4	0.4	1.0	0.8	2.1	1.9	4.6	4.5	8.1	7.6	11.5	9.2	13.1	8.7	9.1	5.4	4.6	2.2	1.9	1.1	0.9	0.4	0.2	0.1	100.0	4.3
Oct.	-	-	-	*	*	0.1	0.1	0.2	0.4	0.5	1.0	1.1	2.0	1.8	4.3	4.1	7.1	7.2	10.8	9.3	11.5	8.9	9.6	6.0	5.8	3.1	2.7	1.0	0.9	0.2	0.2	0.1	100.0	4.3
Nov.	-	-	*	*	*	0.1	0.1	0.3	0.4	0.5	0.6	1.1	1.6	1.9	4.2	3.7	6.7	6.9	10.4	8.0	12.0	7.9	11.2	5.9	7.5	3.2	3.1	1.2	1.0	0.2	0.2	0.1	100.0	4.4
After Nov. 30	-	-	-	-	0.2	0.2	0.8	0.1	1.1	1.1	2.5	1.7	3.4	2.4	4.8	4.7	8.4	7.2	10.7	8.6	10.6	7.8	9.0	5.0	4.9	1.1	2.0	1.3	0.3	-	0.1	-	100.0	4.2
Total crop	-	-	*	*	*	0.1	0.1	0.2	0.4	0.5	0.9	0.9	2.0	1.8	4.3	4.1	7.4	7.3	10.9	9.1	12.4	8.7	9.7	5.7	5.5	2.7	2.4	1.2	1.0	0.3	0.2	0.2	100.0	4.3

Table 14. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states, 1965-66 (Continued)

Period	Readings																																Total	Average mike
	2.4 and below	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.8	3.9	4.0	4.1	4.2	4.3	4.4	4.5	4.6	4.7	4.8	4.9	5.0	5.1	5.2	5.3	5.4	5.5 and above		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
ILLINOIS																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66.7	-	-	-	-	-	33.3	-	-	-	-	-	-	-	-	-	100.0	4.2
Oct.	-	-	-	-	-	-	-	-	-	-	-	-	3.3	-	3.3	10.0	10.0	3.3	17.0	10.0	6.6	-	13.3	10.0	3.3	3.3	6.6	-	-	-	-	-	100.0	4.3
Nov.	-	-	-	1.5	-	-	-	1.5	-	1.5	4.5	1.5	7.2	3.0	5.7	5.7	15.7	15.7	8.7	8.7	11.6	3.0	3.0	1.5	-	-	-	-	-	-	-	-	100.0	4.0
After Nov. 30	-	-	-	-	18.5	-	-	-	-	-	18.5	-	63.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	3.4
Total crop	-	-	-	0.4	0.4	-	-	0.4	-	0.4	1.6	0.4	5.5	0.8	3.7	8.0	14.8	6.5	13.2	8.8	7.5	0.8	11.4	6.9	2.1	2.1	4.3	-	-	-	-	-	100.0	4.2
KENTUCKY																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17.1	8.7	13.1	13.1	8.7	4.4	8.7	4.4	8.7	8.7	4.4	-	-	-	-	-	100.0	4.4
Oct.	-	-	-	-	-	-	-	-	-	-	-	-	-	2.6	6.0	9.5	8.6	11.2	11.2	13.9	6.0	12.1	9.5	3.4	4.3	-	1.7	-	-	-	-	-	100.0	4.3
Nov.	-	-	-	-	1.0	-	-	1.0	1.0	1.9	3.6	6.5	5.5	5.5	7.3	7.3	16.1	6.5	12.8	9.2	5.5	2.7	2.7	1.0	-	-	1.9	1.0	-	-	-	-	100.0	4.0
After Nov. 30	-	-	-	-	-	-	-	32.7	32.7	-	-	-	34.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	3.3
Total crop	-	-	-	-	0.1	-	-	0.4	0.4	0.2	0.4	0.7	0.9	2.2	4.5	6.6	11.7	9.9	11.8	13.0	6.6	8.9	8.5	3.4	5.0	2.3	2.4	0.1	-	-	-	-	100.0	4.3
LOUISIANA																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.4	*	0.5	0.4	1.8	2.1	4.6	4.3	6.1	6.6	9.5	8.8	12.0	9.4	10.9	6.1	6.9	9.4	100.0	5.0
Sept.	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.3	0.4	0.6	0.8	1.7	2.3	4.2	4.7	8.8	7.2	13.0	8.1	12.2	7.3	8.3	5.1	5.6	2.9	3.0	3.3	100.0	4.7
Oct.	-	-	*	*	*	0.1	0.2	0.3	0.5	0.5	1.1	0.9	1.8	1.9	3.7	3.5	6.2	6.1	9.5	7.7	12.1	8.4	11.1	6.5	7.5	3.7	3.3	1.5	1.0	0.4	0.3	0.2	100.0	4.4
Nov.	-	0.1	0.1	0.3	0.8	0.8	1.6	1.9	2.8	2.7	4.3	3.1	5.2	3.9	6.3	5.0	6.7	5.7	7.5	5.7	8.1	5.5	6.2	3.6	4.6	2.4	2.2	1.2	0.8	0.4	0.3	0.2	100.0	4.1
After Nov. 30	-	-	0.3	0.4	2.1	1.3	1.8	1.5	1.6	2.8	3.5	3.3	4.2	3.2	6.0	5.4	5.5	5.2	8.1	8.6	6.9	5.5	5.8	5.0	3.1	1.7	2.2	2.1	1.5	0.4	0.3	0.7	100.0	4.1
Total crop	-	*	*	*	0.1	0.1	0.3	0.4	0.6	0.6	1.0	0.8	1.6	1.5	2.8	2.6	4.5	4.4	7.1	6.2	10.2	7.5	10.8	6.7	8.8	5.0	5.3	3.1	3.1	1.6	1.6	1.7	100.0	4.5
MISSISSIPPI																																		
Prior to Sept. 1	-	-	-	-	-	-	-	0.3	-	-	-	-	0.1	0.1	0.1	-	0.3	0.4	1.5	1.2	2.3	1.5	5.3	6.2	9.7	6.5	10.7	5.9	13.1	5.5	7.1	22.2	100.0	5.1
Sept.	-	-	-	-	-	*	*	*	*	*	0.1	*	0.2	0.2	0.5	0.6	1.4	1.6	3.1	3.4	6.9	5.9	10.6	7.3	12.6	8.0	11.0	6.1	7.8	3.9	4.5	4.3	100.0	4.8
Oct.	-	-	-	*	*	*	0.1	0.1	0.2	0.3	0.4	0.5	0.8	0.8	1.5	1.5	3.0	3.1	5.5	4.9	9.1	7.6	12.3	7.6	11.6	7.0	8.2	4.5	4.4	1.9	1.8	1.3	100.0	4.6
Nov.	*	*	*	0.1	0.1	0.2	0.5	0.7	0.9	1.0	1.7	1.6	2.6	2.2	3.9	2.9	5.2	4.7	6.8	5.6	9.0	6.4	9.8	6.1	8.5	4.6	5.8	2.8	3.0	1.3	1.1	0.9	100.0	4.4
After Nov. 30	-	0.1	0.1	0.4	0.4	0.5	0.9	1.1	1.2	1.2	1.8	2.3	2.6	2.1	3.1	3.2	5.1	5.1	6.1	6.8	9.2	7.8	9.1	5.3	7.7	4.1	4.8	2.4	2.4	1.0	1.2	0.9	100.0	4.3
Total crop	*	*	*	*	*	*	0.1	0.2	0.2	0.3	0.4	0.4	0.8	0.8	1.4	1.4	2.7	2.7	4.8	4.4	8.3	6.8	11.3	7.3	11.7	7.0	8.9	4.8	5.5	2.6	2.7	2.5	100.0	4.7
MISSOURI																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	*	*	0.1	0.3	0.3	0.8	0.9	1.0	1.5	2.9	3.3	4.9	4.4	7.0	6.4	9.2	6.1	9.0	7.1	9.0	5.8	5.5	4.6	3.7	2.5	1.5	0.9	0.8	0.5	100.0	4.3
Oct.	-	-	-	*	*	0.1	0.1	0.3	0.3	0.5	0.9	1.2	2.1	2.1	3.6	3.7	6.3	5.1	7.9	6.6	9.9	7.2	9.8	6.3	7.6	5.1	5.0	2.6	3.0	1.1	1.0	0.6	100.0	4.4
Nov.	*	*	0.1	0.1	0.2	0.6	1.1	1.2	2.0	1.7	3.3	3.0	5.3	4.0	7.7	6.0	8.1	6.6	9.6	6.0	8.4	4.5	6.3	3.0	3.7	2.4	2.4	1.0	1.1	0.2	0.2	0.2	100.0	4.1
After Nov. 30	-	0.6	1.1	1.4	3.1	1.4	2.7	4.9	3.4	4.7	5.1	6.3	4.5	5.8	7.2	3.4	7.3	6.0	6.2	5.6	4.4	3.7	2.9	1.7	1.7	1.4	2.3	0.3	0.3	0.3	-	0.3	100.0	3.8
Total crop	*	*	*	*	0.1	0.1	0.3	0.4	0.6	0.7	1.2	1.5	2.6	2.6	4.3	4.0	6.7	5.6	8.3	6.4	9.6	6.9	9.3	5.8	6.7	4.7	4.4	2.4	2.4	1.0	0.9	0.5	100.0	4.4
NEVADA																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nov.	-	-	-	21.2	31.6	5.2	26.4	10.4	5.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	2.9
After Nov. 30	36.6	16.3	18.1	9.0	11.5	5.3	1.4	-	0.3	0.3	-	0.3	0.3	0.3	-	-	-	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	2.6
Total crop	34.1	15.2	17.0	9.8	12.8	5.3	3.0	0.7	0.6	0.3	-	0.3	0.3	0.3	-	-	-	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	2.6
NEW MEXICO																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	1.4	1.6	2.4	2.2	5.0	5.1	8.7	10.7	12.1	8.4	11.7	10.1	9.5	5.1	3.9	1.8	0.3	-	-	-	-	-	-	-	-	-	100.0	3.9
Oct.	-	*	0.1	0.4	1.0	1.6	3.5	5.2	7.3	6.4	8.5	7.7	11.3	8.9	10.7	7.6	7.9	5.4	3.5	1.7	1.0	0.2	0.1	*	*	-	*	-	-	-	-	-	100.0	3.6
Nov.	3.4	3.0	5.8	5.7	9.8	8.2	10.3	8.4	8.9	7.0	6.4	4.6	5.1	3.5	3.4	2.4	1.9	1.0	0.7	0.2	0.1	0.1	0.1	*	*	-	-	-	-	-	-	-	100.0	3.1
After Nov. 30	21.5	9.6	11.4	9.5	9.8	7.8	7.1	5.6	4.4	3.1	2.6	1.7	1.4	1.3	1.0	0.6	0.4	0.4	0.2	0.2	0.1	0.2	0.1	*	-	-	-	-	-	-	-	-	100.0	2.8
Total crop	5.6	3.0	4.3	4.0	5.6	4.9	6.4	6.2	7.0	5.8	6.5	5.4	7.1	5.7	6.4	4.5	4.5	3.1	2.1	1.0	0.6	0.2	0.1	*	*	-	*	-	-	-	-	-	100.0	3.3

Table 14. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states, 1965-66 (Continued)

Period	Readings																																Total	Average mike
	2.4 and below	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.8	3.9	4.0	4.1	4.2	4.3	4.4	4.5	4.6	4.7	4.8	4.9	5.0	5.1	5.2	5.3	5.4	5.5 and above		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
NORTH CAROLINA																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	0.2	0.3	0.1	0.8	1.1	1.4	3.5	3.9	5.5	5.8	10.5	8.2	11.8	10.6	10.8	7.4	7.1	3.5	3.3	1.5	1.6	0.3	0.4	0.3	0.1	-	-	-	100.0	4.0
Oct.	*	-	*	0.1	0.2	0.2	0.5	0.5	0.6	0.9	1.6	1.9	2.7	3.1	5.5	5.6	10.1	7.6	11.4	8.0	10.2	6.2	8.0	4.0	4.8	2.4	2.2	0.8	0.6	0.1	0.1	0.1	100.0	4.2
Nov.	-	*	-	*	0.2	0.2	0.4	0.6	0.7	0.9	1.3	1.4	2.4	2.0	4.6	4.8	6.6	6.3	9.8	8.1	11.6	8.0	9.1	5.9	6.5	3.7	2.8	1.2	0.5	0.3	0.1	*	100.0	4.3
After Nov. 30	-	-	-	-	0.1	0.2	0.2	0.2	0.3	0.8	1.4	1.7	3.0	3.7	6.0	3.1	7.1	5.6	13.8	10.3	13.8	7.3	8.2	4.5	4.4	1.2	1.2	0.6	1.1	-	0.2	-	100.0	4.2
Total crop	*	*	*	0.1	0.2	0.2	0.4	0.6	0.7	1.0	1.9	2.2	3.2	3.4	6.3	5.8	9.5	7.8	11.0	8.0	10.0	6.1	7.4	4.0	4.5	2.2	2.0	0.8	0.5	0.1	0.1	*	100.0	4.2
OKLAHOMA																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	0.2	0.4	0.3	0.4	0.5	1.0	0.8	2.1	2.9	3.7	5.0	4.9	6.0	6.5	8.2	9.2	10.7	8.9	8.3	5.9	5.8	2.6	1.8	1.9	0.8	1.2	100.0	4.5
Oct.	*	-	*	*	0.1	*	0.2	0.3	0.4	0.7	0.8	1.5	1.9	2.4	3.8	4.4	6.3	6.5	8.3	8.3	10.1	8.3	9.2	6.3	7.2	4.5	3.9	1.8	1.3	0.6	0.5	0.4	100.0	4.4
Nov.	*	*	0.1	0.1	0.3	0.5	0.6	1.1	1.1	1.2	2.0	2.6	4.1	4.2	6.8	6.2	9.2	8.2	10.6	8.2	9.6	5.4	6.7	3.2	3.5	1.6	1.4	0.6	0.5	0.1	0.2	0.1	100.0	4.1
After Nov. 30	2.3	1.3	2.3	2.1	3.0	3.0	3.7	3.3	4.0	3.2	4.6	4.0	5.8	4.7	7.3	5.8	7.5	5.7	7.1	4.2	5.2	2.7	2.9	1.1	1.4	0.6	0.5	0.2	0.2	0.1	0.1	0.1	100.0	3.7
Total crop	1.1	0.6	1.1	1.0	1.5	1.6	2.0	2.0	2.3	2.0	3.0	3.0	4.4	4.0	6.3	5.5	7.8	6.6	8.4	6.3	7.5	4.8	5.5	3.0	3.4	1.8	1.6	0.7	0.6	0.2	0.2	0.2	100.0	4.0
SOUTH CAROLINA																																		
Prior to Sept. 1	-	-	-	-	-	-	-	0.1	-	-	0.2	0.5	0.5	0.7	2.2	2.2	3.3	6.1	7.5	7.9	13.4	14.3	10.3	9.9	6.1	5.6	5.2	1.9	1.3	0.5	-	0.3	100.0	4.5
Sept.	-	-	-	-	0.1	*	*	0.2	0.2	0.3	0.6	0.7	1.7	1.9	3.0	4.3	7.0	7.2	10.4	10.8	12.5	9.4	10.4	6.6	5.5	2.9	2.4	0.9	0.6	0.3	0.1	*	100.0	4.3
Oct.	-	-	*	*	0.1	0.2	0.4	0.6	0.8	1.1	1.4	1.7	2.6	3.2	4.1	4.5	6.8	7.5	8.3	9.6	10.6	10.0	9.4	6.8	4.8	2.8	1.5	0.7	0.4	0.1	*	-	100.0	4.3
Nov.	-	-	0.1	*	0.2	0.4	1.0	0.8	1.2	1.1	2.0	2.0	2.9	2.5	4.5	4.6	6.7	6.8	9.0	8.9	10.1	7.7	8.9	5.5	6.0	2.9	2.3	1.2	0.5	0.1	0.1	-	100.0	4.2
After Nov. 30	-	-	0.1	0.5	0.1	0.4	0.9	1.2	0.8	1.2	1.9	1.9	2.5	3.1	4.0	4.7	6.0	6.0	11.8	9.7	12.2	8.2	7.9	4.9	4.7	2.4	1.8	1.0	0.1	-	-	-	100.0	4.2
Total crop	-	-	*	*	0.1	0.2	0.3	0.4	0.6	0.7	1.1	1.3	2.2	2.5	3.6	4.4	6.8	7.2	9.3	10.0	11.4	9.5	9.8	6.6	5.3	2.9	2.1	0.9	0.5	0.2	0.1	*	100.0	4.3
TENNESSEE																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	*	-	-	-	-	*	0.1	-	0.1	0.1	0.7	0.6	1.6	1.6	4.8	4.6	10.4	8.1	15.2	7.1	14.9	6.2	9.9	3.8	4.0	1.7	2.2	0.8	0.8	0.7	100.0	4.5
Oct.	-	*	*	-	*	*	0.1	0.2	0.5	0.4	1.0	1.2	2.2	2.5	4.3	5.2	7.7	8.1	10.9	9.2	11.7	7.7	8.5	4.6	5.2	2.7	2.4	1.2	1.1	0.5	0.5	0.4	100.0	4.3
Nov.	*	-	*	*	0.1	0.2	0.5	0.7	1.2	1.3	2.3	2.5	4.7	3.9	7.2	6.1	9.6	7.2	10.8	7.0	9.2	5.5	6.5	3.3	3.5	1.7	1.8	0.9	1.1	0.5	0.5	0.2	100.0	4.2
After Nov. 30	-	-	0.2	0.3	0.5	0.2	1.0	2.8	2.7	3.0	4.6	6.5	7.6	5.8	10.7	5.9	11.4	5.8	7.0	5.0	5.1	3.6	2.8	1.3	2.4	1.2	1.3	0.2	0.5	0.2	0.2	0.2	100.0	3.9
Total crop	*	*	*	*	*	0.1	0.1	0.3	0.5	0.5	1.0	1.2	2.3	2.4	4.2	4.5	7.3	7.2	10.7	8.6	12.2	7.2	9.6	4.7	5.9	2.8	2.6	1.3	1.3	0.6	0.5	0.4	100.0	4.3
TEXAS																																		
Prior to Sept. 1	*	*	*	0.1	0.1	0.2	0.5	0.6	1.3	1.0	1.9	1.8	3.3	2.5	5.0	3.6	7.1	5.1	9.2	5.9	10.5	6.2	9.5	5.0	6.8	3.4	4.1	1.8	1.8	0.6	0.6	0.5	100.0	4.3
Sept.	*	*	*	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.6	0.6	1.2	1.1	2.2	2.2	4.2	4.0	6.8	5.7	10.4	7.7	12.4	7.7	11.2	6.1	6.6	3.0	2.8	0.9	0.8	0.5	100.0	4.5
Oct.	*	*	*	0.1	0.2	0.2	0.5	0.7	1.4	1.4	2.5	2.4	4.2	3.7	6.6	5.4	8.4	6.3	9.9	6.1	9.6	5.5	8.2	4.0	5.4	2.5	2.3	0.9	0.9	0.3	0.2	0.2	100.0	4.2
Nov.	0.2	0.2	0.9	1.3	3.1	3.1	6.0	4.8	6.5	4.7	6.8	4.8	7.7	4.6	7.2	4.7	6.9	4.5	6.1	3.3	4.4	1.9	2.7	1.0	1.4	0.5	0.4	0.1	0.1	*	*	0.1	100.0	3.7
After Nov. 30	2.9	1.9	4.1	4.4	7.5	6.6	9.1	7.2	8.1	5.4	7.1	4.5	6.2	3.8	4.9	3.2	3.5	2.3	2.4	1.3	1.4	0.6	0.8	0.3	0.3	0.1	0.1	*	*	*	*	*	100.0	3.3
Total crop	1.3	0.9	2.0	2.2	4.0	3.6	5.3	4.3	5.1	3.6	5.0	3.5	5.2	3.5	5.3	3.6	5.4	3.8	5.5	3.4	5.2	3.0	4.5	2.3	3.2	1.6	1.7	0.7	0.7	0.2	0.2	0.2	100.0	3.8
VIRGINIA																																		
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.5	-	-	26.7	33.9	6.5	-	19.9	6.5	-	-	-	-	-	100.0	4.6
Oct.	-	-	-	-	-	-	-	-	-	0.2	-	-	-	0.2	0.9	0.7	2.4	2.6	4.8	5.0	13.9	10.4	19.3	9.5	12.7	5.7	5.2	2.6	3.3	0.3	0.3	-	100.0	4.6
Nov.	-	-	-	-	-	-	-	-	-	-	-	-	0.9	0.2	1.2	2.8	3.5	3.0	7.0	6.7	13.2	9.8	15.0	8.9	10.9	4.7	6.7	1.4	2.1	0.9	0.2	0.9	100.0	4.5
After Nov. 30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18.8	-	17.7	9.2	17.9	9.2	9.2	4.5	-	-	4.5	-	4.5	4.5	-	-	100.0	4.4
Total crop	-	-	-	-	-	-	-	-	-	0.1	-	-	0.4	0.2	0.9	1.4	4.0	2.4	6.8	5.7	13.0	11.0	17.6	8.7	10.3	5.7	5.8	1.8	2.7	0.9	0.2	0.4	100.0	4.6

* Less than 0.05 percent.

Table 15. -- Percentage distribution of micronaire readings for upland cotton ginned, by states and districts, 1965-66

District	Readings																																Total	Average mike
	2.4 and below	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.8	3.9	4.0	4.1	4.2	4.3	4.4	4.5	4.6	4.7	4.8	4.9	5.0	5.1	5.2	5.3	5.4	5.5 and above		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
ALABAMA																																		
1	-	-	*	*	*	*	0.1	0.1	0.1	0.2	0.2	0.4	0.7	0.7	2.0	2.1	4.7	4.4	9.9	7.1	14.1	8.5	15.3	7.3	10.0	4.0	4.5	1.5	1.3	0.4	0.3	0.1	100.0	4.5
2	-	-	*	-	*	*	0.1	0.1	0.1	0.2	0.3	0.3	0.8	0.9	2.1	2.5	5.2	4.7	10.2	9.9	14.8	10.8	12.7	7.6	7.9	3.9	3.0	0.8	0.7	0.3	0.1	-	100.0	4.4
3	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.5	0.8	1.0	1.8	2.4	4.2	5.5	10.0	9.5	14.6	11.8	13.0	7.5	7.2	4.2	3.2	1.2	0.8	0.2	0.2	-	100.0	4.4
State	-	-	*	*	*	*	0.1	0.1	0.1	0.2	0.3	0.4	0.7	0.8	2.0	2.2	4.7	4.7	10.0	8.2	14.3	9.6	14.2	7.4	9.0	4.0	3.9	1.3	1.1	0.3	0.3	0.1	100.0	4.5
ARIZONA																																		
1	*	0.1	0.3	0.4	1.0	0.7	1.5	1.1	1.5	1.0	1.9	1.5	1.9	1.7	2.9	2.5	4.2	3.9	7.2	5.7	12.4	9.0	14.0	7.6	7.9	3.8	2.9	0.7	0.4	0.1	0.1	0.1	100.0	4.3
2	*	*	0.1	0.2	0.5	0.7	1.0	1.4	1.6	1.6	2.1	2.0	2.8	2.1	3.2	2.2	4.2	3.1	5.2	3.6	6.6	4.9	9.0	6.1	9.6	6.3	8.0	4.0	4.2	1.7	1.4	0.6	100.0	4.4
3	0.1	0.1	0.3	0.5	0.8	1.0	1.6	1.9	2.1	2.1	2.8	2.5	3.8	2.7	4.9	3.2	6.0	3.7	6.5	4.0	7.7	4.6	8.9	4.5	7.6	3.9	5.5	2.3	2.5	0.9	0.8	0.2	100.0	4.2
4	5.1	2.2	4.4	3.7	5.4	3.6	5.2	3.5	5.3	3.4	5.9	3.8	7.1	4.5	9.5	4.8	8.0	4.1	5.7	1.8	1.8	0.5	0.5	0.1	0.1	-	*	-	-	-	-	-	100.0	3.4
State	0.3	0.2	0.4	0.6	0.9	1.0	1.5	1.7	2.0	1.8	2.6	2.3	3.3	2.4	4.2	2.8	5.2	3.5	6.1	4.0	7.6	5.1	9.2	5.3	8.1	4.6	5.8	2.6	2.7	1.0	0.9	0.3	100.0	4.3
ARKANSAS																																		
1	-	-	-	-	0.1	0.1	0.2	0.2	0.5	0.5	0.7	1.0	1.4	0.7	2.0	2.0	4.7	4.2	7.0	4.7	10.4	5.7	10.9	6.2	9.8	4.0	6.8	3.1	4.5	2.6	3.1	2.9	100.0	4.6
2	*	*	*	*	*	*	0.2	0.2	0.4	0.4	0.8	0.9	1.7	1.4	3.0	2.7	5.3	4.4	7.8	6.0	10.1	6.3	10.6	5.9	9.0	4.4	6.3	3.0	3.9	1.5	2.0	1.8	100.0	4.5
3	-	*	*	*	0.1	0.1	0.3	0.3	0.5	0.5	0.8	0.9	1.5	1.0	2.4	1.3	3.1	2.3	5.3	4.0	8.6	5.7	11.2	6.2	11.8	6.3	9.0	4.1	5.5	2.1	3.0	2.1	100.0	4.6
4	*	*	*	*	0.1	0.2	0.3	0.4	0.5	0.4	0.8	0.7	1.5	1.0	2.1	1.8	3.5	3.1	5.7	3.9	8.4	5.0	9.7	5.3	10.6	5.4	9.0	3.9	6.4	2.5	3.7	4.1	100.0	4.6
State	*	*	*	*	0.1	0.1	0.2	0.3	0.5	0.4	0.8	0.8	1.6	1.2	2.6	2.3	4.5	3.8	6.9	5.1	9.4	5.8	10.2	5.7	9.8	4.9	7.4	3.4	4.9	1.9	2.7	2.7	100.0	4.6
CALIFORNIA																																		
1	*	0.1	0.3	0.6	1.2	1.5	2.2	2.1	2.4	2.2	3.0	3.2	4.8	5.0	7.5	7.7	10.5	9.2	11.0	7.9	8.0	4.4	3.1	1.1	0.7	0.2	0.1	*	*	-	*	*	100.0	3.9
2	0.2	0.2	0.7	0.9	2.5	1.7	2.7	1.4	1.9	1.1	1.9	1.3	2.6	1.9	4.6	3.6	7.2	5.3	8.4	5.7	10.8	6.6	10.0	5.0	6.0	2.5	2.1	0.6	0.4	0.1	0.1	*	100.0	4.1
State	0.1	0.1	0.4	0.7	1.4	1.6	2.2	2.0	2.3	2.0	2.8	2.9	4.5	4.6	7.1	7.1	10.0	8.7	10.7	7.6	8.3	4.7	4.0	1.7	1.4	0.5	0.4	0.1	0.1	*	*	*	100.0	4.0
GEORGIA																																		
1	-	-	*	-	*	*	0.1	0.1	0.2	0.4	0.6	0.9	1.7	1.5	3.8	3.4	6.8	6.2	10.5	7.3	12.7	8.4	10.7	5.8	7.7	3.5	4.0	1.6	1.4	0.2	0.3	0.2	100.0	4.4
2	-	-	-	*	*	0.1	0.1	0.1	0.3	0.4	0.7	0.8	1.9	1.8	4.2	4.3	7.3	8.1	11.5	10.7	12.7	9.7	8.9	6.2	4.5	2.5	1.4	0.7	0.6	0.3	0.1	0.1	100.0	4.3
3	-	-	*	0.1	*	0.1	0.2	0.3	0.6	0.5	1.5	1.2	2.3	2.1	4.8	4.4	8.0	7.0	10.3	8.1	11.9	7.5	10.0	4.9	5.2	2.5	2.7	1.5	1.3	0.5	0.3	0.2	100.0	4.3
State	-	-	*	*	*	0.1	0.1	0.2	0.4	0.5	0.9	0.9	2.0	1.8	4.3	4.1	7.4	7.3	10.9	9.1	12.4	8.7	9.7	5.7	5.5	2.7	2.4	1.2	1.0	0.3	0.2	0.2	100.0	4.3
LOUISIANA																																		
1	-	-	*	*	0.1	0.1	0.3	0.2	0.5	0.7	1.2	0.9	1.8	1.5	2.7	2.1	4.0	3.7	6.7	6.2	10.5	8.8	13.8	8.4	11.1	4.9	5.3	1.9	1.6	0.5	0.3	0.2	100.0	4.5
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.2	-	9.2	10.2	12.2	10.2	4.7	23.4	6.2	5.3	6.2	3.2	0.9	5.1	-	-	-	100.0	4.5
3	-	*	*	0.1	0.1	0.2	0.4	0.5	0.7	0.6	1.2	0.9	1.7	1.7	3.2	3.1	5.2	5.2	8.1	6.7	10.9	7.4	10.5	6.0	7.6	4.2	4.2	2.5	2.5	1.2	1.4	2.0	100.0	4.4
4	-	-	-	*	*	*	0.1	0.1	0.3	0.2	0.4	0.3	0.6	0.6	1.1	1.2	2.2	2.2	3.6	3.9	7.0	5.8	8.8	7.3	10.2	8.6	9.8	7.1	7.3	4.3	4.1	2.9	100.0	4.7
State	-	*	*	*	0.1	0.1	0.3	0.4	0.6	0.6	1.0	0.8	1.6	1.5	2.8	2.6	4.5	4.4	7.1	6.2	10.2	7.5	10.8	6.7	8.8	5.0	5.3	3.1	3.1	1.6	1.6	1.7	100.0	4.5
MISSISSIPPI																																		
1	*	*	*	*	*	0.1	0.1	0.2	0.2	0.3	0.4	0.5	0.8	0.7	1.4	1.2	2.6	2.6	4.7	4.0	8.1	6.4	11.5	7.0	12.1	7.1	9.4	5.0	5.8	2.7	2.8	2.3	100.0	4.7
2	*	-	*	*	*	*	0.2	0.2	0.2	0.2	0.4	0.5	0.9	0.9	1.5	1.8	3.0	3.1	5.3	5.4	8.8	7.3	10.7	7.5	10.0	6.7	7.9	4.8	4.9	2.6	2.5	2.7	100.0	4.6
3	-	*	*	*	0.1	*	0.2	0.2	0.2	0.3	0.4	0.5	0.9	0.8	1.6	1.7	3.1	3.4	4.8	5.3	8.1	7.9	10.9	8.0	10.5	6.7	7.7	3.9	4.9	1.9	2.4	3.6	100.0	4.6
4	-	-	-	-	-	-	-	*	*	-	0.2	0.1	0.3	0.1	0.6	0.7	1.2	1.5	3.6	4.0	7.7	7.5	10.7	9.9	12.3	9.0	9.4	5.6	6.4	3.1	3.2	2.9	100.0	4.8
State	*	*	*	*	*	*	0.1	0.2	0.2	0.3	0.4	0.4	0.8	0.8	1.4	1.4	2.7	2.7	4.8	4.4	8.3	6.8	11.3	7.3	11.7	7.0	8.9	4.8	5.5	2.6	2.7	2.5	100.0	4.7

Table 15. -- Percentage distribution of micronaire readings for upland cotton ginned, by states and districts, 1965-66 (Continued)

District	Readings																																Total	Average mike
	2.4 and below	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.8	3.9	4.0	4.1	4.2	4.3	4.4	4.5	4.6	4.7	4.8	4.9	5.0	5.1	5.2	5.3	5.4	5.5 and above		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
NEW MEXICO																																		
1	6.8	3.1	4.7	3.4	5.9	4.9	7.4	7.1	8.7	6.1	8.0	5.0	8.0	4.0	6.2	2.6	3.4	1.8	1.7	0.5	0.5	0.1	0.1	-	*	-	-	-	-	-	-	-	100.0	3.2
2	4.9	2.9	4.0	4.3	5.4	4.9	5.8	5.7	6.0	5.5	5.7	5.6	6.6	6.7	6.5	5.7	5.2	3.9	2.3	1.3	0.7	0.3	0.1	*	*	-	*	-	-	-	-	-	100.0	3.3
State	5.6	3.0	4.3	4.0	5.6	4.9	6.4	6.2	7.0	5.8	6.5	5.4	7.1	5.7	6.4	4.5	4.5	3.1	2.1	1.0	0.6	0.2	0.1	*	*	-	*	-	-	-	-	-	100.0	3.3
NORTH CAROLINA																																		
1	-	-	-	*	*	0.2	0.3	0.3	0.7	0.8	1.4	1.6	2.5	2.8	4.5	3.4	6.3	5.0	8.1	6.0	8.5	6.6	9.6	6.4	9.4	5.4	5.6	1.9	1.6	0.5	0.5	0.1	100.0	4.4
2	-	-	-	-	*	*	0.1	0.2	0.2	0.4	0.7	1.0	1.6	2.0	4.8	4.3	9.1	8.2	12.5	10.0	12.3	8.4	9.4	5.2	4.6	2.2	1.6	0.7	0.4	0.1	*	*	100.0	4.3
3	*	*	0.1	0.1	0.4	0.5	0.8	1.2	1.2	1.8	3.3	3.7	5.2	5.3	8.8	8.6	11.7	9.0	10.9	7.1	8.4	3.6	4.1	1.5	1.7	0.5	0.3	0.2	*	-	*	-	100.0	4.0
State	*	*	*	0.1	0.2	0.2	0.4	0.6	0.7	1.0	1.9	2.2	3.2	3.4	6.3	5.8	9.5	7.8	11.0	8.0	10.0	6.1	7.4	4.0	4.5	2.2	2.0	0.8	0.5	0.1	0.1	*	100.0	4.2
OKLAHOMA																																		
1	1.5	0.8	1.4	1.4	2.0	2.0	2.6	2.4	2.8	2.4	3.4	3.4	4.9	4.5	6.6	5.8	8.0	6.7	8.2	6.1	6.7	4.2	4.3	2.4	2.3	1.2	1.0	0.4	0.3	0.1	0.1	0.1	100.0	3.9
2	*	*	0.1	0.2	0.4	0.2	0.4	0.7	0.9	0.8	1.1	0.9	1.7	1.9	3.6	2.9	4.5	5.1	7.4	6.7	9.2	8.4	10.4	6.0	8.7	5.4	4.5	2.9	2.1	1.1	0.9	0.9	100.0	4.4
3	*	*	*	*	0.1	0.3	0.4	0.5	0.9	0.9	1.6	2.4	3.5	3.0	6.2	5.7	8.5	6.9	10.0	6.7	10.6	5.6	8.5	3.8	5.5	2.4	3.0	1.0	1.0	0.4	0.4	0.2	100.0	4.2
State	1.1	0.6	1.1	1.0	1.5	1.6	2.0	2.0	2.3	2.0	3.0	3.0	4.4	4.0	6.3	5.5	7.8	6.6	8.4	6.3	7.5	4.8	5.5	3.0	3.4	1.8	1.6	0.7	0.6	0.2	0.2	0.2	100.0	4.0
SOUTH CAROLINA																																		
1	-	-	*	0.1	*	0.1	*	0.1	0.1	0.2	0.3	0.4	0.7	0.8	1.1	1.6	2.9	4.2	8.0	8.7	12.4	12.2	13.4	10.2	9.6	5.6	3.7	2.2	1.0	0.3	0.1	-	100.0	4.5
2	-	-	*	*	0.1	0.2	0.4	0.5	0.7	0.9	1.3	1.4	2.9	2.7	4.4	5.3	7.8	8.1	10.2	9.9	11.4	8.6	8.7	5.7	4.3	2.2	1.4	0.5	0.3	0.1	*	*	100.0	4.2
3	-	-	-	*	0.1	0.2	0.2	0.5	0.6	0.6	1.1	1.4	1.6	2.9	3.3	4.1	6.7	7.0	8.6	10.8	11.5	9.9	9.9	6.5	5.0	2.9	2.6	0.9	0.6	0.3	0.1	0.1	100.0	4.3
State	-	-	*	*	0.1	0.2	0.3	0.4	0.6	0.7	1.1	1.3	2.2	2.5	3.6	4.4	6.8	7.2	9.3	10.0	11.4	9.5	9.8	6.6	5.3	2.9	2.1	0.9	0.5	0.2	0.1	*	100.0	4.3
TENNESSEE																																		
1	*	*	*	*	*	0.1	0.1	0.3	0.5	0.5	1.1	1.3	2.4	2.3	4.3	4.6	7.3	7.2	10.3	8.4	11.9	7.2	9.4	4.8	6.0	2.9	2.7	1.3	1.4	0.6	0.6	0.5	100.0	4.3
2	-	-	-	-	*	*	*	*	0.2	*	0.6	0.7	1.5	2.5	2.6	3.5	7.3	6.5	16.4	11.8	14.5	7.9	11.6	3.5	4.5	1.6	1.6	0.8	0.4	*	-	-	100.0	4.3
State	*	*	*	*	*	0.1	0.1	0.3	0.5	0.5	1.0	1.2	2.3	2.4	4.2	4.5	7.3	7.2	10.7	8.6	12.2	7.2	9.6	4.7	5.9	2.8	2.6	1.3	1.3	0.6	0.5	0.4	100.0	4.3
TEXAS																																		
1	2.4	1.6	3.7	4.0	7.3	6.4	9.4	7.3	8.5	5.6	7.5	4.7	6.5	3.7	5.0	2.9	3.6	2.1	2.5	1.2	1.5	0.7	0.8	0.3	0.4	0.1	0.1	0.1	0.1	*	*	*	100.0	3.3
2	0.5	0.4	0.7	0.9	1.5	1.7	2.6	2.7	3.5	3.0	5.0	4.0	6.8	5.1	8.4	6.7	8.8	7.0	8.6	5.0	6.0	2.9	3.7	1.5	1.6	0.6	0.5	0.2	0.1	*	*	*	100.0	3.9
3	0.1	-	-	0.1	0.1	-	0.5	0.2	0.8	1.0	2.1	1.8	3.7	2.7	6.9	5.6	10.5	8.1	10.9	8.1	9.1	5.6	9.4	3.6	5.8	1.0	1.4	0.2	0.6	-	-	0.1	100.0	4.2
4	-	*	*	*	*	*	*	0.1	0.2	0.1	0.3	0.4	0.9	0.9	2.2	1.8	4.3	3.7	7.7	6.0	11.9	7.9	13.8	7.8	11.6	5.7	6.0	2.5	2.3	0.7	0.7	0.5	100.0	4.5
5	*	*	*	0.1	0.1	0.2	0.4	0.5	0.9	0.8	1.3	1.0	1.7	1.4	2.5	2.2	4.6	4.0	7.6	5.5	10.4	7.4	11.6	6.7	9.9	5.6	5.5	3.0	2.8	1.1	0.7	0.5	100.0	4.5
6	2.4	1.7	2.6	2.9	3.6	3.7	4.2	4.2	4.8	4.6	5.7	5.1	7.2	6.3	8.6	6.7	7.3	5.1	5.0	2.3	2.2	0.9	1.1	0.5	0.6	0.3	0.2	0.1	0.1	*	*	*	100.0	3.6
7	-	-	-	0.1	*	0.1	0.2	0.3	0.3	0.7	1.2	1.1	2.9	2.4	4.9	4.7	8.2	7.5	10.5	7.2	11.4	7.0	10.9	5.2	6.4	3.0	2.1	0.8	0.5	0.2	0.2	*	100.0	4.3
8	*	*	*	*	0.1	0.1	0.5	0.5	1.4	1.2	2.5	2.2	4.8	3.5	7.1	4.9	9.8	6.1	10.5	6.3	9.9	5.3	7.2	3.5	4.7	2.4	2.5	1.1	1.1	0.3	0.3	0.2	100.0	4.2
9	-	-	-	*	-	*	*	0.1	0.2	0.2	0.5	0.4	1.0	1.0	2.0	1.6	3.9	3.0	7.1	4.6	9.8	6.0	12.4	6.4	10.7	5.7	9.1	3.9	5.0	1.8	2.1	1.5	100.0	4.6
10	*	*	0.1	0.1	0.3	0.5	0.9	1.0	1.7	1.3	2.2	2.1	3.5	2.7	4.9	3.6	6.6	5.4	8.9	6.1	10.5	6.7	9.3	5.2	6.5	3.3	3.2	1.5	1.2	0.4	0.2	0.1	100.0	4.3
State	1.3	0.9	2.0	2.2	4.0	3.6	5.3	4.3	5.1	3.6	5.0	3.5	5.2	3.5	5.3	3.6	5.4	3.8	5.5	3.4	5.2	3.0	4.5	2.3	3.2	1.6	1.7	0.7	0.7	0.2	0.2	0.2	100.0	3.8

* Less than 0.05 percent.

Table 16. -- Percentage distribution of micronaire readings of American-Egyptian cotton ginned in the United States, by individual readings and by states, 1965-66

Readings	State				
	Arizona	California	New Mexico	Texas	United States
	Percent	Percent	Percent	Percent	Percent
2.4 and below	-	-	2.4	0.9	0.6
2.5	0.1	-	2.2	1.2	0.7
2.6	0.1	-	7.9	2.9	1.9
2.7	0.2	-	5.1	2.5	1.5
2.8	0.9	-	10.2	4.5	3.2
2.9	0.9	-	10.1	3.4	2.7
3.0	1.8	-	11.6	4.6	3.8
3.1	2.2	-	5.9	4.3	3.3
3.2	3.7	-	7.3	5.5	4.7
3.3	3.3	3.0	5.0	4.4	3.9
3.4	4.7	1.4	5.3	6.4	5.4
3.5	5.2	3.0	4.3	5.8	5.3
3.6	7.9	4.8	4.9	7.1	7.3
3.7	6.8	9.3	4.4	5.2	6.0
3.8	12.1	16.0	3.8	9.5	10.3
3.9	10.0	36.4	3.5	6.2	8.2
4.0	14.2	14.8	3.2	9.2	11.3
4.1	11.6	3.8	0.9	5.4	8.2
4.2	9.0	5.3	1.1	5.2	6.8
4.3	3.3	2.2	0.7	2.9	2.9
4.4	1.5	-	0.2	1.7	1.4
4.5	0.3	-	-	0.7	0.4
4.6	0.2	-	-	0.3	0.2
4.7	-	-	-	0.1	*
4.8	-	-	-	-	-
4.9	*	-	-	0.1	*
5.0 and above	-	-	-	-	-
Total	100.0	100.0	100.0	100.0	100.0
Average mike	3.8	3.9	3.2	3.5	3.6