


Don Ethridge

# COTTON QUALITY CROP OF 1967



**UNITED STATES DEPARTMENT OF AGRICULTURE**  
*Consumer and Marketing Service Cotton Division*  
*Memphis, Tennessee*

**Vol. 41, No. 8**

**October 1968**

CONTENTS

<u>Table No.</u>	<u>Page No.</u>
INTRODUCTION . . . . .	3
Map of Smith-Doxey cotton classing office territories. . . . .	4
1. Grade and staple of upland cotton ginned in the United States, 1967-68 . . . . .	5
2. Grade and staple of upland cotton ginned in the United States, 1966-67 . . . . .	6
3. Grade and staple of upland cotton ginned in the United States, during specified periods, 1967-68 . . . . .	7
4. Preparation and grade reductions by specified causes of upland cotton ginned in the United States, by states, 1967-68. . . . .	8
5. Grade index and average staple of upland cotton ginned in the United States, by states, crops of 1964-1967 . . . . .	9
6. Tenderability of upland cotton ginned, by states, 1967-68. . . . .	10
7. Tenderability of upland cotton ginned in the United States, 1951-1967. . . . .	10
8. Grade and staple of upland cotton ginned by states, 1967-68. . . . .	11-26
9. Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 . . . . .	27-40
10. Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68. . . . .	41-54
11. Percentage distribution of micronaire readings for upland cotton ginned in the United States, by states, 1967-68 with comparisons. . . . .	55
12. Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68. . . . .	56-62
13. Percentage distribution of fiber strength for upland cotton ginned in the United States, by states, 1967-68 with comparisons. . . . .	63
14. Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68 . . . . .	64-70
15. Grade and staple of American-Egyptian cotton ginned, by states and United States, 1967-68. . . . .	71
16. Grade and staple of American-Egyptian cotton ginned in the United States, during specified periods, 1967-68 . . . . .	72
17. Percentage distribution of micronaire readings for American-Egyptian cotton ginned in the United States, by states, 1967-68 with comparisons . . . . .	73

## Cotton Quality - United States

1967 Crop

### Introduction

The quality of cotton ginned in the United States from the 1967 crop is presented in this report. These quality estimates are based on the classification of samples representing approximately ten percent of the 1967 cotton crop. The sample distribution of the various qualities of upland and American-Egyptian cotton was raised to total ginnings as reported by the Bureau of the Census. Quality statistics on the grade, staple, mike and fiber strength of the 1967 crop, by Smith-Doxey Cotton Classing Office territories and major cotton-producing states are presented in this report.

A report covering the qualities of cotton on hand August 1, 1968, by principal types of storage was released in September. In addition to quality estimates of cotton in the carry-over, this report included quality data on the crop, supply and disappearance of upland cotton for the 1967-68 season with comparative data for preceding years.

\*\*\*\*\*

Upland cotton ginned from the 1967 crop contained a record high proportion of 1-3/32" and longer staples. One-third of total ginnings was in these longer lengths. There were substantial decreases in the proportions of medium and shorter staple cotton from a year earlier. Cotton stapling 1-1/16" comprised 29 percent of the total against 35 percent last season. The percentage of ginnings in the 1" and 1-1/32" lengths, combined, was the lowest on record. Cotton stapling 31/32" and shorter accounted for 23 percent of 1967 ginnings compared with 27 percent last season. The average staple of the 1967 upland crop was 33.4 thirty-seconds inches against 33.0 thirty-seconds in the preceding season.

The grade index of upland cotton in the 1967 crop was 92.8 (Middling White equals 100) compared with 92.0 last season. Middling and higher White grades accounted for a larger percentage of total ginnings than a year earlier. Strict Low Middling accounted for over one-third of the 1967 crop, the highest proportion since 1946. Light Spotted and the other Colored grades comprised 36 percent of the season's ginnings compared with 43 percent in the preceding season.

The micronaire distribution of the 1967 crop indicated an increase in the proportion of cotton miking in the desirable categories from the preceding season. Cotton miking in the 3.5-4.9 range accounted for 70 percent of total ginnings compared with 67 percent in 1966. The average mike reading of the 1967 crop was 4.0 against 4.2 a year earlier.

The fiber strength of upland cotton ginned from the 1967 crop averaged 83,000 pounds per square inch compared with 82,000 a year ago. Cotton in the 80,000-89,000 fiber strength range comprised 38 percent of total ginnings against 47 percent for the 1966 crop. Cotton testing 90,000 pounds and stronger accounted for 21 percent of ginnings compared with 15 percent a year earlier.

American-Egyptian cotton ginned from the 1967 crop averaged longer in staple but slightly lower in grade than a year earlier. Cotton stapling 1-3/8" and longer accounted for 92 percent of the 1967 crop compared with 90 percent in the preceding season. Ginnings of Grades 3 and higher comprised 52 percent of the 1967 crop against 56 percent for 1966.

Cotton ginned from the 1967 crop totaled 7,435,000 bales, according to the Bureau of the Census. This is the smallest crop since 1895 and compares with 9,562,000 bales a year earlier and 14,933,000 bales two years ago.



Table 3. -- Grade and staple of upland cotton ginned in the United States, during specified periods, 1967-68

Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
		Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent
<b>White:</b>													
G.M.	(11)	35	94	166	49	-	344	*	*	*	*	*	*
S.M.	(21)	9,696	15,057	52,915	11,991	689	90,348	1.5	4.0	2.3	0.4	0.1	1.2
M.	(30)	211	187	1,054	388	24	1,864	*	*	*	*	*	*
M.	(31)	120,046	68,279	671,289	486,485	30,511	1,376,610	19.0	17.9	29.7	16.3	2.8	18.8
S.L.M.+	(40)	4,535	2,947	51,374	35,890	2,573	97,319	0.7	0.8	2.3	1.2	0.2	1.3
S.L.M.	(41)	230,540	105,888	931,686	1,069,052	121,571	2,478,737	36.6	27.9	41.1	36.4	11.1	33.7
L.M.+	(50)	3,794	2,638	43,837	66,066	5,527	121,862	0.6	0.7	1.9	2.2	0.5	1.7
L.M.	(51)	37,305	18,773	119,243	218,060	62,324	495,705	5.9	4.9	5.3	7.3	5.7	6.2
S.G.O.+	(60)	237	153	1,328	6,148	2,174	10,040	*	*	0.1	0.2	0.2	0.1
S.G.O.	(61)	5,068	5,241	8,923	22,289	31,934	73,455	0.8	1.4	0.4	0.7	2.9	1.0
G.O.+	(70)	63	-	21	421	248	753	*	*	*	*	*	*
G.O.	(71)	1,145	2,524	1,156	3,162	10,646	18,633	0.2	0.7	0.1	0.1	1.0	0.3
Total		412,675	221,781	1,882,992	1,940,001	268,221	4,725,670	65.3	58.3	83.2	64.8	24.5	64.3
<b>Light Spotted:</b>													
G.M.	(12)	-	-	11	9	10	30	-	-	*	*	*	*
S.M.	(22)	8,413	1,562	7,386	12,078	3,466	32,905	1.3	0.4	0.3	0.4	0.3	0.4
M.	(32)	121,900	35,948	152,182	447,564	215,358	972,952	19.4	9.4	6.7	15.0	19.7	13.2
S.L.M.	(42)	70,382	66,916	143,937	366,459	191,998	839,692	11.1	17.6	6.4	12.2	17.6	11.4
L.M.	(52)	8,756	26,615	49,083	81,966	73,713	240,133	1.4	7.0	2.2	2.7	6.7	3.3
Total		209,451	131,041	352,599	908,076	484,545	2,085,712	33.2	34.4	15.6	30.3	44.3	28.3
<b>Spotted:</b>													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	50	55	306	4,664	4,238	9,313	*	*	*	0.2	0.4	0.1
M.	(33)	2,649	1,262	2,224	45,563	98,056	149,754	0.4	0.3	0.1	1.5	9.0	2.0
S.L.M.	(43)	1,708	7,749	6,889	54,891	70,110	141,347	0.3	2.0	0.3	1.8	6.4	1.9
L.M.	(53)	614	8,994	9,143	17,485	52,025	88,261	0.1	2.4	0.4	0.6	4.8	1.2
Total		5,021	18,060	18,562	122,603	224,429	388,675	0.8	4.7	0.8	4.1	20.6	5.2
<b>Tinged:</b>													
G.M.	(14)	-	-	-	9	-	9	-	-	-	*	*	*
S.M.	(24)	-	-	10	129	1,562	1,701	-	-	*	*	0.1	*
M.	(34)	24	32	63	999	16,323	17,441	*	*	*	*	1.5	0.2
S.L.M.	(44)	11	105	23	2,194	12,781	15,114	*	*	*	0.1	1.2	0.2
L.M.	(54)	-	69	60	649	12,255	13,033	-	*	*	*	1.1	0.2
Total		35	206	156	3,980	42,921	47,298	*	*	*	0.1	3.9	0.6
<b>Stained:</b>													
G.M.	(15)	-	-	-	-	9	9	-	-	-	-	*	*
S.M.	(25)	-	-	-	-	19	19	-	-	-	-	*	*
M.	(35)	-	10	11	44	515	580	-	*	*	*	*	*
Total		-	10	11	44	543	608	-	*	*	*	*	*
<b>Light Gray:</b>													
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	516	626	2,114	3,117	743	7,116	0.1	0.2	0.1	0.1	0.1	0.1
M.	(36)	2,485	950	2,285	5,033	3,026	13,779	0.4	0.2	0.1	0.2	0.3	0.2
S.L.M.	(46)	554	910	356	1,332	3,240	6,392	0.1	0.2	*	*	0.3	0.1
Total		3,555	2,486	4,755	9,482	7,009	27,287	0.6	0.6	0.2	0.3	0.7	0.4
<b>Gray:</b>													
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	25	44	42	93	204	-	*	*	*	*	*
M.	(37)	208	64	164	338	296	1,070	*	*	*	*	*	*
S.L.M.	(47)	80	1,337	74	394	960	2,845	*	0.4	*	*	0.1	*
Total		288	1,426	282	774	1,349	4,119	*	0.4	*	*	0.1	*
Below Grade		676	6,131	3,853	11,534	64,838	87,032	0.1	1.6	0.2	0.4	5.9	1.2
All grades		631,701	381,141	2,263,210	2,996,494	1,093,855	7,366,401 1/2	100.0	100.0	100.0	100.0	100.0	100.0
Grade index		94.4	91.8	94.9	93.1	87.2	92.6	-	-	-	-	-	-
<b>Staple (inches)</b>													
<b>13/16 &amp; shorter</b>													
7/8	(28)	6,943	6,060	15,486	6,639	7,701	42,829	1.1	1.6	0.7	0.2	0.7	0.6
29/32	(29)	73,771	51,496	71,462	66,316	75,896	338,941	11.7	13.5	3.2	2.2	6.9	4.6
15/16	(30)	64,764	25,946	88,995	314,236	286,678	780,619	10.3	6.8	3.9	10.5	26.3	10.6
31/32	(31)	48,940	3,980	26,418	272,906	188,425	540,669	7.7	1.0	1.2	9.1	17.3	7.3
1	(32)	60,603	6,450	24,305	184,081	115,759	391,198	9.6	1.7	1.1	6.1	10.6	5.3
1-1/32	(33)	123,122	73,891	160,441	215,133	142,613	715,200	19.5	19.4	7.1	7.2	13.0	9.7
1-1/16	(34)	226,271	153,118	796,033	779,445	154,100	2,108,967	35.8	40.1	35.1	26.1	14.1	28.7
1-3/32	(35)	24,073	46,756	766,160	774,184	85,575	1,696,748	3.8	12.3	33.9	25.9	7.8	23.0
1-1/8	(36)	2,085	7,070	158,527	271,039	22,363	461,084	0.3	1.9	7.0	9.0	2.0	6.3
1-5/32	(37)	440	5,626	120,854	78,447	5,507	210,874	0.1	1.5	5.3	2.6	0.5	2.9
1-3/16	(38)	136	346	24,961	17,921	3,342	46,706	*	0.1	1.1	0.6	0.3	0.6
1-7/32	(39)	22	24	1,920	1,808	803	4,577	*	*	0.1	0.1	0.1	0.1
1-1/4	(40)	184	259	7,042	14,023	4,705	26,213	*	0.1	0.3	0.4	0.4	0.3
& longer													
All staples		631,701	381,141	2,263,210	2,996,494	1,093,855	7,366,401 1/2	100.0	100.0	100.0	100.0	100.0	100.0
Average staple (32nd inches)		32.4	32.9	34.2	33.6	31.9	33.4	-	-	-	-	-	-

1/2 As reported by the Bureau of the Census, running bales.

\* Less than 0.05 percent.

Table 4. -- Preparation and grade reductions by specified causes of upland cotton ginned in the United States, by states, 1967-68

State	Preparation		Grade Reductions by Causes 1/										Total Bales
	Normal Bales	Rough Preparation	Bark Bales	Cloth Bales	Dust Bales	Grass Bales	Motes Bales	Oil Bales	Plastic Mulch Bales	Seed and Hulls Bales	Spindle and Twist Bales	Stems Bales	
		3 and 4 Prep. Bales											
Virginia	148	-	-	-	-	-	-	-	-	-	-	-	-
North Carolina	47,740	40	64	-	-	2,355	64	-	-	-	-	-	2,483
South Carolina	184,063	144	1,142	-	-	10,982	-	-	-	-	-	-	12,124
Georgia	229,185	64	1,879	-	-	9,352	-	-	-	8	-	-	11,239
Florida	7,159	19	150	-	-	440	-	-	-	-	-	-	590
Alabama	198,396	36	4,451	-	-	16,935	-	-	-	37	-	8	21,431
Mississippi	1,056,698	4,932	2,253	12	-	23,089	25	14	-	-	25	86	25,504
Illinois	-	-	-	-	-	-	-	-	-	-	-	-	-
Kentucky	180	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	146,103	27	249	-	-	3,156	-	-	-	-	-	-	3,405
Missouri	60,077	11	148	-	-	372	-	-	-	-	-	-	520
Arkansas	503,065	186	3,938	22	-	7,104	43	6	-	104	21	181	11,419
Louisiana	429,895	88	1,763	-	-	21,717	-	19	-	-	-	-	23,499
Oklahoma	189,150	446	4,853	-	-	907	-	-	-	-	-	-	5,760
Texas	2,691,471	3,175	99,174	-	20	17,478	56	281	-	258	421	98	117,786
New Mexico	138,380	30	4,794	-	-	209	-	-	-	113	169	-	5,285
Arizona	415,305	55	27,346	-	12	6,309	-	111	16	203	131	-	34,128
Nevada	3,950	-	36	-	-	189	-	-	-	46	-	-	271
California	1,055,227	926	11,849	-	-	21,914	-	30	-	51	1,768	186	35,798
United States	7,356,192	10,199	164,089	34	32	142,508	188	461	16	812	2,543	559	311,242

1/ Cotton reduced in grade for reasons other than preparation.

Table 5. -- Grade index and average staple of upland cotton ginned in the United States, by states, crops of 1964-1967

State	Grade index <sup>1/</sup>				Average staple <sup>2/</sup>			
	1964	1965	1966	1967	1964	1965	1966	1967
	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>
Virginia	89.4	96.5	89.9	81.0	33.4	32.8	33.8	34.3
North Carolina	88.8	92.5	91.6	91.2	33.3	33.4	33.8	34.3
South Carolina	90.4	92.7	91.7	92.2	33.5	33.9	34.0	34.6
Georgia	89.3	90.6	89.8	91.9	33.0	33.2	33.2	33.7
Florida	88.2	87.9	91.0	90.5	32.7	33.1	32.9	33.5
Alabama	93.0	93.1	92.2	89.5	33.1	33.2	33.2	33.3
Mississippi	95.1	93.5	94.0	92.8	33.9	34.0	34.2	34.5
Illinois	92.4	91.2	87.2	-	33.6	33.3	33.9	-
Kentucky	95.6	92.6	94.2	90.0	33.7	33.5	33.9	33.7
Tennessee	94.8	93.9	93.2	91.0	33.7	33.4	34.0	34.1
Missouri	93.5	91.6	92.5	90.7	33.7	33.4	34.6	34.4
Arkansas	93.5	91.7	91.0	90.1	33.8	33.8	34.5	34.4
Louisiana	94.4	93.4	94.3	94.5	33.5	33.8	33.8	34.0
Oklahoma	86.4	90.9	89.7	92.9	30.1	30.4	30.8	31.0
Texas	92.3	93.0	90.1	93.0	30.5	30.7	30.8	31.7
New Mexico	97.1	96.9	96.6	96.1	35.4	35.5	36.2	36.3
Arizona	92.4	93.1	91.9	93.6	33.6	33.6	33.6	34.0
Nevada	99.6	92.5	97.4	96.4	36.8	35.8	35.8	36.6
California	95.3	94.0	94.7	93.6	34.6	34.5	34.4	35.1
United States	93.2	93.0	92.0	92.8	32.8	32.8	33.0	33.4

<sup>1/</sup> Computed by weighting the quantity in each grade by the 1937-39 average price per pound for such grade of 15/16 inch staple. Converted to an index with Middling White equaling 100.

<sup>2/</sup> Averages calculated on numerical equivalents of the staple designations (for example, 29/32" = 29).

Table 6. -- Tenderability of upland cotton ginned, by states, 1967-68

State	Tenderable <sup>1/</sup>		Untenderable		Total crop	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
Virginia	-	-	148	100.0	148	100.0
North Carolina	27,103	56.7	20,677	43.3	47,780	100.0
South Carolina	125,061	67.9	59,146	32.1	184,207	100.0
Georgia	162,093	70.7	67,156	29.3	229,249	100.0
Florida	4,788	66.7	2,390	33.3	7,178	100.0
Alabama	110,274	55.6	88,158	44.4	198,432	100.0
Mississippi	713,184	67.2	348,466	32.8	1,061,650	100.0
Illinois	-	-	-	-	-	-
Kentucky	42	23.3	138	76.7	180	100.0
Tennessee	73,023	50.0	73,107	50.0	146,130	100.0
Missouri	29,873	49.7	30,215	50.3	60,088	100.0
Arkansas	275,016	54.6	228,235	45.4	503,251	100.0
Louisiana	300,155	69.8	129,828	30.2	429,983	100.0
Oklahoma	52,305	27.6	137,291	72.4	189,596	100.0
Texas	891,446	33.1	1,803,200	66.9	2,694,646	100.0
New Mexico	73,428	53.0	64,992	47.0	138,420	100.0
Arizona	297,728	71.7	117,632	28.3	415,360	100.0
Nevada	2,279	57.7	1,671	42.3	3,950	100.0
California	869,639	82.3	186,514	17.7	1,056,153	100.0
All states	4,007,437	54.4	3,358,964	45.6	7,366,401	100.0

<sup>1/</sup> Tenderable with respect to grade and staple in settlement of futures contracts.

Table 7. -- Tenderability of upland cotton ginned in the United States, 1951-1967

Year	Tenderable <sup>1/</sup>		Untenderable		Total crop <sup>2/</sup>	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
1951	10,793,023	71.8	4,232,480	28.2	15,025,503	100.0
1952	10,982,423	73.9	3,875,742	26.1	14,858,165	100.0
1953	13,691,670	84.2	2,560,929	15.8	16,252,599	100.0
1954	11,506,960	84.8	2,070,033	15.2	13,576,993	100.0
1955	11,106,760	76.6	3,393,764	23.4	14,500,524	100.0
1956	10,609,930	81.0	2,492,207	19.0	13,102,137	100.0
1957	6,859,873	63.5	3,940,845	36.5	10,800,718	100.0
1958	9,768,742	86.0	1,584,723	14.0	11,353,465	100.0
1959	11,401,025	78.9	3,044,992	21.1	14,446,017	100.0
1960	10,050,977	70.8	4,148,110	29.2	14,199,087	100.0
1961	11,655,270	81.7	2,608,095	18.3	14,263,365	100.0
1962	11,373,949	77.1	3,380,447	22.9	14,754,396	100.0
1963	12,395,120	81.9	2,733,655	18.1	15,128,775	100.0
1964	10,154,264	67.5	4,878,050	32.5	15,032,314	100.0
1965	9,540,115	64.3	5,307,177	35.7	14,847,292	100.0
1966	4,902,137	51.6	4,589,060	48.4	9,491,197	100.0
1967	4,007,437	54.4	3,358,964	45.6	7,366,401	100.0

<sup>1/</sup> Tenderable with respect to grade and staple in settlement of futures contracts.

<sup>2/</sup> As reported by the Bureau of the Census, running bales.



Table 8. --- Grade and staple of upland cotton ginned in North Carolina, 1967-68

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1"	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples	
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
<b>White:</b>																	
G.M.	(11)	-	-	-	-	-	-	-	-	43	27	-	-	-	-	142	0.3
S.M.	(21)	-	-	-	-	-	-	-	72	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.	(31)	-	-	-	-	-	-	252	3,405	1,938	152	15	-	-	-	5,762	12.1
S.L.M.+	(40)	-	-	-	-	-	-	34	1,069	428	32	8	-	-	-	1,571	3.3
S.L.M.	(41)	-	-	-	-	-	9	301	11,647	6,568	326	39	-	-	-	18,890	39.6
L.M.+	(50)	-	-	-	-	-	-	25	2,695	2,065	92	-	-	-	-	4,837	10.1
L.M.	(51)	-	-	-	-	-	18	205	3,613	2,503	184	-	-	-	-	6,523	13.7
S.O.O.+	(60)	-	-	-	-	-	-	-	144	32	-	-	-	-	-	176	0.4
S.O.O.	(61)	-	-	-	-	-	18	72	349	146	-	-	-	-	-	587	1.2
O.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O.O.	(71)	-	-	-	-	-	-	-	67	-	-	-	-	-	-	67	0.1
Total		-	45	-	-	-	869	23,021	13,725	813	62	-	-	-	-	38,555	80.8
<b>Light Spotted:</b>																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	88	51	-	-	-	-	-	139	0.3
N.	(32)	-	-	-	-	-	-	145	1,139	199	17	-	-	-	-	1,500	3.1
S.L.M.	(42)	-	-	-	-	-	9	206	1,566	574	73	-	-	-	-	2,428	5.1
L.M.	(52)	-	-	-	-	-	63	235	1,026	379	15	-	-	-	-	1,738	3.6
Total		-	72	-	-	-	606	3,819	1,203	105	-	-	-	-	-	5,805	12.1
<b>Spotted:</b>																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.	(33)	-	-	-	-	-	-	91	203	62	-	-	-	-	-	356	0.7
S.L.M.	(43)	-	-	-	-	-	36	275	757	195	-	-	-	-	-	1,263	2.6
L.M.	(53)	-	-	-	-	18	180	526	315	56	9	-	-	-	-	1,104	2.3
Total		-	18	-	-	18	216	892	1,275	313	9	-	-	-	-	2,723	5.6
<b>Tinged:</b>																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	18	9	-	-	-	-	-	-	-	27	0.1
L.M.	(54)	-	-	-	-	9	27	54	28	-	-	-	-	-	-	118	0.2
Total		-	-	-	-	9	45	63	28	-	-	-	-	-	-	145	0.3
<b>Light Gray:</b>																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	8	33	-	-	-	-	-	-	49	0.1
N.	(36)	-	-	-	-	-	9	-	17	-	-	-	-	-	-	26	0.1
S.L.M.	(46)	-	-	-	-	-	9	9	16	8	-	-	-	-	-	35	0.1
Total		-	-	-	-	-	17	17	66	8	-	-	-	-	-	110	0.3
<b>Gray:</b>																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	15	-	-	-	-	-	-	-	15	0.1
N.	(37)	-	-	-	-	-	-	9	-	-	-	-	-	-	-	9	0.1
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	24	-	-	-	-	-	-	-	24	0.1
Below Grade		-	-	-	-	27	81	256	45	9	-	-	-	-	-	418	0.9
All grades		-	-	-	-	54	476	2,747	26,256	15,258	927	62	-	-	-	47,780	100.0
All grades		-	-	-	-	0.1	1.0	5.7	59.3	31.9	1.9	0.1	-	-	-	100.0	-

As reported by the Bureau of the Census, running bales.  
 \* Less than 0.05 percent.  
 Percentage rough preparation..... 0.1  
 Grade index..... 91.2  
 Average staple..... 34.3



Table 8. -- Grade and staple of upland cotton ginned in Georgia, 1967-68 (Continued)

Grade Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
<b>White:</b>																
G.M. (11)	-	-	-	-	-	-	-	-	12	-	-	-	-	-	12	-
S.M. (21)	-	-	-	56	2,170	2,565	765	238	104	-	-	-	-	-	5,920	2.6
M.+ (30)	-	-	-	22	19	12	28	12	-	-	-	-	-	-	81	-
M. (31)	-	-	-	260	10,201	14,935	4,635	1,042	138	-	-	-	-	-	31,242	13.6
S.L.M.+ (40)	-	8	8	19	937	1,528	735	132	36	-	-	-	-	-	3,395	1.5
S.L.M. (41)	-	46	46	836	32,915	45,214	12,059	1,711	49	-	-	-	-	-	92,830	40.5
L.M.+ (50)	-	25	2,697	3,156	545	39	59	204	-	-	-	-	-	-	6,662	2.9
L.M. (51)	-	15	537	10,736	1,824	204	67	8	-	-	-	-	-	-	24,191	10.6
S.G.O.+ (60)	-	8	313	258	107	8	8	-	-	-	-	-	-	-	654	0.3
S.G.O. (61)	-	15	225	1,479	648	107	8	-	-	-	-	-	-	-	2,490	1.1
O.O.+ (70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-
O.O. (71)	-	8	59	156	61	11	-	-	-	-	-	-	-	-	297	0.1
<b>Total</b>	-	17	123	2,027	61,838	79,271	20,788	3,394	327	-	-	-	-	-	167,765	73.2
<b>Light Spotted:</b>																
G.M. (12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (22)	-	66	643	465	58	27	-	-	-	-	-	-	-	-	1,282	0.6
M. (32)	-	12	506	6,563	3,985	75	-	-	-	-	-	-	-	-	11,699	5.1
S.L.M. (42)	-	890	12,236	10,838	2,513	459	-	-	-	-	-	-	-	-	27,027	11.8
L.M. (52)	-	168	664	5,181	3,687	615	24	-	-	-	-	-	-	-	10,339	4.5
<b>Total</b>	-	294	2,126	24,623	16,975	3,744	565	-	-	-	-	-	-	-	50,347	22.0
<b>Spotted:</b>																
G.M. (13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (23)	-	79	61	-	-	-	-	-	-	-	-	-	-	-	140	0.1
M. (33)	-	15	52	392	214	55	10	-	-	-	-	-	-	-	738	0.3
S.L.M. (43)	-	311	1,189	689	70	13	-	-	-	-	-	-	-	-	2,319	1.0
L.M. (53)	-	102	388	963	1,771	536	103	13	-	-	-	-	-	-	3,986	1.7
<b>Total</b>	-	111	1,346	3,431	1,500	318	36	-	-	-	-	-	-	-	7,183	3.1
<b>Tinged:</b>																
G.M. (14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. (34)	-	9	39	19	-	-	-	-	-	-	-	-	-	-	9	-
S.L.M. (44)	-	19	59	27	19	-	-	-	-	-	-	-	-	-	67	-
L.M. (54)	-	195	278	332	153	32	13	-	-	-	-	-	-	-	124	0.1
<b>Total</b>	-	195	297	400	226	70	13	-	-	-	-	-	-	-	1,003	0.4
<b>Light Gray:</b>																
G.M. (16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (26)	-	-	-	-	-	-	29	23	-	-	-	-	-	-	52	-
M. (36)	-	-	-	-	-	-	242	108	23	-	-	-	-	-	373	0.2
S.L.M. (46)	-	-	-	-	-	-	92	22	-	-	-	-	-	-	131	0.1
<b>Total</b>	-	-	-	-	-	-	363	153	23	-	-	-	-	-	556	0.3
<b>Gray:</b>																
G.M. (17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. (37)	-	-	-	-	-	-	27	-	-	-	-	-	-	-	27	-
S.L.M. (47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19	-
<b>Total</b>	-	-	-	-	-	-	27	-	-	-	-	-	-	-	46	-
<b>Below Grade</b>																
-	9	9	154	411	725	542	235	44	-	-	-	-	-	-	2,129	0.9
<b>All grades</b>																
-	9	9	477	1,594	6,632	91,052	100,204	24,930	327	4,015	327	-	-	-	229,249	100.0
<b>All grades</b>																
-	-	-	0.2	0.7	2.9	39.7	43.7	10.9	0.1	1.6	0.1	-	-	-	100.0	-

As reported by the Bureau of the Census, running bales.  
 \* Less than 0.05 percent.  
 Percentage rough preparation... 91.9  
 Grade index...  
 Average staple... 33.7

Table 8. -- Grade and staple of upland cotton ginned in Florida, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples	
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
<b>White:</b>																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	-	199	166	31	-	-	-	-	-	396	5.5
S.L.M.+	(40)	-	-	-	-	-	39	1,809	1,423	195	12	-	-	-	-	3,478	48.7
S.L.M.	(41)	-	-	-	-	-	-	-	24	76	-	-	-	-	-	24	0.3
L.M.+	(50)	-	-	-	-	-	33	590	450	76	-	-	-	-	-	1,149	16.0
L.M.	(51)	-	-	-	-	-	23	29	19	15	-	-	-	-	-	66	1.2
S.O.O.+	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.O.O.	(61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	-	-	-	14	-	-	-	-	-	-	-	14	0.2
<b>Total</b>		-	-	-	-	-	95	2,641	2,082	317	12	-	-	-	-	5,147	71.9
<b>Light Spotted:</b>																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	-	-	79	92	12	-	-	-	-	-	183	2.5
S.L.M.	(42)	-	-	-	-	-	-	744	442	64	-	-	-	-	-	1,250	17.4
L.M.	(52)	-	-	-	-	-	31	272	87	7	-	-	-	-	-	397	5.5
<b>Total</b>		-	-	-	-	-	31	1,095	621	83	-	-	-	-	-	1,890	25.4
<b>Spotted:</b>																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(43)	-	-	-	-	-	10	29	12	-	-	-	-	-	-	51	0.7
L.M.	(53)	-	-	-	-	-	29	82	-	-	-	-	-	-	-	111	1.5
<b>Total</b>		-	-	-	-	-	39	111	12	-	-	-	-	-	-	162	2.2
<b>Light Gray:</b>																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	10	-	-	-	-	-	-	-	-	10	0.1
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>		-	-	-	-	-	10	-	-	-	-	-	-	-	-	10	0.1
<b>Below Grade</b>																	
		-	-	-	10	-	-	-	19	-	-	-	-	-	-	29	0.4
<b>All grades</b>																	
		-	-	-	10	175	3,847	2,734	400	12	-	-	-	-	-	7,178	100.0
<b>All grades</b>																	
		-	-	-	0.1	2.4	53.6	38.1	5.6	0.2	-	-	-	-	-	100.0	

As reported by the Bureau of the Census, running bales.

Percentage rough preparation..... 0.3  
 Grade index..... 90.5  
 Average staple..... 33.5





Table 6. -- Grade and staple of upland cotton ginned in Tennessee, 1967-68 (Continued)

Grade	Code	13/16" and shorter (25)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples	
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	
<b>White:</b>																	
G.M.	(11)	-	-	-	-	-	-	67	2,492	2,195	105	-	-	-	-	4,859	3.3
S.M.	(21)	-	-	-	-	-	-	-	24	47	12	-	-	-	-	83	0.1
M.+	(31)	-	-	-	-	-	-	597	11,714	11,001	693	100	-	-	-	24,105	16.5
M.	(31)	-	-	-	-	-	-	31	866	769	22	-	-	-	-	1,688	1.2
S.L.M.+	(41)	-	-	-	-	-	28	1,891	26,389	16,449	1,004	51	-	-	-	45,812	31.4
S.L.M.	(41)	-	-	-	-	-	-	60	1,345	750	32	-	-	-	-	2,187	1.5
L.M.+	(50)	-	-	-	-	-	14	738	5,500	2,340	195	22	-	-	-	8,609	6.0
L.M.	(51)	-	-	-	-	-	10	10	31	-	-	-	-	-	-	51	0.0
S.G.O.+	(60)	-	-	-	-	-	54	360	480	131	-	-	-	-	-	1,025	0.7
S.G.O.	(61)	-	-	-	-	-	-	-	20	-	-	-	-	-	-	20	0.0
G.O.+	(70)	-	-	-	-	-	-	14	38	-	-	-	-	-	-	52	0.0
G.O.	(71)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
<b>Total</b>		-	-	-	-	-	106	3,768	48,899	33,682	2,063	173	-	-	-	88,691	60.7
<b>Light Spotted:</b>																	
G.M.	(12)	-	-	-	-	-	-	71	270	71	-	-	-	-	-	412	0.3
S.M.	(22)	-	-	-	-	-	33	1,348	5,116	505	-	-	-	-	-	7,002	4.8
M.	(32)	-	-	-	-	-	246	3,780	14,235	1,863	51	-	-	-	-	20,175	13.8
S.L.M.	(42)	-	-	-	-	-	15	239	1,131	379	12	-	-	-	-	5,469	3.7
L.M.	(52)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
<b>Total</b>		-	-	-	-	-	15	518	22,752	2,818	63	-	-	-	-	33,058	22.6
<b>Spotted:</b>																	
G.M.	(13)	-	-	-	-	-	-	10	31	10	-	-	-	-	-	51	0.0
S.M.	(23)	-	-	-	-	-	24	848	2,213	162	-	-	-	-	-	3,247	2.2
M.	(33)	-	-	-	-	-	389	3,118	5,533	422	10	-	-	-	-	9,492	6.5
S.L.M.	(43)	-	-	-	-	-	9	1,272	2,299	66	5	-	-	-	-	5,534	3.8
L.M.	(53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
<b>Total</b>		-	-	-	-	-	9	1,685	6,275	660	15	-	-	-	-	18,324	12.5
<b>Tinged:</b>																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
S.M.	(24)	-	-	-	-	-	-	5	-	-	-	-	-	-	-	5	0.0
M.	(34)	-	-	-	-	-	204	826	312	5	-	-	-	-	-	1,144	0.1
S.L.M.	(44)	-	-	-	-	-	44	528	277	5	-	-	-	-	-	1,347	0.9
L.M.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,631	1.3
<b>Total</b>		-	-	-	-	-	44	732	1,649	648	10	-	-	-	-	3,297	2.3
<b>Light Gray:</b>																	
G.M.	(16)	-	-	-	-	-	10	10	62	20	-	-	-	-	-	102	0.1
S.M.	(26)	-	-	-	-	-	5	10	10	-	-	-	-	-	-	25	0.0
M.	(36)	-	-	-	-	-	5	29	10	-	-	-	-	-	-	44	0.0
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
<b>Total</b>		-	-	-	-	-	20	49	82	20	-	-	-	-	-	171	0.1
<b>Below Grade</b>																	
		-	-	5	19	247	1,288	892	129	9	-	-	-	-	-	2,589	1.8
<b>All grades</b>																	
		-	-	5	33	315	4,349	19,725	82,190	37,199	2,141	173	-	-	-	146,130	100.0
<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>
<b>All grades</b>																	100.0
<b>As reported by the Bureau of the Census, rumming bales.</b>																	
<b>1/ Less than 0.05 percent.</b>																	
<b>Percentage rough preparation..... 91.0</b>																	
<b>Grade index..... 34.1</b>																	
<b>Average staple..... 34.1</b>																	





Table 8. -- Grade and staple of upland cotton ginned in Arkansas, 1967-68 (Continued)

Grade Code	Bales														All staples	
	13/16" and shorter (25)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	Bales	Percent
<b>White:</b>																
G.M. (11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (21)	-	-	-	-	-	-	202	2,237	1,845	203	-	-	-	-	4,487	0.9
M.+ (30)	-	-	-	-	-	-	12	35	70	12	-	-	-	-	129	0.3
M. (31)	-	-	-	-	-	56	1,453	24,261	17,382	1,745	76	-	-	-	44,973	8.9
S.L.M.+ (40)	-	-	-	-	-	-	65	1,578	2,063	2,895	10	-	-	-	4,001	0.8
S.L.M. (41)	-	-	-	-	-	154	3,652	96,225	94,164	12,973	985	66	-	-	208,219	41.4
L.M.+ (50)	-	-	-	-	-	-	106	4,625	8,606	1,868	149	-	-	-	15,354	3.1
L.M. (51)	-	-	-	-	17	124	1,759	23,189	25,129	3,676	216	-	-	-	54,110	10.6
S.G.O.+ (60)	-	-	-	-	-	-	34	336	548	117	-	-	-	-	1,035	0.2
S.G.O. (61)	-	-	-	19	9	169	763	1,591	995	193	11	-	-	-	3,750	0.7
G.O.+ (70)	-	-	-	-	-	11	-	7	-	-	-	-	-	-	16	0.0
G.O. (71)	-	-	-	-	-	55	211	140	44	-	-	-	-	-	450	0.1
<b>Total</b>	-	-	-	19	26	569	8,257	154,224	150,846	21,072	1,447	66	-	-	336,526	66.9
<b>Light Spotted:</b>																
G.M. (12)	-	-	-	-	-	-	11	-	-	-	-	-	-	-	11	0.0
S.M. (22)	-	-	-	-	-	-	36	184	23	-	-	-	-	-	243	0.0
M. (32)	-	-	-	-	-	70	1,067	6,900	3,101	526	-	-	-	-	11,664	2.3
S.L.M. (42)	-	-	-	-	-	224	5,292	37,704	25,414	3,920	187	11	-	-	72,752	14.5
L.M. (52)	-	-	-	-	14	441	3,725	10,920	4,904	724	31	-	-	-	20,759	4.1
<b>Total</b>	-	-	-	14	14	735	10,131	55,708	33,442	5,170	218	11	-	-	105,429	20.9
<b>Spotted:</b>																
G.M. (13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
S.M. (23)	-	-	-	-	-	-	28	18	42	-	-	-	-	-	88	0.0
M. (33)	-	-	-	-	-	49	682	2,226	788	168	-	-	-	-	3,913	0.8
S.L.M. (43)	-	-	-	-	-	224	5,441	14,521	4,656	536	28	-	-	-	25,406	5.0
L.M. (53)	-	-	-	20	112	1,195	7,132	5,668	1,143	63	-	-	-	-	15,333	3.0
<b>Total</b>	-	-	-	20	112	1,468	13,283	22,433	6,629	767	28	-	-	-	44,740	8.8
<b>Tinged:</b>																
G.M. (14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
S.M. (24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
M. (34)	-	-	-	-	-	11	40	111	11	-	-	-	-	-	173	0.0
S.L.M. (44)	-	-	-	-	-	205	1,074	909	138	-	-	-	-	-	2,326	0.5
L.M. (54)	-	-	-	19	173	809	1,947	443	40	-	-	-	-	-	3,431	0.7
<b>Total</b>	-	-	-	19	173	1,025	3,061	1,463	189	-	-	-	-	-	5,930	1.2
<b>Light Gray:</b>																
G.M. (16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
S.M. (26)	-	-	-	-	-	-	39	129	20	-	-	-	-	-	168	0.0
M. (36)	-	-	-	-	-	17	51	132	75	-	-	-	-	-	275	0.1
S.L.M. (46)	-	-	-	9	-	26	145	85	10	-	-	-	-	-	275	0.1
<b>Total</b>	-	-	-	9	-	43	235	346	105	-	-	-	-	-	738	0.2
<b>Gray:</b>																
G.M. (17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
S.M. (27)	-	-	-	-	10	-	11	-	-	-	-	-	-	-	21	0.0
M. (37)	-	-	-	-	-	-	7	-	-	-	-	-	-	-	7	0.0
S.L.M. (47)	-	-	-	-	-	-	9	-	11	-	-	-	-	-	20	0.0
<b>Total</b>	-	-	-	-	10	-	27	-	11	-	-	-	-	-	48	0.0
<b>Below Grade</b>																
	-	10	10	141	599	2,717	4,905	1,308	139	11	-	-	-	-	9,840	2.0
<b>All grades</b>	-	10	10	208	934	6,557	39,999	235,482	191,361	27,020	1,693	77	-	-	503,251	100.0
<b>All Grades</b>	-	0.0	0.0	0.2	0.2	1.3	7.9	46.9	38.0	5.4	0.3	0.0	-	-	100.0	100.0

1/ As reported by the Bureau of the Census, running bales.  
 \* Less than 0.05 percent.  
 Percentage rough preparation..... 90.1  
 Grade index..... 34.4  
 Average staple.....

Table 8. -- Grade and staple of upland cotton ginned in Louisiana, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
<b>White:</b>																
G.M.	(11)	-	-	-	-	-	-	31	72	1,101	-	-	-	-	-	103
S.M.	(21)	-	-	-	-	-	-	672	5,303	1,101	21	-	-	-	-	7,097
M.	(30)	-	-	-	-	-	-	-	51	-	-	-	-	-	-	51
S.L.M.+	(40)	-	-	-	-	-	49	8,319	68,091	11,353	323	10	-	-	-	108,145
S.L.M.	(41)	-	-	-	-	-	70	15,732	166,509	29,280	1,388	62	10	-	-	213,051
L.M.+	(50)	-	-	-	-	-	-	330	5,821	1,992	84	-	-	-	-	8,227
L.M.	(51)	-	-	-	-	-	69	3,742	21,993	3,932	179	-	-	-	-	29,935
S.O.O.+	(60)	-	-	-	-	-	-	17	193	21	-	-	-	-	-	231
S.O.O.	(61)	-	-	-	-	-	10	547	1,364	130	10	-	-	-	-	2,061
G.O.+	(70)	-	-	-	-	-	7	-	19	-	-	-	-	-	-	26
G.O.	(71)	-	-	-	-	-	9	104	70	-	-	-	-	-	-	183
<b>Total</b>		-	-	-	-	-	234	29,514	290,798	48,096	2,005	72	10	-	-	370,729
<b>Light Spotted:</b>																
G.M.	(12)	-	-	-	-	-	-	-	9	-	-	-	-	-	-	9
S.M.	(22)	-	-	-	-	-	52	475	568	42	10	-	-	-	-	1,147
M.	(32)	-	-	-	9	14	116	5,723	14,988	1,086	10	-	-	-	-	21,946
S.L.M.	(42)	-	-	-	-	-	63	4,281	17,481	2,528	55	-	-	-	-	24,408
L.M.	(52)	-	-	-	-	-	23	814	2,725	156	-	-	-	-	-	3,718
<b>Total</b>		-	-	-	9	14	254	11,293	35,771	3,812	75	-	-	-	-	51,228
<b>Spotted:</b>																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	39	180	242	18	-	-	-	-	-	479
M.	(33)	-	-	-	-	-	19	883	956	58	-	-	-	-	-	1,916
S.L.M.	(43)	-	-	-	-	-	26	560	741	32	-	-	-	-	-	1,365
L.M.	(53)	-	-	-	-	-	31	305	264	9	-	-	-	-	-	609
<b>Total</b>		-	-	-	-	-	115	1,934	2,203	117	-	-	-	-	-	4,369
<b>Tinged:</b>																
G.M.	(14)	-	-	-	-	-	-	-	9	-	-	-	-	-	-	9
S.M.	(24)	-	-	-	-	-	-	-	13	-	-	-	-	-	-	13
M.	(34)	-	-	-	-	-	-	7	76	-	-	-	-	-	-	83
S.L.M.	(44)	-	-	-	-	-	-	26	36	-	-	-	-	-	-	62
L.M.	(54)	-	-	-	-	-	-	39	20	-	-	-	-	-	-	59
<b>Total</b>		-	-	-	-	-	-	72	154	-	-	-	-	-	-	226
<b>Light Gray:</b>																
G.M.	(16)	-	-	-	-	-	-	-	-	21	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	292	915	21	-	-	-	-	-	1,228
M.	(36)	-	-	-	-	-	-	486	820	-	-	-	-	-	-	1,306
S.L.M.	(46)	-	-	-	-	-	10	161	89	-	6	-	-	-	-	256
<b>Total</b>		-	-	-	-	-	10	939	1,824	21	6	-	-	-	-	2,800
<b>Gray:</b>																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	35	-	-	-	-	-	-	-	35
M.	(37)	-	-	-	-	-	-	36	41	-	-	-	-	-	-	79
S.L.M.	(47)	-	-	-	-	-	-	26	11	-	-	-	-	-	-	37
<b>Total</b>		-	-	-	-	-	-	99	52	-	-	-	-	-	-	151
<b>Below Grade</b>		-	-	-	-	-	98	294	86	-	-	-	-	-	-	480
<b>All grades</b>		-	-	9	14	711	44,145	330,890	52,046	2,086	72	10	-	-	-	429,963
<b>All grades</b>		-	-	-	-	-	0.2	10.3	76.9	12.1	0.5	-	-	-	-	100.0

As reported by the Bureau of the Census, running bales.

Less than 0.05 percent.

Percentage rough preparation....

Grade index.....

Average staple.....

94.5

34.0





Table 6. -- Grade and staple of upland cotton ginned in New Mexico, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples	
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
<b>White:</b>																	
G.M.	(11)	-	-	-	-	10	-	10	10	69	998	49	10	-	59	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	19	10	-	39	10	6,796	4.9
M.	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	-
L.M.	(31)	-	13	108	433	720	244	93	82	1,219	9,582	37,761	10,720	116	61	61,152	44.3
S.L.M.+	(40)	-	-	-	32	43	27	27	356	20	356	1,223	778	19	20	2,518	1.8
S.L.M.	(41)	-	-	218	906	860	658	265	324	1,711	7,260	15,497	5,065	369	353	33,826	24.2
L.M.+	(50)	-	-	-	-	13	-	-	-	22	121	80	127	271	184	634	0.5
L.M.	(51)	-	-	20	42	26	28	61	176	467	278	180	97	87	10	1,666	1.2
S.G.O.+	(60)	-	-	-	-	-	-	-	-	10	-	-	-	-	-	10	-
S.G.O.	(61)	-	-	-	27	-	25	86	76	101	42	-	13	-	-	370	0.3
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	-	10	-	44	52	64	-	-	-	-	-	170	0.1
<b>Total</b>		13	346	346	1,440	1,702	955	586	720	3,703	18,656	59,287	17,993	901	628	106,930	77.3
<b>Light Spotted:</b>																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	89	220	590	97	-	-	996	0.7
M.	(32)	-	26	198	702	675	396	125	272	1,046	4,499	5,364	409	20	10	14,642	10.6
S.L.M.	(42)	-	12	112	518	229	147	125	764	2,249	1,902	685	347	184	360	7,234	5.2
L.M.	(52)	-	5	11	28	7	59	107	640	662	100	10	13	87	-	1,729	1.2
<b>Total</b>		43	321	321	1,248	911	602	357	1,676	4,946	6,321	6,649	866	291	370	24,601	17.7
<b>Spotted:</b>																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	12	-	30	20	-	-	-	62	-
M.	(33)	-	-	12	79	58	50	107	304	607	171	30	12	-	-	1,630	1.2
S.L.M.	(43)	-	-	30	53	19	119	186	515	528	20	10	-	-	-	1,480	1.1
L.M.	(53)	-	-	-	-	-	64	85	223	117	-	-	-	-	-	489	0.4
<b>Total</b>		-	-	42	132	77	233	378	1,054	1,452	221	60	12	-	-	3,661	2.7
<b>Tinged:</b>																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	38	-	51	22	66	32	-	-	10	-	-	219	0.2
S.L.M.	(44)	-	-	-	-	-	22	19	12	26	-	-	-	-	-	79	0.1
L.M.	(54)	-	-	-	-	-	-	21	-	-	-	-	-	-	-	21	-
<b>Total</b>		-	-	-	38	-	73	62	78	58	-	-	10	-	-	319	0.3
<b>Light Gray:</b>																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	12	25	-	30	20	62	90	-	-	-	239	0.2
M.	(36)	-	-	-	-	9	-	21	46	72	45	-	-	-	-	193	0.1
S.L.M.	(46)	-	-	-	-	-	-	12	12	26	10	-	-	-	-	60	-
<b>Total</b>		-	-	-	-	21	25	33	88	118	117	90	-	-	-	492	0.3
<b>Below Grade</b>		-	5	-	-	-	333	847	1,048	184	-	-	-	-	-	2,417	1.7
<b>All grades</b>		61	709	709	2,858	2,711	2,221	2,203	4,664	10,461	25,315	66,066	16,881	1,192	998	136,420	100.0
<b>All grades</b>		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		0.5	0.5	0.5	2.1	2.0	1.6	1.6	3.4	7.6	18.3	47.7	13.6	0.9	0.7	100.0	

As reported by the Bureau of the Census, running bales.

Less than 0.05 percent.

Percentage rough preparation....

Grade index.....

Average staple.....

96.1

36.3

Table 8. -- Grade and staple of upland cotton ginned in Arizona, 1967-68 (Continued)

Grade Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	
<b>White:</b>																
G.M. (11)	-	-	-	-	-	-	256	2,622	156	10	180	30	-	10	0.9	
S.M. (21)	-	-	-	-	-	-	-	11	10,923	243	6,113	1,143	23	1,838	21	
M.+ (30)	-	-	-	-	-	146	11,362	112,907	1,805	5,441	382	97	17	1,996	149,916	
S.L.M.+ (40)	-	-	-	-	133	392	11,667	76,083	12,379	4,154	4,254	658	158	2,953	10,325	
S.L.N. (41)	-	-	-	-	31	72	862	2,935	546	91	74	80	22	387	112,631	
L.M.+ (50)	-	-	-	-	185	1,573	6,444	6,698	1,059	263	79	127	36	89	5,100	
L.M. (51)	-	-	-	-	27	43	394	354	32	6	6	11	-	-	16,640	
S.L.O.+ (60)	-	-	-	-	462	1,342	1,931	889	162	11	-	-	-	-	868	
S.L.O. (61)	-	-	-	-	6	11	-	-	-	-	-	-	-	-	5,075	
G.O.+ (70)	-	-	-	-	6	11	-	-	-	-	-	-	-	-	28	
G.O. (71)	-	-	-	-	249	234	277	154	30	6	-	-	-	-	1,177	
<b>Total</b>	12	86	515	1,093	3,825	33,719	206,993	27,092	10,610	11,088	2,146	256	6,263	305,698	73.7	
<b>Light Spotted:</b>																
G.M. (12)	-	-	-	-	11	-	155	698	-	82	-	-	-	-	946	0.2
S.M. (22)	-	-	-	-	62	228	4,552	30,411	3,543	1,785	1,456	32	-	-	42,091	10.1
M. (32)	-	-	-	-	124	181	1,305	6,710	2,368	675	426	42	19	23	27,366	6.6
S.L.N. (42)	-	-	-	-	653	4,720	5,619	2,873	497	53	11	22	12	-	15,922	3.8
L.N. (52)	-	-	-	-	6	6	6	6	6	6	6	6	6	6	6	0.7
<b>Total</b>	95	16	789	1,615	6,253	17,036	49,463	6,408	2,595	1,893	96	31	33	86,325	20.7	
<b>Spotted:</b>																
G.M. (13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. (33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.N. (43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.N. (53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	42	6	227	382	628	726	495	100	10	10	12	12	12	2,628	0.7	
<b>Tinged:</b>																
G.M. (14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. (34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.N. (44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.N. (54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	6	6	227	382	628	726	495	100	10	10	12	12	12	2,628	0.7	
<b>Light Gray:</b>																
G.M. (16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. (36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.N. (46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	12	180	1,724	1,664	50	69	69	69	69	69	69	69	69	3,699	0.9	
<b>Gray:</b>																
G.M. (17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. (37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.N. (47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	24	99	101	10	24	99	101	10	24	99	101	10	24	234	0.6	
<b>Below Grade</b>	52	391	431	3,239	4,456	6,136	1,226	616	57	94	-	-	-	-	16,698	4.0
<b>All grades</b>	52	540	541	4,776	7,609	17,166	54,532	261,241	33,707	13,378	12,981	2,254	287	6,296	415,360	100.0
<b>All staples</b>	0.1	0.1	0.1	1.1	1.8	4.1	13.1	63.2	8.1	3.2	3.1	0.5	0.1	1.5	100.0	
As reported by the Bureau of the Census, running bales.																
* Less than 0.05 percent.																
Percentage rough preparation.... 93.6																
Grade index..... 34.0																
Average staple..... 34.0																

Table 8. -- Grade and staple of upland cotton ginned in Nevada, 1967-68 (Continued)

Grade Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
<b>White:</b>																
G.M. (11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (21)	-	-	-	-	-	-	-	-	9	62	63	-	-	-	134	3.4
M.+ (30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. (31)	-	-	-	-	-	-	-	-	-	467	1,349	9	-	-	1,825	46.2
S.L.M.+ (40)	-	-	-	-	-	-	-	-	-	21	136	-	-	-	157	4.0
S.L.M. (41)	-	-	-	-	-	-	-	11	43	558	1,022	-	-	-	1,634	41.4
L.M.+ (50)	-	-	-	-	-	-	-	-	-	-	21	-	-	-	21	0.5
L.M. (51)	-	-	-	-	-	-	-	-	-	12	-	-	-	-	12	0.3
S.G.O.+ (60)	-	-	-	-	-	-	-	-	-	4	-	-	-	-	4	0.2
S.G.O. (61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.+ (70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O. (71)	-	-	-	-	-	-	-	-	12	-	-	-	-	-	12	0.3
<b>Total</b>	-	-	-	-	-	-	-	11	68	1,124	2,591	9	-	-	3,803	96.3
<b>Light Spotted:</b>																
G.M. (12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. (32)	-	-	-	-	-	-	-	-	-	4	9	-	-	-	13	0.3
S.L.M. (42)	-	-	-	-	-	-	-	-	-	9	11	-	-	-	20	0.5
L.M. (52)	-	-	-	-	-	-	-	4	11	21	-	-	-	-	36	0.9
<b>Total</b>	-	-	-	-	-	-	-	4	11	34	20	-	-	-	69	1.7
<b>Spotted:</b>																
G.M. (13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. (33)	-	-	-	-	-	-	-	-	-	11	-	-	-	-	11	0.3
S.L.M. (43)	-	-	-	-	-	-	-	-	4	-	-	-	-	-	4	0.1
L.M. (53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	-	-	-	-	-	-	-	-	4	11	-	-	-	-	15	0.4
<b>Below Grade</b>																
	-	-	-	-	-	-	-	40	23	-	-	-	-	-	63	1.6
<b>All grades</b>																
	-	-	-	-	-	-	-	55	106	1,169	2,611	9	-	-	3,950	100.0
<b>All grades</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>	<b>Percent</b>
	-	-	-	-	-	-	-	1.4	2.7	29.6	66.1	0.2	-	-	100.0	-

1/ As reported by the Bureau of the Census, running bales.

Percentage rough preparation.... -  
 Grade index..... 96.4  
 Average staple..... 36.6





Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68

RALEIGH							COLUMBIA						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	12	62	68	-	142	-	734	1,651	264	97	2,746
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	49	1,857	3,197	659	5,762	92	6,789	19,841	11,620	1,705	40,047
S.L.M.+	(40)	-	110	480	907	74	1,571	-	277	1,172	1,320	36	2,805
S.L.M.	(41)	-	172	6,222	11,112	1,384	18,890	-	3,296	26,527	30,835	3,446	64,104
L.M.+	(50)	-	25	1,811	2,638	363	4,837	-	131	2,064	5,666	605	8,466
L.M.	(51)	-	-	2,229	2,968	1,326	6,523	-	457	14,342	13,757	3,845	32,401
S.G.O.+	(60)	-	-	46	102	28	176	-	-	213	360	60	633
S.G.O.	(61)	-	-	124	187	276	587	-	-	932	1,200	967	3,099
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	15	25	27	67	-	-	40	104	217	361
<b>Total</b>		-	368	12,846	21,204	4,137	38,555	92	11,684	66,782	65,126	10,978	154,662
<b>Light Spotted:</b>													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	102	37	139	-	49	653	160	97	959
M.	(32)	-	-	62	483	955	1,500	91	245	2,490	1,953	1,354	6,133
S.L.M.	(42)	-	-	31	662	1,735	2,428	31	359	2,490	3,025	3,833	9,738
L.M.	(52)	-	-	124	343	1,368	1,835	-	16	1,585	712	4,403	6,716
<b>Total</b>		-	-	217	1,590	4,095	5,902	122	669	7,218	5,850	9,687	23,546
<b>Spotted:</b>													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	13	-	24	37
M.	(33)	-	-	-	59	297	356	-	-	-	8	387	395
S.L.M.	(43)	-	-	-	59	1,255	1,314	-	16	40	24	1,500	1,580
L.M.	(53)	-	-	-	17	1,087	1,104	-	16	13	8	2,601	2,638
<b>Total</b>		-	-	-	135	2,639	2,774	-	32	66	40	4,512	4,650
<b>Tinged:</b>													
All grades		-	-	-	-	145	145	-	-	-	-	290	290
<b>Light Gray:</b>													
All grades		-	-	15	59	36	110	-	-	93	160	84	337
<b>Gray:</b>													
All grades		-	-	15	-	9	24	-	-	-	-	-	-
<b>Below Grade</b>													
All grades		-	-	-	8	410	418	-	-	13	32	677	722
All grades		-	368	13,093	22,996	11,471	47,928	214	12,385	74,172	71,208	26,228	184,207
Grade index		-	95.8	92.6	92.8	85.9	91.1	97.1	97.5	93.4	92.3	85.6	92.2
<b>Staple (inches)</b>													
<b>13/16 &amp; shorter</b>													
7/8	(28)	-	-	-	-	-	-	-	-	-	-	-	-
29/32	(29)	-	-	-	-	-	-	-	-	-	-	-	-
15/16	(30)	-	-	-	-	-	-	-	-	-	-	-	-
31/32	(31)	-	-	-	-	54	54	-	16	-	-	-	16
1	(32)	-	-	-	8	468	476	-	-	40	48	204	292
1-1/32	(33)	-	-	30	591	2,126	2,747	-	-	653	1,216	3,585	5,454
1-1/16	(34)	-	122	5,727	15,440	7,066	28,355	91	5,695	24,410	24,668	14,873	69,757
1-3/32	(35)	-	221	6,843	6,569	1,674	15,307	92	6,021	41,839	40,135	7,216	95,303
1-1/8	(36)	-	25	447	372	83	927	31	588	7,111	4,985	350	13,065
1-5/32	(37)	-	-	46	16	-	62	-	65	106	128	-	299
1-3/16	(38)	-	-	-	-	-	-	-	-	13	8	-	21
1-7/32	(39)	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4	(40)	-	-	-	-	-	-	-	-	-	-	-	-
<b>&amp; longer</b>													
All staples		-	368	13,093	22,996	11,471	47,928	214	12,385	74,172	71,208	26,228	184,207
Average staple (32nd inches)		-	34.7	34.6	34.3	33.9	34.3	34.7	34.6	34.8	34.7	34.1	34.6

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

AUGUSTA							ATLANTA						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>													
G.M.	(11)	-	-	-	-	-	-	-	12	-	-	-	12
S.M.	(21)	53	1,536	1,884	56	10	3,539	437	1,131	717	77	19	2,381
M.+	(30)	-	12	-	-	-	12	16	24	29	-	-	69
M.	(31)	160	3,729	7,105	2,212	161	13,367	1,000	6,893	7,796	2,051	170	17,910
S.L.M.+	(40)	-	81	658	256	31	1,026	-	925	1,095	321	28	2,369
S.L.M.	(41)	214	6,558	16,595	5,958	567	29,892	2,437	27,491	24,587	7,936	522	62,973
L.M.+	(50)	-	127	2,100	1,493	55	3,775	16	1,460	1,027	337	47	2,887
L.M.	(51)	-	1,212	3,405	3,362	1,381	9,360	156	4,180	6,472	3,130	912	14,850
S.G.O.+	(60)	-	23	113	319	47	502	-	-	87	46	19	152
S.G.O.	(61)	27	81	148	351	518	1,125	-	328	368	452	217	1,365
G.O.+	(70)	-	-	11	-	-	11	-	-	-	-	-	-
G.O.	(71)	-	-	23	24	86	133	-	12	58	38	56	164
<b>Total</b>		<b>454</b>	<b>13,359</b>	<b>32,042</b>	<b>14,031</b>	<b>2,856</b>	<b>62,742</b>	<b>4,062</b>	<b>42,456</b>	<b>42,236</b>	<b>14,388</b>	<b>1,990</b>	<b>105,132</b>
<b>Light Spotted:</b>													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	27	208	261	64	36	596	47	268	126	84	161	686
M.	(32)	53	1,801	2,122	759	362	5,097	297	3,272	1,948	872	285	6,674
S.L.M.	(42)	27	2,309	4,267	1,294	1,032	8,929	391	7,440	5,736	3,574	976	18,117
L.M.	(52)	-	439	1,362	543	963	3,307	62	1,929	2,781	1,270	1,009	7,051
<b>Total</b>		<b>107</b>	<b>4,757</b>	<b>8,012</b>	<b>2,660</b>	<b>2,393</b>	<b>17,929</b>	<b>797</b>	<b>12,909</b>	<b>10,591</b>	<b>5,800</b>	<b>2,431</b>	<b>32,528</b>
<b>Spotted:</b>													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	21	21	-	12	-	69	38	119
M.	(33)	-	-	34	8	75	117	31	97	58	122	313	621
S.L.M.	(43)	-	69	45	48	298	460	62	195	174	283	1,145	1,859
L.M.	(53)	-	46	182	96	531	855	16	182	268	230	2,451	3,147
<b>Total</b>		<b>-</b>	<b>115</b>	<b>261</b>	<b>152</b>	<b>925</b>	<b>1,453</b>	<b>109</b>	<b>486</b>	<b>500</b>	<b>704</b>	<b>3,947</b>	<b>5,746</b>
<b>Tinged:</b>													
All grades		-	-	-	-	62	62	-	-	20	16	1,105	1,141
<b>Light Gray:</b>													
All grades		-	12	22	32	285	351	-	36	39	8	122	205
<b>Gray:</b>													
All grades		-	-	-	8	-	8	-	-	10	-	28	38
<b>Below Grade</b>													
All grades		-	35	45	40	398	518	-	116	165	92	1,257	1,630
All grades		561	18,278	40,382	16,923	6,919	83,063	4,968	56,003	53,561	21,008	10,880	146,420
Grade index		96.2	94.6	93.6	91.2	83.9	92.5	95.3	93.0	92.4	90.7	79.3	91.5
<b>Staple (inches)</b>													
<b>13/16 &amp; shorter (26)</b>													
7/8	(28)	-	-	-	-	-	-	-	-	-	-	9	9
29/32	(29)	-	-	-	-	-	-	-	-	-	-	9	9
15/16	(30)	-	-	-	-	53	53	-	-	-	16	408	424
31/32	(31)	-	12	45	-	135	192	-	24	88	215	1,075	1,402
1	(32)	27	128	830	288	417	1,690	-	412	1,241	1,020	2,269	4,942
1-1/32	(33)	133	8,704	21,643	7,458	3,709	41,647	1,577	19,551	15,630	8,612	4,162	49,532
1-1/16	(34)	348	8,439	15,504	7,650	1,909	33,850	2,562	25,438	26,507	9,221	2,714	66,442
1-3/32	(35)	53	925	2,246	1,439	660	5,323	625	7,963	9,011	1,793	234	19,626
1-1/8	(36)	-	70	114	88	36	308	157	2,335	1,084	131	-	3,707
1-5/32	(37)	-	-	-	-	-	-	47	280	-	-	-	327
1-3/16	(38)	-	-	-	-	-	-	-	-	-	-	-	-
1-7/32	(39)	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4	(40)	-	-	-	-	-	-	-	-	-	-	-	-
<b>&amp; longer</b>													
All staples		561	18,278	40,382	16,923	6,919	83,063	4,968	56,003	53,561	21,008	10,880	146,420
Average staple (32nd inches)		33.8	33.6	33.5	33.6	33.4	33.5	33.9	33.9	33.9	33.6	32.8	33.7

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

BIRMINGHAM							MONTGOMERY						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	80	252	174	70	576	70	180	125	-	-	375
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	1,038	1,968	1,804	251	5,081	1,310	3,483	8,968	2,175	95	16,031
S.L.M.+	(40)	-	-	30	105	-	135	-	-	46	-	-	46
S.L.M.	(41)	-	200	2,994	7,042	411	10,647	307	11,223	29,510	14,972	1,626	57,638
L.M.+	(50)	-	-	45	262	28	335	-	48	342	217	38	645
L.M.	(51)	-	-	1,661	3,461	469	5,591	14	4,377	10,793	8,604	2,003	25,791
S.G.O.+	(60)	-	-	30	-	-	30	-	-	11	16	-	27
S.O.O.	(61)	-	-	371	645	268	1,284	-	421	1,387	1,866	1,496	5,170
G.O.+	(70)	-	-	-	9	-	9	-	-	-	-	-	-
G.O.	(71)	-	-	15	183	78	276	-	-	125	175	492	792
<b>Total</b>		-	1,318	7,386	13,685	1,575	23,964	1,701	19,732	51,307	28,025	5,750	106,515
<b>Light Spotted:</b>													
G.M.	(12)	-	-	-	-	10	10	-	-	-	-	-	-
S.M.	(22)	-	-	193	357	81	631	14	36	68	8	9	135
M.	(32)	-	120	935	2,755	566	4,376	151	1,850	3,242	1,052	170	6,465
S.L.M.	(42)	-	120	638	6,024	1,440	8,222	98	6,387	9,980	3,067	1,018	20,550
L.M.	(52)	-	-	326	2,040	823	3,189	14	3,003	4,275	1,574	1,049	9,915
<b>Total</b>		-	240	2,092	11,176	2,920	16,428	277	11,276	17,565	5,701	2,246	37,065
<b>Spotted:</b>													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	209	141	350	-	-	-	-	-	-
M.	(33)	-	-	15	907	966	1,888	-	24	23	16	57	120
S.L.M.	(43)	-	-	45	1,133	2,579	3,757	-	385	358	201	485	1,429
L.M.	(53)	-	-	15	593	3,887	4,495	-	696	759	384	1,047	2,886
<b>Total</b>		-	-	75	2,842	7,573	10,490	-	1,105	1,140	601	1,589	4,435
<b>Tinged:</b>													
All grades		-	-	-	44	2,709	2,753	-	12	11	-	58	81
<b>Stained:</b>													
All grades		-	-	-	-	8	8	-	-	-	-	-	-
<b>Light Gray:</b>													
All grades		-	-	-	-	78	78	-	324	386	128	331	1,169
<b>Gray:</b>													
All grades		-	-	-	18	46	64	-	48	23	-	29	100
<b>Below Grade</b>													
All grades		-	-	15	148	737	900	-	108	409	136	673	1,326
All grades		-	1,558	9,568	27,913	15,646	54,685	1,978	32,605	70,841	34,591	10,676	150,691
Grade Index		-	98.4	92.7	90.0	80.3	87.9	98.2	90.5	91.1	89.6	82.0	90.1
<b>Staple (inches)</b>													
<b>13/16 &amp; shorter (26)</b>													
7/8	(28)	-	-	-	-	23	23	-	-	-	-	-	-
29/32	(29)	-	-	-	9	114	123	-	-	-	-	-	-
15/16	(30)	-	-	-	9	130	139	-	-	11	-	-	11
31/32	(31)	-	-	-	-	1,594	1,594	-	-	-	24	58	82
1	(32)	-	-	-	18	1,428	1,446	-	72	145	104	645	966
1-1/32	(33)	-	200	476	774	2,046	3,496	-	1,056	5,073	1,689	2,234	10,052
1-1/16	(34)	-	679	3,932	11,754	4,683	21,048	856	20,116	45,489	19,137	5,285	90,883
1-3/32	(35)	-	639	4,297	12,127	4,716	21,779	968	10,116	16,071	10,737	2,106	39,998
1-1/8	(36)	-	40	550	2,282	742	3,614	154	1,137	3,870	2,804	348	8,313
1-5/32	(37)	-	-	253	722	160	1,135	-	108	182	96	-	386
1-3/16	(38)	-	-	60	174	10	244	-	-	-	-	-	-
1-7/32	(39)	-	-	-	35	-	35	-	-	-	-	-	-
1-1/4	(40)	-	-	-	9	-	9	-	-	-	-	-	-
<b>&amp; longer</b>													
All staples		-	1,558	9,568	27,913	15,646	54,685	1,978	32,605	70,841	34,591	10,676	150,691
Average staple (32nd inches)		-	33.3	33.6	33.7	32.7	33.4	33.6	33.4	33.3	33.4	32.9	33.3

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

GREENWOOD							JACKSON						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>													
G.M.	(11)	-	-	26	-	-	26	-	-	-	-	-	-
S.M.	(21)	28	5,840	17,569	3,198	15	26,650	42	1,071	3,333	188	42	4,676
M.+	(30)	-	81	300	68	3	452	-	-	28	-	-	28
M.	(31)	48	10,313	89,720	30,300	306	130,687	350	6,656	18,500	4,511	309	30,326
S.L.M.+	(40)	-	189	7,358	3,937	3	11,487	-	95	431	136	-	662
S.L.M.	(41)	-	6,908	211,830	179,915	2,727	401,380	126	5,126	19,859	11,484	927	37,522
L.M.+	(50)	-	41	15,759	20,715	183	36,698	-	38	316	532	6	892
L.M.	(51)	-	257	19,575	54,116	3,747	77,695	-	890	6,046	4,763	646	12,345
S.G.O.+	(60)	-	-	208	1,341	34	1,583	-	57	9	63	-	129
S.G.O.	(61)	-	14	742	3,043	858	4,657	-	76	660	1,084	363	2,183
G.O.+	(70)	-	-	-	10	-	10	-	-	-	10	-	10
G.O.	(71)	-	-	39	233	278	550	-	-	65	188	37	290
<b>Total</b>		<b>76</b>	<b>23,643</b>	<b>363,126</b>	<b>296,876</b>	<b>8,154</b>	<b>691,875</b>	<b>518</b>	<b>14,009</b>	<b>49,247</b>	<b>22,959</b>	<b>2,330</b>	<b>89,063</b>
<b>Light Spotted:</b>													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	54	287	554	68	963	-	161	298	313	31	803
M.	(32)	9	906	7,059	15,106	1,229	24,309	56	2,389	4,174	5,304	1,165	13,088
S.L.M.	(42)	-	365	9,403	45,426	7,278	62,472	28	1,421	3,879	5,857	1,279	12,464
L.M.	(52)	-	27	1,029	10,081	4,367	15,504	-	483	1,172	1,960	636	4,251
<b>Total</b>		<b>9</b>	<b>1,352</b>	<b>17,778</b>	<b>71,167</b>	<b>12,942</b>	<b>103,248</b>	<b>84</b>	<b>4,454</b>	<b>9,523</b>	<b>13,434</b>	<b>3,111</b>	<b>30,606</b>
<b>Spotted:</b>													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	13	165	68	246	-	-	9	188	23	220
M.	(33)	-	-	-	4,549	972	5,521	-	9	28	646	474	1,157
S.L.M.	(43)	-	-	13	5,862	3,687	9,562	-	28	56	886	589	1,559
L.M.	(53)	-	-	26	1,390	4,657	6,073	-	9	19	407	525	960
<b>Total</b>		<b>-</b>	<b>-</b>	<b>52</b>	<b>11,966</b>	<b>9,384</b>	<b>21,402</b>	<b>-</b>	<b>46</b>	<b>112</b>	<b>2,127</b>	<b>1,611</b>	<b>3,896</b>
<b>Tinged:</b>													
All grades		-	-	26	126	800	952	-	-	9	10	90	109
<b>Stained:</b>													
All grades		-	-	-	10	-	10	-	-	-	-	-	-
<b>Light Gray:</b>													
All grades		-	14	130	836	118	1,098	-	132	223	823	258	1,436
<b>Gray:</b>													
All grades		-	-	-	29	89	118	-	-	-	31	18	49
<b>Below Grade</b>													
All grades		-	-	-	710	9,809	10,519	-	47	74	136	535	792
All grades		85	25,009	381,112	381,720	41,296	829,222	602	18,688	59,188	39,520	7,953	125,951
Grade index		101.0	98.8	95.2	91.7	78.7	92.9	98.2	95.8	94.9	91.5	86.5	93.4
<b>Staple (inches)</b>													
<b>13/16 &amp; shorter</b>													
7/8	(26)	-	-	-	-	-	-	-	-	-	-	-	-
29/32	(29)	-	-	-	-	-	-	-	-	-	-	-	-
15/16	(30)	-	-	-	-	24	24	-	-	-	-	-	-
31/32	(31)	-	-	-	39	86	125	-	-	9	10	30	49
1	(32)	-	14	65	106	3,222	3,407	-	151	391	509	330	1,381
1-1/32	(33)	-	313	3,672	2,699	11,377	18,061	70	2,984	11,173	7,524	1,575	23,326
1-1/16	(34)	28	8,665	168,046	141,444	20,941	339,124	238	13,139	41,310	26,165	5,727	86,579
1-3/32	(35)	57	13,759	194,068	208,336	5,292	421,512	252	2,311	6,127	5,085	291	14,066
1-1/8	(36)	-	2,203	13,960	26,558	333	43,054	42	103	178	197	-	520
1-5/32	(37)	-	55	1,197	1,565	18	2,835	-	-	-	30	-	30
1-3/16	(38)	-	-	78	768	3	849	-	-	-	-	-	-
1-7/32	(39)	-	-	26	78	-	104	-	-	-	-	-	-
1-1/4	(40)	-	-	-	127	-	127	-	-	-	-	-	-
<b>&amp; longer</b>													
All staples		85	25,009	381,112	381,720	41,296	829,222	602	18,688	59,188	39,520	7,953	125,951
Average staple (32nd inches)		34.7	34.7	34.6	34.7	33.7	34.6	34.4	34.0	33.9	33.9	33.7	33.9

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

MEMPHIS							HAYTI						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	390	7,358	1,554	17	9,319	-	9	433	253	-	695
M.+	(30)	-	-	182	-	-	182	-	-	-	-	-	-
M.	(31)	-	1,107	24,682	18,311	387	44,487	-	29	3,371	2,984	7	6,391
S.L.M.+	(40)	-	-	1,330	1,784	-	3,114	-	-	210	242	-	452
S.L.M.	(41)	-	168	27,440	63,593	1,814	93,015	-	9	7,817	17,721	133	25,680
L.M.+	(50)	-	-	1,497	3,978	26	5,501	-	-	446	822	-	1,268
L.M.	(51)	-	69	4,735	16,617	1,954	23,375	-	-	118	654	53	825
S.G.O.+	(60)	-	-	-	108	11	119	-	-	-	32	-	32
S.G.O.	(61)	-	-	238	1,606	1,104	2,948	-	-	-	-	-	-
G.O.+	(70)	-	-	-	20	-	20	-	-	-	11	-	11
G.O.	(71)	-	-	12	119	148	279	-	-	-	-	-	-
<b>Total</b>		-	1,734	67,474	107,690	5,461	182,359	-	47	12,395	22,719	193	35,354
<b>Light Spotted:</b>													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	67	712	31	810	-	-	26	84	-	110
M.	(32)	-	-	570	11,046	1,139	12,755	-	-	472	1,708	65	2,245
S.L.M.	(42)	-	-	904	28,775	6,504	36,183	-	-	551	7,770	701	9,022
L.M.	(52)	-	-	323	6,219	4,851	11,393	-	-	-	580	277	857
<b>Total</b>		-	-	1,864	46,752	12,525	61,141	-	-	1,049	10,142	1,043	12,234
<b>Spotted:</b>													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	11	140	6	157	-	-	-	11	-	11
M.	(33)	-	-	24	4,018	942	4,984	-	-	13	1,128	95	1,236
S.L.M.	(43)	-	21	-	8,915	6,013	14,949	-	-	-	5,229	986	6,215
L.M.	(53)	-	10	11	2,579	7,658	10,258	-	-	-	875	1,094	1,969
<b>Total</b>		-	31	46	15,652	14,619	30,348	-	-	13	7,243	2,175	9,431
<b>Tinged:</b>													
All grades		-	30	12	484	4,001	4,527	-	-	-	759	1,096	1,855
<b>Light Gray:</b>													
All grades		-	-	-	249	163	412	-	-	-	-	70	70
<b>Gray:</b>													
All grades		-	-	-	10	26	36	-	-	-	-	23	23
<b>Below Grade</b>													
All grades		-	10	11	273	5,621	5,915	-	-	-	116	1,005	1,121
<b>All grades</b>													
		-	1,805	69,407	171,110	42,416	284,738	-	47	13,457	40,979	5,605	60,088
<b>Grade index</b>													
		-	98.7	96.4	91.5	79.1	90.9	-	99.6	95.6	91.0	76.2	90.7
<b>Staple (inches)</b>													
<b>13/16</b>													
& shorter	(26)	-	-	-	-	-	-	-	-	-	-	-	-
7/8	(28)	-	-	-	-	-	-	-	-	-	-	-	-
29/32	(29)	-	-	-	-	5	5	-	-	-	-	12	12
15/16	(30)	-	10	-	-	50	60	-	-	-	-	71	71
31/32	(31)	-	-	-	-	498	498	-	-	-	11	182	193
1	(32)	-	10	12	249	7,636	7,907	-	-	-	108	1,185	1,293
1-1/32	(33)	-	81	903	13,663	20,386	35,033	-	-	118	2,868	2,640	5,626
1-1/16	(34)	-	838	30,920	117,039	13,270	162,067	-	29	3,213	20,418	1,399	25,059
1-3/32	(35)	-	838	35,086	38,864	551	75,339	-	18	8,382	15,758	116	24,274
1-1/8	(36)	-	28	2,404	1,183	20	3,635	-	-	1,744	1,805	-	3,549
1-5/32	(37)	-	-	82	112	-	194	-	-	-	11	-	11
1-3/16	(38)	-	-	-	-	-	-	-	-	-	-	-	-
1-7/32	(39)	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4	(40)	-	-	-	-	-	-	-	-	-	-	-	-
<b>&amp; longer</b>													
All staples		-	1,805	69,407	171,110	42,416	284,738	-	47	13,457	40,979	5,605	60,088
<b>Average staple (32nd inches)</b>													
		-	34.4	34.6	34.2	33.1	34.1	-	34.4	34.9	34.4	33.0	34.4

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

BLYTHEVILLE								LITTLE ROCK							
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop		
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales		
<b>White:</b>															
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(21)	-	-	334	72	-	406	-	186	3,140	486	7	3,819		
M.+	(30)	-	-	-	-	-	-	-	-	117	-	-	117		
M.	(31)	-	8	2,926	2,505	4	5,443	-	1,145	24,165	10,745	252	36,307		
S.L.M.+	(40)	-	-	134	505	-	639	-	124	1,891	930	-	2,945		
S.L.M.	(41)	-	29	13,083	21,469	87	34,668	-	1,163	72,381	87,309	1,894	162,747		
L.M.+	(50)	-	-	1,380	2,061	4	3,445	-	46	4,576	6,276	54	10,952		
L.M.	(51)	-	6	1,279	4,700	119	6,104	-	-	12,631	28,727	1,836	43,194		
S.G.O.+	(60)	-	-	11	278	9	298	-	-	362	328	20	710		
S.G.O.	(61)	-	-	33	330	198	561	-	15	257	1,754	705	2,731		
G.O.+	(70)	-	-	-	-	-	-	-	-	-	11	7	18		
G.O.	(71)	-	-	-	41	-	41	-	-	35	85	223	343		
<b>Total</b>		-	43	19,180	31,961	421	51,605	-	2,679	119,555	136,651	4,998	263,883		
<b>Light Spotted:</b>															
G.M.	(12)	-	-	11	-	-	11	-	-	-	-	-	-		
S.M.	(22)	-	-	11	-	-	11	-	15	35	137	27	214		
M.	(32)	-	5	412	2,030	48	2,495	-	46	724	7,258	600	8,628		
S.L.M.	(42)	-	4	1,213	22,740	829	24,786	-	62	2,078	36,704	5,169	44,013		
L.M.	(52)	-	-	111	6,256	1,264	7,631	-	31	560	7,353	3,502	11,446		
<b>Total</b>		-	9	1,758	31,026	2,141	34,934	-	154	3,397	51,452	9,298	64,301		
<b>Spotted:</b>															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(23)	-	-	-	-	-	-	-	-	-	74	14	88		
M.	(33)	-	-	-	587	39	626	-	-	35	2,810	339	3,184		
S.L.M.	(43)	-	12	-	6,390	1,014	7,416	-	15	12	11,527	5,187	16,741		
L.M.	(53)	-	-	-	2,247	1,642	3,889	-	-	35	3,053	7,239	10,327		
<b>Total</b>		-	12	-	9,224	2,695	11,931	-	15	62	17,464	12,779	30,340		
<b>Tinged:</b>															
All grades		-	-	-	639	915	1,554	-	-	-	867	3,217	4,084		
<b>Light Gray:</b>															
All grades		-	-	-	10	218	228	-	15	93	296	88	492		
<b>Gray:</b>															
All grades		-	-	-	-	9	9	-	-	-	22	17	39		
<b>Below Grade</b>															
All grades		-	64	20,938	73,396	9,027	103,425	-	2,863	123,139	207,344	35,550	368,896		
<b>Grade index</b>															
		-	91.8	93.9	88.8	73.8	88.5	-	96.8	94.2	90.4	78.4	90.6		
<b>Staple (inches)</b>															
<b>13/16 &amp; shorter</b>															
7/8	(26)	-	-	-	-	-	-	-	-	-	-	-	-		
29/32	(28)	-	-	-	-	-	-	-	-	-	-	10	10		
15/16	(29)	-	-	-	-	-	-	-	-	-	-	10	10		
31/32	(30)	-	-	-	-	55	55	-	-	-	-	142	142		
1	(31)	-	-	-	-	22	22	-	-	-	-	867	867		
1-1/32	(32)	-	-	22	196	910	1,128	-	-	-	340	4,543	4,883		
1-1/16	(33)	-	-	266	2,998	5,129	8,393	-	46	1,635	7,936	19,675	29,292		
1-3/32	(34)	-	26	5,829	30,613	2,582	39,050	-	894	60,472	108,469	9,566	179,401		
1-1/8	(35)	-	38	9,793	29,932	291	40,054	-	1,475	56,046	82,661	682	140,864		
1-5/32	(36)	-	-	4,673	9,018	38	13,729	-	433	4,740	7,430	48	12,651		
1-3/16	(37)	-	-	322	618	-	940	-	15	234	497	7	753		
1-7/32	(38)	-	-	33	21	-	54	-	-	12	11	-	23		
1-1/4	(39)	-	-	-	-	-	-	-	-	-	-	-	-		
1-1/2	(40)	-	-	-	-	-	-	-	-	-	-	-	-		
<b>&amp; longer</b>															
All staples		-	64	20,938	73,396	9,027	103,425	-	2,863	123,139	207,344	35,550	368,896		
<b>Average staple (32nd inches)</b>															
		-	34.6	35.0	34.6	33.2	34.6	-	34.8	34.5	34.4	33.1	34.3		

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

WINNSBORO							ALEXANDRIA						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>													
G.M.	(11)	-	72	31	-	-	103	-	-	-	-	-	-
S.M.	(21)	24	1,173	2,911	338	13	4,459	775	606	990	238	7	2,616
M.+	(30)	-	-	41	-	-	41	10	-	-	-	-	10
M.	(31)	165	8,286	49,705	13,731	73	71,960	931	6,209	23,010	5,438	39	35,627
S.L.M.+	(40)	-	29	877	210	-	1,116	20	21	398	52	-	491
S.L.M.	(41)	24	10,781	78,063	47,535	985	137,388	255	10,895	45,388	18,252	723	75,513
L.M.+	(50)	-	159	3,107	3,833	33	7,132	-	-	572	476	47	1,095
L.M.	(51)	-	478	8,042	10,365	711	19,596	-	936	4,359	4,506	538	10,339
S.G.O.+	(60)	-	-	41	91	7	139	-	-	10	62	20	92
S.G.O.	(61)	-	-	547	549	46	1,142	-	43	204	539	133	919
G.O.+	(70)	-	-	-	9	-	9	-	-	10	-	7	17
G.O.	(71)	-	-	-	46	6	52	-	-	10	114	7	131
<b>Total</b>		<b>213</b>	<b>20,978</b>	<b>143,365</b>	<b>76,707</b>	<b>1,874</b>	<b>243,137</b>	<b>1,991</b>	<b>18,710</b>	<b>74,951</b>	<b>29,677</b>	<b>1,521</b>	<b>126,850</b>
<b>Light Spotted:</b>													
G.M.	(12)	-	-	-	9	-	9	-	-	-	-	-	-
S.M.	(22)	-	101	413	302	33	849	10	32	163	93	-	298
M.	(32)	24	2,608	4,718	7,035	452	14,837	147	1,924	2,858	1,813	157	6,899
S.L.M.	(42)	-	1,927	4,903	7,556	1,130	15,516	-	2,860	3,359	2,051	573	8,843
L.M.	(52)	-	159	444	988	311	1,902	-	287	725	580	224	1,816
<b>Total</b>		<b>24</b>	<b>4,795</b>	<b>10,478</b>	<b>15,890</b>	<b>1,926</b>	<b>33,113</b>	<b>157</b>	<b>5,103</b>	<b>7,105</b>	<b>4,537</b>	<b>954</b>	<b>17,856</b>
<b>Spotted:</b>													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	43	31	375	20	469	-	-	-	10	-	10
M.	(33)	-	58	31	1,134	392	1,615	-	32	71	135	63	301
S.L.M.	(43)	-	-	41	549	418	1,008	-	106	71	31	129	337
L.M.	(53)	-	14	31	46	170	261	-	85	82	41	140	348
<b>Total</b>		<b>-</b>	<b>115</b>	<b>134</b>	<b>2,104</b>	<b>1,000</b>	<b>3,353</b>	<b>-</b>	<b>223</b>	<b>224</b>	<b>217</b>	<b>332</b>	<b>996</b>
<b>Tinged:</b>													
All grades		-	-	-	27	192	219	-	-	-	-	7	7
<b>Light Gray:</b>													
All grades		-	14	83	210	13	320	20	787	643	850	180	2,480
<b>Gray:</b>													
All grades		-	14	10	9	-	33	-	11	10	83	14	118
<b>Below Grade</b>													
All grades		-	-	21	37	143	201	-	11	51	52	165	279
All grades		237	25,916	154,091	94,984	5,148	280,376	2,168	24,845	82,984	35,416	3,173	148,586
Grade index		99.5	96.1	95.4	93.3	87.8	94.6	100.5	94.8	95.0	92.9	86.4	94.4
<b>Staple (inches)</b>													
<b>13/16 &amp; shorter</b>													
7/8	(26)	-	-	-	-	-	-	-	-	-	-	-	-
29/32	(29)	-	-	-	-	-	-	-	-	-	-	-	-
15/16	(30)	-	-	-	9	-	9	-	-	-	-	-	-
31/32	(31)	-	14	-	-	-	14	-	-	-	-	-	-
1	(32)	-	43	165	200	110	518	-	11	20	113	49	193
1-1/32	(33)	-	2,041	9,259	12,376	1,376	25,052	137	1,352	5,664	10,368	1,476	18,997
1-1/16	(34)	166	16,793	116,690	71,029	3,536	208,214	1,589	21,494	73,390	23,799	1,629	121,901
1-3/32	(35)	71	6,752	26,470	11,234	126	44,653	422	1,956	3,808	1,044	13	7,243
1-1/8	(36)	-	273	1,445	136	-	1,854	20	32	102	72	6	232
1-5/32	(37)	-	-	52	-	-	52	-	-	-	20	-	20
1-3/16	(38)	-	-	10	-	-	10	-	-	-	-	-	-
1-7/32	(39)	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4	(40)	-	-	-	-	-	-	-	-	-	-	-	-
<b>&amp; longer</b>													
All staples		237	25,916	154,091	94,984	5,148	280,376	2,168	24,845	82,984	35,416	3,173	148,586
Average staple (32nd inches)		34.3	34.2	34.1	34.0	33.7	34.1	34.1	34.0	34.0	33.7	33.5	33.9

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

ALBUS							DALLAS						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>													
G.M.	(11)	-	-	10	-	-	10	-	-	-	-	-	-
S.M.	(21)	-	6	702	273	8	989	72	-	31	32	-	135
M.+	(30)	-	-	31	23	-	54	-	-	-	-	-	-
M.	(31)	-	140	15,277	22,534	5,578	43,529	2,177	858	1,225	741	57	5,058
S.L.M.+	(40)	-	17	434	1,057	71	1,579	-	-	21	74	-	95
S.L.M.	(41)	-	43	5,532	25,484	6,472	37,531	361	119	4,184	6,809	919	12,392
L.M.+	(50)	-	-	135	695	77	907	-	-	72	244	96	412
L.M.	(51)	-	-	486	2,798	822	4,106	96	156	1,511	4,048	1,062	6,873
S.G.O.+	(60)	-	-	10	129	-	139	-	10	-	11	10	31
S.G.O.	(61)	-	-	52	91	151	294	24	187	237	372	349	1,169
G.O.+	(70)	-	-	-	-	6	6	-	-	-	-	-	-
G.O.	(71)	-	-	-	23	70	93	-	31	31	32	62	156
<b>Total</b>		-	206	22,669	53,107	13,255	89,237	2,730	1,361	7,312	12,363	2,555	26,321
<b>Light Spotted:</b>													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	24	1,578	5,290	1,444	8,336	144	187	-	11	7	349
M.	(32)	-	179	35,152	91,050	31,667	156,048	17,738	10,608	2,202	808	257	31,613
S.L.M.	(42)	-	95	8,050	36,666	11,949	56,760	4,906	16,641	37,280	13,912	3,883	76,622
L.M.	(52)	-	-	320	1,790	1,312	3,422	241	10,649	21,182	5,336	3,924	41,332
<b>Total</b>		-	298	45,100	134,796	46,372	226,566	23,029	38,085	60,664	20,067	8,071	149,916
<b>Spotted:</b>													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	186	1,244	1,352	2,782	-	-	10	-	-	10
M.	(33)	-	-	1,032	8,228	5,512	14,772	1,599	614	123	437	352	3,125
S.L.M.	(43)	-	-	135	2,751	2,354	5,240	325	5,262	3,571	2,708	1,235	13,101
L.M.	(53)	-	-	10	114	438	562	12	5,564	5,404	1,060	1,227	13,267
<b>Total</b>		-	-	1,363	12,337	9,656	23,356	1,936	11,440	9,108	4,205	2,814	29,503
<b>Tinged:</b>													
All grades		-	-	-	139	1,515	1,654	24	83	20	76	164	367
<b>Stained:</b>													
All grades		-	-	-	23	15	38	-	-	-	-	-	-
<b>Light Gray:</b>													
All grades		-	-	62	46	132	240	12	-	-	-	28	40
<b>Below Grade</b>													
All grades		-	-	-	104	385	489	-	1,612	1,472	286	1,400	4,770
<b>All grades</b>													
		-	504	69,194	200,552	71,330	341,580	27,731	52,581	78,576	36,997	15,032	210,917
<b>Grade index</b>													
		-	96.4	96.4	94.9	93.7	95.0	95.2	86.0	85.3	87.4	82.1	86.9
<b>Staple (inches)</b>													
<b>13/16</b>													
& shorter	(26)	-	6	82	57	29	174	24	10	380	86	-	500
7/8	(28)	-	29	515	606	271	1,421	961	3,451	10,785	2,233	483	17,913
29/32	(29)	-	113	8,933	8,763	2,239	20,048	8,395	25,535	45,359	10,156	3,408	92,853
15/16	(30)	-	144	33,870	78,476	22,532	135,022	14,096	20,396	15,901	14,289	6,895	71,577
31/32	(31)	-	39	12,399	64,567	27,041	104,046	3,090	2,330	1,903	2,766	1,020	11,109
1	(32)	-	24	4,546	28,195	13,279	46,044	1,021	705	493	673	748	3,640
1-1/32	(33)	-	58	2,055	10,013	3,683	15,809	120	74	505	1,089	638	2,426
1-1/16	(34)	-	42	2,882	5,756	1,484	10,164	-	80	2,500	4,309	1,016	7,905
1-3/32	(35)	-	43	1,982	1,612	327	3,964	-	-	679	956	433	2,068
1-1/8	(36)	-	6	1,126	1,374	199	2,705	-	-	51	235	149	435
1-5/32	(37)	-	-	207	331	117	655	12	-	-	76	114	202
1-3/16	(38)	-	-	113	207	57	377	-	-	10	65	84	159
1-7/32	(39)	-	-	51	69	-	120	12	-	-	-	29	41
1-1/4	(40)	-	-	433	526	72	1,031	-	-	10	64	15	89
& longer													
<b>All staples</b>		-	504	69,194	200,552	71,330	341,580	27,731	52,581	78,576	36,997	15,032	210,917
<b>Average staple (32nd inches)</b>													
		-	31.0	30.8	30.9	31.0	30.9	29.8	29.5	29.4	30.5	30.6	29.7



Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

AUSTIN								CORPUS CHRISTI					
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>													
G.M.	(11)	22	-	-	-	-	22	13	-	-	-	-	13
S.M.	(21)	2,546	32	10	8	-	2,596	1,201	-	-	-	-	1,201
M.+	(30)	79	-	-	-	-	79	66	-	-	-	-	66
M.	(31)	21,528	1,060	709	17	-	23,314	36,913	14	-	-	-	36,927
S.L.M.+	(40)	1,242	191	330	34	-	1,797	708	-	-	-	-	708
S.L.M.	(41)	20,684	15,400	12,645	399	59	49,187	59,243	27	-	-	-	59,270
L.M.+	(50)	443	329	270	51	-	1,093	895	-	-	-	-	895
L.M.	(51)	1,675	4,239	5,503	339	104	11,860	6,037	309	-	-	-	6,346
S.G.O.+	(60)	22	53	10	-	10	95	186	-	-	-	-	186
S.G.O.	(61)	146	1,410	1,318	178	39	3,091	1,392	108	-	-	-	1,500
G.O.+	(70)	-	-	-	-	-	-	63	-	-	-	-	63
G.O.	(71)	-	148	529	102	54	833	567	-	5	-	-	572
<b>Total</b>		<b>48,387</b>	<b>22,862</b>	<b>21,324</b>	<b>1,128</b>	<b>266</b>	<b>93,967</b>	<b>107,284</b>	<b>458</b>	<b>5</b>	<b>-</b>	<b>-</b>	<b>107,747</b>
<b>Light Spotted:</b>													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	5,062	138	10	-	-	5,230	2,158	-	-	-	-	2,158
M.	(32)	47,604	6,317	839	212	79	55,051	37,165	41	-	-	-	37,206
S.L.M.	(42)	13,050	24,653	10,717	1,215	969	50,604	24,079	230	-	-	-	24,309
L.M.	(52)	801	8,458	6,402	789	874	17,324	2,519	243	14	2	-	2,778
<b>Total</b>		<b>66,537</b>	<b>39,566</b>	<b>17,968</b>	<b>2,216</b>	<b>1,922</b>	<b>128,209</b>	<b>65,921</b>	<b>514</b>	<b>14</b>	<b>2</b>	<b>-</b>	<b>66,451</b>
<b>Spotted:</b>													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	427	413	240	34	39	1,153	352	-	-	-	-	352
S.L.M.	(43)	415	1,494	1,548	254	326	4,037	382	27	5	-	-	414
L.M.	(53)	101	890	1,578	322	276	3,167	124	122	-	1	-	247
<b>Total</b>		<b>943</b>	<b>2,797</b>	<b>3,366</b>	<b>610</b>	<b>641</b>	<b>8,357</b>	<b>858</b>	<b>149</b>	<b>5</b>	<b>1</b>	<b>-</b>	<b>1,013</b>
<b>Tinged:</b>													
All grades		11	11	10	8	10	50	-	27	5	-	-	32
<b>Light Gray:</b>													
All grades		281	190	100	25	-	596	1,130	68	-	-	-	1,198
<b>Gray:</b>													
All grades		11	-	10	8	-	29	138	-	-	-	-	138
<b>Below Grade</b>													
All grades		90	318	809	509	408	2,134	307	81	22	-	-	410
All grades		116,260	65,744	43,587	4,504	3,247	233,342	175,638	1,297	51	3	-	176,969
Grade index		96.0	89.0	87.2	82.5	80.8	91.9	94.5	81.9	69.5	78.3	-	94.4
<b>Staple (inches)</b>													
<b>13/16</b>													
& shorter	(26)	33	21	90	25	20	189	290	82	10	-	-	382
7/8	(28)	2,926	2,408	3,436	392	301	9,463	3,026	163	-	-	-	3,189
29/32	(29)	48,908	25,733	7,280	723	1,257	83,901	16,378	70	-	-	-	16,448
15/16	(30)	12,099	5,066	900	329	618	19,012	36,766	137	-	1	-	36,904
31/32	(31)	3,224	1,243	400	193	159	5,219	39,057	28	5	-	-	39,090
1	(32)	10,239	1,454	720	568	250	13,231	39,750	323	14	2	-	40,089
1-1/32	(33)	21,376	5,795	5,505	1,045	296	34,017	29,087	425	12	-	-	29,524
1-1/16	(34)	13,315	21,764	23,207	933	167	59,386	9,534	69	10	-	-	9,613
1-3/32	(35)	3,580	2,217	1,849	247	129	8,022	1,314	-	-	-	-	1,314
1-1/8	(36)	538	22	160	41	10	771	312	-	-	-	-	312
1-5/32	(37)	11	21	-	-	-	32	48	-	-	-	-	48
1-3/16	(38)	11	-	20	-	-	31	13	-	-	-	-	13
1-7/32	(39)	-	-	-	8	-	8	-	-	-	-	-	-
1-1/4	(40)	-	-	20	-	40	60	63	-	-	-	-	63
<b>&amp; longer</b>													
All staples		116,260	65,744	43,587	4,504	3,247	233,342	175,638	1,297	51	3	-	176,969
Average staple (32nd inches)		30.9	31.4	32.5	31.8	30.4	31.3	31.3	31.2	31.4	31.3	-	31.3

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

MARLINGEN							ABILENE						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	4,448	11	-	-	-	4,459	-	9	369	52	11	441
M.+	(30)	40	-	-	-	-	40	-	-	22	-	-	22
M.	(31)	55,328	22	-	-	-	55,350	5	143	16,342	6,044	2,993	25,527
S.L.M.+	(40)	2,559	-	-	-	-	2,559	-	-	260	93	53	406
S.L.M.	(41)	146,854	258	-	-	-	147,112	2	90	5,444	15,842	12,910	34,288
L.M.+	(50)	2,440	-	-	-	-	2,440	-	-	87	197	32	316
L.M.	(51)	29,327	707	-	-	-	30,034	-	-	499	3,079	3,086	6,664
S.G.O.+	(60)	29	-	-	-	-	29	-	-	11	-	30	41
S.G.O.	(61)	3,479	2,502	85	9	-	6,075	-	-	22	249	468	739
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	578	2,333	68	6	-	2,985	-	-	-	62	329	391
<b>Total</b>		<b>245,082</b>	<b>5,833</b>	<b>153</b>	<b>15</b>	<b>-</b>	<b>251,083</b>	<b>7</b>	<b>242</b>	<b>23,056</b>	<b>25,618</b>	<b>19,912</b>	<b>68,835</b>
<b>Light Spotted:</b>													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	931	11	-	-	-	942	-	36	1,670	1,711	710	4,127
M.	(32)	18,565	22	-	-	-	18,587	-	286	25,959	38,184	43,675	108,104
S.L.M.	(42)	27,772	213	-	-	-	27,985	-	108	9,543	28,946	46,863	85,460
L.M.	(52)	5,119	639	17	-	-	5,775	-	-	748	5,910	19,411	26,069
<b>Total</b>		<b>52,387</b>	<b>885</b>	<b>17</b>	<b>-</b>	<b>-</b>	<b>53,289</b>	<b>-</b>	<b>430</b>	<b>37,920</b>	<b>74,751</b>	<b>110,659</b>	<b>223,760</b>
<b>Spotted:</b>													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	50	-	-	-	-	50	-	-	33	684	877	1,594
M.	(33)	240	-	-	-	-	240	-	-	228	2,094	10,756	13,078
S.L.M.	(43)	524	79	34	-	-	637	-	-	347	1,991	9,331	11,669
L.M.	(53)	361	1,335	220	7	-	1,923	-	-	98	705	6,951	7,754
<b>Total</b>		<b>1,175</b>	<b>1,414</b>	<b>254</b>	<b>7</b>	<b>-</b>	<b>2,850</b>	<b>-</b>	<b>-</b>	<b>706</b>	<b>5,474</b>	<b>27,915</b>	<b>34,095</b>
<b>Tinged:</b>													
All grades		-	33	-	19	7	59	-	-	11	166	2,918	3,095
<b>Stained:</b>													
All grades		-	-	-	-	-	-	-	-	11	-	92	103
<b>Light Gray:</b>													
All grades		2,112	741	17	9	-	2,879	-	-	-	114	74	188
<b>Gray:</b>													
All grades		139	1,323	17	11	5	1,495	-	-	11	-	30	41
Below Grade		279	3,783	287	61	27	4,437	-	-	65	249	2,737	3,051
All grades		301,174	14,012	745	122	39	316,092	7	672	61,780	106,372	164,337	333,168
Grade index		93.5	72.3	69.6	68.4	64.1	92.5	98.3	96.3	96.0	92.7	89.3	91.6
<b>Staple (inches)</b>													
<b>13/16 &amp; shorter (26)</b>													
7/8	(28)	30	-	-	-	-	30	-	9	683	290	304	1,286
29/32	(29)	90	-	-	-	-	90	-	9	8,480	9,054	14,588	32,131
15/16	(30)	1,802	22	-	14	6	1,844	1	153	29,070	49,274	85,068	163,566
31/32	(31)	3,567	112	68	7	4	3,758	2	63	5,509	27,680	47,801	81,055
1	(32)	9,562	1,772	238	66	29	11,667	4	18	2,211	7,703	10,598	20,534
1-1/32	(33)	69,766	9,044	320	34	-	79,164	-	9	1,271	3,182	2,266	6,728
1-1/16	(34)	197,380	3,029	119	1	-	200,529	-	18	2,721	3,554	1,903	8,196
1-3/32	(35)	17,427	22	-	-	-	17,449	-	81	2,039	2,042	736	4,898
1-1/8	(36)	985	-	-	-	-	985	-	142	5,586	2,578	788	9,094
1-5/32	(37)	322	-	-	-	-	322	-	134	2,831	570	139	3,674
1-3/16	(38)	112	-	-	-	-	112	-	36	1,139	239	105	1,519
1-7/32	(39)	10	-	-	-	-	10	-	-	-	-	-	-
1-1/4	(40)	121	11	-	-	-	132	-	-	196	206	32	434
<b>&amp; longer</b>													
All staples		301,174	14,012	745	122	39	316,092	7	672	61,780	106,372	164,337	333,168
Average staple (32nd inches)		33.7	33.1	32.7	32.0	31.6	33.7	31.4	33.9	31.4	30.9	30.5	30.8

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

		LUBBOCK						EL PASO					
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	60	31	-	91
S.M.	(21)	-	18	917	181	20	1,136	-	598	3,085	1,459	51	5,193
M.+	(30)	-	-	19	149	-	168	-	70	12	-	-	82
M.	(31)	-	244	22,891	122,569	7,353	153,057	-	899	31,881	30,131	982	63,893
S.L.M.+	(40)	-	9	318	1,162	75	1,564	-	69	1,047	1,700	216	3,032
S.L.M.	(41)	-	136	18,015	214,403	47,688	280,242	-	334	17,664	12,301	1,240	31,539
L.M.+	(50)	-	-	96	1,501	275	1,872	-	-	103	168	87	358
L.M.	(51)	-	9	955	7,995	3,832	12,791	-	-	128	571	278	977
S.G.O.+	(60)	-	-	-	21	27	48	-	-	-	-	-	-
S.G.O.	(61)	-	-	29	529	656	1,214	-	-	100	104	107	311
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	117	337	454	-	-	10	153	124	287
Total		-	416	43,240	348,627	60,263	452,546	-	1,970	54,090	46,618	3,085	105,763
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	48	1,190	458	1,696	-	-	190	343	182	715
M.	(32)	-	118	5,751	227,027	124,469	357,365	-	253	13,649	6,110	1,866	21,878
S.L.M.	(42)	-	9	2,576	66,632	82,074	151,291	-	88	3,242	2,136	2,374	7,840
L.M.	(52)	-	-	280	4,669	8,019	12,968	-	-	37	890	1,282	2,209
Total		-	127	8,655	299,518	215,020	523,320	-	341	17,118	9,479	5,704	32,642
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	1,424	1,612	3,036	-	-	-	21	10	31
M.	(33)	-	-	58	17,678	74,107	91,843	-	-	10	201	525	736
S.L.M.	(43)	-	-	87	3,726	28,654	32,467	-	-	25	94	979	1,098
L.M.	(53)	-	-	19	404	4,326	4,749	-	-	-	55	462	517
Total		-	-	164	23,232	108,699	132,095	-	-	35	371	1,976	2,382
Tinged:													
All grades		-	-	-	468	22,885	23,353	-	-	10	44	195	249
Stained:													
All grades		-	-	-	11	419	430	-	-	-	-	-	-
Light Gray:													
All grades		-	-	280	1,319	847	2,446	-	-	20	-	31	51
Gray:													
All grades		-	-	67	309	147	523	-	-	-	-	-	-
Below Grade													
All grades		-	-	-	425	2,769	3,194	-	-	20	322	2,297	2,639
All grades		-	543	52,406	673,909	411,049	1,137,907	-	2,311	71,293	56,834	13,288	143,726
Grade index		-	97.5	96.6	95.3	91.4	93.9	-	99.4	97.5	97.1	84.6	96.1
Staple (inches)													
13/16													
& shorter	(26)	-	-	-	107	296	403	-	-	-	-	-	-
7/8	(28)	-	-	67	2,861	5,875	8,803	-	-	-	-	10	10
29/32	(29)	-	36	1,399	37,555	53,612	92,602	-	-	-	-	-	-
15/16	(30)	-	18	9,129	170,392	164,549	344,088	-	-	-	10	17	27
31/32	(31)	-	27	5,307	174,847	99,639	279,820	-	-	-	42	10	52
1	(32)	-	18	5,636	135,628	48,713	189,995	-	-	10	32	381	423
1-1/32	(33)	-	9	5,344	76,251	17,457	99,061	-	-	86	98	1,948	2,132
1-1/16	(34)	-	81	1,805	19,960	5,242	27,088	-	106	575	1,329	3,569	5,579
1-3/32	(35)	-	-	1,399	5,725	3,681	10,805	-	264	887	3,967	3,544	8,662
1-1/8	(36)	-	127	5,130	14,459	5,277	24,993	-	278	14,384	20,196	3,031	37,889
1-5/32	(37)	-	36	9,585	15,876	2,817	28,314	-	1,486	48,112	27,649	511	77,758
1-3/16	(38)	-	18	4,787	10,743	2,367	17,915	-	142	7,078	3,239	133	10,592
1-7/32	(39)	-	146	637	1,286	304	2,227	-	-	-	49	29	78
1-1/4	(40)	-	27	2,181	8,219	1,220	11,793	-	35	161	223	105	524
& longer													
All staples		-	543	52,406	673,909	411,049	1,137,907	-	2,311	71,293	56,834	13,288	143,726
Average staple (32nd inches)		-	35.7	34.0	31.7	30.7	31.4	-	36.6	36.8	36.5	34.7	36.5

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

CARLSBAD							PHOENIX						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>													
G.M.	(11)	-	10	39	18	-	67	-	-	-	-	-	-
S.M.	(21)	-	684	3,870	427	-	4,981	-	692	1,545	928	45	3,210
M.+	(30)	-	-	273	119	-	392	-	-	-	10	11	21
M.	(31)	-	1,169	36,929	15,066	272	53,436	13	6,792	76,544	47,845	4,335	135,529
S.L.M.+	(40)	-	205	7,088	3,846	77	11,216	6	600	4,876	3,033	1,125	9,640
S.L.M.	(41)	-	520	21,392	20,203	2,497	44,612	6	2,807	43,511	35,310	12,984	94,618
L.M.+	(50)	-	10	468	432	12	922	-	224	1,798	1,228	1,577	4,827
L.M.	(51)	-	10	546	1,003	904	2,463	-	356	3,469	3,652	7,039	14,516
S.G.O.+	(60)	-	-	22	184	22	228	-	10	69	134	675	888
S.G.O.	(61)	-	-	22	764	511	1,297	-	41	542	1,104	2,359	4,046
G.O.+	(70)	-	-	-	9	11	20	-	-	-	-	28	28
G.O.	(71)	-	-	10	350	569	929	-	-	35	134	520	689
<b>Total</b>		-	2,608	70,659	42,421	4,875	120,563	25	11,522	132,389	93,378	30,698	268,012
<b>Light Spotted:</b>													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	133	574	293	33	1,033	-	102	715	41	11	869
M.	(32)	-	1,062	7,021	3,954	1,884	13,921	-	1,424	23,029	10,408	1,972	36,833
S.L.M.	(42)	-	122	1,978	1,988	2,389	6,477	-	753	8,057	8,232	4,487	21,529
L.M.	(52)	-	10	253	1,048	1,662	2,973	-	61	1,983	5,643	3,536	11,223
<b>Total</b>		-	1,327	9,826	7,283	5,968	24,404	-	2,340	33,784	24,324	10,006	70,454
<b>Spotted:</b>													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	40	23	63	-	-	-	-	-	-
M.	(33)	-	-	54	355	1,160	1,569	-	-	92	83	62	237
S.L.M.	(43)	-	-	11	158	1,022	1,191	-	10	81	268	396	755
L.M.	(53)	-	-	-	190	1,181	1,371	-	10	81	206	323	620
<b>Total</b>		-	-	65	743	3,386	4,194	-	20	254	557	781	1,612
<b>Tinged:</b>													
All grades		-	10	-	10	312	332	-	-	-	-	78	78
<b>Stained:</b>													
All grades		-	10	-	-	-	10	-	-	-	-	-	-
<b>Light Gray:</b>													
All grades		-	-	19	190	279	488	-	20	1,175	474	251	1,920
<b>Gray:</b>													
All grades		-	-	11	-	-	11	-	-	-	10	-	10
<b>Below Grade</b>													
All grades		-	-	-	442	4,781	5,223	-	10	231	2,569	12,195	15,005
<b>Total</b>		-	3,955	80,580	51,089	19,601	155,225	25	13,912	167,833	121,312	54,009	357,091
<b>Grade Index</b>		-	98.4	97.6	94.8	80.6	94.5	97.8	97.2	96.6	94.5	82.9	93.8
<b>Staple (inches)</b>													
<b>13/16 &amp; shorter</b>													
7/8	(26)	-	-	-	-	-	-	-	-	-	41	11	52
29/32	(28)	-	-	-	-	12	12	-	-	-	72	124	196
15/16	(29)	-	-	-	-	59	59	-	-	-	10	287	297
31/32	(30)	-	-	-	-	128	128	-	-	116	1,042	2,514	3,672
1	(31)	-	-	79	557	385	1,021	-	-	243	1,352	4,651	6,246
1-1/32	(32)	-	-	21	498	1,469	1,988	-	82	1,096	3,942	9,110	14,230
1-1/16	(33)	-	-	70	537	2,420	3,027	-	2,167	17,776	8,884	15,800	44,627
1-3/32	(34)	-	-	146	2,305	5,272	7,723	25	11,276	137,930	78,717	16,370	244,318
1-1/8	(35)	-	50	2,781	4,456	5,829	13,116	-	336	7,390	22,426	1,486	31,638
1-5/32	(36)	-	171	5,763	13,125	3,281	22,340	-	51	1,269	1,605	224	3,349
1-3/16	(37)	-	3,534	56,275	25,121	314	85,244	-	-	543	299	111	953
1-7/32	(38)	-	150	11,366	2,034	168	13,718	-	-	302	391	325	1,018
1-1/4	(39)	-	10	1,124	268	176	1,578	-	-	82	21	151	254
& longer	(40)	-	40	2,955	2,188	88	5,271	-	-	1,086	2,310	2,845	6,241
<b>All staples</b>		-	3,955	80,580	51,089	19,601	155,225	25	13,912	167,833	121,312	54,009	357,091
<b>Average staple (32nd inches)</b>		-	37.0	37.1	36.5	34.4	36.6	34.0	33.9	34.0	34.1	33.3	33.9

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

PRESNO							BAKERSFIELD						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	918	804	9	1,731	-	19	661	339	9	1,028
M.+	(30)	-	-	-	19	-	19	-	-	-	-	-	-
M.	(31)	-	-	86,154	63,832	291	150,277	-	33	91,438	43,945	1,534	136,950
S.L.M.+	(40)	-	-	12,140	9,258	80	21,478	-	5	8,663	3,941	516	13,125
S.L.M.	(41)	-	-	84,513	118,917	3,692	207,122	-	82	127,202	99,248	3,753	230,285
L.M.+	(50)	-	-	1,717	6,988	738	9,443	-	-	3,982	4,936	214	9,132
L.M.	(51)	-	-	4,644	19,111	9,572	33,327	-	14	5,114	14,336	6,817	26,281
S.G.O.+	(60)	-	-	32	2,307	531	2,870	-	-	33	216	491	740
S.G.O.	(61)	-	-	313	3,215	8,167	11,695	-	-	166	1,809	8,550	10,525
G.O.+	(70)	-	-	-	312	-	312	-	-	-	20	158	178
G.O.	(71)	-	-	-	340	1,878	2,218	-	-	22	403	3,672	4,097
Total		-	-	190,431	225,103	24,958	440,492	-	153	237,281	169,193	25,714	432,341
<b>Light Spotted:</b>													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	9	-	9	-	-	-	69	-	69
M.	(32)	-	-	799	2,487	159	3,445	-	-	2,662	3,057	39	5,758
S.L.M.	(42)	-	-	3,586	12,492	1,242	17,320	-	19	5,857	14,974	362	21,212
L.M.	(52)	-	-	367	4,189	2,559	7,115	-	-	754	8,603	2,102	11,459
Total		-	-	4,752	19,177	3,960	27,889	-	19	9,273	26,703	2,503	38,498
<b>Spotted:</b>													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	9	9	-	-	-	10	-	10
M.	(33)	-	-	-	47	39	86	-	-	55	197	20	272
S.L.M.	(43)	-	-	86	785	158	1,029	-	-	78	777	179	1,034
L.M.	(53)	-	-	54	908	446	1,408	-	-	-	1,298	1,209	2,507
Total		-	-	140	1,740	652	2,532	-	-	133	2,282	1,408	3,823
<b>Tinged:</b>													
All grades		-	-	-	19	27	46	-	-	22	59	123	204
<b>Stained:</b>													
All grades		-	-	-	-	-	-	-	-	-	-	9	9
<b>Light Gray:</b>													
All grades		-	-	303	1,730	824	2,857	-	-	188	1,229	1,519	2,936
<b>Gray:</b>													
All grades		-	-	11	37	98	146	-	-	-	118	622	740
Below Grade		-	-	22	946	2,121	3,089	-	-	22	2,399	4,248	6,669
All grades		-	-	195,659	248,752	32,640	477,051	-	172	246,919	201,983	36,146	485,220
Grade Index		-	-	96.5	93.8	81.2	94.0	-	95.1	95.9	92.9	79.4	93.4
<b>Staple (Inches)</b>													
<b>13/16</b>													
& shorter	(26)	-	-	-	-	-	-	-	-	-	-	-	-
7/8	(28)	-	-	-	-	-	-	-	-	-	-	-	-
29/32	(29)	-	-	-	-	-	-	-	-	-	-	-	-
15/16	(30)	-	-	-	-	-	-	-	-	-	-	-	-
31/32	(31)	-	-	-	-	9	9	-	-	-	-	-	-
1	(32)	-	-	-	28	18	46	-	-	-	-	-	-
1-1/32	(33)	-	-	-	46	110	156	-	-	33	79	89	201
1-1/16	(34)	-	-	4,094	1,654	6,130	11,878	-	-	7,986	5,272	4,350	17,608
1-3/32	(35)	-	-	116,738	122,198	24,061	262,997	-	97	225,904	152,999	25,225	404,225
1-1/8	(36)	-	-	74,027	121,309	2,312	197,648	-	75	12,594	42,099	5,569	60,337
1-5/32	(37)	-	-	800	3,508	-	4,308	-	-	402	1,525	913	2,840
1-3/16	(38)	-	-	-	9	-	9	-	-	-	9	-	9
1-7/32	(39)	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4	(40)	-	-	-	-	-	-	-	-	-	-	-	-
<b>&amp; longer</b>													
All staples		-	-	195,659	248,752	32,640	477,051	-	172	246,919	201,983	36,146	485,220
Average staple (32nd inches)		-	-	35.4	35.5	34.9	35.4	-	35.4	35.0	35.2	35.1	35.1

Table 9. -- Grade and staple of upland cotton ginned, during specified periods,  
by classing office territories, 1967-68 (Cont'd.)

EL CENTRO

Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	-	40	48	522	239	849
M.+	(30)	-	-	-	-	10	10
M.	(31)	26	1,171	8,265	22,177	2,698	34,337
S.L.M.+	(40)	-	-	87	987	188	1,262
S.L.M.	(41)	27	2,053	9,288	15,003	12,111	38,482
L.M.+	(50)	-	-	67	320	930	1,317
L.M.	(51)	-	111	701	1,398	9,268	11,478
S.G.O.+	(60)	-	-	-	-	123	123
S.G.O.	(61)	-	15	26	259	3,428	3,728
G.O.+	(70)	-	-	-	-	31	31
G.O.	(71)	-	-	9	65	1,376	1,450
<b>Total</b>		<b>53</b>	<b>3,390</b>	<b>18,491</b>	<b>40,731</b>	<b>30,402</b>	<b>93,067</b>
<b>Light Spotted:</b>							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	-	7	-	151	10	168
M.	(32)	-	472	3,333	5,093	744	9,642
S.L.M.	(42)	-	731	3,619	4,741	1,909	11,000
L.M.	(52)	-	181	1,909	2,598	3,985	8,673
<b>Total</b>		<b>-</b>	<b>1,391</b>	<b>8,861</b>	<b>12,583</b>	<b>6,648</b>	<b>29,483</b>
<b>Spotted:</b>							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-
M.	(33)	-	15	-	82	73	170
S.L.M.	(43)	-	30	26	242	191	489
L.M.	(53)	-	15	238	249	457	959
<b>Total</b>		<b>-</b>	<b>60</b>	<b>264</b>	<b>573</b>	<b>721</b>	<b>1,618</b>
<b>Light Gray:</b>							
All grades		-	133	864	685	980	2,662
<b>Gray:</b>							
All grades		-	30	87	71	139	327
<b>Below Grade</b>							
		-	-	87	314	2,259	2,660
<b>All grades</b>		<b>53</b>	<b>5,004</b>	<b>28,654</b>	<b>54,957</b>	<b>41,149</b>	<b>129,817</b>
<b>Grade index</b>		<b>96.9</b>	<b>94.0</b>	<b>93.9</b>	<b>95.0</b>	<b>86.2</b>	<b>91.9</b>
<b>Staple (inches)</b>							
<b>13/16 &amp; shorter</b>							
7/8	(28)	-	-	-	176	188	364
29/32	(29)	-	-	-	46	280	326
15/16	(30)	-	-	9	360	1,896	2,265
31/32	(31)	-	-	218	498	2,684	3,400
1	(32)	-	29	985	1,098	5,541	7,653
1-1/32	(33)	-	443	7,397	4,675	10,722	23,237
1-1/16	(34)	27	4,326	19,672	36,816	16,563	77,404
1-3/32	(35)	26	192	373	9,620	1,888	12,099
1-1/8	(36)	-	-	-	1,025	449	1,474
1-5/32	(37)	-	-	-	321	436	757
1-3/16	(38)	-	-	-	142	100	242
1-7/32	(39)	-	14	-	20	114	148
1-1/4	(40)	-	-	-	160	288	448
<b>&amp; longer</b>							
<b>All staples</b>		<b>53</b>	<b>5,004</b>	<b>28,654</b>	<b>54,957</b>	<b>41,149</b>	<b>129,817</b>
<b>Average staple (32nd inches)</b>		<b>34.5</b>	<b>34.0</b>	<b>33.7</b>	<b>34.1</b>	<b>33.2</b>	<b>33.7</b>

# SOUTHEASTERN AREA

## SMITH-DOXEY CLASSING OFFICE TERRITORIES



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68

Grade and staple	Code	RALEIGH		Classing Office total	COLUMBIA		AUGUSTA
		Ginned in State			Ginned in State	Ginned in State	
		North Carolina	Virginia		South Carolina	Georgia	
Grade	Bales	Bales	Bales	Bales	Bales	Bales	
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	142	-	142	2,746	-	3,539
M.+	(30)	-	-	-	-	-	12
M.	(31)	5,762	-	5,762	40,047	-	13,367
S.L.M.+	(40)	1,571	-	1,571	2,805	-	1,026
S.L.M.	(41)	18,890	-	18,890	64,104	-	29,892
L.M.+	(50)	4,837	-	4,837	8,466	-	3,775
L.M.	(51)	6,523	-	6,523	32,401	-	9,360
S.G.O.+	(60)	176	-	176	633	-	502
S.G.O.	(61)	587	-	587	3,099	-	1,125
G.O.+	(70)	-	-	-	-	-	11
G.O.	(71)	67	-	67	361	-	133
Total		38,555	-	38,555	154,662	-	62,742
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	139	-	139	959	-	596
M.	(32)	1,500	-	1,500	6,133	-	5,097
S.L.M.	(42)	2,428	-	2,428	9,738	-	8,929
L.M.	(52)	1,738	97	1,835	6,716	-	3,307
Total		5,805	97	5,902	23,546	-	17,929
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	-	37	-	21
M.	(33)	356	-	356	395	-	117
S.L.M.	(43)	1,263	51	1,314	1,580	-	460
L.M.	(53)	1,104	-	1,104	2,638	-	855
Total		2,723	51	2,774	4,650	-	1,453
Tinged:							
All grades		145	-	145	290	-	62
Light Gray:							
All grades		110	-	110	337	-	351
Gray:							
All grades		24	-	24	-	-	8
Below Grade		418	-	418	722	-	518
All grades		47,780	148	47,928	184,207	-	83,063
Grade index		91.2	81.0	91.1	92.2	-	92.5
Staple (inches)							
13/16 & shorter	(26)	-	-	-	-	-	-
7/8	(28)	-	-	-	-	-	-
29/32	(29)	-	-	-	-	-	-
15/16	(30)	-	-	-	-	-	53
31/32	(31)	54	-	54	16	-	192
1	(32)	476	-	476	292	-	1,690
1-1/32	(33)	2,747	-	2,747	5,454	-	41,647
1-1/16	(34)	28,256	99	28,355	69,757	-	33,850
1-3/32	(35)	15,258	49	15,307	95,303	-	5,323
1-1/8	(36)	927	-	927	13,065	-	308
1-5/32	(37)	62	-	62	299	-	-
1-3/16	(38)	-	-	-	21	-	-
1-7/32	(39)	-	-	-	-	-	-
1-1/4 & longer	(40)	-	-	-	-	-	-
All staples		47,780	148	47,928	184,207	-	83,063
Average staple (32nd inches)		34.3	34.3	34.3	34.6	-	33.5



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

Grade and staple Code	ATLANTA		Classing Office total	BIRMINGHAM		MONTGOMERY		Classing Office total
	Ginned in State			Ginned in State	Ginned in State			
	Georgia	Florida			Alabama	Alabama	Florida	
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
<b>White:</b>								
G.M. (11)	12	-	12	-	-	-	-	-
S.M. (21)	2,381	-	2,381	576	375	-	-	375
M.+ (30)	69	-	69	-	-	-	-	-
M. (31)	17,875	35	17,910	5,081	15,670	361	-	16,031
S.L.M.+ (40)	2,369	-	2,369	135	46	-	-	46
S.L.M. (41)	62,938	35	62,973	10,647	54,195	3,443	-	57,638
L.M.+ (50)	2,887	-	2,887	335	621	24	-	645
L.M. (51)	14,831	19	14,850	5,591	24,661	1,130	-	25,791
S.G.O.+ (60)	152	-	152	30	27	-	-	27
S.G.O. (61)	1,365	-	1,365	1,284	5,084	86	-	5,170
G.O.+ (70)	-	-	-	9	-	-	-	-
G.O. (71)	164	-	164	276	778	14	-	792
<b>Total</b>	<b>105,043</b>	<b>89</b>	<b>105,132</b>	<b>23,964</b>	<b>101,457</b>	<b>5,058</b>		<b>106,515</b>
<b>Light Spotted:</b>								
G.M. (12)	-	-	-	10	-	-	-	-
S.M. (22)	686	-	686	631	135	-	-	135
M. (32)	6,602	72	6,674	4,376	6,354	111	-	6,465
S.L.M. (42)	18,098	19	18,117	8,222	19,319	1,231	-	20,550
L.M. (52)	7,032	19	7,051	3,189	9,537	378	-	9,915
<b>Total</b>	<b>32,418</b>	<b>110</b>	<b>32,528</b>	<b>16,428</b>	<b>35,345</b>	<b>1,720</b>		<b>37,065</b>
<b>Spotted:</b>								
G.M. (13)	-	-	-	-	-	-	-	-
S.M. (23)	119	-	119	350	-	-	-	-
M. (33)	621	-	621	1,888	120	-	-	120
S.L.M. (43)	1,859	-	1,859	3,757	1,378	51	-	1,429
L.M. (53)	3,131	16	3,147	4,495	2,791	95	-	2,886
<b>Total</b>	<b>5,730</b>	<b>16</b>	<b>5,746</b>	<b>10,490</b>	<b>4,289</b>	<b>146</b>		<b>4,435</b>
<b>Tinged:</b>								
All grades	1,141	-	1,141	2,753	81	-	-	81
<b>Stained:</b>								
All grades	-	-	-	8	-	-	-	-
<b>Light Gray:</b>								
All grades	205	-	205	78	1,159	10	-	1,169
<b>Gray:</b>								
All grades	38	-	38	64	100	-	-	100
<b>Below Grade</b>	<b>1,611</b>	<b>19</b>	<b>1,630</b>	<b>900</b>	<b>1,316</b>	<b>10</b>		<b>1,326</b>
<b>All grades</b>	<b>146,186</b>	<b>234</b>	<b>146,420</b>	<b>54,685</b>	<b>143,757</b>	<b>6,944</b>		<b>150,691</b>
<b>Grade index</b>	<b>91.5</b>	<b>89.5</b>	<b>91.5</b>	<b>87.9</b>	<b>90.0</b>	<b>90.6</b>		<b>90.1</b>
<b>Staple (inches)</b>								
13/16 & shorter (26)	-	-	-	23	-	-	-	-
7/8 (28)	9	-	9	123	-	-	-	-
29/32 (29)	9	-	9	139	11	-	-	11
15/16 (30)	424	-	424	1,594	82	-	-	82
31/32 (31)	1,402	-	1,402	1,446	956	10	-	966
1 (32)	4,942	-	4,942	3,496	9,877	175	-	10,052
1-1/32 (33)	49,405	127	49,532	21,048	87,163	3,720	-	90,883
1-1/16 (34)	66,354	88	66,442	21,779	37,352	2,646	-	39,998
1-3/32 (35)	19,607	19	19,626	3,614	7,932	381	-	8,313
1-1/8 (36)	3,707	-	3,707	1,135	374	12	-	386
1-5/32 (37)	327	-	327	244	-	-	-	-
1-3/16 (38)	-	-	-	35	-	-	-	-
1-7/32 (39)	-	-	-	9	-	-	-	-
1-1/4 (40)	-	-	-	-	-	-	-	-
<b>&amp; longer</b>								
<b>All staples</b>	<b>146,186</b>	<b>234</b>	<b>146,420</b>	<b>54,685</b>	<b>143,747</b>	<b>6,944</b>		<b>150,691</b>
<b>Average staple (32nd inches)</b>	<b>33.7</b>	<b>33.5</b>	<b>33.7</b>	<b>33.4</b>	<b>33.3</b>	<b>33.5</b>		<b>33.3</b>



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

Grade and staple	Code	GREENWOOD		JACKSON		Classing Office total
		Ginned in State		Ginned in State		
		Mississippi	Mississippi	Louisiana		
Grade	Bales	Bales	Bales	Bales		
White:						
G.M.	(11)	26	-	-	-	-
S.M.	(21)	26,650	4,654	22	-	4,676
M.+	(30)	452	28	-	-	28
M.	(31)	130,687	29,768	558	-	30,326
S.L.M.+	(40)	11,487	650	12	-	662
S.L.M.	(41)	401,380	37,372	150	-	37,522
L.M.+	(50)	36,698	892	-	-	892
L.M.	(51)	77,695	12,345	-	-	12,345
S.G.O.+	(60)	1,583	129	-	-	129
S.G.O.	(61)	4,657	2,183	-	-	2,183
G.O.+	(70)	10	10	-	-	10
G.O.	(71)	550	290	-	-	290
Total		691,875	88,321	742	-	89,063
Light Spotted:						
G.M.	(12)	-	-	-	-	-
S.M.	(22)	963	803	-	-	803
M.	(32)	24,309	12,878	210	-	13,088
S.L.M.	(42)	62,472	12,415	49	-	12,464
L.M.	(52)	15,504	4,251	-	-	4,251
Total		103,248	30,347	259	-	30,606
Spotted:						
G.M.	(13)	-	-	-	-	-
S.M.	(23)	246	220	-	-	220
M.	(33)	5,521	1,157	-	-	1,157
S.L.M.	(43)	9,562	1,539	20	-	1,559
L.M.	(53)	6,073	960	-	-	960
Total		21,402	3,876	20	-	3,896
Tinged:						
All grades		952	109	-	-	109
Stained:						
All grades		10	-	-	-	-
Light Gray:						
All grades		1,098	1,436	-	-	1,436
Gray:						
All grades		118	49	-	-	49
Below Grade		10,519	792	-	-	792
All grades		829,222	124,930	1,021	-	125,951
Grade index		92.9	93.4	97.7	-	93.4
Staple (inches)						
13/16 & shorter	(26)	-	-	-	-	-
7/8	(28)	-	-	-	-	-
29/32	(29)	-	-	-	-	-
15/16	(30)	24	-	-	-	-
31/32	(31)	125	49	-	-	49
1	(32)	3,407	1,381	-	-	1,381
1-1/32	(33)	18,061	23,230	96	-	23,326
1-1/16	(34)	339,124	85,804	775	-	86,579
1-3/32	(35)	421,512	13,916	150	-	14,066
1-1/8	(36)	43,054	520	-	-	520
1-5/32	(37)	2,835	30	-	-	30
1-3/16	(38)	849	-	-	-	-
1-7/32	(39)	104	-	-	-	-
1-1/4 & longer	(40)	127	-	-	-	-
All staples		829,222	124,930	1,021	-	125,951
Average staple (32nd inches)		34.6	33.9	34.1	-	33.9

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

## MEMPHIS

## HAYTI

Grade and staple	Code	Ginned in State					Classing Office total	Ginned in State	
		Tennessee	Illinois	Kentucky	Arkansas	Mississippi		Missouri	
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	
White:									
G.M.	(11)	-	-	-	-	-	-	-	
S.M.	(21)	4,859	-	-	262	4,198	9,319	695	
M.+	(30)	83	-	-	12	87	182	-	
M.	(31)	24,105	-	13	3,223	17,146	44,487	6,391	
S.L.M.+	(40)	1,688	-	-	417	1,009	3,114	452	
S.L.M.	(41)	45,812	-	28	10,804	36,371	93,015	25,680	
L.M.+	(50)	2,187	-	-	957	2,357	5,501	1,268	
L.M.	(51)	8,809	-	-	4,812	9,754	23,375	825	
S.G.O.+	(60)	51	-	-	27	41	119	32	
S.G.O.	(61)	1,025	-	-	458	1,465	2,948	-	
G.O.+	(70)	20	-	-	-	-	20	11	
G.O.	(71)	52	-	-	66	161	279	-	
Total		88,691	-	41	21,038	72,589	182,359	35,354	
Light Spotted:									
G.M.	(12)	-	-	-	-	-	-	-	
S.M.	(22)	412	-	-	18	380	810	110	
M.	(32)	7,002	-	13	541	5,199	12,755	2,245	
S.L.M.	(42)	20,175	-	68	3,953	11,967	36,183	9,022	
L.M.	(52)	5,469	-	-	1,682	4,242	11,393	857	
Total		33,058	-	81	6,194	21,808	61,141	12,234	
Spotted:									
G.M.	(13)	-	-	-	-	-	-	-	
S.M.	(23)	51	-	-	-	106	157	11	
M.	(33)	3,247	-	14	103	1,620	4,984	1,236	
S.L.M.	(43)	9,492	-	44	1,249	4,164	14,949	6,215	
L.M.	(53)	5,534	-	-	1,117	3,607	10,258	1,969	
Total		18,324	-	58	2,469	9,497	30,348	9,431	
Tinged:									
All grades		3,297	-	-	292	938	4,527	1,855	
Light Gray:									
All grades		171	-	-	18	223	412	70	
Gray:									
All grades		-	-	-	-	36	36	23	
Below Grade		2,589	-	-	919	2,407	5,915	1,121	
All grades		146,130	-	180	30,930	107,498	284,738	60,088	
Grade index		91.0	-	90.0	89.2	91.2	90.9	90.7	
Staple (inches)									
13/16 & shorter	(26)	-	-	-	-	-	-	-	
7/8	(28)	-	-	-	-	-	-	-	
29/32	(29)	5	-	-	-	-	5	12	
15/16	(30)	33	-	-	11	16	60	71	
31/32	(31)	315	-	-	45	138	498	193	
1	(32)	4,349	-	-	546	3,012	7,907	1,293	
1-1/32	(33)	19,725	-	72	2,214	13,022	35,033	5,626	
1-1/16	(34)	82,190	-	95	17,031	62,751	162,067	25,059	
1-3/32	(35)	37,199	-	13	10,443	27,684	75,339	24,274	
1-1/8	(36)	2,141	-	-	640	854	3,635	3,549	
1-5/32	(37)	173	-	-	-	21	194	11	
1-3/16	(38)	-	-	-	-	-	-	-	
1-7/32	(39)	-	-	-	-	-	-	-	
1-1/4 & longer	(40)	-	-	-	-	-	-	-	
All staples		146,130	-	180	30,930	107,498	284,738	60,088	
Average staple (32nd inches)		34.1	-	33.7	34.3	34.1	34.1	34.4	

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

Grade and staple Code	BLYTHEVILLE		LITTLE ROCK		WINNSBORO		ALEXANDRIA	
	Ginned in State		Ginned in State		Ginned in State		Ginned in State	
	Arkansas	Arkansas	Arkansas	Arkansas	Louisiana	Louisiana	Louisiana	Louisiana
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:								
G.M. (11)	-	-	-	103	-	-	-	-
S.M. (21)	406	3,819	4,459	2,616				
M.+ (30)	-	117	41	10				
M. (31)	5,443	36,307	71,960	35,627				
S.L.M.+ (40)	639	2,945	1,116	491				
S.L.M. (41)	34,668	162,747	137,388	75,513				
L.M.+ (50)	3,445	10,952	7,132	1,095				
L.M. (51)	6,104	43,194	19,596	10,339				
S.G.O.+ (60)	298	710	139	92				
S.G.O. (61)	561	2,731	1,142	919				
G.O.+ (70)	-	18	9	17				
G.O. (71)	41	343	52	131				
Total	51,605	263,883	243,137	126,850				
Light Spotted:								
G.M. (12)	11	-	9	-				
S.M. (22)	11	214	849	298				
M. (32)	2,495	8,628	14,837	6,899				
S.L.M. (42)	24,786	44,013	15,516	8,843				
L.M. (52)	7,631	11,446	1,902	1,816				
Total	34,934	64,301	33,113	17,856				
Spotted:								
G.M. (13)	-	-	-	-				
S.M. (23)	-	88	469	10				
M. (33)	626	3,184	1,615	301				
S.L.M. (43)	7,416	16,741	1,008	337				
L.M. (53)	3,889	10,327	261	348				
Total	11,931	30,340	3,353	996				
Tinged:								
All grades	1,554	4,084	219	7				
Light Gray:								
All grades	228	492	320	2,480				
Gray:								
All grades	9	39	33	118				
Below Grade	3,164	5,757	201	279				
All grades	103,425	368,896	280,376	148,586				
Grade index	88.5	90.6	94.6	94.4				
Staple (inches)								
13/16 & shorter (26)	-	-	-	-				
7/8 (28)	-	10	-	-				
29/32 (29)	-	10	-	-				
15/16 (30)	55	142	9	-				
31/32 (31)	22	867	14	-				
1 (32)	1,128	4,883	518	193				
1-1/32 (33)	8,393	29,292	25,052	18,997				
1-1/16 (34)	39,050	179,401	208,214	121,901				
1-3/32 (35)	40,054	140,864	44,653	7,243				
1-1/8 (36)	13,729	12,651	1,854	232				
1-5/32 (37)	940	753	52	20				
1-3/16 (38)	54	23	10	-				
1-7/32 (39)	-	-	-	-				
1-1/4 (40)	-	-	-	-				
& longer								
All staples	103,425	368,896	280,376	148,586				
Average staple (32nd inches)	34.6	34.3	34.1	33.9				



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

Grade and staple	Code	ALTUS		Classing Office total	DALLAS		Classing Office total
		Ginned in State			Ginned in State		
		Oklahoma	Texas		Texas	Oklahoma	
		Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	10	10	-	-	-
S.M.	(21)	485	504	989	135	-	135
M.+	(30)	11	43	54	-	-	-
M.	(31)	20,639	22,890	43,529	4,822	236	5,058
S.L.M.+	(40)	972	607	1,579	53	42	95
S.L.M.	(41)	21,448	16,083	37,531	7,872	4,520	12,392
L.M.+	(50)	556	351	907	157	255	412
L.M.	(51)	2,813	1,293	4,106	3,939	2,934	6,873
S.G.O.+	(60)	45	94	139	10	21	31
S.G.O.	(61)	207	87	294	845	324	1,169
G.O.+	(70)	6	-	6	-	-	-
G.O.	(71)	66	27	93	105	51	156
Total		47,248	41,989	89,237	17,938	8,383	26,321
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	783	7,553	8,336	349	-	349
M.	(32)	63,653	94,395	158,048	30,968	645	31,613
S.L.M.	(42)	39,970	16,790	56,760	69,672	6,950	76,622
L.M.	(52)	2,597	825	3,422	37,629	3,703	41,332
Total		107,003	119,563	226,566	138,618	11,298	149,916
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	215	2,567	2,782	10	-	10
M.	(33)	6,205	8,567	14,772	2,519	606	3,125
S.L.M.	(43)	3,529	1,711	5,240	11,277	1,824	13,101
L.M.	(53)	409	153	562	12,410	857	13,267
Total		10,358	12,998	23,356	26,216	3,287	29,503
Tinged:							
All grades		627	1,027	1,654	142	225	367
Stained:							
All grades		11	27	38	-	-	-
Light Gray:							
All grades		63	177	240	30	10	40
Below Grade		370	119	489	4,057	713	4,770
All grades		165,680	175,900	341,580	187,001	23,916	210,917
Grade index		93.9	95.9	95.0	87.0	86.3	86.9
Staple (inches)							
13/16 & shorter	(26)	157	17	174	500	-	500
7/8	(28)	1,117	304	1,421	17,747	166	17,913
29/32	(29)	15,900	4,148	20,048	89,866	2,987	92,853
15/16	(30)	67,499	67,523	135,022	61,816	9,761	71,577
31/32	(31)	40,505	63,541	104,046	8,347	2,762	11,109
1	(32)	18,139	27,905	46,044	2,446	1,194	3,640
1-1/32	(33)	9,120	6,689	15,809	1,089	1,337	2,426
1-1/16	(34)	7,222	2,942	10,164	3,949	3,956	7,905
1-3/32	(35)	3,285	679	3,964	1,049	1,019	2,068
1-1/8	(36)	1,815	890	2,705	91	344	435
1-5/32	(37)	463	192	655	23	179	202
1-3/16	(38)	227	150	377	7	152	159
1-7/32	(39)	76	44	120	12	29	41
1-1/4 & longer	(40)	155	876	1,031	59	30	89
All staples		165,680	175,900	341,580	187,001	23,916	210,917
Average staple (32nd inches)		30.9	30.9	30.9	29.5	31.3	29.7

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

Grade and staple Code	AUSTIN		CORPUS CHRISTI		HARLINGEN		ABILENE	
	Ginned in State		Ginned in State		Ginned in State		Ginned in State	
	Texas		Texas		Texas		Texas	
Grade	Bales		Bales		Bales		Bales	
White:								
G.M. (11)	22		13		-		-	
S.M. (21)	2,596		1,201		4,459		441	
M.+ (30)	79		66		40		22	
M. (31)	23,314		36,927		55,350		25,527	
S.L.M.+ (40)	1,797		708		2,559		406	
S.L.M. (41)	49,187		59,270		147,112		34,288	
L.M.+ (50)	1,093		895		2,440		316	
L.M. (51)	11,860		6,346		30,034		6,664	
S.G.O.+ (60)	95		186		29		41	
S.G.O. (61)	3,091		1,500		6,075		739	
G.O.+ (70)	-		63		-		-	
G.O. (71)	833		572		2,985		391	
Total	93,967		107,747		251,083		68,835	
Light Spotted:								
G.M. (12)	-		-		-		-	
S.M. (22)	5,230		2,158		942		4,127	
M. (32)	55,051		37,206		18,587		106,104	
S.L.M. (42)	50,604		24,309		27,985		85,460	
L.M. (52)	17,324		2,778		5,775		26,069	
Total	128,209		66,451		53,289		223,760	
Spotted:								
G.M. (13)	-		-		-		-	
S.M. (23)	-		-		50		1,594	
M. (33)	1,153		352		240		13,078	
S.L.M. (43)	4,037		414		637		11,669	
L.M. (53)	3,167		247		1,923		7,754	
Total	8,357		1,013		2,850		34,095	
Tinged:								
All grades	50		32		59		3,095	
Stained:								
All grades	-		-		-		103	
Light Gray:								
All grades	596		1,198		2,879		188	
Gray:								
All grades	29		138		1,495		41	
Below Grade	2,134		410		4,437		3,051	
All grades	233,342		176,989		316,092		333,168	
Grade index	91.9		94.4		92.5		91.6	
Staple (inches)								
13/16 & shorter (26)	189		382		-		53	
7/8 (28)	9,463		3,189		30		1,286	
29/32 (29)	83,901		16,448		90		32,131	
15/16 (30)	19,012		36,904		1,844		163,566	
31/32 (31)	5,219		39,090		3,758		81,055	
1 (32)	13,231		40,089		11,667		20,534	
1-1/32 (33)	34,017		29,524		79,164		6,728	
1-1/16 (34)	59,386		9,613		200,529		8,196	
1-3/32 (35)	8,022		1,314		17,449		4,898	
1-1/8 (36)	771		312		985		9,094	
1-5/32 (37)	32		48		322		3,674	
1-3/16 (38)	31		13		112		1,519	
1-7/32 (39)	8		-		10		-	
1-1/4 (40) & longer	60		63		132		434	
All staples	233,342		176,989		316,092		333,168	
Average staple (32nd inches)	31.3		31.3		33.7		30.8	



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

LUBBOCK				EL PASO				
Grade and staple	Code	Ginned in State		Classing Office total	Ginned in State			Classing Office total
		Texas	New Mexico		Texas	New Mexico	Arizona	
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:								
G.M.	(11)	-	-	-	61	20	10	91
S.M.	(21)	1,136	-	1,136	2,121	2,619	453	5,193
M.+	(30)	168	-	168	82	-	-	82
M.	(31)	151,568	1,489	153,057	20,823	31,421	11,649	63,893
S.L.M.+	(40)	1,492	72	1,564	1,220	1,268	544	3,032
S.L.M.	(41)	277,948	2,294	280,242	12,095	12,483	6,961	31,539
L.M.+	(50)	1,859	13	1,872	91	140	127	358
L.M.	(51)	12,701	90	12,791	323	228	426	977
S.G.O.+	(60)	48	-	48	-	-	-	-
S.G.O.	(61)	1,174	40	1,214	154	61	96	311
G.O.+	(70)	-	-	-	-	-	-	-
G.O.	(71)	454	-	454	77	79	131	287
Total		448,548	3,998	452,546	37,047	48,319	20,397	105,763
Light Spotted:								
G.M.	(12)	-	-	-	-	-	-	-
S.M.	(22)	1,696	-	1,696	335	310	70	715
M.	(32)	355,836	1,529	357,365	11,431	7,050	3,397	21,878
S.L.M.	(42)	150,313	978	151,291	4,261	2,236	1,343	7,840
L.M.	(52)	12,890	78	12,968	1,123	696	390	2,209
Total		520,735	2,585	523,320	17,150	10,292	5,200	32,642
Spotted:								
G.M.	(13)	-	-	-	-	-	-	-
S.M.	(23)	3,036	-	3,036	21	10	-	31
M.	(33)	91,749	94	91,843	337	350	49	736
S.L.M.	(43)	32,356	111	32,467	637	394	67	1,098
L.M.	(53)	4,749	-	4,749	373	125	19	517
Total		131,890	205	132,095	1,368	879	135	2,382
Tinged:								
All grades		23,353	-	23,353	98	151	-	249
Stained:								
All grades		430	-	430	-	-	-	-
Light Gray:								
All grades		2,446	-	2,446	-	42	9	51
Gray:								
All grades		523	-	523	-	-	-	-
Below Grade		3,189	5	3,194	1,319	777	543	2,639
All grades		1,131,114	6,793	1,137,907	56,982	60,460	26,284	143,726
Grade index		93.9	94.7	93.9	95.4	97.0	95.7	96.1
Staple (inches)								
13/16 & shorter	(26)	403	-	403	-	-	-	-
7/8	(28)	8,754	49	8,803	10	-	-	10
29/32	(29)	91,952	650	92,602	-	-	-	-
15/16	(30)	341,338	2,750	344,088	8	-	19	27
31/32	(31)	278,002	1,818	279,820	11	10	31	52
1	(32)	189,205	790	189,995	221	183	19	423
1-1/32	(33)	98,746	315	99,061	1,405	549	178	2,132
1-1/16	(34)	26,981	107	27,088	3,105	1,548	926	5,579
1-3/32	(35)	10,792	13	10,805	3,243	3,639	1,780	8,662
1-1/8	(36)	24,919	74	24,993	11,965	15,919	10,005	37,889
1-5/32	(37)	28,240	74	28,314	34,035	31,695	12,028	77,758
1-3/16	(38)	17,815	100	17,915	2,550	6,818	1,224	10,592
1-7/32	(39)	2,227	-	2,227	10	49	19	78
1-1/4 & longer	(40)	11,740	53	11,793	419	50	55	524
All staples		1,131,114	6,793	1,137,907	56,982	60,460	26,284	143,726
Average staple (32nd inches)		31.4	30.9	31.4	36.5	36.6	36.4	36.5

**WESTERN AREA  
SMITH-JOXEY CLASSING OFFICE TERRITORIES**




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

Grade and staple	Code	CARLSBAD		Classing Office total	::	PHOENIX	::	FRESNO
		Ginned in State				Ginned in State		Ginned in State
		New Mexico	Texas			Arizona		California
Grade	Bales	Bales	Bales	::	Bales	::	Bales	
<b>White:</b>								
G.M.	(11)	39	28	67	::	-	::	-
S.M.	(21)	4,177	804	4,981	::	3,210	::	1,731
M.+	(30)	29	363	392	::	21	::	19
M.	(31)	28,242	25,194	53,436	::	135,529	::	150,277
S.L.M.+	(40)	1,178	10,038	11,216	::	9,640	::	21,478
S.L.M.	(41)	18,749	25,863	44,612	::	94,618	::	207,122
L.M.+	(50)	481	441	922	::	4,827	::	9,443
L.M.	(51)	1,348	1,115	2,463	::	14,516	::	33,327
S.G.O.+	(60)	10	218	228	::	888	::	2,870
S.G.O.	(61)	269	1,028	1,297	::	4,046	::	11,695
G.O.+	(70)	-	20	20	::	28	::	312
G.O.	(71)	91	838	929	::	689	::	2,218
Total		54,613	65,950	120,563	::	268,012	::	440,492
<b>Light Spotted:</b>								
G.M.	(12)	-	-	-	::	-	::	-
S.M.	(22)	686	347	1,033	::	869	::	9
M.	(32)	6,063	7,858	13,921	::	36,833	::	3,445
S.L.M.	(42)	4,020	2,457	6,477	::	21,529	::	17,320
L.M.	(52)	955	2,018	2,973	::	11,223	::	7,115
Total		11,724	12,680	24,404	::	70,454	::	27,889
<b>Spotted:</b>								
G.M.	(13)	-	-	-	::	-	::	-
S.M.	(23)	52	11	63	::	-	::	9
M.	(33)	1,186	383	1,569	::	237	::	86
S.L.M.	(43)	975	216	1,191	::	755	::	1,029
L.M.	(53)	364	1,007	1,371	::	620	::	1,408
Total		2,577	1,617	4,194	::	1,612	::	2,532
<b>Tinged:</b>								
All grades		168	164	332	::	78	::	46
<b>Stained:</b>								
All grades		-	10	10	::	-	::	-
<b>Light Gray:</b>								
All grades		450	38	488	::	1,920	::	2,857
<b>Gray:</b>								
All grades		-	11	11	::	10	::	146
<b>Below Grade</b>								
		1,635	3,588	5,223	::	15,005	::	3,089
<b>All grades</b>								
		71,167	84,058	155,225	::	357,091	::	477,051
<b>Grade index</b>								
		95.5	93.7	94.5	::	93.8	::	94.0
<b>Staple (inches)</b>								
<b>13/16 &amp; shorter</b>								
7/8	(26)	-	-	-	::	52	::	-
7/8	(28)	12	-	12	::	196	::	-
29/32	(29)	59	-	59	::	297	::	-
15/16	(30)	106	20	128	::	3,672	::	-
31/32	(31)	883	138	1,021	::	6,246	::	9
1	(32)	1,248	740	1,988	::	14,230	::	46
1-1/32	(33)	1,399	1,628	3,027	::	44,627	::	156
1-1/16	(34)	3,009	4,714	7,723	::	244,318	::	11,878
1-3/32	(35)	6,809	6,307	13,116	::	31,638	::	262,997
1-1/8	(36)	9,322	13,018	22,340	::	3,349	::	197,648
1-5/32	(37)	34,317	80,927	85,244	::	953	::	4,308
1-3/16	(38)	11,963	1,755	13,718	::	1,018	::	9
1-7/32	(39)	1,143	435	1,578	::	254	::	-
1-1/4	(40)	895	4,376	5,271	::	6,241	::	-
<b>&amp; longer</b>								
All staples		71,167	84,058	155,225	::	357,091	::	477,051
<b>Average staple (32nd inches)</b>								
		36.5	36.6	36.6	::	33.9	::	35.4

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

Grade and staple	Code	BAKERSFIELD		Classing Office total	EL CENTRO		Classing Office total
		Ginned in State			Ginned in State		
		California	Nevada		California	Arizona	
Grade	Bales	Bales	Bales	Bales	Bales	Bales	
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	894	134	1,028	825	24	849
M.+	(30)	-	-	-	10	-	10
M.	(31)	135,125	1,825	136,950	31,599	2,738	34,337
S.L.M.+	(40)	12,968	157	13,125	1,121	141	1,262
S.L.M.	(41)	228,651	1,634	230,285	27,230	11,252	38,482
L.M.+	(50)	9,111	21	9,132	1,171	146	1,317
L.M.	(51)	26,269	12	26,281	9,780	1,698	11,478
S.G.O.+	(60)	740	-	740	123	-	123
S.G.O.	(61)	10,517	8	10,525	2,795	933	3,728
G.O.+	(70)	178	-	178	31	-	31
G.O.	(71)	4,085	12	4,097	1,093	357	1,450
Total		428,538	3,803	432,341	75,778	17,289	93,067
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	69	-	69	161	7	168
M.	(32)	5,745	13	5,758	7,781	1,861	9,642
S.L.M.	(42)	21,192	20	21,212	6,506	4,494	11,000
L.M.	(52)	11,423	36	11,459	4,364	4,309	8,673
Total		38,429	69	38,498	18,812	10,671	29,483
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	10	-	10	-	-	-
M.	(33)	261	11	272	143	27	170
S.L.M.	(43)	1,030	4	1,034	264	225	489
L.M.	(53)	2,507	-	2,507	330	629	959
Total		3,808	15	3,823	737	881	1,618
Tinged:							
All grades		204	-	204	-	-	-
Stained:							
All grades		9	-	9	-	-	-
Light Gray:							
All grades		2,936	-	2,936	892	1,770	2,662
Gray:							
All grades		740	-	740	103	224	327
Below Grade		6,606	63	6,669	1,510	1,150	2,660
All grades		481,270	3,950	485,220	97,832	31,985	129,817
Grade index		93.4	96.4	93.4	92.9	88.9	91.9
Staple (inches)							
13/16 & shorter	(26)	-	-	-	-	-	-
7/8	(28)	-	-	-	20	344	364
29/32	(29)	-	-	-	82	244	326
15/16	(30)	-	-	-	1,180	1,085	2,265
31/32	(31)	-	-	-	2,068	1,332	3,400
1	(32)	-	-	-	4,736	2,917	7,653
1-1/32	(33)	201	-	201	13,510	9,727	23,237
1-1/16	(34)	17,553	55	17,608	61,407	15,997	77,404
1-3/32	(35)	404,119	106	404,225	11,810	289	12,099
1-1/8	(36)	59,168	1,169	60,337	1,450	24	1,474
1-5/32	(37)	229	2,611	2,840	757	-	757
1-3/16	(38)	-	9	9	230	12	242
1-7/32	(39)	-	-	-	134	14	148
1-1/4 & longer	(40)	-	-	-	448	-	448
All staples		481,270	3,950	485,220	97,832	31,985	129,817
Average staple (32nd inches)		35.1	36.6	35.1	33.9	33.2	33.7

Table 11. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by states, 1967-68 with comparisons

State	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals				Average mike			
	1966		1967		1966		1967		1966		1967		1966		1967		1966		1967		1966		1967			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Rdg.	Rdg.	
Va.	-	-	32.4	-	34.5	-	-	1.1	33.1	62.9	-	36.0	-	-	-	-	66.9	100.0	33.1	-	-	-	4.3	3.3		
N. C.	*	1.1	0.2	5.7	1.2	12.9	1.3	11.7	10.6	36.9	40.6	26.8	39.4	4.6	5.5	0.3	1.0	-	2.7	31.4	90.8	68.3	6.5	0.3	4.4	3.7
S. C.	*	0.6	0.3	4.2	0.9	10.2	1.0	9.1	6.4	30.7	24.4	31.2	44.1	12.2	17.0	1.6	5.9	0.2	2.2	24.1	74.9	74.1	22.9	1.8	4.6	3.9
Ga.	*	0.1	*	0.9	0.4	3.0	0.4	2.7	4.1	14.9	22.2	40.2	42.5	31.5	18.9	5.6	11.5	1.1	0.8	6.7	68.8	86.6	30.4	6.7	4.7	4.3
Fla.	-	-	-	-	0.1	0.5	-	1.2	1.0	8.0	9.9	36.7	31.2	42.2	28.4	8.7	29.4	2.7	0.1	1.7	42.1	86.9	57.8	11.4	5.0	4.5
Ala.	*	0.1	*	1.7	0.4	5.9	0.5	5.2	4.3	18.2	22.9	34.5	41.2	28.9	20.3	4.7	10.4	0.8	0.9	12.9	68.4	81.6	30.7	5.5	4.7	4.2
Miss.	0.1	0.9	0.6	5.4	1.8	10.5	1.7	7.4	7.1	23.4	18.3	29.2	36.1	18.6	21.3	3.9	13.0	0.7	4.2	24.2	61.5	71.2	34.3	4.6	4.7	3.9
Ill.	-	-	4.0	-	18.2	-	22.6	-	29.0	-	26.2	-	-	-	-	-	-	-	44.8	-	55.2	-	-	-	3.6	-
Ky.	0.3	-	2.8	11.1	4.9	10.6	5.7	17.8	16.0	56.6	45.9	3.9	23.5	-	0.9	-	-	-	13.7	39.5	85.4	60.5	0.9	-	4.1	3.4
Tenn.	0.3	1.0	1.4	6.9	3.4	14.9	3.6	11.2	17.2	34.7	34.7	25.5	29.9	5.7	7.4	0.1	2.1	-	8.7	34.0	81.8	65.9	9.5	0.1	4.3	3.7
Mo.	0.2	0.4	1.8	4.4	6.9	15.1	6.4	14.1	21.7	39.9	37.3	22.8	22.8	3.2	2.6	0.1	0.3	*	15.3	34.0	81.8	65.9	2.9	0.1	4.1	3.7
Ark.	0.2	1.5	1.4	6.1	4.2	12.6	3.5	9.3	14.4	27.2	30.3	27.4	31.8	13.0	10.4	2.7	3.8	0.2	9.3	29.5	76.5	67.6	14.2	2.9	4.3	3.8
La.	0.1	1.1	0.8	5.4	2.2	8.3	1.8	5.9	7.0	19.1	21.7	26.0	40.5	25.3	18.3	7.2	7.6	1.7	4.9	20.7	69.2	70.4	25.9	8.9	4.6	4.1
Okla.	6.5	0.2	7.4	0.9	9.4	2.7	6.0	2.5	17.2	11.4	20.7	28.5	21.4	35.1	8.9	13.9	2.5	4.8	29.3	6.3	59.3	75.0	11.4	18.7	4.0	4.4
Tex.	5.8	5.1	10.8	9.8	13.7	13.0	7.8	7.6	17.3	19.6	17.6	22.0	15.8	17.5	7.9	4.2	3.3	1.2	38.1	35.5	50.7	59.1	11.2	5.4	3.8	3.8
N. Mex.	6.0	4.9	11.7	11.8	18.4	16.8	13.3	11.5	35.7	35.5	14.3	18.4	0.6	1.1	*	*	*	-	49.4	45.0	50.6	55.0	*	*	3.4	3.5
Ariz.	0.6	0.5	1.8	2.6	4.1	5.1	3.6	4.0	14.7	15.8	23.0	26.9	34.0	34.3	15.1	9.3	3.1	1.5	10.1	12.2	71.7	77.0	18.2	10.8	4.4	4.3
Nev.	1.2	1.7	1.5	2.5	8.4	15.0	20.7	19.6	46.4	52.3	20.1	8.9	1.7	-	-	-	-	-	31.8	38.8	68.2	61.2	-	-	3.6	3.5
Calif.	0.2	0.3	0.7	1.5	2.0	3.0	2.0	2.3	8.4	8.4	48.9	32.8	36.8	47.6	1.0	4.0	*	0.1	4.9	7.1	94.1	88.8	1.0	4.1	4.3	4.4
U. S.	2.2	2.4	4.5	6.1	6.6	9.6	4.2	6.5	12.7	19.5	25.3	26.8	28.7	23.3	10.9	4.6	4.9	1.0	17.5	24.8	66.7	69.6	15.8	5.6	4.2	4.0

\* Less than 0.05 percent.

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68

Period	2.6 and below Pct.	2.7-2.9 Pct.	3.0-3.2 Pct.	3.3-3.4 Pct.	3.5-3.9 Pct.	4.0-4.4 Pct.	4.5-4.9 Pct.	5.0-5.2 Pct.	5.3 and above Pct.	Totals			Average mike Rdg.
										Below 3.5 Pct.	3.5-4.9 Pct.	5.0 and above Pct.	
<u>RALEIGH</u>													
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	9.9	76.7	13.4	-	-	-	100.0	-	-
Oct.	-	0.2	3.0	6.8	36.3	42.6	10.7	0.4	-	10.0	89.6	0.4	4.0
Nov.	1.3	6.2	14.7	13.8	40.4	21.2	2.3	0.1	-	36.0	63.9	0.1	3.6
After Nov. 30	2.1	11.5	21.6	13.4	31.1	18.1	2.0	0.2	-	48.6	51.2	0.2	3.5
Total crop	1.1	5.8	13.0	11.6	36.9	26.7	4.6	0.3	-	31.5	68.2	0.3	3.7
<u>COLUMBIA</u>													
Prior to Sept. 1	-	-	-	-	56.5	14.5	14.5	14.5	-	-	85.5	14.5	4.2
Sept.	-	-	1.3	1.7	16.7	49.0	26.7	3.6	1.0	3.0	92.4	4.6	4.3
Oct.	*	0.3	1.6	3.3	25.2	44.8	21.2	3.2	0.4	5.2	91.2	3.6	4.2
Nov.	0.7	5.0	15.5	13.9	39.3	21.5	3.9	0.2	-	35.1	64.7	0.2	3.6
After Nov. 30	3.0	14.7	24.2	15.6	29.1	10.5	2.8	0.1	*	57.5	42.4	0.1	3.4
Total crop	0.6	4.2	10.2	9.1	30.7	31.2	12.2	1.6	0.2	24.1	74.1	1.8	3.9
<u>AUGUSTA</u>													
Prior to Sept. 1	-	-	4.8	-	19.0	42.8	19.0	4.8	9.6	4.8	85.6	14.4	4.3
Sept.	-	0.1	0.6	1.1	14.9	42.7	31.5	7.4	1.7	1.8	89.1	9.1	4.4
Oct.	-	*	0.4	1.0	7.4	28.5	45.8	14.3	2.6	1.4	81.7	16.9	4.5
Nov.	0.2	2.8	7.4	6.8	24.4	34.2	20.9	3.0	0.3	17.2	79.5	3.3	4.0
After Nov. 30	1.1	7.1	11.4	11.7	27.2	23.3	14.1	3.4	0.7	31.3	64.6	4.1	3.8
Total crop	0.1	1.2	2.9	3.1	14.1	32.4	34.9	9.4	1.9	7.3	81.4	11.3	4.3
<u>ATLANTA</u>													
Prior to Sept. 1	-	-	0.9	0.6	8.6	34.3	46.9	7.2	1.5	1.5	89.8	8.7	4.5
Sept.	-	-	0.5	0.9	13.3	48.6	33.3	2.9	0.5	1.4	95.2	3.4	4.3
Oct.	-	-	0.2	0.2	10.1	50.3	34.0	4.5	0.7	0.4	94.4	5.2	4.4
Nov.	-	0.6	8.5	7.1	26.2	37.6	17.8	2.0	0.2	16.2	81.6	2.2	4.0
After Nov. 30	0.5	7.2	20.3	14.3	32.1	18.2	6.6	0.5	0.3	42.3	56.9	0.8	3.6
Total crop	*	0.6	3.0	2.6	15.2	45.0	29.8	3.3	0.5	6.2	90.0	3.8	4.2



Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	2.6 and below	2.7-2.9	3.0-3.2	3.3-3.4	3.5-3.9	4.0-4.4	4.5-4.9	5.0-5.2	5.3 and above	Totals		Average mike
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Below 3.5	3.5-4.9	
<u>MEMPHIS</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	0.6	1.2	0.6	0.6	12.6	41.4	38.5	4.5	-	-	92.5	4.3
Oct.	*	0.4	2.4	3.8	28.8	46.1	17.7	0.8	*	3.0	92.6	4.1
Nov.	1.3	9.2	19.3	13.4	35.3	18.9	2.5	0.1	-	6.6	56.7	3.5
After Nov. 30	3.5	16.5	25.8	15.7	28.0	9.3	1.2	*	-	43.2	38.5	3.4
Total crop	1.3	8.0	16.1	11.3	32.6	24.2	6.2	0.3	*	36.7	63.0	3.7
<u>HAYTI</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	81.0	19.0	-	-	-	-	100.0	3.9
Oct.	0.1	-	3.5	6.4	39.0	41.7	8.8	0.5	-	10.0	89.5	4.0
Nov.	0.1	3.9	16.1	16.4	42.4	19.3	1.7	0.1	*	36.5	63.4	3.6
After Nov. 30	3.1	18.3	36.5	16.7	20.5	4.5	0.4	-	-	74.6	25.4	3.2
Total crop	0.4	4.4	15.1	14.1	39.9	22.8	3.2	0.1	*	34.0	65.9	3.7
<u>BLYTHERVILLE</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	3.1	14.1	40.6	39.1	3.1	-	-	17.2	82.8	3.9
Oct.	-	-	1.6	4.6	26.0	42.7	23.0	2.1	-	6.2	91.7	4.1
Nov.	0.4	3.5	12.9	12.6	39.6	25.8	5.0	0.2	-	29.4	70.4	3.7
After Nov. 30	1.5	8.0	23.7	18.3	32.6	13.8	2.1	-	-	51.5	48.5	3.5
Total crop	0.4	3.2	11.6	11.5	36.0	28.2	8.4	0.7	-	26.7	72.6	3.8
<u>LITTLE ROCK</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	1.1	17.8	49.7	26.5	4.9	-	68.6	4.8
Oct.	*	0.2	1.4	2.2	14.8	39.4	32.3	8.4	1.3	3.8	86.5	4.3
Nov.	1.9	8.7	17.3	11.9	30.0	23.7	5.9	0.6	*	39.8	59.6	3.6
After Nov. 30	6.2	18.8	25.1	12.5	23.1	11.7	2.5	0.1	-	62.6	37.3	3.3
Total crop	1.6	6.8	12.7	8.7	23.8	27.9	14.7	3.3	0.5	29.8	66.4	3.8



Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	2.6 and below	2.7-2.9	3.0-3.2	3.3-3.4	3.5-3.9	4.0-4.4	4.5-4.9	5.0-5.2	5.3 and above		Totals		Average mike
									Pct.	Pct.	Below 3.5	Pct.	
<u>WINNSBORO</u>													
Prior to Sept. 1	-	-	-	-	-	-	40.1	19.8	40.1	-	40.1	59.9	5.1
Sept.	-	-	0.1	-	1.0	11.3	48.7	29.1	9.8	0.1	61.0	38.9	4.8
Oct.	*	0.5	2.3	3.3	18.9	34.7	31.2	7.5	1.6	6.1	84.8	9.1	4.3
Nov.	3.4	16.4	22.4	13.5	28.8	13.0	2.4	0.1	*	55.7	44.2	0.1	3.4
After Nov. 30	13.5	35.6	21.2	10.0	14.4	3.5	1.7	0.1	-	80.3	19.6	0.1	3.1
Total crop	1.4	6.6	9.2	6.6	20.6	24.4	22.4	6.9	1.9	23.8	67.4	8.8	4.0
<u>ALEXANDRIA</u>													
Prior to Sept. 1	-	-	-	-	-	2.8	25.7	36.2	35.3	-	28.5	71.5	5.1
Sept.	-	*	*	*	1.3	11.4	59.9	23.9	3.5	*	72.6	27.4	4.8
Oct.	0.2	1.0	3.1	2.9	15.7	39.3	32.1	5.2	0.5	7.2	87.1	5.7	4.3
Nov.	1.3	10.2	17.3	10.9	29.8	20.6	8.0	1.6	0.3	39.7	58.4	1.9	3.7
After Nov. 30	3.6	20.4	25.8	13.2	16.0	11.4	6.7	2.1	0.8	63.0	34.1	2.9	3.4
Total crop	0.6	3.5	6.4	4.6	16.4	28.9	30.3	7.8	1.5	15.1	75.6	9.3	4.2
<u>ALTUS</u>													
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	2.4	-	10.8	21.7	40.0	16.9	8.2	2.4	72.5	25.1	4.6
Oct.	*	0.2	1.0	1.1	7.0	25.2	40.7	18.7	6.1	2.3	72.9	24.8	4.6
Nov.	0.7	1.8	4.2	3.2	16.5	30.7	30.2	9.5	3.2	9.9	77.4	12.7	4.3
After Nov. 30	2.1	6.4	11.5	6.9	22.7	25.1	19.2	4.7	1.4	26.9	67.0	6.1	3.9
Total crop	0.8	2.4	5.1	3.6	15.8	28.5	30.1	10.3	3.4	11.9	74.4	13.7	4.3
<u>DALLAS</u>													
Prior to Sept. 1	*	0.3	3.3	4.5	28.5	38.8	21.2	3.0	0.4	8.1	88.5	3.4	4.1
Sept.	*	0.4	2.8	3.6	24.0	38.5	22.1	5.4	3.2	6.8	84.6	8.6	4.2
Oct.	-	0.2	0.5	0.5	5.5	19.3	34.8	24.7	14.5	1.2	59.6	39.2	4.7
Nov.	0.3	1.3	4.6	3.4	13.4	19.7	30.9	17.7	8.7	9.6	64.0	26.4	4.5
After Nov. 30	1.7	4.0	5.6	4.7	16.6	24.7	28.4	10.2	4.1	16.0	69.7	14.3	4.2
Total crop	0.2	0.7	2.6	2.6	15.4	27.0	28.7	14.8	8.0	6.1	71.1	22.8	4.4

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	2.6 and below	2.7-2.9	3.0-3.2	3.3-3.4	3.5-3.9	4.0-4.4	4.5-4.9	5.0-5.2	5.3 and above	Totals		Average mlke Rdg.	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Below 3.5	3.5-4.9		5.0 and above
										Pct.	Pct.		
<u>AUSTIN</u>													
Prior to Sept. 1	-	*	0.2	0.3	4.9	24.6	44.7	17.2	8.1	0.5	74.2	25.3	4.7
Sept.	*	0.1	0.5	0.8	10.2	32.7	40.4	12.9	2.4	1.4	83.3	15.3	4.5
Oct.	0.2	1.2	3.1	2.1	9.7	25.9	41.4	13.9	2.5	6.6	77.0	16.4	4.4
Nov.	1.4	7.4	8.4	2.2	14.5	20.7	26.7	13.9	4.8	19.4	61.9	18.7	4.2
After Nov. 30	1.7	2.8	4.8	2.4	10.6	32.1	27.5	14.0	4.1	11.7	70.2	18.1	4.3
Total crop	*	0.5	1.1	0.9	7.5	27.1	42.3	15.3	5.3	2.5	76.9	20.6	4.6
<u>CORPUS CHRISTI</u>													
Prior to Sept. 1	*	0.3	1.4	2.2	18.3	44.9	28.6	3.7	0.6	3.9	91.8	4.3	4.3
Sept.	-	-	4.3	2.2	23.8	38.4	27.0	3.2	1.1	6.5	89.2	4.3	4.2
Oct.	-	-	-	-	-	47.0	53.0	-	-	-	100.0	-	4.5
Nov.	-	-	-	-	100.0	-	-	-	-	-	100.0	-	3.5
After Nov. 30	-	-	-	-	-	-	-	-	-	-	-	-	-
Total crop	*	0.3	1.5	2.2	18.3	45.1	28.5	3.5	0.6	4.0	91.9	4.1	4.3
<u>HARLINGEN</u>													
Prior to Sept. 1	*	0.6	2.2	2.1	13.0	37.8	39.6	4.4	0.3	4.9	90.4	4.7	4.3
Sept.	-	1.8	10.7	8.0	22.4	29.9	25.0	2.1	0.1	20.5	77.3	2.2	4.0
Oct.	-	-	2.3	11.4	29.6	33.7	13.8	9.2	-	13.7	77.1	9.2	4.1
Nov.	2.5	8.2	17.2	17.2	39.3	15.6	-	-	-	45.1	54.9	-	3.5
After Nov. 30	5.1	23.1	17.9	20.6	33.3	-	-	-	-	66.7	33.3	-	3.2
Total crop	*	0.6	2.5	2.5	13.2	37.5	39.1	4.3	0.3	5.6	89.8	4.6	4.3
<u>ABILENE</u>													
Prior to Sept. 1	-	-	-	-	-	100.0	-	-	-	-	100.0	-	4.3
Sept.	-	1.3	2.6	1.3	14.7	57.3	17.5	4.0	1.3	5.2	89.5	5.3	4.2
Oct.	*	0.3	1.2	1.5	13.9	36.3	37.0	8.3	1.5	3.0	87.2	9.8	4.4
Nov.	0.2	1.7	5.1	5.8	20.0	28.9	31.0	6.4	0.9	12.8	79.9	7.3	4.2
After Nov. 30	9.0	14.3	17.4	8.7	20.1	16.8	11.2	2.0	0.5	49.4	48.1	2.5	3.6
Total crop	4.4	7.6	10.5	6.4	19.0	24.4	22.2	4.6	0.9	28.9	65.6	5.5	3.9

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	2.6 and below	2.7-2.9	3.0-3.2	3.3-3.4	3.5-3.9	4.0-4.4	4.5-4.9	5.0-5.2	Totals		Average mike	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Below 3.5	5.0 and above		
									Pct.	Pct.		
<u>LJUBOCK</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	
Sept.	-	-	-	-	33.7	44.7	19.9	-	-	98.3	-	
Oct.	0.2	2.0	7.0	10.4	42.0	30.4	7.0	0.8	-	79.4	1.7	
Nov.	4.3	16.0	24.4	14.1	26.3	12.0	2.5	0.4	-	58.8	1.0	
After Nov. 30	21.2	26.3	23.9	10.4	13.5	3.9	0.7	0.1	-	40.8	0.4	
Total crop	10.2	19.1	23.7	12.5	22.3	10.0	1.9	0.3	-	18.1	0.1	
									65.5	34.2	0.3	
<u>EL PASO</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	
Sept.	-	-	-	0.8	29.1	56.5	13.6	-	-	99.2	-	
Oct.	-	0.5	4.6	9.1	49.8	33.2	2.8	-	0.8	85.8	4.1	
Nov.	1.9	12.1	25.5	15.8	34.3	10.3	0.1	-	14.2	44.7	3.8	
After Nov. 30	19.9	32.9	25.7	9.1	10.5	1.9	-	-	55.3	12.4	3.4	
Total crop	2.6	8.1	14.6	11.6	39.7	21.7	1.7	-	87.6	63.1	3.0	
									36.9	-	3.6	
<u>CARLSBAD</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	
Sept.	-	-	0.3	0.5	26.2	68.6	4.4	-	-	99.2	-	
Oct.	0.1	1.0	4.5	6.7	45.6	39.7	2.4	-	0.8	87.7	4.1	
Nov.	3.5	15.5	25.6	13.6	33.7	7.4	0.7	-	12.3	41.8	3.9	
After Nov. 30	20.4	32.9	24.5	9.3	10.8	2.1	-	-	58.2	12.9	3.3	
Total crop	3.8	9.8	13.7	9.2	36.8	25.0	1.7	-	87.1	63.5	3.0	
									36.5	-	3.6	
<u>PHOENIX</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	
Sept.	-	-	0.2	0.5	9.0	24.0	52.0	24.0	-	76.0	24.0	
Oct.	-	0.1	0.6	0.9	8.3	30.1	47.3	11.2	1.7	86.4	4.7	
Nov.	0.4	2.0	5.0	3.9	17.5	26.9	45.6	14.8	2.8	80.8	4.5	
After Nov. 30	1.8	9.5	18.0	11.9	28.0	20.4	9.0	1.2	0.7	80.3	4.6	
Total crop	0.5	2.2	4.8	3.6	14.4	27.0	35.6	10.2	1.7	57.4	4.2	
									11.1	77.0	3.6	
									11.9	-	4.3	

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	2.6 and below	2.7-2.9	3.0-3.2	3.3-3.4	3.5-3.9	4.0-4.4	4.5-4.9	5.0-5.2	5.3 and above	Totals		Average mike
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Below 3.5	3.5-4.9	5.0 and above	
<u>FRESNO</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	*	*	*	*	1.9	25.7	64.7	7.5	0.2	*	92.3	7.7
Nov.	*	0.8	2.7	2.4	9.5	30.4	49.1	5.0	0.1	5.9	89.0	5.1
After Nov. 30	3.7	14.0	21.2	14.4	23.7	15.1	7.3	0.6	*	53.3	46.1	0.6
Total crop	0.3	1.4	2.8	2.3	7.4	27.3	52.7	5.7	0.1	6.8	87.4	5.8
<u>BAKERSFIELD</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	51.8	45.3	2.9	-	-	97.1	2.9
Oct.	-	*	*	0.1	4.4	42.1	51.2	2.2	*	0.1	97.7	2.2
Nov.	*	0.9	2.9	3.0	11.7	37.9	41.3	2.3	-	6.8	90.9	4.3
After Nov. 30	2.2	11.2	22.5	13.7	22.4	18.5	9.3	0.2	-	49.6	50.2	0.2
Total crop	0.1	1.2	2.9	2.3	8.8	38.6	44.0	2.1	*	6.5	91.4	4.3
<u>EL CENTRO</u>												
Prior to Sept. 1	-	-	-	-	-	100.0	-	-	-	-	100.0	-
Sept.	-	-	0.1	0.3	2.9	19.6	64.0	12.5	0.6	0.4	86.5	13.1
Oct.	-	-	0.3	0.2	3.5	28.9	56.3	10.2	0.6	0.5	88.7	10.8
Nov.	*	0.2	0.7	1.1	6.9	32.9	50.7	6.7	0.8	2.0	90.5	7.5
After Nov. 30	2.9	11.3	13.2	8.3	27.5	26.3	10.0	0.5	*	35.7	63.8	0.5
Total crop	0.9	3.8	4.5	3.1	12.5	29.4	39.6	5.7	0.5	12.4	81.4	6.2

\* Less than 0.05 percent.

Table 13. -- Percentage distribution of fiber strength for upland cotton ginned in the United States, by states, 1967-68 with comparisons

State	Zero Gage Fiber Strength (Mpsi)														Average strength					
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99 1/		100 & above			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	Mpsi	
N. C.	-	-	-	6.3	4.8	39.8	45.0	47.7	11.0	7.5	0.9	0.2	-	-	-	-	-	-	80.2	79.9
S. C.	-	-	0.1	0.2	3.3	8.6	26.1	34.8	46.2	40.1	20.6	15.1	3.5	1.2	0.2	*	-	-	81.6	80.2
Ga.	-	*	-	0.5	1.7	7.5	30.2	38.4	51.3	39.5	14.9	12.4	1.8	1.7	0.1	*	-	-	81.3	80.1
Ala.	-	*	0.1	3.1	3.2	29.6	22.7	43.4	43.6	20.1	23.8	3.2	5.9	0.6	0.7	-	-	-	82.4	76.6
Miss.	-	*	0.1	1.0	3.4	16.1	26.4	48.2	43.0	27.0	20.9	7.0	5.1	0.7	1.1	*	-	-	82.0	78.3
Tenn.	-	0.1	0.1	1.7	3.9	22.0	35.7	49.7	45.0	23.4	13.6	2.8	1.6	0.3	0.1	-	-	-	80.7	77.2
Mo.	-	-	0.2	0.1	4.8	7.2	34.2	40.8	45.0	38.9	14.1	11.3	1.7	1.6	*	0.1	-	-	80.6	80.0
Ark.	-	*	0.1	0.1	3.5	4.4	28.9	33.7	46.0	45.0	18.5	15.5	2.7	1.2	0.3	0.1	-	-	81.4	80.8
La.	-	-	0.1	0.5	4.3	17.1	30.2	50.0	43.1	26.3	18.6	5.6	3.3	0.5	0.4	-	-	-	81.4	78.1
Okla.	3.8	1.3	24.3	8.8	33.8	26.7	25.0	37.0	9.6	18.1	2.6	6.7	0.8	0.9	0.1	0.5	-	*	73.3	76.4
Tex.	4.9	0.7	14.0	7.1	20.9	14.1	24.1	22.3	19.5	24.9	11.4	18.0	3.9	8.5	1.3	2.8	-	1.6	76.8	80.8
N. Mex.	0.1	*	0.4	*	1.0	0.6	4.7	1.7	18.8	8.3	38.1	31.7	27.3	39.2	9.6	15.9	-	2.6	87.5	90.3
Ariz.	-	-	-	-	0.1	0.2	4.5	8.0	27.9	36.9	42.4	30.2	19.6	13.4	5.5	5.7	-	5.6	86.6	86.5
Calif.	-	-	-	-	*	*	0.4	0.2	5.7	2.2	21.5	6.7	34.5	16.5	37.9	32.0	-	42.4	91.5	98.0
U. S.	1.7	0.3	5.2	3.2	9.3	11.3	21.8	26.4	29.1	24.5	17.9	13.6	9.0	7.3	6.0	6.4	-	7.0	81.5	82.9

1/ Cotton having fiber strength of 100 Mpsi and higher was reported in the "95 & above" category in the 1966-67 season.  
 \* Less than 0.05 percent.

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68

Period	Zero Gage Fiber Strength (Mpsi)										Average strength	
	64 & below	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 & above	Mpsi		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
<u>RALEIGH</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	0.8	20.7	65.1	13.1	0.3	-	-	-	-	81.5
Nov.	-	-	5.1	44.5	43.9	6.3	0.2	-	-	-	-	79.6
After Nov. 30	-	-	9.6	55.2	32.6	2.6	-	-	-	-	-	78.4
Total crop	-	-	4.8	39.8	47.7	7.5	0.2	-	-	-	-	79.9
<u>COLUMBIA</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	3.1	24.2	51.3	19.6	1.2	0.6	-	-	-	81.5
Oct.	-	-	4.0	29.5	42.8	21.5	2.2	-	-	-	-	81.4
Nov.	-	0.5	12.0	40.2	37.5	9.1	0.7	-	-	-	-	79.2
After Nov. 30	-	0.4	15.8	40.3	32.9	10.2	0.4	-	-	-	-	78.8
Total crop	-	0.2	8.6	34.8	40.1	15.1	1.2	*	-	-	-	80.2
<u>AUGUSTA</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	0.9	8.8	39.6	40.0	9.2	1.5	-	-	-	-	79.6
Oct.	-	-	2.8	32.3	46.6	16.1	2.2	-	-	-	-	81.2
Nov.	-	0.2	9.1	49.0	34.1	6.3	1.1	0.2	-	-	-	79.1
After Nov. 30	0.4	0.8	16.0	44.5	32.1	5.8	0.4	-	-	-	-	78.3
Total crop	*	0.3	6.2	38.3	41.8	11.7	1.7	*	-	-	-	80.2
<u>ATLANTA</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	1.0	10.9	45.4	34.3	7.5	0.9	-	-	-	-	79.0
Oct.	-	0.1	4.3	31.1	42.7	19.2	2.6	*	-	-	-	81.2
Nov.	-	0.8	9.1	37.8	38.7	11.6	1.9	-	0.1	-	-	79.9
After Nov. 30	-	0.9	11.6	41.6	35.7	9.2	0.9	0.1	-	-	-	79.2
Total crop	-	0.6	8.0	38.7	38.3	12.6	1.8	*	-	-	-	80.0

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	Zero Gage Fiber Strength (Mpsi)										Average strength	
	64 & below	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 & above			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	
<u>BIRMINGHAM</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	4.9	47.5	39.1	5.1	-	3.4	-	-	-	-	75.1
Oct.	0.2	3.6	40.8	41.4	12.7	1.3	-	-	-	-	-	75.3
Nov.	-	6.3	46.4	41.1	5.8	0.4	-	-	-	-	-	74.3
After Nov. 30	0.9	5.7	43.4	39.8	9.2	0.8	0.2	-	-	-	-	74.7
Total crop	0.1	5.6	44.7	40.9	7.9	0.6	0.2	-	-	-	-	74.6
<u>MONTGOMERY</u>												
Prior to Sept. 1	-	0.6	15.7	40.9	38.6	3.6	0.6	-	-	-	-	78.5
Sept.	-	1.2	20.0	47.6	28.7	2.3	0.2	-	-	-	-	77.5
Oct.	-	2.1	23.3	44.8	23.1	5.6	1.1	-	-	-	-	77.5
Nov.	-	3.0	27.4	41.2	23.9	4.0	0.5	-	-	-	-	77.0
After Nov. 30	-	4.9	37.2	42.2	14.2	1.4	0.1	-	-	-	-	75.5
Total crop	-	2.2	24.3	44.4	24.1	4.3	0.7	-	-	-	-	77.3
<u>GREENWOOD</u>												
Prior to Sept. 1	-	-	-	21.3	32.8	21.3	24.6	-	-	-	-	84.3
Sept.	-	0.2	0.4	12.5	38.0	40.5	8.0	0.4	-	-	-	84.1
Oct.	-	0.2	7.7	43.9	35.2	11.6	1.4	-	-	-	-	79.8
Nov.	-	0.6	15.2	54.7	26.2	3.2	0.1	-	-	-	-	78.0
After Nov. 30	-	0.8	15.0	50.5	29.1	4.5	0.1	-	-	-	-	78.1
Total crop	-	0.3	11.2	48.2	31.1	8.4	0.8	*	-	-	-	79.0
<u>JACKSON</u>												
Prior to Sept. 1	-	-	1.6	21.5	58.3	18.6	-	-	-	-	-	81.5
Sept.	-	0.2	8.1	48.2	35.9	7.2	0.4	-	-	-	-	79.1
Oct.	-	2.3	29.7	54.0	12.6	1.4	-	-	-	-	-	76.2
Nov.	-	4.8	44.6	42.9	7.3	0.4	-	-	-	-	-	74.8
After Nov. 30	0.2	5.6	38.4	45.8	9.3	0.7	-	-	-	-	-	74.9
Total crop	*	2.9	31.6	49.2	14.3	2.0	*	-	-	-	-	76.2

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	Zero Gage Fiber Strength (Mpsi)										Average strength
	64 & below	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 & above		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi
<u>MEMPHIS</u>											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	0.9	16.9	51.3	26.3	4.2	0.3	-	-	0.1	77.9
Nov.	0.1	2.8	28.9	48.9	17.2	1.9	0.2	*	-	-	76.3
After Nov. 30	0.1	4.8	32.3	49.5	12.1	1.0	0.2	-	-	-	75.6
Total crop	0.1	2.6	26.2	49.5	19.0	2.4	0.2	*	-	*	76.7
<u>HAYTI</u>											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	7.3	31.2	38.9	19.7	2.9	-	-	-	81.0
Nov.	-	0.1	6.4	43.4	39.6	9.2	1.2	0.1	-	-	79.8
After Nov. 30	-	1.0	16.7	50.5	28.2	3.6	-	-	-	-	78.0
Total crop	-	0.1	7.2	40.8	38.9	11.3	1.6	0.1	-	-	80.0
<u>ELYTHEVILLE</u>											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	3.1	12.5	54.7	26.6	3.1	-	-	-	-	77.6
Oct.	-	-	2.5	21.9	45.9	25.2	4.1	0.4	-	-	82.3
Nov.	0.1	0.1	5.9	35.6	46.2	11.2	0.9	-	-	-	80.3
After Nov. 30	-	0.5	14.5	48.9	32.2	3.9	-	-	-	-	78.3
Total crop	0.1	0.1	5.6	33.1	45.8	13.8	1.5	*	-	-	80.7
<u>LITTLE ROCK</u>											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	0.7	13.5	54.8	26.3	4.7	-	-	-	83.0
Oct.	-	-	2.2	23.7	45.4	24.9	3.4	0.4	-	-	82.2
Nov.	-	-	3.7	37.1	46.5	12.5	0.2	-	-	-	80.4
After Nov. 30	-	0.2	7.3	44.2	41.5	6.7	0.1	-	-	-	79.3
Total crop	-	*	3.3	32.8	46.0	16.5	1.2	0.2	-	-	81.0



Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	Zero Gage Fiber Strength (Mpsi)										Average strength	
	64 & below	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 & above	Mpsi		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
<u>WINNSBORO</u>												
Prior to Sept. 1	-	-	-	-	77.6	-	22.4	-	-	-	-	82.5
Sept.	-	0.2	5.8	29.5	48.2	-	13.7	2.6	-	-	-	80.8
Oct.	-	0.3	13.8	51.6	28.5	-	5.7	0.1	-	-	-	78.3
Nov.	-	0.5	23.0	55.2	19.6	-	1.7	-	-	-	-	77.0
After Nov. 30	-	-	18.5	60.9	20.0	-	0.6	-	-	-	-	77.2
Total crop	-	0.4	16.2	50.7	27.3	-	5.1	0.3	-	-	-	78.1
<u>ALEXANDRIA</u>												
Prior to Sept. 1	-	1.6	20.3	46.3	25.8	-	4.8	1.2	-	-	-	77.9
Sept.	-	1.5	17.0	41.5	28.8	-	10.1	1.1	-	-	-	78.7
Oct.	-	0.6	16.9	46.6	26.8	-	8.0	1.1	-	-	-	78.4
Nov.	-	0.4	22.6	55.1	18.4	-	2.9	0.6	-	-	-	77.2
After Nov. 30	-	0.6	19.2	58.0	21.4	-	0.8	-	-	-	-	77.1
Total crop	-	0.7	18.4	47.9	25.0	-	7.0	1.0	-	-	-	78.1
<u>ALTUS</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	8.7	25.0	36.7	-	13.3	4.6	-	-	11.7	84.1
Oct.	0.5	3.7	24.5	35.1	22.6	-	9.9	2.1	0.9	0.7	0.6	78.2
Nov.	0.8	9.5	24.7	37.0	18.5	-	6.7	1.7	0.5	0.6	0.2	76.7
After Nov. 30	1.7	8.3	24.2	33.4	21.2	-	8.4	2.6	0.2	*	0.2	77.0
Total crop	1.1	8.0	24.7	36.0	20.0	-	7.6	2.0	0.4	0.2	0.2	77.1
<u>DALLAS</u>												
Prior to Sept. 1	-	-	2.8	33.7	41.4	-	14.9	6.0	0.8	0.4	-	81.6
Sept.	-	0.4	2.2	25.2	47.1	-	19.7	5.0	0.4	-	-	82.0
Oct.	*	0.9	17.2	42.1	30.8	-	8.1	0.8	0.1	-	-	78.6
Nov.	-	3.4	20.1	38.6	27.3	-	8.1	1.6	0.9	-	-	78.1
After Nov. 30	0.5	8.7	19.8	36.9	21.4	-	9.7	3.0	-	-	-	77.6
Total crop	*	1.6	12.3	35.7	35.2	-	11.8	2.9	0.4	0.1	0.1	79.7

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	Zero Gage Fiber Strength (Mpsi)										Average strength
	64 & below Pct.	65-69 Pct.	70-74 Pct.	75-79 Pct.	80-84 Pct.	85-89 Pct.	90-94 Pct.	95-99 Pct.	100 & above Pct.	Mpsi	
	<u>AUSTIN</u>										
Prior to Sept. 1	-	-	0.6	5.4	27.7	33.0	22.3	9.7	1.3	87.2	
Sept.	-	0.2	1.2	18.8	43.6	25.5	8.7	1.7	0.3	83.4	
Oct.	0.1	1.8	7.9	36.9	37.3	13.6	1.9	0.3	0.2	80.1	
Nov.	-	3.5	15.3	38.5	28.4	10.8	3.2	0.4	-	78.9	
After Nov. 30	0.6	12.3	18.3	33.2	23.8	8.5	0.6	0.3	2.4	77.7	
Total crop	*	0.6	2.7	16.0	34.1	26.4	14.1	5.3	0.8	84.5	
	<u>CORPUS CHRISTI</u>										
Prior to Sept. 1	0.1	0.5	3.5	15.9	27.7	32.3	16.1	3.1	0.8	84.6	
Sept.	-	-	2.5	28.5	35.9	23.1	10.0	-	-	82.4	
Oct.	-	-	9.8	17.6	29.4	33.4	9.8	-	-	82.2	
Nov.	-	-	-	-	-	-	-	-	-	-	
After Nov. 30	-	-	-	-	-	-	-	-	-	-	
Total crop	0.1	0.5	3.5	16.0	27.8	32.1	16.1	3.1	0.8	84.6	
	<u>HARLINGEN</u>										
Prior to Sept. 1	-	*	0.7	10.6	36.6	36.0	14.3	1.7	0.1	84.9	
Sept.	-	-	1.7	17.7	48.1	25.6	5.6	1.3	-	83.1	
Oct.	-	1.5	1.5	23.8	52.2	15.0	3.0	1.5	1.5	81.9	
Nov.	-	-	-	-	-	-	-	-	-	-	
After Nov. 30	-	-	-	-	-	-	-	-	-	-	
Total crop	-	*	0.7	11.0	37.4	35.3	13.8	1.7	0.1	84.8	
	<u>ABILENE</u>										
Prior to Sept. 1	-	-	-	-	100.0	-	-	-	-	81.6	
Sept.	-	-	8.2	16.9	17.1	19.2	16.8	10.0	11.8	86.8	
Oct.	0.5	6.5	25.3	28.4	17.4	8.9	7.9	3.4	1.7	79.1	
Nov.	0.8	14.7	27.1	34.8	13.6	4.2	2.8	1.4	0.6	76.0	
After Nov. 30	3.6	20.0	34.0	28.7	9.9	2.7	0.5	0.4	0.2	73.7	
Total crop	2.1	15.7	30.1	30.6	12.6	4.4	2.6	1.3	0.6	75.5	

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	Zero Gage Fiber Strength (Mpsi)										Average strength Mpsi	
	64 & below	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 & above			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
<u>LUBBOCK</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	6.8	30.8	17.3	17.3	7.0	7.0	13.8	13.8	86.4	-
Oct.	0.1	4.1	7.7	13.0	17.2	12.7	15.7	9.8	19.7	19.7	88.7	-
Nov.	1.0	10.9	16.5	22.7	22.9	14.0	6.2	3.0	2.8	2.8	79.8	-
After Nov. 30	1.4	11.5	21.9	26.1	23.2	11.7	2.5	1.1	0.6	0.6	77.7	-
Total crop	1.1	10.8	18.0	23.5	23.1	13.0	5.2	2.6	2.7	2.7	79.5	-
<u>EL PASO</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	0.7	11.1	2.9	12.1	34.7	29.3	9.2	9.2	91.7	-
Oct.	-	-	0.1	1.0	13.2	39.8	34.4	10.1	1.4	1.4	89.2	-
Nov.	-	-	0.3	1.6	12.6	41.7	35.0	8.6	0.2	0.2	88.8	-
After Nov. 30	-	-	0.4	5.3	21.3	42.5	23.2	4.2	3.1	3.1	87.4	-
Total crop	-	-	0.2	1.8	13.6	39.9	33.9	9.4	1.2	1.2	89.0	-
<u>CARLSBAD</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	0.7	0.3	2.2	14.9	37.3	29.6	15.0	15.0	93.7	-
Oct.	-	*	0.2	1.4	9.7	28.0	38.2	18.4	4.1	4.1	90.7	-
Nov.	-	0.1	1.0	2.0	8.5	32.2	39.8	12.2	4.2	4.2	90.2	-
After Nov. 30	0.1	0.8	1.8	6.3	15.5	37.3	27.9	7.3	3.0	3.0	88.0	-
Total crop	*	0.1	0.7	2.1	9.8	30.1	37.3	15.4	4.5	4.5	90.3	-
<u>PHOENIX</u>												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	2.3	28.2	42.5	13.6	6.1	7.3	7.3	87.9	-
Oct.	-	-	0.1	7.7	38.9	29.1	14.6	5.0	4.6	4.6	86.3	-
Nov.	-	-	0.4	7.8	40.5	30.5	8.9	7.2	4.7	4.7	86.0	-
After Nov. 30	-	-	0.8	13.9	37.1	18.1	10.1	5.8	14.2	14.2	87.4	-
Total crop	-	-	0.2	8.4	39.0	28.4	11.9	5.9	6.2	6.2	86.4	-

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	Zero Gage Fiber Strength (Mpsi)										Average strength
	64 & below	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 & above		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi
<u>FRESNO</u>											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	-	-	0.9	9.2	28.9	61.0	101.1	-
Nov.	-	-	-	-	0.9	4.2	22.2	35.7	37.0	97.9	-
After Nov. 30	-	-	-	0.9	5.1	18.0	36.4	27.3	12.3	93.1	-
Total crop	-	-	-	*	0.7	3.8	17.8	32.5	45.2	98.9	-
<u>BAKERSFIELD</u>											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	18.8	81.2	102.2	-
Oct.	-	-	-	-	-	1.6	7.9	33.8	56.7	100.3	-
Nov.	-	-	-	-	0.2	3.8	16.2	39.3	40.5	96.3	-
After Nov. 30	-	-	-	-	1.5	17.1	40.0	33.4	8.0	93.5	-
Total crop	-	-	-	-	0.1	3.5	13.6	36.1	46.7	99.0	-
<u>EL CENTRO</u>											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	1.4	23.9	47.3	24.3	2.8	0.3	87.2	-
Oct.	-	-	0.3	4.9	34.8	42.8	10.7	2.9	3.6	86.2	-
Nov.	-	-	0.3	2.7	18.2	37.5	24.9	10.5	5.9	89.1	-
After Nov. 30	-	*	0.7	4.6	21.0	32.0	19.6	13.5	8.6	89.0	-
Total crop	-	*	0.5	3.7	23.0	37.3	20.1	9.5	5.9	88.4	-

\* Less than 0.05 percent.

Table 15. -- Grade and staple of American-Egyptian cotton ginned, by states and United States, 1967-68

Grade	Ginnings						Percentages					
	1-1/4 inches and shorter (40)	1-5/16 inches (42)	1-3/8 inches (44)	1-7/16 inches (46)	1-1/2 inches and longer (48)	All staples	1-1/4 inches and shorter (40)	1-5/16 inches (42)	1-3/8 inches (44)	1-7/16 inches (46)	1-1/2 inches and longer (48)	All staples
Code	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent
<u>TEXAS</u>												
1 (10)	-	-	90	-	-	90	-	-	0.4	-	-	0.3
2 (20)	-	-	4,859	50	-	4,909	-	-	24.1	1.4	-	18.2
3 (30)	-	44	9,615	1,437	-	11,096	-	1.6	47.9	41.1	-	41.3
4 (40)	-	-	4,173	1,797	-	5,970	-	-	20.7	51.5	-	22.1
5 (50)	11	281	1,151	211	-	1,654	1.7	10.4	5.7	6.0	-	6.1
6 (60)	49	590	181	-	-	820	7.5	21.9	0.9	-	-	3.0
7 (70)	141	680	48	-	-	869	21.6	25.4	0.2	-	-	3.2
8 (80)	23	466	27	-	-	516	3.5	17.3	0.1	-	-	1.9
9 (90)	53	359	-	-	-	412	8.1	13.3	-	-	-	1.5
10 (00)	376	271	-	-	-	647	57.6	10.1	-	-	-	2.4
All grades	653	2,691	20,144	3,495	-	26,983	100.0	100.0	100.0	100.0	-	100.0
<u>NEW MEXICO</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	1,059	20	-	1,079	-	-	19.6	2.1	-	16.5
3 (30)	-	-	2,689	427	-	3,116	-	-	49.7	45.9	-	47.7
4 (40)	-	-	1,280	474	-	1,754	-	-	23.7	50.9	-	26.9
5 (50)	-	30	322	10	-	362	-	16.7	6.0	1.1	-	5.6
6 (60)	-	41	53	-	-	94	-	22.7	1.0	-	-	1.4
7 (70)	-	30	-	-	-	30	-	16.7	-	-	-	0.5
8 (80)	-	37	-	-	-	37	-	20.5	-	-	-	0.6
9 (90)	-	23	-	-	-	23	-	12.8	-	-	-	0.4
10 (00)	7	19	-	-	-	26	100.0	10.6	-	-	-	0.4
All grades	7	180	5,403	931	-	6,521	100.0	100.0	100.0	100.0	-	100.0
<u>ARIZONA</u>												
1 (10)	-	-	53	10	-	63	-	-	0.2	0.1	-	0.2
2 (20)	-	-	1,709	292	-	2,001	-	-	7.1	3.5	-	5.8
3 (30)	-	53	9,524	3,465	-	13,042	-	3.4	39.6	41.5	-	37.9
4 (40)	-	82	7,843	3,678	-	11,603	-	5.3	32.5	43.9	-	33.7
5 (50)	7	288	3,563	774	-	4,632	1.8	18.6	14.8	9.3	-	13.5
6 (60)	-	282	788	89	-	1,159	-	18.2	3.3	1.1	-	3.4
7 (70)	7	312	470	41	-	830	1.8	20.3	1.9	0.5	-	2.4
8 (80)	69	220	124	10	-	423	17.5	14.2	0.5	0.1	-	1.2
9 (90)	92	153	31	-	-	276	23.3	9.9	0.1	-	-	0.8
10 (00)	220	157	10	-	-	387	55.6	10.1	*	-	-	1.1
All grades	395	1,547	24,115	8,359	-	34,416	100.0	100.0	100.0	100.0	-	100.0
<u>CALIFORNIA</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	10	-	-	10	-	-	2.8	-	-	2.5
3 (30)	-	-	10	-	-	10	-	-	2.8	-	-	2.5
4 (40)	-	10	141	-	-	151	-	32.3	38.8	-	-	37.6
5 (50)	-	-	128	-	-	128	-	-	35.4	-	-	31.8
6 (60)	-	-	63	-	-	63	-	-	17.4	-	-	15.7
7 (70)	-	11	10	-	-	21	-	35.4	2.8	-	-	5.2
8 (80)	-	-	-	-	-	-	-	-	-	-	-	-
9 (90)	-	10	-	-	-	10	-	32.3	-	-	-	2.5
10 (00)	9	-	-	-	-	9	100.0	-	-	-	-	2.2
All grades	9	31	362	-	-	402	100.0	100.0	100.0	-	-	100.0
<u>UNITED STATES</u>												
1 (10)	-	-	143	10	-	153	-	-	0.3	0.1	-	0.2
2 (20)	-	-	7,637	362	-	7,999	-	-	15.3	2.8	-	11.7
3 (30)	-	97	21,838	5,329	-	27,264	-	2.2	43.5	41.7	-	39.9
4 (40)	-	92	13,437	5,949	-	19,478	-	2.1	26.9	46.5	-	28.5
5 (50)	18	599	5,164	995	-	6,778	1.7	13.5	10.3	7.8	-	9.9
6 (60)	49	913	1,085	89	-	2,136	4.6	20.5	2.2	0.7	-	3.1
7 (70)	148	1,033	528	41	-	1,750	13.9	23.2	1.1	0.3	-	2.6
8 (80)	92	723	151	10	-	976	8.6	16.3	0.3	0.1	-	1.4
9 (90)	145	545	31	-	-	721	13.6	12.2	0.1	-	-	1.1
10 (00)	612	447	10	-	-	1,069	57.6	10.0	*	-	-	1.6
All grades	1,064	4,449	50,024	12,785	-	68,322 1/2	100.0	100.0	100.0	100.0	-	100.0

1/2 As reported by the Bureau of the Census, running bales.

\* Less than 0.05 percent.

Table 16. -- Grade and staple of American-Egyptian cotton ginned in the United States, during specified periods, 1967-68

Grade and staple	Code	Ginnings					Total Crop
		Prior to Sept. 1	September	October	November	After Nov. 30	
		<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
1	(10)	-	20	63	60	10	153
2	(20)	-	49	1,595	5,685	670	7,999
3	(30)	-	-	6,360	17,098	3,806	27,264
4	(40)	-	-	3,931	9,293	6,254	19,478
5	(50)	-	-	870	1,665	4,241	6,776
6	(60)	-	-	43	398	1,695	2,136
7	(70)	-	-	40	327	1,383	1,750
8	(80)	-	-	11	31	934	976
9	(90)	-	-	-	31	690	721
10	(00)	-	-	11	10	1,048	1,069
All grades		-	69	12,924	34,598	20,731	68,322 <sup>1/</sup>
		<u>Staple (inches)</u>					
1-1/4 and shorter	(40)	-	-	-	86	978	1,064
1-5/16	(42)	-	-	94	399	3,956	4,449
1-3/8	(44)	-	69	11,323	24,809	13,823	50,024
1-7/16	(46)	-	-	1,507	9,304	1,974	12,785
1-1/2 and longer	(48)	-	-	-	-	-	-
All staples		-	69	12,924	34,598	20,731	68,322 <sup>1/</sup>
		<u>Grade</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
1	(10)	-	29.0	0.5	0.2	*	0.2
2	(20)	-	71.0	12.3	16.4	3.2	11.7
3	(30)	-	-	49.3	49.4	18.4	39.9
4	(40)	-	-	30.4	26.9	30.1	28.5
5	(50)	-	-	6.7	4.8	20.5	9.9
6	(60)	-	-	0.3	1.2	8.2	3.1
7	(70)	-	-	0.3	0.9	6.7	2.6
8	(80)	-	-	0.1	0.1	4.5	1.4
9	(90)	-	-	-	0.1	3.3	1.1
10	(00)	-	-	0.1	*	5.1	1.6
All grades		-	100.0	100.0	100.0	100.0	100.0
		<u>Staple (inches)</u>					
1-1/4 and shorter	(40)	-	-	-	0.2	4.7	1.6
1-5/16	(42)	-	-	0.7	1.2	19.1	6.5
1-3/8	(44)	-	100.0	87.6	71.7	66.7	73.2
1-7/16	(46)	-	-	11.7	26.9	9.5	18.7
1-1/2 and longer	(48)	-	-	-	-	-	-
All staples		-	100.0	100.0	100.0	100.0	100.0

<sup>1/</sup> As reported by the Bureau of the Census, running bales.

\* Less than 0.05 percent.

Average grade.... 3.8

Average staple... 44.2

Table 17. -- Percentage distribution of micronaire readings for American-Egyptian cotton ginned in the United States, by states, 1967-68 with comparisons

Readings	State									
	Texas		New Mexico		Arizona		California		United States	
	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967
	Percent		Percent		Percent		Percent		Percent	
2.4 and below	-	-	0.1	-	-	-	-	-	*	-
2.5	*	0.1	0.2	-	-	-	-	-	*	*
2.6	0.6	-	1.2	0.3	*	*	-	-	0.4	*
2.7	1.0	0.5	1.4	0.2	*	*	-	-	0.5	0.2
2.8	2.3	0.4	3.4	0.9	0.2	0.3	1.4	-	1.3	0.4
2.9	2.6	1.0	4.3	0.8	0.8	0.4	-	-	1.9	0.7
3.0	4.8	2.2	5.2	2.1	2.3	2.2	-	2.2	3.6	2.2
3.1	5.0	2.9	7.3	1.5	2.2	1.7	-	-	3.8	2.2
3.2	6.8	3.9	10.2	2.7	4.0	3.4	1.4	-	5.7	3.5
3.3	7.2	4.4	9.7	4.8	3.9	3.4	9.6	2.5	5.8	3.9
3.4	9.8	6.2	11.2	8.0	7.3	6.8	10.8	-	8.7	6.6
3.5	8.7	9.1	7.5	9.2	5.8	7.1	12.5	5.0	7.1	8.1
3.6	11.9	9.9	7.0	11.9	13.0	8.9	15.3	20.1	12.0	9.6
3.7	8.2	11.4	7.8	10.9	10.0	11.4	13.5	20.7	9.1	11.4
3.8	10.8	11.4	9.5	13.3	13.5	12.8	14.0	17.2	12.2	12.5
3.9	7.5	11.7	4.6	8.4	10.3	12.8	12.8	12.4	8.6	11.9
4.0	6.3	8.9	4.1	9.9	11.8	11.4	-	10.2	8.8	10.3
4.1	2.7	6.8	2.2	5.6	7.0	8.9	4.3	7.5	4.8	7.7
4.2	2.6	4.4	1.5	4.9	4.8	5.0	2.9	2.2	3.6	4.7
4.3	0.9	2.7	0.9	3.0	1.7	2.2	1.5	-	1.3	2.5
4.4	0.3	1.4	0.7	1.4	0.9	0.8	-	-	0.7	1.1
4.5	-	0.4	-	-	0.3	0.3	-	-	0.1	0.3
4.6	-	0.3	-	0.2	0.1	0.1	-	-	*	0.2
4.7	-	*	-	-	0.1	0.1	-	-	*	*
4.8	-	-	-	-	-	-	-	-	-	-
4.9	-	-	-	-	-	-	-	-	-	-
5.0 and above	-	-	-	-	-	-	-	-	-	-
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average mike	3.5	3.7	3.4	3.7	3.7	3.7	3.7	3.8	3.6	3.7

\* Less than 0.05 percent.

