

Don Ethridge

OCT 21 1974

COTTON QUALITY CROP OF 1973



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

Vol. 47, No. 9

October 1974

CONTENTS

	<u>Table No.</u>	<u>Page No.</u>
Introduction.		1
Map of Smith-Dixey Cotton Classing Office Territories		2
<u>UPLAND COTTON GINNED IN THE UNITED STATES</u>		
Grade and Staple Length		
1973-74	1	3
1972-73	2	4
During Specified Periods, 1973-74	3	5
By States, 1973-74.	8	9-23
During Specified Periods by States, 1973-74	9	24-31
By Classing Office Territories, 1973-74	10	32-45
Preparation and Grade Reductions		
United States and by States, 1973-74.	4	6
Grade Index and Average Staple		
United States and by States, 1970-1973.	5	7
Tenderability		
By States, 1973-74.	6	8
United States, 1956-1973.	7	8
Micronaire Readings		
United States and by States, 1973-74.	11	46
During Specified Periods, United States and by States, 1973-74.	12	47-50
By Classing Office Territories, 1973-74	13	51
Fiber Strength		
United States and by States, 1973-74.	14	52
During Specified Periods, United States and by States, 1973-74.	15	53-55
By Classing Office Territories, 1973-74	16	56
<u>AMERICAN PIMA COTTON GINNED IN THE UNITED STATES</u>		
Grade and Staple Length		
United States and by States, 1973-74.	17	57
During Specified Periods, 1973-74	18	58
Micronaire Readings		
United States and by States, 1973-74.	19	59

Cotton Quality - United States

1973 Crop

Introduction

The quality of cotton ginned in the United States from the 1973 crop is presented in this report. These quality estimates are based on the classification of samples representing approximately ten percent of the 1973 crop. The sample distributions of the various qualities of upland and American Pima cotton were raised to total ginnings as reported by the Bureau of the Census.

Quality statistics on the grade, staple, mike and fiber strength of the 1973 crop, by Smith-Doxey cotton classing office territories, by major cotton-producing states and by specified periods are presented in this report.

A report covering the qualities of cotton on hand in the United States on August 1, 1974, by principal types of storage, was released in mid-September. In addition to quality estimates of cotton in the carryover, this report included quality data on the crop, supply and disappearance of upland cotton for the 1973-74 season with comparative data for preceding years.

Upland cotton ginned from the 1973 crop contained the largest proportion of higher grades in six years, according to the Department of Agriculture, Agricultural Marketing Service. Cotton in the lengths 34 and longer comprised a slightly smaller proportion of ginnings. Close to one-fourth of the 1973 crop stapled 31 and shorter, the largest proportion of these lengths since the 1966 crop. The 1973 crop contained a larger proportion of cotton miking in the 3.5-4.9 range than a year earlier. Fiber test results indicate that the 1973 crop averaged somewhat stronger than that of a year ago.

Grade Index Up Sharply

The grade index of the 1973 crop was 92.3 (grade 31=100). This compares with 89.2 a year earlier and is the highest grade index since 1968. Cotton grading in the 31 and higher White categories accounted for nearly 19 percent of the 1973-74 season total. This is up sharply from the preceding crop's eight percent and is the largest proportion of any crop since 1967. Grade 41 accounted for 39 percent of ginnings, the largest percentage of this grade in any crop on record. The lower White and the Light Spotted grades comprised smaller proportions of the 1973 crop than a year earlier.

Shorter Average Staple

The average staple length of upland cotton ginned from the 1973 crop was 33.3 thirty-seconds inches, the shortest since 1966. The 1972 average was 33.5 thirty-seconds and two years ago, the average was 33.8. The shorter lengths, staples 31 and shorter, accounted for 24 percent of the 1973 crop against 16 percent a year earlier. About 16 percent of total ginnings was in the two staples 32 and 33 compared with 19 percent in the previous crop. Ginnings of cotton stapling 34 and longer accounted for about 60 percent of the 1973 crop against 65 percent last year and 73 percent two years ago.

American Pima - High Quality


American Pima cotton ginned from the 1973 crop contained a substantially larger proportion of the higher grades than a year earlier. There was a slight increase in the percentage of longer staples. Grade 3 and higher accounted for 50 percent of total ginnings against the preceding year's eight percent. The staples 46 and longer comprised a little over four percent of this year's crop which was up slightly from a year ago.

Cotton Ginnings

Cotton ginned from the 1973 crop totaled 12,611,000 bales, according to the Bureau of the Census. This compares with the 1972 crop of 13,269,000 bales. The 1973 American Pima crop totaled 78,100 bales against the 1972 crop of 93,900 bales.

October 18, 1974

DISTRIBUTION OF COTTON PRODUCTION: UNITED STATES



EACH DOT REPRESENTS 5,000 BALES
GINNINGS FROM 1972 CROP

U.S. DEPARTMENT OF AGRICULTURE

Table 2. -- Grade and staple of upland cotton ginned in the United States, 1972-73 1/2

Grade	Code	Staple Code (32nd inches)														All staples			
		26 and shorter	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent			
White:																			
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	109	0.2
S.M.	(21)	-	64	241	118	144	1,332	6,160	12,597	3,633	719	11	-	-	-	-	-	25,019	0.2
M*	(31)	-	-	57	-	-	-	21	100	48	-	-	-	-	-	-	-	238	0.2
M.	(41)	108	1,906	18,554	27,068	18,691	32,880	196,694	464,726	301,354	15,153	542	-	-	-	-	-	1,077,676	8.2
S.L.M.+	(51)	-	45	371	695	690	2,188	21,033	75,164	91,822	5,928	522	-	-	-	-	-	198,177	1.5
S.L.M.	(61)	-	131	4,005	56,779	172,549	256,652	304,379	1,913,768	1,199,977	341,073	39,069	2,652	11	111	4,271,146	32.3	1,771,146	15.5
L.M.+	(71)	-	12	90	1,102	2,846	5,949	10,738	87,623	66,071	18,264	2,778	180	41	195,694	1.5	1,956,994	15.5	
L.M.	(81)	86	2,280	31,353	115,349	191,357	352,566	1,295,043	613,257	79,372	4,669	399	14	36	2,685,781	20.4	1,435,959	11.2	
S.O.O.+	(91)	-	11	132	235	675	1,479	6,666	4,381	65	-	-	-	-	-	-	-	14,359	0.1
S.O.O.	(01)	27	660	5,640	15,568	31,455	94,469	181,341	81,627	12,000	224	7	14	27	421,079	3.2	727	0.6	
O.O.+	(11)	-	-	-	66	37	50	206	354	-	-	-	-	-	-	-	-	727	0.6
O.O.	(21)	8	91	1,268	1,500	6,865	14,295	24,295	16,454	1,626	11	65	-	-	-	-	-	66,498	0.5
Total		372	9,132	115,501	333,924	492,527	814,415	3,732,904	2,534,732	849,567	66,648	4,378	39	224	9,956,903	67.9	-	-	
Light Spotted:																			
G.M.	(12)	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19	0.2
S.M.	(22)	21	145	379	345	126	346	982	412	90	-	-	-	-	-	-	-	2,648	0.2
M.	(32)	564	9,596	94,327	119,369	83,353	42,389	72,078	36,971	16,209	4,602	127	-	-	-	-	-	480,878	3.7
S.L.M.	(42)	17	623	15,683	178,095	358,325	302,938	217,419	534,932	161,164	31,741	5,347	190	14	44	1,607,134	13.7	1,607,134	13.7
L.M.	(52)	282	7,251	78,843	169,057	144,325	127,852	215,854	61,632	7,928	458	9	-	-	-	-	-	813,701	6.2
Total		38	1,490	32,694	352,244	647,236	530,756	386,206	824,746	260,379	55,968	10,407	326	14	76	3,104,560	23.6	-	-
Spotted:																			
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	29	364	142	65	62	22	100	12	-	-	-	-	-	-	-	836	0.2
M.	(33)	12	232	7,045	40,258	24,731	10,640	7,179	6,027	2,570	807	34	-	-	-	-	-	99,535	0.8
S.L.M.	(43)	8	807	27,683	119,904	85,520	45,451	32,109	39,469	10,060	1,732	125	-	-	-	-	-	362,868	2.8
L.M.	(53)	47	760	14,047	62,680	57,329	34,942	29,241	29,326	7,080	808	78	-	-	-	-	-	235,374	1.8
Total		67	1,799	46,804	223,226	167,722	91,136	66,591	73,844	19,618	3,359	237	-	-	-	-	-	698,613	5.4
Tinged:																			
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	14	44	-	-	-	-	-	-	-	-	-	-	-	-	-	58	0.2
M.	(34)	6	305	5,650	15,539	4,744	1,146	392	338	136	54	-	-	-	-	-	-	28,312	0.2
S.L.M.	(44)	1	1,387	34,057	61,336	16,890	4,145	1,577	1,056	271	56	-	-	-	-	-	-	120,790	0.9
L.M.	(54)	43	829	11,374	18,315	6,079	1,938	1,267	874	276	26	10	-	-	-	-	-	41,032	0.3
Total		59	2,921	51,095	95,234	27,713	7,229	3,248	2,268	604	135	10	-	-	-	-	-	190,204	1.4
Stained:																			
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	0.2
M.	(35)	-	61	171	133	59	-	-	38	-	-	-	-	-	-	-	-	474	0.2
Total		-	61	179	133	59	-	-	38	-	-	-	-	-	-	-	-	462	0.2
Light Gray:																			
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	51	144	495	5,579	21,147	13,610	1,010	96	-	-	-	-	-	-	-	1,747	0.2
S.L.M.	(46)	-	21	154	109	1,953	17,506	15,562	19,679	2,143	-	-	-	-	-	-	-	42,842	0.3
Total		-	35	205	267	2,448	23,321	37,481	33,904	4,055	-	-	-	-	-	-	-	57,127	0.4
Gray:																			
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	63	22	66	380	754	683	70	-	-	-	-	-	-	-	-	2,268	0.2
S.L.M.	(47)	-	106	16	225	1,691	1,964	3,004	51	-	-	-	-	-	-	-	-	7,137	0.1
Total		-	169	38	391	2,071	2,718	3,674	121	-	-	-	-	-	-	-	-	9,362	0.1
Below Grade																			
		222	4,903	14,877	15,252	10,752	21,098	18,592	20,007	7,675	535	30	30	-	-	-	-	114,042	0.9
All grades		366	11,206	156,636	601,964	1,187,711	1,145,587	1,318,444	4,694,006	2,861,066	913,860	79,332	4,794	53	337	13,179,522	100.0	-	-
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		0.1	1.2	6.1	9.0	8.7	10.0	35.7	21.7	6.9	0.6	0.6	0.6	0.6	0.6	0.6	0.6	100.0	100.0

1/ Revised.
 2/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Percentage rough preparation.... 89.2
 Grade index..... 33.5
 Average staple.....

Table 3. -- Grade and staple of upland cotton ginned in the United States, during specified periods, 1973-74

Grade and staple		Prior to Sept. 1	Sept.	Oct.	Nov.	Dec.	After Dec. 31	Total crop	Prior Sept. 1	Sept.	Oct.	Nov.	Dec.	After Dec. 31	Total crop	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
White:																
G.M.	(11)	-	-	47	32	-	-	79	-	-	-	-	-	-	-	
S.M.	(21)	109	2,329	32,175	19,467	3,974	2,006	60,060	0.1	0.6	0.7	0.5	0.2	0.2	0.5	
M.+	(30)	-	108	683	150	189	82	1,212	-	-	-	-	-	-	-	
M.	(31)	5,390	36,624	837,610	830,957	438,939	101,573	2,251,093	4.0	10.1	18.5	20.0	18.5	10.2	18.1	
S.L.M.+	(40)	595	3,547	101,738	68,250	16,472	2,675	193,277	0.4	1.0	2.3	1.6	0.7	0.3	1.5	
S.L.M.	(41)	37,220	116,794	1,956,551	1,629,732	783,905	319,247	4,853,449	27.7	32.5	43.6	39.3	33.3	32.1	38.9	
L.M.+	(50)	757	6,783	89,874	58,553	13,115	2,909	171,991	0.6	1.9	2.0	1.4	0.6	0.3	1.4	
L.M.	(51)	25,509	55,734	652,612	632,025	268,542	63,296	1,697,718	18.9	15.4	14.5	15.2	11.3	6.4	13.5	
S.G.O.+	(60)	55	514	6,837	6,641	2,074	506	16,627	-	0.1	0.2	0.2	0.1	0.1	0.1	
S.G.O.	(61)	2,983	8,606	46,930	63,555	52,695	26,576	201,345	2.2	2.4	1.0	1.5	2.2	2.7	1.6	
G.O.+	(70)	-	-	147	76	59	52	334	-	-	-	-	-	-	-	
G.O.	(71)	248	867	3,709	5,495	6,338	7,677	24,334	0.2	0.2	0.1	0.1	0.3	0.8	0.2	
Total		72,866	231,906	3,738,913	3,314,933	1,586,302	526,599	9,471,519	54.1	64.2	82.9	79.8	67.2	53.1	75.6	
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(22)	22	10	1,830	2,026	755	135	4,778	-	-	-	-	-	-	-	
M.	(32)	2,620	15,224	142,717	278,769	327,135	191,227	957,692	1.9	4.2	3.2	6.7	13.8	19.3	7.6	
S.L.M.	(42)	35,805	63,276	413,162	359,446	282,422	154,486	1,308,597	26.6	17.5	9.1	8.6	11.9	15.6	10.4	
L.M.	(52)	12,112	26,084	162,390	142,060	101,376	44,615	488,637	9.0	7.2	3.6	3.4	4.3	4.5	3.9	
Total		50,559	104,594	720,099	782,301	711,688	390,463	2,759,704	37.5	28.9	15.9	16.7	30.0	39.4	21.9	
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(23)	-	-	141	193	126	30	490	-	-	-	-	-	-	-	
M.	(33)	386	219	4,993	7,779	15,306	13,149	41,832	0.3	0.1	0.1	0.2	0.6	1.3	0.3	
S.L.M.	(43)	6,461	7,903	18,975	19,846	24,524	18,016	95,725	4.8	2.2	0.4	0.5	1.0	1.8	0.8	
L.M.	(53)	3,426	10,705	16,457	15,732	14,562	14,334	75,216	2.5	3.0	0.4	0.4	0.6	1.4	0.6	
Total		10,273	18,827	40,566	43,550	54,518	45,529	213,263	7.6	5.3	0.9	1.1	2.2	4.5	1.7	
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(24)	-	-	-	-	9	-	9	-	-	-	-	-	-	-	
M.	(34)	22	10	105	128	399	508	1,172	-	-	-	-	-	0.1	-	
S.L.M.	(44)	66	221	159	301	888	932	2,567	-	0.1	-	-	-	0.1	-	
L.M.	(54)	54	518	288	299	393	701	2,253	-	0.1	-	-	-	0.1	-	
Total		142	749	552	728	1,689	2,141	6,001	-	0.2	-	-	-	0.3	-	
Stained:																
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(35)	-	-	-	33	9	20	62	-	-	-	-	-	-	-	
Total		-	-	-	33	9	20	62	-	-	-	-	-	-	-	
Light Gray:																
G.M.	(16)	-	-	-	11	-	-	11	-	-	-	-	-	-	-	
S.M.	(26)	-	-	215	401	299	45	920	-	-	-	-	-	-	-	
M.	(36)	447	434	1,867	2,822	1,938	657	8,161	0.3	0.1	-	0.1	0.1	0.1	0.1	
S.L.M.	(46)	87	189	589	1,705	1,104	2,048	5,726	0.1	0.1	-	-	-	0.2	-	
Total		534	623	2,671	4,939	3,301	2,750	14,818	0.4	0.2	-	0.1	0.1	0.3	0.1	
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(27)	-	-	-	-	5	-	5	-	-	-	-	-	-	-	
M.	(37)	22	-	24	60	45	131	282	-	-	-	-	-	-	-	
S.L.M.	(47)	22	10	82	198	145	451	908	-	-	-	-	-	-	-	
Total		44	10	106	258	195	582	1,195	-	-	-	-	-	-	-	
Below Grade		547	4,448	12,880	13,088	11,991	23,385	66,339	0.4	1.2	0.3	0.3	0.5	2.4	0.5	
All grades		134,965	361,157	4,515,787	4,159,830	2,369,693	991,469	12,532,901	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Grade index		88.4	89.7	92.6	92.6	92.4	91.2	92.3	-	-	-	-	-	-	-	
Staple code (32nd inches)																
26 and shorter		-	-	679	1,089	289	419	2,476	-	-	-	-	-	-	-	
28		-	-	5,300	20,252	4,136	1,370	31,058	-	-	0.1	0.5	0.2	0.1	0.2	
29	34	319	22,312	140,235	66,008	11,406	242,314	-	0.1	0.5	3.4	2.9	1.2	1.9		
30	604	4,463	100,340	452,327	492,757	157,416	1,207,907	0.4	1.2	2.2	10.9	20.8	15.9	9.6		
31	4,290	36,923	195,348	458,485	568,390	311,485	1,534,921	3.2	10.2	3.4	11.0	23.8	31.4	12.2		
32	8,616	66,653	93,295	301,908	349,879	283,082	1,103,633	6.5	18.5	2.1	7.3	14.8	28.6	8.8		
33	16,738	50,387	235,745	280,763	159,983	97,722	841,338	12.4	14.0	5.2	6.7	6.8	9.9	6.7		
34	75,659	116,034	1,887,947	1,085,555	378,730	85,459	3,629,384	56.2	32.0	41.9	26.1	16.0	8.6	29.1		
35	28,769	54,893	1,681,203	1,090,608	293,486	31,505	3,180,464	21.3	15.2	37.2	26.2	12.4	3.2	25.4		
36	55	27,640	317,353	316,132	51,930	11,324	724,434	-	7.7	7.0	7.6	2.2	1.1	5.8		
37	-	3,597	16,056	11,912	1,806	266	33,637	-	1.0	0.4	0.3	0.1	-	0.3		
38	-	248	187	468	205	10	1,118	-	0.1	-	-	-	-	-		
39	-	-	-	-	57	5	62	-	-	-	-	-	-	-		
40 and longer		-	-	22	96	37	155	-	-	-	-	-	-	-		
All staples		134,965	361,157	4,515,787	4,159,830	2,369,693	991,469	12,532,901	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Average staple		33.8	33.5	34.2	33.2	32.1	31.7	33.3	-	-	-	-	-	-	-	

✓ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Table 4. -- Preparation and grade reductions by specified causes of upland cotton ginned in the United States, by states, 1973-74

State	Preparation			Grade Reductions by Causes 1/								Total Bales	
	Normal Bales	Rough Preparation		Bark Bales	Grass Bales	Motes Bales	Oil Bales	Sand and Dust Bales	Seed Bales	Spindle Twist Bales	Stems Bales		Other Bales
		Prep. 3 and 4 Bales	Gin Cut Bales										
Virginia	1,911	-	-	11	150	-	-	-	-	-	-	-	161
North Carolina	164,829	43	-	1,510	19,609	164	-	-	-	-	-	-	21,283
South Carolina	286,662	-	-	1,040	33,427	-	30	-	-	12	-	-	34,509
Georgia	376,519	62	-	9,687	14,384	-	-	-	30	-	-	-	24,101
Florida	12,009	-	-	324	272	-	-	-	-	9	-	-	605
Alabama	443,916	59	-	1,642	28,871	-	83	47	-	112	12	-	30,767
Mississippi	1,747,887	402	-	24,325	100,821	-	285	-	8	13	663	-	126,115
Kentucky	226	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	423,832	19	-	3,015	32,182	-	72	-	-	19	-	-	35,288
Missouri	177,102	213	-	486	2,570	-	22	-	-	8	11	-	3,097
Arkansas	1,013,948	55	-	2,831	29,972	-	87	-	-	-	197	-	33,087
Louisiana	507,466	86	-	4,963	17,712	-	89	-	-	-	-	-	22,764
Oklahoma	410,914	94	-	50,252	1,882	-	-	-	-	-	-	-	52,134
Texas	4,468,277	1,446	14	420,098	25,071	18	491	1,809	828	109	24	505	448,953
New Mexico	133,135	153	-	5,717	2,468	-	11	15	54	-	-	38	8,303
Arizona	605,129	117	-	27,695	5,837	-	5	5	717	40	32	-	34,331
Nevada	1,813	-	-	1	14	-	-	-	-	-	-	-	15
California	1,754,096	467	-	6,798	56,415	-	192	17	336	316	29	-	64,103
United States	12,529,671	3,216	14	560,395	371,657	182	1,367	1,893	1,973	638	968	543	939,616

1/ Cotton reduced in grade for reasons other than preparation.

Table 5. -- Grade index and average staple of upland cotton ginned in the United States, by states, crops of 1970-1973

State	Grade index <u>1/</u>				Average staple <u>2/</u>			
	1970	1971	1972	1973	1970	1971	1972	1973
	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>
Virginia	87.7	83.4	82.8	87.1	33.8	33.8	34.3	34.8
North Carolina	88.4	85.1	88.0	88.7	33.9	34.3	34.6	34.8
South Carolina	87.6	85.3	87.9	88.1	34.1	34.7	34.7	34.8
Georgia	86.8	85.3	89.2	88.0	33.3	33.9	33.8	34.1
Florida	86.1	85.8	90.3	88.3	33.3	34.0	33.9	34.0
Alabama	90.2	89.7	88.1	89.5	33.5	34.1	33.6	33.6
Mississippi	89.6	90.7	89.5	89.9	34.4	34.9	34.4	34.4
Kentucky	94.1	94.9	92.8	93.0	33.9	34.3	33.9	33.6
Tennessee	91.6	92.0	89.0	91.5	33.8	34.2	33.8	33.8
Missouri	91.4	93.3	88.4	92.2	34.0	34.9	34.0	34.1
Arkansas	90.0	92.0	88.8	91.1	34.2	35.0	34.2	34.3
Louisiana	91.6	92.2	90.6	90.3	34.1	34.6	34.1	34.2
Oklahoma	91.5	83.4	88.2	91.6	31.4	31.1	31.6	31.7
Texas	91.7	84.8	87.1	92.8	31.4	31.1	31.7	31.3
New Mexico	95.1	93.8	91.0	96.5	35.9	35.7	35.2	34.8
Arizona	96.0	93.7	90.4	96.5	34.2	34.2	34.1	34.6
Nevada	99.7	98.2	97.0	99.1	35.8	36.0	36.0	36.0
California	96.2	96.6	94.3	96.1	35.3	35.6	35.3	35.3
United States	91.6	89.9	89.2	92.3	33.4	33.8	33.5	33.3

1/ Computed by weighting the quantity in each grade by the 1937-39 average price per pound for such grade of staple code 30. Converted to an index with Middling White equaling 100.

2/ Averages calculated on numerical staple codes (32nd inches).

Table 6. -- Tenderability of upland cotton ginned, by states, 1973-74

State	Tenderable <u>1/</u>		Untenderable		Total crop	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
Virginia	1,546	80.9	365	19.1	1,911	100.0
North Carolina	117,799	71.4	47,073	28.6	164,872	100.0
South Carolina	176,794	61.7	109,868	38.3	286,662	100.0
Georgia	232,648	61.8	143,933	38.2	376,581	100.0
Florida	9,640	80.3	2,369	19.7	12,009	100.0
Alabama	267,435	60.2	176,540	39.8	443,975	100.0
Mississippi	1,183,793	67.7	564,496	32.3	1,748,289	100.0
Kentucky	152	67.3	74	32.7	226	100.0
Tennessee	259,042	61.1	164,809	38.9	423,851	100.0
Missouri	125,164	70.6	52,151	29.4	177,315	100.0
Arkansas	675,119	66.6	338,884	33.4	1,014,003	100.0
Louisiana	303,311	59.8	204,241	40.2	507,552	100.0
Oklahoma	185,401	45.1	225,607	54.9	411,008	100.0
Texas	2,823,318	63.2	1,646,419	36.8	4,469,737	100.0
New Mexico	68,443	51.3	64,845	48.7	133,288	100.0
Arizona	440,863	72.8	164,383	27.2	605,246	100.0
Nevada	1,379	76.1	434	23.9	1,813	100.0
California	1,495,163	85.2	259,400	14.8	1,754,563	100.0
All states	8,367,010	66.8	4,165,891	33.2	12,532,901	100.0

1/ Tenderable with respect to grade, staple, and mike in settlement of futures contracts.

Table 7. -- Tenderability of upland cotton ginned in the United States, 1956-1973

Year	Tenderable <u>1/</u>		Untenderable		Total crop <u>2/</u>	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
1956	10,609,930	81.0	2,492,207	19.0	13,102,137	100.0
1957	6,859,873	63.5	3,940,845	36.5	10,800,718	100.0
1958	9,768,742	86.0	1,584,723	14.0	11,353,465	100.0
1959	11,401,025	78.9	3,044,992	21.1	14,446,017	100.0
1960	10,050,977	70.8	4,148,110	29.2	14,199,087	100.0
1961	11,655,270	81.7	2,608,095	18.3	14,263,365	100.0
1962	11,373,949	77.1	3,380,447	22.9	14,754,396	100.0
1963	12,395,120	81.9	2,733,655	18.1	15,128,775	100.0
1964	10,154,264	67.5	4,878,050	32.5	15,032,314	100.0
1965	9,540,115	64.3	5,307,177	35.7	14,847,292	100.0
1966	4,902,137	51.6	4,589,060	48.4	9,491,197	100.0
1967	4,011,329	54.4	3,358,964	45.6	7,370,293	100.0
1968	6,714,407	62.0	4,123,977	38.0	10,838,384	100.0
1969	5,511,908	55.9	4,348,322	44.1	9,860,230	100.0
1970	6,342,553	63.1	3,712,684	36.9	10,055,237	100.0
1971	5,638,379	55.6	4,495,040	44.4	10,133,419	100.0
1972 <u>3/</u>	7,279,575	55.3	5,895,947	44.7	13,175,522	100.0
1973	8,367,010	66.8	4,165,891	33.2	12,532,901	100.0

1/ Beginning in 1965, tenderable with respect to grade, staple, and mike in settlement of futures contracts. Prior to 1965, tenderability was based on grade and staple only.

2/ As reported by the Bureau of the Census, running bales.

3/ Revised.

Table 8. -- Grade and staple of upland cotton ginned in South Carolina, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)														All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent	
White:																		
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.+	(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.+	(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.O.O.+	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.O.O.	(61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Spotted:																		
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.N.	(52)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spotted:																		
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.N.	(53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tinged:																		
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.N.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gray:																		
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade																		
Total																		
All grades																		
Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent																		
All grades																		
Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent																		

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Percentage rough preparation.... 88.1
 Grade index..... 34.8
 Average staple.....

Table 8. -- Grade and staple of upland cotton ginned in Florida, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)														All staples		
		26 and shorter	26	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent	
White:																		
	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(31)	-	-	-	-	14	83	-	-	-	-	-	-	-	-	-	-	-
	(40)	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-
	(41)	-	-	-	-	134	4,225	172	-	-	-	-	-	-	-	-	-	-
	(50)	-	-	-	-	14	464	10	-	-	-	-	-	-	-	-	-	-
	(51)	-	-	-	-	298	4,370	313	-	-	-	-	-	-	-	-	-	-
	(60)	-	-	-	-	19	-	-	-	-	-	-	-	-	-	-	-	-
	(61)	-	-	-	-	10	140	215	-	-	-	-	-	-	-	-	-	-
	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(71)	-	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	10	615	9,405	495	-	-	-	-	-	-	-	10,525	87.5
Light Spotted:																		
	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(32)	-	-	-	-	-	18	14	-	-	-	-	-	-	-	-	-	-
	(42)	-	-	-	-	145	611	14	-	-	-	-	-	-	-	-	-	-
	(52)	-	-	-	-	176	267	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	321	916	28	-	-	-	-	-	-	-	-	1,265	10.6
Spotted:																		
	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(43)	-	-	-	-	26	28	-	-	-	-	-	-	-	-	-	-	-
	(53)	-	-	-	-	38	44	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	64	72	-	-	-	-	-	-	-	-	-	141	1.2
Light Gray:																		
	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(46)	-	-	-	-	5	18	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	5	18	-	-	-	-	-	-	-	-	-	23	0.2
Below Grade																		
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	35	20	-	-	-	-	-	-	-	-	-	-	-
	All grades	-	-	-	-	15	1,040	10,431	523	-	-	-	-	-	-	-	12,009	100.0
	All grades	-	-	-	-	0.1	8.7	86.8	4.4	-	-	-	-	-	-	-	-	100.0

As reported by the Bureau of the Census, running bales.

Percentage rough preparation...
Grade index..... 88.3
Average staple..... 34.0

Table 8 -- Grade and staple of upland cotton ginned in Alabama, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)														All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer			
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																		
G.M.	(11)	-	-	-	-	25	13	263	188	-	-	-	-	-	-	-	521	0.1
S.M.	(21)	-	-	-	-	-	-	26	-	-	-	-	-	-	-	-	26	0.1
M.+	(30)	-	-	-	12	81	743	7,802	6,078	609	-	-	-	-	-	-	15,325	3.5
M.	(31)	-	-	-	-	-	-	285	881	76	-	-	-	-	-	-	1,242	0.3
S.L.M.+	(40)	-	-	-	-	348	4,272	75,349	101,185	14,345	200	13	-	-	-	-	195,756	44.2
S.L.M.	(41)	-	-	12	32	3,108	7,980	1,873	9,014	150	-	-	-	-	-	-	13,057	2.9
L.M.+	(50)	-	-	-	-	70	1,843	39,293	61,714	31	-	-	-	-	-	-	112,084	25.2
L.M.	(51)	-	-	-	-	-	-	65	254	-	-	-	-	-	-	-	350	0.1
S.G.O.+	(60)	-	-	14	32	274	4,841	462	20	-	-	-	-	-	-	-	9,161	2.1
S.G.O.	(61)	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	11	0.1
G.O.+	(70)	-	-	-	-	-	-	239	47	-	-	-	-	-	-	-	650	0.1
G.O.	(71)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	12	58	556	7,262	130,052	169,371	26,489	370	13	-	-	-	-	348,183	78.5
Light Spotted:																		
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	23	147	131	-	-	-	-	-	-	-	312	0.1
M.	(32)	-	-	-	23	35	365	3,636	3,067	123	-	-	-	-	-	-	7,249	1.6
S.L.M.	(42)	-	-	-	-	63	917	20,931	22,890	61	-	-	-	-	-	-	46,591	10.5
L.M.	(52)	-	-	-	12	13	448	7,808	10,654	982	68	-	-	-	-	-	20,185	4.5
Total		-	-	-	35	111	1,753	32,522	36,942	2,845	129	-	-	-	-	-	74,337	16.7
Spotted:																		
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	9	51	17	-	-	-	-	-	-	-	77	0.1
M.	(33)	-	-	-	-	12	69	998	319	31	-	-	-	-	-	-	1,429	0.3
S.L.M.	(43)	-	-	-	18	14	386	2,747	1,766	131	-	-	-	-	-	-	6,541	1.9
L.M.	(53)	-	-	-	18	14	386	2,747	1,766	131	-	-	-	-	-	-	5,062	1.1
Total		-	-	-	36	26	736	8,997	4,957	375	-	-	-	-	-	-	15,109	3.3
Tinged:																		
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	9	0.1
M.	(34)	-	-	-	-	-	20	151	84	-	-	-	-	-	-	-	255	0.1
S.L.M.	(44)	-	-	-	18	14	47	505	174	18	-	-	-	-	-	-	726	0.2
L.M.	(54)	-	-	-	18	14	48	156	73	-	-	-	-	-	-	-	277	0.1
Total		-	-	-	36	26	115	812	340	18	-	-	-	-	-	-	1,267	0.4
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	13	-	17	18	-	-	-	-	-	-	-	48	0.1
M.	(36)	-	-	-	-	-	-	124	102	18	-	-	-	-	-	-	304	0.1
S.L.M.	(46)	-	-	-	-	-	-	165	255	67	-	-	-	-	-	-	487	0.1
Total		-	-	-	-	13	165	396	247	18	-	-	-	-	-	-	839	0.2
Gray:																		
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	91	-	-	-	-	-	-	-	-	91	0.1
S.L.M.	(47)	-	-	-	-	-	14	13	11	12	-	-	-	-	-	-	50	0.1
Total		-	-	-	-	-	14	104	11	12	-	-	-	-	-	-	141	0.1
Below Grade																		
		-	-	-	86	190	1,643	1,610	539	31	-	-	-	-	-	-	4,099	0.9
All Grades																		
		-	-	12	197	896	11,688	174,493	226,467	29,770	499	13	-	-	-	-	443,975	100.0
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		-	-	0.2	2.6	39.3	51.1	6.7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	100.0	100.0

Percentage rough preparation....
 Grade index.....
 Average staple.....
 89.5
 33.6

Table 8. -- Grade and staple of upland cotton ginned in Mississippi, 1973-74 (Continued)

Grade	Staple Code (32nd inches)														All staples	
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																
G.M.	-	-	-	-	-	-	13	-	-	-	-	-	-	-	13	-
S.M.	-	-	-	-	-	60	2,061	1,142	52	28	-	-	-	-	3,529	0.2
M.+	-	-	-	-	-	-	393	184	13	-	-	-	-	-	590	-
M.	-	-	-	-	-	20	3,443	12,371	311	-	-	-	-	-	46,900	2.7
S.L.M.+	-	-	-	-	-	-	143	2,785	73	-	-	-	-	-	4,518	0.3
S.L.M.	-	-	-	-	-	147	16,148	481,946	354,348	11,196	445	-	-	-	864,230	49.5
L.M.+	-	-	-	-	-	297	15,416	15,963	894	95	-	-	-	-	32,725	1.9
L.M.	-	-	-	-	-	321	11,019	257,516	227,835	11,604	484	-	-	-	508,779	29.1
S.G.O.+	-	-	-	13	11	64	847	947	77	-	-	-	-	-	1,959	0.1
S.G.O.	-	-	-	-	120	2,423	30,235	15,917	728	-	-	-	-	-	49,423	2.8
G.O.+	-	-	-	-	-	17	13	-	-	-	-	-	-	-	30	-
G.O.	-	-	-	-	16	533	3,605	999	-	-	-	-	-	-	5,153	0.3
Total	-	-	-	13	695	34,253	825,605	631,243	24,948	1,052	40	-	-	-	1,517,849	86.9
Light Spotted:																
G.M.	-	-	-	-	-	-	53	127	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	123	2,960	12,108	2,294	47	-	-	-	-	180	-
M.	-	-	-	-	-	149	9,381	63,656	42,919	1,742	52	-	-	-	17,532	1.0
S.L.M.	-	-	-	11	169	9,381	63,656	42,919	1,742	52	-	-	-	137,910	7.9	
L.N.	-	-	-	22	193	5,473	30,915	16,948	746	-	-	-	-	54,237	3.1	
Total	-	-	-	33	465	17,667	126,806	62,161	2,535	52	-	-	-	-	209,919	12.0
Spotted:																
G.M.	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	351	556	101	-	-	-	-	-	2	-
M.	-	-	-	-	-	23	992	4,530	1,449	25	-	-	-	1,006	0.1	
S.L.M.	-	-	-	82	82	1,076	3,155	1,072	57	-	-	-	-	7,019	0.4	
L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	5,442	0.3	
Total	-	-	-	82	105	2,419	8,243	2,622	82	-	-	-	-	13,471	0.8	
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	-	-	-	-	-	-	28	106	-	-	-	-	-	134	-	
L.M.	-	-	-	-	-	8	9	92	-	-	-	-	-	109	-	
Total	-	-	-	-	-	8	37	198	-	-	-	-	-	243	-	
Light Gray:																
G.M.	-	-	-	-	-	-	18	15	9	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	67	413	263	-	-	-	-	-	42	-	
M.	-	-	-	-	-	106	225	43	-	-	-	-	-	743	-	
S.L.M.	-	-	-	-	-	191	653	315	-	-	-	-	-	374	-	
Total	-	-	-	-	-	374	1,344	635	-	-	-	-	-	1,159	-	
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	-	-	-	-	-	13	13	2	-	-	-	-	-	28	-	
Total	-	-	-	-	-	13	13	2	-	-	-	-	-	28	-	
Below Grade																
	-	-	-	13	166	895	3,720	813	-	-	-	-	-	-	5,620	0.3
All grades																
	-	-	-	13	59	1,452	95,675	965,227	697,154	27,565	1,104	40	-	-	1,748,289	100.0
All grades																
	-	-	-	0.1	3.2	55.1	39.9	1.6	0.1	0.1	-	-	-	-	100.0	-
✓ As reported by the Bureau of the Census, running bales. * Less than 0.05 percent. Percentage rough preparation.... Grade index..... Average staple.....																
89.9 34.4																

Table 8. -- Grade and staple of upland cotton ginned in Tennessee, 1973-74 (Continued)

Grade	Staple Code (32nd inches)														All staples		
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer			
Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	
White:																	
(11) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(21) S.M.	-	-	-	-	-	-	182	768	60	-	-	-	-	-	-	-	1,010
(30) M.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31) M.	-	-	-	-	-	152	6,308	26,097	1,974	22	-	-	-	-	-	-	36,553
(40) S.L.M.+	-	-	-	-	-	634	2,538	267	-	-	-	-	-	-	-	-	3,439
(41) S.L.M.	-	-	-	-	-	500	42,664	139,078	11,494	174	-	-	-	-	-	-	193,910
(50) L.M.+	-	-	-	-	-	11	888	3,690	485	11	-	-	-	-	-	-	5,066
(51) L.M.	-	-	-	-	9	203	12,785	35,355	3,163	95	-	-	-	-	-	-	51,570
(60) S.G.O.+	-	-	-	-	24	174	397	46	-	-	-	-	-	-	-	-	641
(61) S.G.O.	-	-	-	-	69	1,549	2,421	195	9	-	-	-	-	-	-	-	4,243
(70) G.O.+	-	-	-	-	-	8	22	11	-	-	-	-	-	-	-	-	41
(71) G.O.	-	-	-	-	-	173	180	17	-	-	-	-	-	-	-	-	370
Total	-	-	-	-	9	959	67,365	210,546	17,712	271	-	-	-	-	-	-	296,862
Light Spotted:																	
(12) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22) S.M.	-	-	-	-	-	-	16	30	-	-	-	-	-	-	-	-	46
(32) M.	-	-	-	-	-	740	10,736	12,246	927	19	-	-	-	-	-	-	24,668
(42) S.L.M.	-	-	-	-	-	520	22,883	46,175	3,591	55	-	-	-	-	-	-	73,224
(52) L. M.	-	-	-	-	8	282	7,195	11,218	593	11	-	-	-	-	-	-	19,307
Total	-	-	-	-	8	1,542	40,830	69,669	5,111	85	-	-	-	-	-	-	117,245
Spotted:																	
(13) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(23) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(33) M.	-	-	-	-	-	41	520	304	11	-	-	-	-	-	-	-	876
(43) S.L.M.	-	-	-	-	-	90	2,293	2,525	98	-	-	-	-	-	-	-	5,006
(53) L.M.	-	-	-	-	9	109	1,285	993	39	-	-	-	-	-	-	-	2,435
Total	-	-	-	-	9	240	4,098	3,822	148	-	-	-	-	-	-	-	8,317
Tinged:																	
(14) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(34) M.	-	-	-	-	-	-	36	9	-	-	-	-	-	-	-	-	45
(44) S.L.M.	-	-	-	-	-	-	9	16	9	-	-	-	-	-	-	-	34
(54) L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	-	45	25	9	-	-	-	-	-	-	-	79
Light Gray:																	
(16) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(26) S.M.	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	16
(36) M.	-	-	-	-	-	11	57	61	-	-	-	-	-	-	-	-	129
(46) S.L.M.	-	-	-	-	-	-	95	8	-	-	-	-	-	-	-	-	103
Total	-	-	-	-	-	11	160	77	-	-	-	-	-	-	-	-	248
Below Grade	-	-	-	-	11	145	562	358	24	-	-	-	-	-	-	-	1,100
All grades	-	-	-	-	37	2,697	113,060	284,497	23,004	356	-	-	-	-	-	-	423,651 1/2
Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades	-	-	-	-	-	-	26.7	67.1	5.4	0.1	-	-	-	-	-	-	100.0

1/ As reported by the Bureau of the Census, running bales
 * Less than 0.05 percent.

Percentage rough preparation.... 91.5
 Grade index..... 33.8
 Average staple..... 33.8

Table 8. -- Grade and staple of upland cotton ginned in Missouri 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	42	-	-	-	-	-	-	-	42	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	479	12,953	2,442	-	-	-	-	-	-	-	15,674	9.0
S.L.M.+	(40)	-	-	-	11	202	30	-	-	-	-	-	-	-	-	243	0.1
S.L.M.	(41)	-	-	-	6	2,695	63,458	15,631	163	-	-	-	-	-	-	101,955	57.6
L.N.+	(50)	-	-	-	-	54	3,277	1,982	30	-	-	-	-	-	-	5,323	3.0
L.N.	(51)	-	-	-	27	1,004	8,972	2,387	37	-	-	-	-	-	-	12,427	7.0
S.G.O.+	(60)	-	-	-	-	-	96	47	-	-	-	-	-	-	-	143	0.1
S.G.O.	(61)	-	-	-	-	245	521	43	-	-	-	-	-	-	-	809	0.5
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	11	12	11	-	-	-	-	-	-	-	-	34	-
Total		-	-	-	46	4,500	109,532	22,542	230	-	-	-	-	-	-	136,850	77.3
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	903	5,634	636	-	-	-	-	-	-	-	7,173	4.0
S.L.M.	(42)	-	-	-	27	1,719	18,045	3,479	45	-	-	-	-	-	-	23,315	13.1
L.N.	(52)	-	-	-	46	1,303	3,687	536	-	-	-	-	-	-	-	5,572	3.1
Total		-	-	-	73	3,925	27,366	4,651	45	-	-	-	-	-	-	36,060	20.2
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	70	75	8	-	-	-	-	-	-	-	153	0.1
S.L.M.	(43)	-	-	-	8	159	863	22	-	-	-	-	-	-	-	1,052	0.6
L.N.	(53)	-	-	-	35	652	1,052	22	-	-	-	-	-	-	-	1,761	1.0
Total		-	-	-	43	881	1,990	52	-	-	-	-	-	-	-	2,966	1.7
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.N.	(54)	-	-	-	10	-	-	-	-	-	-	-	-	-	-	10	-
Total		-	-	-	10	-	-	-	-	-	-	-	-	-	-	10	-
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	8	-	-	-	-	-	-	-	-	8	-
M.	(36)	-	-	-	-	-	8	-	-	-	-	-	-	-	-	8	-
S.L.M.	(46)	-	-	-	-	12	-	-	-	-	-	-	-	-	-	12	-
Total		-	-	-	-	12	16	-	-	-	-	-	-	-	-	28	-
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	23	-	-	-	-	-	-	-	-	-	-	23	-
Total		-	-	-	23	-	-	-	-	-	-	-	-	-	-	23	-
Below Grade																	
		-	-	-	11	160	717	449	41	-	-	-	-	-	-	1,378	0.8
All grades																	
		-	-	-	11	355	10,035	139,353	27,286	275	-	-	-	-	-	177,315	100.0
All grades																	
		-	-	-	0.2	5.7	78.5	15.4	0.2	-	-	-	-	-	-	100.0	-

1/ As reported by the Bureau of the Census, running bales
 * Less than 0.05 percent.

Percentage rough preparation.... 0.1
 Grade index..... 92.2
 Average staple..... 34.1

Table 8. -- Grade and staple of upland cotton ginned in Louisiana, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)														All staples longer		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer			
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																		
	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(21)	-	-	-	-	-	12	245	-	-	-	-	-	-	-	-	-	281
	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(41)	-	-	-	-	-	854	11,979	4,282	118	-	-	-	-	-	-	-	17,233
	(51)	-	-	-	-	-	12	307	260	23	-	-	-	-	-	-	-	602
	(61)	-	-	-	-	-	2,742	160,176	67,451	1,804	8	-	-	-	-	-	-	232,181
	(71)	-	-	-	-	-	9	1,710	1,646	8	-	-	-	-	-	-	-	3,373
	(81)	-	-	-	-	-	24	2,030	77,307	20,120	164	-	-	-	-	-	-	99,645
	(91)	-	-	-	-	-	28	135	42	-	-	-	-	-	-	-	-	206
	(01)	-	-	-	-	-	663	5,707	788	-	-	-	-	-	-	-	-	7,158
	(10)	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	-	9
	(20)	-	-	-	-	-	237	749	37	-	-	-	-	-	-	-	-	1,023
	(30)	-	-	-	-	-	24	6,587	258,324	94,050	2,117	8	-	-	-	-	-	361,710
	(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71.3
	(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(80)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(90)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(00)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	318	10,691	95,874	23,367	394	12	-	-	-	-	-	130,656
	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(22)	-	-	-	-	-	17	20	-	-	-	-	-	-	-	-	-	37
	(32)	-	-	-	-	-	12	2,803	13,180	1,542	24	-	-	-	-	-	-	17,561
	(42)	-	-	-	-	-	133	5,752	66,972	19,166	345	12	-	-	-	-	-	92,380
	(52)	-	-	-	-	-	173	2,119	15,702	2,659	25	-	-	-	-	-	-	20,678
	Total	-	-	-	-	-	318	10,691	95,874	23,367	394	12	-	-	-	-	-	130,656
	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(33)	-	-	-	-	-	12	2,993	879	75	12	-	-	-	-	-	-	22
	(43)	-	-	-	-	-	29	1,004	4,536	502	12	-	-	-	-	-	-	1,271
	(53)	-	-	-	-	-	72	832	2,219	154	-	-	-	-	-	-	-	6,063
	Total	-	-	-	-	-	113	2,129	7,656	731	24	-	-	-	-	-	-	10,653
	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	163
	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(26)	-	-	-	-	-	24	8	-	-	-	-	-	-	-	-	-	32
	(36)	-	-	-	-	-	150	1,384	67	-	-	-	-	-	-	-	-	1,601
	(46)	-	-	-	-	-	345	686	20	-	-	-	-	-	-	-	-	1,051
	Total	-	-	-	-	-	519	2,078	87	-	-	-	-	-	-	-	-	2,684
	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(37)	-	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	9
	(47)	-	-	-	-	-	53	63	-	-	-	-	-	-	-	-	-	116
	Total	-	-	-	-	-	62	63	-	-	-	-	-	-	-	-	-	125
	(18)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(28)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(38)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	67	590	637	67	-	-	-	-	-	-	-	1,561
	(19)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(29)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(49)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	522	20,640	364,933	118,902	2,535	20	-	-	-	-	-	507,582
	(20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(80)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(90)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(00)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	0.1	4.1	71.9	23.4	0.5	-	-	-	-	-	-	100.0
	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(71)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(81)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(91)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(01)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(80)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(90)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(00)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Percentage rough preparation....
 Grade index.....
 Average staple.....

Table 8. -- Grade and staple of upland cotton ginned in Oklahoma, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)													All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39		40 and longer	Bales
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(31)	7	194	4,096	8,228	7,858	2,767	2,041	1,656	319	-	-	-	-	-	-	-
S.L.M.+	(40)	30	42	118	241	312	143	41	26	-	-	-	-	-	-	27,166	6.0
S.L.M.	(41)	52	410	7,935	27,992	49,857	15,691	6,668	4,235	2,103	135	-	-	-	-	115,078	28.0
L.M.+	(50)	-	-	-	55	360	302	224	31	15	-	-	-	-	-	967	0.2
L.M.	(51)	-	63	1,355	5,049	10,588	6,796	2,592	820	292	-	-	-	-	-	27,515	6.7
S.G.O.+	(60)	-	-	-	15	108	15	15	16	-	-	-	-	-	-	169	0.4
S.G.O.	(61)	-	4	158	390	633	460	147	114	15	-	-	-	-	-	1,921	0.5
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	21	45	57	72	26	-	-	-	-	-	-	-	221	0.1
Total		59	701	13,607	41,892	69,702	26,415	11,816	6,913	2,770	135	-	-	-	-	174,010	42.3
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	15	29	-	14	-	-	-	-	-	-	-	-	43	-
M.	(32)	69	1,534	18,776	31,011	23,600	3,729	961	333	44	-	-	-	-	-	80,097	19.5
S.L.M.	(42)	182	1,463	18,083	39,490	44,419	10,170	1,906	658	145	-	-	-	-	-	116,516	28.4
L.M.	(52)	60	240	3,105	6,880	8,597	3,632	805	108	15	-	-	-	-	-	23,642	5.8
Total		331	3,237	39,993	77,381	76,616	17,745	3,692	1,099	204	-	-	-	-	-	220,298	53.7
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	15	-	7	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	15	30	114	954	1,234	1,344	430	36	-	-	-	-	-	-	29	-
S.L.M.	(43)	71	351	484	1,533	2,563	633	74	17	-	-	-	-	-	-	4,225	1.0
L.M.	(53)	48	142	329	456	860	979	77	-	-	-	-	-	-	-	8,111	2.0
Total		134	523	942	2,943	4,664	4,715	1,482	53	-	-	-	-	-	-	15,675	3.8
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	11	-	4	33	21	25	-	-	-	-	-	-	-	-	94	-
S.L.M.	(44)	-	19	19	36	26	11	-	-	-	-	-	-	-	-	111	-
L.M.	(54)	-	30	38	8	14	25	-	7	-	-	-	-	-	-	122	-
Total		11	49	61	77	61	61	-	15	-	-	-	-	-	-	19	-
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	15	-	-	-	-	-	-	-	-	-	-	15	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	15	-	-	-	-	-	-	-	-	-	-	15	-
Below Grade		15	22	50	207	139	138	77	16	-	-	-	-	-	-	664	0.2
All grades		160	935	4,979	56,826	124,153	151,236	45,780	15,756	8,072	2,974	135	-	-	-	411,008	100.0
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		0.2	1.2	13.8	30.3	36.9	11.1	3.8	2.0	0.7	-	-	-	-	-	100.0	-

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Percentage rough preparation.... 91.6
 Grade index..... 31.7
 Average staple..... 31.7

Table 8. -- Grade and staple of upland cotton ginned in Texas, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)														All staples			
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer				
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	
White:																			
G. M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	
S. M.	(21)	-	463	1,452	3,327	2,452	414	207	-	-	-	-	-	-	-	-	-	10,676	
M. +	(30)	-	-	9	179	69	32	-	-	-	-	-	-	-	-	-	-	422	
K. +	(31)	599	8,767	65,862	256,415	253,911	131,343	32,969	34,703	9,671	12,676	2,809	160	9	-	-	-	809,854	
S. L. M. +	(40)	13	105	1,190	3,639	3,834	2,688	1,468	3,465	891	791	361	47	-	-	-	-	18,512	
S. L. M.	(41)	283	7,615	67,460	336,262	482,078	385,940	139,576	106,869	34,664	16,741	3,221	270	29	-	-	-	1,581,075	
L. M. +	(50)	-	112	733	2,247	2,900	3,790	3,014	2,861	1,138	465	43	14	-	-	-	-	17,317	
L. M.	(51)	-	446	5,594	44,892	74,510	67,880	35,112	40,084	16,385	4,472	498	36	-	-	-	-	290,118	
S. O. +	(60)	-	38	637	13,122	15,643	12,570	5,240	5,016	1,678	454	95	9	-	-	-	-	54,462	
G. O. +	(70)	-	-	-	15	-	20	25	13	-	-	-	-	-	-	-	-	73	
G. O.	(71)	-	-	164	1,577	1,644	1,353	736	640	81	-	-	-	-	-	-	-	6,224	
Total		895	17,546	143,110	661,790	837,132	606,251	218,508	104,549	65,202	36,773	7,199	559	38	-	-	-	2,789,588	
Light Spotted:																			
G. M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S. M.	(22)	-	95	285	999	438	130	43	-	-	-	-	-	-	-	-	-	2,000	
M.	(32)	310	5,670	46,384	210,196	258,217	124,003	19,620	10,443	3,212	1,675	1,161	-	-	-	-	-	660,891	
S. L. M.	(42)	114	2,537	22,606	144,756	195,448	123,226	43,545	55,186	11,497	1,008	267	22	-	-	-	-	600,212	
L. M.	(52)	-	472	6,560	76,209	75,745	38,164	15,804	21,704	4,894	423	50	-	-	-	-	-	240,125	
Total		424	8,774	75,935	432,160	529,848	285,323	79,012	87,333	19,613	3,106	1,478	22	-	-	-	-	1,523,228	
Spotted:																			
G. M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S. M.	(23)	-	14	54	47	17	8	9	14	-	-	-	-	-	-	-	-	163	
M.	(33)	38	674	3,633	12,403	8,783	3,044	1,002	688	115	27	11	-	-	-	-	-	30,418	
S. L. M.	(43)	178	724	4,428	12,760	9,683	5,349	5,433	9,760	1,154	120	25	-	-	-	-	-	49,614	
L. M.	(53)	29	394	3,182	9,106	7,088	5,232	6,729	8,114	1,232	25	-	-	-	-	-	-	41,131	
Total		245	1,806	11,297	34,316	25,571	13,633	13,173	18,576	2,501	172	36	-	-	-	-	-	121,326	
Tinged:																			
G. M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S. M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(34)	-	63	135	278	90	43	16	11	25	-	-	-	-	-	-	-	661	
S. L. M.	(44)	26	116	111	342	323	143	231	186	10	-	-	-	-	-	-	-	1,379	
L. M.	(54)	19	71	151	167	131	256	376	186	-	-	-	-	-	-	-	-	1,357	
Total		45	250	628	760	298	442	683	308	35	-	-	-	-	-	-	-	3,397	
Stained:																			
G. M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S. M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(35)	-	-	-	6	-	-	-	-	-	9	-	-	-	-	-	-	15	
Total		-	-	-	6	-	-	-	-	-	9	-	-	-	-	-	-	15	
Light Gray:																			
G. M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S. M.	(26)	-	-	9	21	27	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(36)	-	-	50	308	301	124	163	615	99	21	-	-	-	-	-	-	57	
S. L. M.	(46)	-	-	18	338	205	88	64	148	64	-	-	-	-	-	-	-	1,681	
Total		-	-	77	667	533	212	227	763	99	21	-	-	-	-	-	-	2,599	
Gray:																			
G. M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S. M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(37)	-	-	7	31	9	24	30	-	-	-	-	-	-	-	-	-	101	
S. L. M.	(47)	-	-	8	63	14	5	10	20	-	-	-	-	-	-	-	-	129	
Total		-	-	15	94	23	29	40	29	-	-	-	-	-	-	-	-	230	
Below Grade																			
		678	934	2,320	8,158	6,893	4,391	2,829	2,818	326	7	-	-	-	-	-	-	29,354	
All grades																			
Percent		2,247	29,310	235,382	1,137,959	1,400,298	910,481	314,412	304,376	87,776	40,088	8,713	581	38	-	-	-	76,469,737	
Percent		0.7	5.2	25.5	31.3	20.4	7.0	6.8	2.0	0.9	0.2	0.2	0.2	0.1	-	-	-	100.0	
All grades																			
Percent		0.7	5.2	25.5	31.3	20.4	7.0	6.8	2.0	0.9	0.2	0.2	0.2	0.1	-	-	-	100.0	

As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Percentage rough preparation 92.8
 Grade index..... 31.3
 Average staple..... 31.3

Table 8. -- Grade and staple of upland cotton ginned in New Mexico, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)														All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer			
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																		
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	12	286	1,097	3,151	1,760	1,622	751	1,353	7,606	39,348	8,029	76	-	-	-	-	4,801
S.L.N.+	(40)	-	18	9	56	9	129	35	101	399	3,136	1,212	40	-	-	-	-	65,091
S.L.N.	(41)	-	132	995	2,483	1,474	1,598	744	1,812	4,077	14,589	5,516	177	-	-	-	-	5,144
L.M.+	(50)	-	-	10	47	33	95	123	198	453	481	115	-	-	-	-	-	33,267
L.M.	(51)	-	9	6	162	163	307	378	831	1,005	411	82	-	-	-	-	-	1,555
S.G.O.+	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,354
S.G.O.	(61)	-	-	15	27	13	185	354	574	261	-	-	-	-	-	-	-	1,429
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	14	17	44	75	156	7	-	-	-	-	-	-	-	313
Total		22	445	2,092	5,952	3,481	3,820	2,510	5,091	14,729	61,131	15,388	293	-	-	-	-	114,954
Light Spotted:																		
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	18	30	17	9	-	22	10	53	11	-	-	-	-	-	170
M.	(32)	-	42	713	2,376	713	252	245	315	1,444	2,902	909	10	-	-	-	-	9,921
S.L.N.	(42)	-	44	793	1,514	454	113	127	340	768	782	267	-	-	-	-	-	5,162
L.N.	(52)	-	-	-	113	93	187	212	568	131	26	-	-	-	-	-	-	1,330
Total		-	86	1,484	4,033	1,277	561	584	1,245	2,353	3,763	1,187	10	-	-	-	-	16,563
Spotted:																		
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
M.	(33)	-	-	34	109	61	179	60	16	62	55	-	-	-	-	-	-	576
S.L.N.	(43)	-	-	40	73	33	9	20	12	20	12	-	-	-	-	-	-	203
L.N.	(53)	-	23	15	9	20	62	16	36	10	10	-	-	-	-	-	-	198
Total		-	23	15	83	202	101	254	68	82	65	12	-	-	-	-	-	981
Tinged:																		
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.N.	(44)	-	-	7	13	-	-	-	-	-	-	-	-	-	-	-	-	20
L.N.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
S.L.N.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
Below Grade																		
		-	40	-	97	27	270	116	161	9	-	-	-	-	-	-	-	720
All grades		45	593	3,659	10,297	4,886	4,905	3,286	6,565	17,183	64,979	16,587	303	-	-	-	-	133,288 1/2
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		0.4	2.7	7.7	3.7	3.7	3.7	2.5	4.9	12.9	48.9	12.4	0.2	-	-	-	-	100.0

1/ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Percentage rough preparation..... 0.1

Grade index..... 96.5

Average staple..... 34.8

Table 8. -- Grade and staple of upland cotton ginned in Arizona, 1973-74 (Continued)

Grade	Staple Code (32nd inches)														All staples	
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer		
Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
(11) G.M.	-	-	-	-	-	20	173	4,638	9,115	151	45	-	-	-	14,142	2.3
(21) S.M.	-	-	-	-	-	-	12	-	-	-	-	-	-	-	12	-
(30) M.+	-	-	-	-	5	2,582	81,625	241,292	8,398	1,332	-	-	-	79	335,558	55.4
(31) S.L.M.+	-	-	-	25	70	3,147	9,893	893	1,332	-	-	-	-	-	14,146	2.3
(41) S.L.M.	-	-	-	10	82	603	2,836	31,470	61,886	2,599	289	10	24	-	99,809	16.5
(50) L.M.+	-	-	-	8	70	264	1,097	1,792	139	10	-	-	-	-	3,380	0.6
(51) L.M.	-	-	-	39	94	1,083	2,380	5,803	3,678	28	10	-	-	-	13,115	2.3
(60) S.L.O.+	-	-	-	5	10	67	109	57	-	-	-	-	-	-	316	0.1
(61) S.L.O.	-	-	-	14	5	116	475	2,245	230	10	-	-	-	-	7,010	1.2
(70) O.O.+	-	-	-	-	10	-	-	-	-	-	-	-	-	-	20	-
(71) O.O.	-	-	-	62	214	562	434	173	10	-	-	-	-	-	1,464	0.2
Total	14	14	232	898	4,721	11,062	129,943	327,953	12,218	1,804	10	24	79	488,972	80.8	
Light Spotted:																
(12) G.M.	-	-	-	-	-	-	16	433	832	34	-	-	-	-	1,315	0.2
(22) S.M.	-	-	-	-	-	406	1,229	19,770	48,579	1,565	376	12	-	-	71,937	11.9
(32) M.	-	-	-	5	30	930	1,955	6,579	9,928	190	56	5	-	-	19,756	3.3
(42) S.L.M.	-	-	-	9	24	385	847	3,269	2,466	627	44	5	-	-	11,674	1.9
(52) L.M.	-	-	-	9	29	415	925	5,334	6,469	1,789	476	22	-	-	104,682	17.3
Total	-	-	-	9	29	415	925	5,334	6,469	1,789	476	22	-	-	104,682	17.3
Spotted:																
(13) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(23) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(33) M.	-	-	-	13	5	90	82	189	241	8	-	-	-	-	11	-
(43) S.L.M.	-	-	-	5	10	95	278	157	157	-	-	-	-	-	628	0.1
(53) L.M.	5	49	19	182	318	426	346	165	35	-	-	-	-	-	604	0.1
Total	5	49	19	182	318	426	346	165	35	-	-	-	-	-	1,523	0.3
Tinged:																
(14) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(34) M.	-	-	-	-	18	-	-	-	-	-	-	-	-	-	-	-
(44) S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(54) L.M.	-	-	-	-	-	5	4	-	-	-	-	-	-	-	14	-
Total	-	-	-	-	18	5	4	-	-	-	-	-	-	-	9	-
Light Gray:																
(16) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(26) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(36) M.	-	-	-	5	43	38	139	36	36	-	-	-	-	-	49	-
(46) S.L.M.	-	-	-	-	49	35	-	-	-	-	-	-	-	-	261	-
Total	-	-	-	5	92	73	149	75	75	-	-	-	-	-	84	-
Gray:																
(17) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(27) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(37) M.	-	-	-	-	-	10	-	-	-	-	-	-	-	-	10	-
(47) S.L.M.	-	-	-	-	-	7	-	-	-	-	-	-	-	-	7	-
Total	-	-	-	-	-	7	10	-	-	-	-	-	-	-	17	-
Below Grade	19	123	183	1,440	1,797	3,698	734	332	46	-	-	-	-	-	8,372	1.4
All grades	24	209	250	2,287	3,971	14,468	16,899	160,315	388,453	14,015	2,280	32	24	79	605,246	100.0
All grades	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	0.4	0.7	2.4	3.1	26.5	64.2	2.3	0.4	100.0							

As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 † Percentage rough preparation.... 96.5
 ‡ Grade index..... 34.6
 § Average staple..... 34.6

Table 6. -- Grade and staple of upland cotton ginned in California, 1973-74 (Continued)

Grade	Code	Staple Code (32nd inches)																	All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent			
White:																				
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(21)	-	-	-	-	-	-	54	2,556	16,306	5,239	-	-	-	-	-	-	-	24,155	1.4
M.+	(30)	-	-	-	-	-	-	-	-	30	35	-	-	-	-	-	-	-	65	-
M.	(31)	-	-	-	-	-	-	337	26,188	576,781	206,993	14	-	-	-	-	-	-	810,328	46.2
S.L.M.+	(40)	-	-	-	-	-	-	-	867	81,113	55,782	338	-	-	-	-	-	-	137,776	7.9
S.L.M.	(41)	-	-	-	-	-	-	815	13,513	358,095	207,944	180	-	-	-	-	-	-	580,843	33.1
L.M.+	(50)	-	-	-	-	-	-	-	215	9,340	11,472	60	-	-	-	-	-	-	21,147	1.2
L.M.	(51)	-	-	-	-	-	-	239	1,016	5,980	29,953	5	-	-	-	-	-	-	92,988	5.3
S.G.O.+	(60)	-	-	-	-	-	-	-	70	847	623	-	-	-	-	-	-	-	1,545	0.1
S.G.O.	(61)	-	-	-	-	-	-	567	2,696	9,867	2,480	13	-	-	-	-	-	-	15,974	0.9
G.O.+	(70)	-	-	-	-	-	-	-	5	35	22	-	-	-	-	-	-	-	62	-
G.O.	(71)	-	-	-	-	-	-	342	865	1,925	213	-	-	-	-	-	-	-	3,677	0.2
Total		-	-	-	34	59	987	3,131	52,967	1,110,468	520,356	579	-	-	-	-	-	-	1,688,581	96.3
Light Spotted:																				
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	67	157	20	-	-	-	-	-	-	-	244	-
M.	(32)	-	-	-	-	-	-	287	4,928	10,801	1,586	-	-	-	-	-	-	-	17,624	1.0
S.L.M.	(42)	-	-	-	-	-	-	24	2,942	14,637	5,433	28	-	-	-	-	-	-	23,607	1.3
L.M.	(52)	-	-	-	-	-	-	737	767	2,078	1,337	-	-	-	-	-	-	-	10,746	0.6
Total		-	-	-	37	169	891	1,505	10,015	31,240	8,376	28	-	-	-	-	-	-	52,221	2.9
Spotted:																				
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	21	11	277	60	-	-	-	-	-	-	-	102	-
S.L.M.	(43)	-	-	-	-	-	-	104	139	840	147	-	-	-	-	-	-	-	369	-
L.M.	(53)	-	-	-	-	-	-	66	190	23	415	147	-	-	-	-	-	-	1,280	0.1
Total		-	-	-	11	21	86	190	23	415	147	147	-	-	-	-	-	-	1,671	0.1
Tinged:																				
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	13	13	-	-	-	48	50	18	-	-	-	-	-	-	129	-
Stained:																				
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(35)	-	-	-	-	-	-	-	-	-	47	-	-	-	-	-	-	-	47	-
Total		-	-	-	-	-	-	-	-	-	47	-	-	-	-	-	-	-	47	-
Light Gray:																				
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	113	356	114	-	-	-	-	-	-	11	-
M.	(36)	-	-	-	-	-	-	-	-	291	2,061	471	-	-	-	-	-	-	583	-
S.L.M.	(46)	-	-	-	-	-	-	-	-	59	320	1,122	249	-	-	-	-	-	2,886	0.2
Total		-	-	-	-	-	-	-	-	33	109	724	3,590	834	-	-	-	-	1,770	0.1
Gray:																				
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	6	37	-	-	-	-	-	-	-	43	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	15	60	244	52	-	-	-	-	-	371	-
Total		-	-	-	-	-	-	-	-	15	71	281	52	-	-	-	-	-	419	-
Below Grade																				
All grades		-	-	-	218	218	1,035	510	1,093	1,262	158	-	-	-	-	-	-	-	4,494	0.3
All grades		-	-	11	32	302	532	3,135	5,418	65,463	1,146,895	530,148	607	-	-	-	-	-	1,754,563	100.0
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Percent Percent																				
1/ As reported by the Bureau of the Census, running bales.																				
Less than 0.05 percent.																				
Percentage rough preparation..... 96.1																				
Grade index..... 35.3																				
Average staple..... 100.0																				

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74

NORTH CAROLINA								SOUTH CAROLINA					
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	81	10	-	-	91	40	221	50	10	-	321
M.+	(30)	28	69	-	-	-	97	-	-	-	-	-	-
M.	(31)	83	2,104	556	100	33	2,876	524	6,228	3,135	273	-	10,160
S.L.M.+	(40)	55	208	-	-	-	263	121	1,874	347	-	13	2,355
S.L.M.	(41)	4,524	39,278	20,504	912	61	65,279	7,220	52,122	26,866	4,015	177	90,400
L.M.+	(50)	1,241	11,432	6,051	194	24	18,942	1,855	9,725	5,106	647	117	17,450
L.M.	(51)	2,621	26,135	24,104	2,576	626	56,062	8,067	49,716	25,652	5,380	1,094	89,909
S.G.O.+	(60)	-	774	1,103	94	26	1,997	363	1,697	1,115	374	73	3,622
S.G.O.	(61)	303	2,451	4,528	1,547	729	9,558	807	4,855	3,594	1,295	1,177	11,728
G.O.+	(70)	-	12	-	-	-	12	-	15	-	-	-	15
G.O.	(71)	-	150	351	278	435	1,214	40	384	582	152	374	1,532
Total		8,855	82,694	57,207	5,701	1,934	156,391	19,037	126,837	66,447	12,146	3,025	227,492
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	118	99	40	-	257
M.	(32)	-	81	127	26	26	260	40	1,461	1,029	253	60	2,843
S.L.M.	(42)	303	2,578	908	189	17	3,995	1,049	15,820	6,407	2,063	356	25,695
L.M.	(52)	55	1,410	956	252	231	2,904	756	12,927	5,787	1,780	1,458	22,718
Total		358	4,069	1,991	467	274	7,159	1,855	30,326	13,322	4,136	1,874	51,513
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	20	-	20
M.	(33)	-	-	10	-	24	34	-	30	25	71	-	126
S.L.M.	(43)	-	139	78	5	-	222	40	885	297	212	120	1,554
L.M.	(53)	-	104	137	16	24	281	40	1,550	545	152	557	2,844
Total		-	243	225	21	48	537	80	2,465	867	455	677	4,544
Tinged:													
All grades		-	-	-	10	9	19	-	30	-	-	48	78
Light Gray:													
All grades		-	-	20	-	-	20	-	119	74	112	132	437
Gray:													
All grades		-	-	-	-	24	24	-	-	-	-	86	86
Below Grade		28	289	156	94	155	722	40	649	397	101	1,325	2,512
All grades		9,241	87,295	59,599	6,293	2,444	164,872 1/2	21,012	160,426	81,107	16,950	7,167	286,662 1/2
Grade Index		90.1	89.8	87.8	83.3	78.0	88.7	88.5	88.5	88.3	86.7	76.7	88.1
Staple Code													
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	-	-	12	-	-	12
32		-	36	-	-	-	36	-	30	25	10	99	164
33		-	-	39	10	-	49	40	1,184	421	10	268	1,923
34		1,408	17,683	11,447	765	829	32,132	120	49,450	30,534	10,187	5,434	95,725
35		6,152	67,227	47,790	5,471	1,606	128,246	4,758	92,038	48,851	6,713	1,328	153,688
36		1,599	2,301	323	47	9	4,279	12,586	17,089	1,252	30	38	30,995
37		82	48	-	-	-	130	3,346	635	12	-	-	3,993
38		-	-	-	-	-	-	162	-	-	-	-	162
39		-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-
All staples		9,241	87,295	59,599	6,293	2,444	164,872 1/2	21,012	160,426	81,107	16,950	7,167	286,662 1/2
Average staple		35.0	34.8	34.8	34.9	34.7	34.8	35.9	34.8	34.6	34.4	34.1	34.8

1/2 As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

GEORGIA							FLORIDA					
Grade and Staple	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
G.M. (11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (21)	26	138	99	10	10	263	-	-	-	-	-	-
M.+ (30)	-	-	-	-	-	-	-	-	-	-	-	-
M. (31)	893	6,358	1,284	19	23	8,577	-	70	27	-	-	97
S.L.M.+ (40)	290	848	442	-	-	1,580	-	-	9	-	-	9
S.L.M. (41)	7,033	79,415	30,219	1,880	594	119,141	13	1,892	1,822	797	7	4,531
L.M.+ (50)	1,850	7,137	2,673	411	118	12,189	-	183	265	40	-	508
L.M. (51)	3,355	59,643	38,824	9,605	1,078	112,505	12	1,031	1,538	2,181	219	4,981
S.O.O.+ (60)	39	1,996	1,408	258	122	3,823	-	-	9	10	-	19
S.O.O. (61)	98	3,403	5,315	3,711	1,360	13,887	-	28	18	192	127	365
O.O.+ (70)	-	12	21	-	10	43	-	-	-	10	5	15
O.O. (71)	13	66	415	526	346	1,366	-	-	-	-	-	-
Total	13,597	159,016	80,700	16,420	3,661	273,394	25	3,204	3,708	3,230	358	10,525
Light Spotted:												
G.M. (12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (22)	-	96	58	-	-	154	-	-	-	-	-	-
M. (32)	253	3,355	2,152	153	27	5,940	-	14	18	-	-	32
S.L.M. (42)	1,174	28,405	21,136	2,443	469	53,627	5	319	391	40	15	770
L.M. (52)	516	11,768	12,450	5,714	1,176	31,624	-	141	160	81	81	463
Total	1,943	43,624	35,796	8,310	1,672	91,345	5	474	569	121	96	1,265
Spotted:												
G.M. (13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (23)	-	10	50	-	-	60	-	-	-	-	-	-
M. (33)	13	193	108	17	10	341	-	-	-	-	-	-
S.L.M. (43)	13	1,708	1,063	539	213	3,536	-	-	44	10	-	54
L.M. (53)	26	1,226	1,130	780	490	3,652	-	56	9	-	22	87
Total	52	3,137	2,351	1,336	713	7,589	-	56	53	10	22	141
Tinged:												
All grades	-	-	75	55	6	136	-	-	-	-	-	-
Light Gray:												
All grades	-	10	75	10	101	196	-	-	18	-	5	23
Gray:												
All grades	-	-	10	17	-	27	-	-	-	-	-	-
Below Grade	13	568	1,102	1,086	1,123	3,894	-	-	-	20	35	55
All grades	15,605	206,355	120,109	27,236	7,276	376,581 1/2	30	3,734	4,348	3,381	516	12,009 1/2
Grade index	91.0	89.3	87.2	82.2	78.3	88.0	90.0	90.1	89.4	84.3	80.0	88.3
Staple Code												
26 and shorter	-	-	-	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	10	10	6	26	-	-	-	-	-	-
31	13	-	9	-	6	28	-	-	-	-	-	-
32	38	463	611	235	187	1,534	-	-	-	-	15	15
33	438	19,792	15,037	5,862	2,535	43,664	-	323	293	211	213	1,040
34	10,535	136,540	91,958	20,608	4,387	264,028	30	3,271	3,904	2,938	288	10,431
35	4,562	49,206	12,414	521	155	66,858	-	140	151	232	-	523
36	19	354	70	-	-	443	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 and longer	-	-	-	-	-	-	-	-	-	-	-	-
All staples	15,605	206,355	120,109	27,236	7,276	376,581 1/2	30	3,734	4,348	3,381	516	12,009 1/2
Average staple	34.3	34.1	34.0	33.8	33.6	34.1	34.0	34.0	34.0	34.0	33.5	34.0

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

ALABAMA

MISSISSIPPI

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	13	-	-	-	13
S.M.	(21)	41	379	82	19	-	521	1,016	2,135	337	41	-	3,529
M.+	(30)	-	26	-	-	-	26	80	510	-	-	-	590
M.	(31)	366	10,619	4,011	303	26	15,325	4,079	35,312	6,769	644	96	46,900
S.L.M.+	(40)	-	981	235	26	-	1,242	581	3,228	683	22	4	4,518
S.L.M.	(41)	1,080	106,478	75,871	11,202	1,125	195,756	17,406	588,340	234,676	22,919	889	864,230
L.M.+	(50)	61	6,260	5,974	592	170	13,057	352	23,161	8,421	784	7	32,725
L.M.	(51)	1,017	36,862	54,956	16,890	2,359	112,084	3,819	251,942	186,951	62,319	3,748	508,779
S.G.O.+	(60)	-	124	151	61	14	350	-	1,212	612	135	-	1,959
S.G.O.	(61)	203	1,489	3,903	2,730	836	9,161	140	14,836	16,926	15,069	2,452	49,423
G.O.+	(70)	-	11	-	-	-	11	-	13	-	17	-	30
G.O.	(71)	-	113	245	213	79	690	-	1,163	1,379	1,686	925	5,153
Total		2,768	163,342	145,428	32,036	4,609	348,183	27,473	921,865	456,754	103,636	8,121	1,517,849
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	219	75	18	-	312	-	102	69	9	-	180
M.	(32)	82	3,589	2,444	1,067	67	7,249	324	12,828	3,558	788	34	17,532
S.L.M.	(42)	102	18,139	16,744	10,634	972	46,591	837	88,248	38,546	9,695	584	137,910
L.M.	(52)	385	6,307	7,885	4,732	876	20,185	295	27,378	17,381	8,502	741	54,297
Total		569	28,254	27,148	16,451	1,915	74,337	1,456	128,556	59,554	18,994	1,359	209,919
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	13	28	36	-	77	-	-	-	-	2	2
M.	(33)	-	201	257	948	23	1,429	-	658	231	119	-	1,008
S.L.M.	(43)	60	1,173	1,332	5,451	525	8,541	-	2,951	2,251	1,663	154	7,019
L.M.	(53)	120	623	1,052	2,218	1,049	5,062	116	1,746	1,678	1,594	308	5,442
Total		180	2,010	2,669	8,653	1,597	15,109	116	5,355	4,160	3,376	464	13,471
Tinged:													
All grades		-	11	44	1,005	207	1,267	-	26	119	73	25	243
Light Gray:													
All grades		-	109	221	254	255	839	-	408	479	131	141	1,159
Gray:													
All grades		-	24	46	-	71	141	-	13	-	-	15	28
Below Grade													
		-	333	531	609	2,626	4,099	-	1,233	1,255	2,270	862	5,620
All grades		3,517	194,083	176,087	59,008	11,280	443,975 1/	29,045	1,057,456	522,321	128,480	10,987	1,748,289 1/
Grade index		88.6	91.3	89.4	86.1	78.2	89.5	93.6	90.9	89.1	84.9	80.2	89.9
Staple Code													
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	12	-	-	12	-	-	-	-	-	-
30		-	-	79	18	100	197	-	13	-	-	-	13
31		-	65	516	111	204	896	-	59	-	-	-	59
32		60	1,823	5,821	2,007	1,977	11,688	60	1,085	186	67	54	1,452
33		464	60,694	79,528	29,063	4,744	174,493	1,995	35,301	12,569	4,988	822	55,675
34		2,506	113,123	81,249	25,358	4,171	226,407	13,258	620,206	242,118	80,923	8,722	965,227
35		467	17,939	8,838	2,442	84	29,770	12,525	386,353	255,229	41,660	1,387	697,154
36		20	426	44	9	-	499	1,019	13,721	11,981	842	2	27,565
37		-	13	-	-	-	13	148	718	238	-	-	1,104
38		-	-	-	-	-	-	40	-	-	-	-	40
39		-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-
All staples		3,517	194,083	176,087	59,008	11,280	443,975 1/	29,045	1,057,456	522,321	128,480	10,987	1,748,289 1/
Average staple		34.0	33.8	33.5	33.5	33.1	33.6	34.4	34.4	34.5	34.3	34.0	34.4

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

TENNESSEE								MISSOURI					
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	55	795	151	9	-	1,010	-	34	8	-	-	42
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	2,387	27,052	6,873	213	28	36,553	-	12,826	3,029	19	-	15,874
S.L.M.+	(40)	-	2,905	491	43	-	3,439	-	235	8	-	-	243
S.L.M.	(41)	2,274	133,273	53,855	4,394	114	193,910	687	71,566	29,204	485	13	101,955
L.M.+	(50)	-	3,071	1,776	238	-	5,085	-	3,621	1,654	48	-	5,323
L.M.	(51)	277	26,963	18,890	4,650	790	51,570	-	4,238	6,897	1,217	75	12,427
S.G.O.+	(60)	-	210	380	51	-	641	-	34	80	29	-	143
S.G.O.	(61)	-	1,237	1,514	1,243	249	4,243	-	146	280	342	41	809
G.O.+	(70)	-	33	8	-	-	41	-	-	-	-	-	-
G.O.	(71)	-	110	198	51	11	370	-	11	-	-	23	34
Total		4,993	195,649	84,136	10,892	1,192	296,862	687	92,711	41,160	2,140	152	136,850
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	22	24	-	-	46	-	-	-	-	-	-
M.	(32)	166	17,806	6,183	502	11	24,668	-	5,651	1,503	19	-	7,173
S.L.M.	(42)	388	46,924	18,057	7,332	523	73,224	111	15,562	6,618	960	64	23,315
L.M.	(52)	-	8,240	4,740	5,493	834	19,307	-	1,088	735	3,297	452	5,572
Total		554	72,992	29,004	13,327	1,368	117,245	111	22,301	8,856	4,276	516	36,060
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	585	206	85	-	876	-	67	64	10	12	153
S.L.M.	(43)	-	2,540	674	1,354	438	5,006	-	594	112	333	13	1,052
L.M.	(53)	-	696	293	1,005	441	2,435	-	123	72	1,293	273	1,761
Total		-	3,821	1,173	2,444	879	8,317	-	784	248	1,636	298	2,966
Tinged:													
All grades		-	-	8	60	11	79	-	-	-	10	-	10
Light Gray:													
All grades		-	77	87	-	84	248	-	-	16	-	12	28
Gray:													
All grades		-	-	-	-	-	-	-	11	-	-	12	23
Below Grade													
All grades		-	287	166	426	221	1,100	-	123	80	637	538	1,378
All grades		5,547	272,826	114,574	27,149	3,755	423,851 ^{1/}	798	115,930	50,360	8,699	1,528	177,315 ^{1/}
Grade index		96.0	92.3	91.1	85.6	81.3	91.5	93.3	93.4	92.0	80.4	72.7	92.2
Staple Code													
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	11	8	18	-	37	-	11	-	-	-	11
32		111	1,093	1,063	410	220	2,897	-	33	80	96	146	355
33		2,829	59,084	39,221	9,795	2,131	113,060	44	2,769	4,260	2,064	898	10,035
34		2,607	193,939	70,538	16,098	1,315	284,497	443	93,418	38,771	6,243	478	139,353
35		-	18,368	3,728	819	89	23,004	289	19,520	7,185	286	6	27,286
36		-	331	16	9	-	356	22	179	64	10	-	275
37		-	-	-	-	-	-	-	-	-	-	-	-
38		-	-	-	-	-	-	-	-	-	-	-	-
39		-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-
All staples		5,547	272,826	114,574	27,149	3,755	423,851 ^{1/}	798	115,930	50,360	8,699	1,528	177,315 ^{1/}
Average staple		33.4	33.8	33.7	33.6	33.3	33.8	34.4	34.1	34.1	33.8	33.2	34.1

^{1/} As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

ARKANSAS								LOUISIANA							
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1		October	November	December	After Dec. 31	Total crop	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
White:															
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(21)	-	177	31	-	-	208	23	233	25	-	-	-	281	
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(31)	627	37,002	10,052	164	20	47,865	520	13,768	2,731	197	17	17,233		
S.L.M.+	(40)	22	1,989	437	-	-	2,448	23	453	126	-	-	602		
S.L.M.	(41)	8,596	371,254	178,329	16,208	933	575,320	1,709	119,123	88,272	22,682	395	232,181		
L.M.+	(50)	158	13,270	5,033	225	10	18,696	-	1,820	1,450	99	4	3,373		
L.M.	(51)	661	98,481	80,086	38,285	4,125	221,638	101	29,912	44,852	23,566	1,214	99,645		
S.O.O.+	(60)	-	438	425	86	19	968	-	11	104	90	-	205		
S.O.O.	(61)	71	2,598	4,284	3,910	3,271	14,134	62	1,524	2,509	2,608	455	7,158		
G.O.+	(70)	-	-	8	-	10	18	-	-	9	-	-	9		
G.O.	(71)	71	51	237	340	370	1,069	-	183	236	250	354	1,023		
Total		10,206	525,260	278,922	59,218	8,758	882,364	2,438	167,027	140,314	49,492	2,439	361,710		
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(22)	-	12	8	-	-	20	-	12	25	-	-	-	37	
M.	(32)	-	9,865	3,795	274	-	13,934	429	13,361	3,566	194	11	17,561		
S.L.M.	(42)	994	49,911	25,363	8,877	633	85,778	1,004	48,138	34,377	8,324	537	92,380		
L.M.	(52)	93	7,359	6,630	7,021	2,233	23,336	222	5,629	9,044	4,946	837	20,678		
Total		1,087	67,147	35,796	16,172	2,866	123,068	1,655	67,140	47,012	13,464	1,385	130,656		
Spotted:															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(23)	-	-	-	-	-	-	-	12	-	-	10	22		
M.	(33)	-	73	288	17	-	378	-	844	339	71	17	1,271		
S.L.M.	(43)	-	1,239	951	526	117	2,833	23	1,628	3,074	1,093	265	6,083		
L.M.	(53)	71	413	465	710	872	2,531	39	417	1,486	1,105	230	3,277		
Total		71	1,725	1,704	1,253	989	5,742	62	2,901	4,899	2,269	522	10,653		
Tinged:															
All grades		-	25	16	25	26	92	-	11	100	40	12	163		
Light Gray:															
All grades		-	173	115	194	410	892	39	473	1,005	1,069	98	2,684		
Gray:															
All grades		-	-	8	10	42	60	-	11	73	25	16	125		
Below Grade															
All grades		-	267	321	454	743	1,785	45	208	516	481	311	1,561		
All grades															
All grades		11,364	594,597	316,882	77,326	13,834	1,014,003 1/2	4,239	237,771	193,919	66,840	4,783	507,552 1/2		
Grade Index															
Grade Index		92.8	92.1	90.8	86.2	80.4	91.1	92.0	91.7	89.8	87.6	81.2	90.3		
Staple Code															
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-	-	
28		-	-	-	-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	-	-	-	
30		-	-	-	-	-	-	-	-	-	-	-	-	-	
31		-	38	-	-	-	38	-	-	-	-	-	-	-	
32		71	222	92	166	194	745	-	96	390	16	30	522		
33		722	17,583	7,990	2,357	4,274	32,926	529	8,806	8,015	2,618	672	20,640		
34		7,774	396,410	220,273	60,544	8,696	693,697	2,669	157,556	143,459	57,559	3,690	364,933		
35		2,667	177,640	87,805	14,230	664	283,006	814	69,311	41,747	6,639	391	118,902		
36		130	2,655	722	29	6	3,542	227	1,990	310	8	-	2,535		
37		-	49	-	-	-	49	-	12	8	-	-	20		
38		-	-	-	-	-	-	-	-	-	-	-	-		
39		-	-	-	-	-	-	-	-	-	-	-	-		
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-		
All staples		11,364	594,597	316,882	77,326	13,834	1,014,003 1/2	4,239	237,771	193,919	66,840	4,783	507,552 1/2		
Average staple															
Average staple		34.2	34.3	34.3	34.2	33.7	34.3	34.2	34.3	34.2	34.1	33.9	34.2		

1/2 As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

OKLAHOMA								TEXAS							
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Sept. 1	September	October	November	December	After Dec. 31	Total crop	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
White:															
G.M.	(11)	-	-	-	-	-	-	-	-	22	23	-	-	45	
S.M.	(21)	-	-	-	-	-	-	109	114	3,162	5,248	1,595	488	10,676	
M.+	(30)	-	-	-	-	-	-	-	-	54	150	189	29	422	
M.	(31)	-	475	6,265	16,791	3,635	27,166	5,390	8,586	63,681	364,078	287,812	80,307	809,854	
S.L.M.+	(40)	-	55	572	294	32	953	595	279	2,451	9,769	4,599	819	18,512	
S.L.M.	(41)	9	2,292	19,258	60,172	33,347	115,078	37,190	62,904	101,455	572,744	547,168	259,614	1,581,075	
L.M.+	(50)	-	221	400	328	38	987	757	1,266	1,290	7,830	4,769	1,405	17,317	
L.M.	(51)	-	392	4,199	14,743	8,181	27,515	25,509	35,579	44,855	96,359	59,029	28,787	290,118	
S.G.O.+	(60)	-	11	31	120	7	169	55	112	161	271	132	79	810	
S.G.O.	(61)	-	22	245	943	711	1,921	2,983	6,922	13,123	14,238	9,546	7,650	54,462	
G.O.+	(70)	-	-	-	-	-	-	-	-	51	-	-	22	73	
G.O.	(71)	-	-	-	80	141	221	248	743	1,343	1,122	1,020	1,748	6,224	
Total		9	3,468	30,970	93,471	46,092	174,010	72,836	116,505	231,648	1,071,832	915,819	380,948	2,789,588	
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(22)	-	-	-	29	14	43	22	10	457	984	447	80	2,000	
M.	(32)	-	144	7,427	45,083	27,443	80,097	2,620	13,248	35,969	202,878	265,060	161,116	680,891	
S.L.M.	(42)	-	1,056	14,114	60,583	40,763	116,516	35,805	57,222	85,463	156,651	159,323	105,748	600,212	
L.M.	(52)	-	121	2,677	11,311	9,533	23,642	12,112	23,716	78,355	68,499	39,117	18,326	240,125	
Total		-	1,321	24,218	117,006	77,753	220,298	50,559	94,196	200,244	429,012	463,947	285,270	1,523,228	
Spotted:															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(23)	-	-	15	-	14	29	-	-	13	80	70	-	163	
M.	(33)	-	-	387	1,795	2,043	4,225	386	185	2,131	5,323	11,629	10,764	30,418	
S.L.M.	(43)	-	199	1,361	3,020	3,531	8,111	6,461	7,767	5,403	7,996	9,736	12,251	49,614	
L.M.	(53)	-	132	495	879	1,804	3,310	3,426	10,293	9,239	7,761	3,652	6,760	41,131	
Total		-	331	2,258	5,694	7,392	15,675	10,273	18,245	16,786	21,160	25,087	29,775	121,326	
Tinged:															
All grades		-	22	15	44	246	327	142	749	427	302	323	1,454	3,397	
Stained:															
All grades		-	-	-	-	-	-	-	-	-	-	9	6	15	
Light Gray:															
All grades		-	-	-	15	4	19	534	584	107	290	437	647	2,599	
Gray:															
All grades		-	-	15	-	-	15	44	10	20	3	26	127	230	
Below Grade															
All grades		-	-	196	116	352	664	547	4,322	8,763	7,248	2,219	6,255	29,354	
All grades		9	5,142	57,672	216,346	131,839	411,008 1/	134,935	234,611	457,995	1,529,847	1,407,867	704,482	4,469,737 1/	
Grade Index		94.0	91.4	91.9	92.0	90.9	91.6	88.4	87.9	89.2	93.6	94.1	92.9	92.8	
Staple Code															
26 and shorter		-	22	76	58	4	160	-	-	647	1,001	231	368	2,247	
28		-	55	447	366	67	935	-	-	5,158	19,477	3,567	1,108	29,310	
29		-	121	1,931	2,507	420	4,979	34	319	21,999	136,842	63,613	10,575	233,382	
30		-	555	7,847	39,926	8,498	56,826	604	4,463	99,604	440,898	447,330	145,060	1,137,959	
31		-	613	12,329	73,368	37,843	124,153	4,290	36,910	154,245	443,871	491,829	269,153	1,400,298	
32		5	706	14,905	72,206	63,414	151,236	8,816	66,308	87,023	275,852	268,034	204,448	910,481	
33		4	1,170	7,976	18,691	17,939	45,780	16,738	43,283	27,720	100,588	75,497	50,586	314,412	
34		-	716	5,305	6,506	3,231	15,758	75,641	72,070	34,706	64,505	39,350	18,104	304,376	
35		-	980	4,534	2,149	409	8,072	28,757	10,975	11,333	21,565	11,178	3,968	87,776	
36		-	193	2,213	554	14	2,974	55	283	11,008	21,614	6,198	930	40,088	
37		-	11	124	-	-	135	-	-	4,471	3,253	807	182	8,713	
38		-	-	-	-	-	-	-	-	59	354	168	-	581	
39		-	-	-	-	-	-	-	-	-	-	38	-	38	
40 and longer		-	-	-	-	-	-	-	-	-	22	27	-	76	
All staples		9	5,142	57,687	216,331	131,839	411,008 1/	134,935	234,611	457,995	1,529,847	1,407,867	704,482	4,469,737 1/	
Average staple		32.4	32.8	32.1	31.4	31.8	31.7	33.8	32.7	31.5	31.1	31.0	31.3	31.3	

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

NEW MEXICO

ARIZONA

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	6	1,951	2,712	132	-	4,801	632	9,527	3,434	506	43	14,142
M.+	(30)	-	-	-	-	-	-	-	12	-	-	-	12
M.	(31)	72	23,576	31,232	9,311	900	65,091	4,862	132,742	126,926	64,891	6,137	335,558
S.L.M.+	(40)	-	1,100	2,910	1,058	76	5,144	435	3,987	4,058	5,093	573	14,146
S.L.M.	(41)	13	8,647	13,110	9,368	2,129	33,267	1,518	17,552	34,590	35,129	11,020	99,809
L.M.+	(50)	-	48	778	536	193	1,555	-	361	820	1,695	504	3,380
L.M.	(51)	-	160	826	1,621	747	3,354	21	987	2,444	5,411	4,252	13,115
S.G.O.+	(60)	-	-	-	-	-	-	-	12	49	157	98	316
S.G.O.	(61)	-	-	150	604	675	1,429	-	271	863	2,244	3,632	7,010
G.O.+	(70)	-	-	-	-	-	-	-	-	-	10	10	20
G.O.	(71)	-	-	23	9	281	313	-	72	93	312	987	1,464
Total		91	35,482	51,741	22,639	5,001	114,954	7,468	165,523	173,277	115,448	27,256	488,972
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	14	85	71	-	170	-	693	518	94	10	1,315
M.	(32)	8	1,950	3,865	3,454	644	9,921	656	32,978	29,906	7,371	1,026	71,937
S.L.M.	(42)	-	704	1,368	2,422	668	5,162	62	5,376	6,976	5,238	2,104	19,756
L.M.	(52)	-	70	69	487	704	1,330	36	613	1,095	4,685	5,245	11,674
Total		8	2,738	5,387	6,434	2,016	16,583	754	39,660	38,495	17,388	8,385	104,682
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	4	4	-	-	11	-	-	11
M.	(33)	-	28	162	272	114	576	21	146	173	217	71	628
S.L.M.	(43)	-	10	22	79	92	203	-	241	141	103	119	604
L.M.	(53)	-	10	-	27	161	198	-	49	97	578	801	1,525
Total		-	48	184	378	371	981	21	436	422	898	991	2,768
Tinged:													
All grades		-	-	-	-	20	20	-	-	-	-	41	41
Light Gray:													
All grades		-	30	-	-	-	30	-	130	51	86	127	394
Gray:													
All grades		-	-	-	-	-	-	-	-	-	10	7	17
Below Grade													
All grades		-	-	40	95	585	720	-	121	497	1,875	5,879	8,372
All grades		99	38,298	57,352	29,546	7,993	133,288 1/2	8,243	205,870	212,742	135,705	42,686	605,246 1/2
Grade index		99.2	98.3	97.7	94.7	87.0	96.5	98.6	98.6	97.7	95.2	84.8	96.5
Staple Code													
26 and shorter		-	10	12	-	23	45	-	-	-	-	24	24
28		-	50	305	203	35	593	-	37	12	-	160	209
29		-	180	1,418	1,878	183	3,659	-	12	-	10	228	250
30		-	70	3,352	5,248	1,627	10,297	-	98	119	225	1,845	2,287
31		-	110	1,427	2,368	981	4,886	-	196	216	696	2,863	3,971
32		-	286	1,334	2,011	1,274	4,905	-	377	1,359	4,463	8,269	14,468
33		-	181	962	1,175	968	3,286	39	914	3,190	6,794	7,902	18,839
34		-	318	2,407	2,300	1,540	6,565	1,875	54,846	50,633	37,018	15,943	160,315
35		-	3,978	6,829	5,390	986	17,183	6,329	145,578	147,938	83,545	5,063	388,453
36		32	24,281	32,176	8,114	376	64,979	-	2,590	8,275	2,860	290	14,015
37		21	8,718	7,016	832	-	16,587	-	1,210	931	55	84	2,280
38		46	116	114	27	-	303	-	12	-	10	10	32
39		-	-	-	-	-	-	-	-	-	19	5	24
40 and longer		-	-	-	-	-	-	-	-	69	10	-	79
All staples		99	38,298	57,352	29,546	7,993	133,288 1/2	8,243	205,870	212,742	135,705	42,686	605,246 1/2
Average staple		37.1	36.0	35.1	33.3	32.4	34.8	34.8	34.7	34.8	34.5	33.1	34.6

1/2 As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1973-74 (Cont'd.)

CALIFORNIA

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	12	9	-	-	21
S.M.	(21)	376	13,342	7,280	1,692	1,465	24,155
M.+	(30)	-	12	-	-	53	65
M.	(31)	13,625	465,648	262,978	57,754	10,323	810,328
S.L.M.+	(40)	1,741	81,391	48,163	5,325	1,156	137,776
S.L.M.	(41)	1,838	273,646	250,148	46,389	8,822	580,843
L.M.+	(50)	-	8,218	10,174	2,436	319	21,147
L.M.	(51)	204	21,105	44,934	20,754	5,991	92,968
S.G.O.+	(60)	-	124	886	467	68	1,545
S.G.O.	(61)	-	936	5,137	6,690	3,211	15,974
G.O.+	(70)	-	-	30	32	-	62
G.O.	(71)	-	63	605	1,411	1,598	3,677
Total		17,784	864,497	630,344	142,950	33,006	1,688,581
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	-	85	81	47	31	244
M.	(32)	18	3,665	10,309	2,870	762	17,624
S.L.M.	(42)	25	6,505	11,772	4,273	1,032	23,607
L.M.	(52)	-	984	3,917	3,958	1,887	10,746
Total		43	11,239	26,079	11,148	3,712	52,221
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	93	9	-	-	102
M.	(33)	-	37	206	55	71	369
S.L.M.	(43)	-	252	450	400	178	1,280
L.M.	(53)	-	73	503	553	542	1,671
Total		-	455	1,168	1,008	791	3,422
Tinged:							
All grades		-	-	49	44	36	129
Stained:							
All grades		-	-	33	-	14	47
Light Gray:							
All grades		-	1,035	2,473	1,008	734	5,250
Gray:							
All grades		-	27	103	107	182	419
Below Grade							
All grades		-	39	574	1,506	2,375	4,494
All grades		17,827	877,292	660,823	157,771	40,850	1,754,563 <u>1/</u>
Grade index		99.0	97.3	95.7	93.2	89.0	96.1
Staple Code							
26 and shorter		-	-	-	-	-	-
28		-	-	11	-	-	11
29		-	-	32	-	-	32
30		-	-	22	-	280	302
31		-	-	97	-	435	532
32		-	22	200	158	2,755	3,135
33		-	224	611	813	3,770	5,418
34	757	15,436	28,341	12,318	8,631	65,483	65,483
35	5,367	621,348	395,200	111,630	15,350	1,148,895	1,148,895
36	11,703	240,091	235,979	32,746	9,629	530,148	530,148
37	-	171	330	106	-	607	607
38	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		17,827	877,292	660,823	157,771	40,850	1,754,563 <u>1/</u>
Average staple		35.6	35.3	35.3	35.1	34.6	35.3

1/ As reported by the Bureau of the Census, running bales.

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74

		RALEIGH			COLUMBIA		AUGUSTA
Grade and Staple	Code	Ginned in State		Classing Office total	Ginned in State		Ginned in State Georgia
		North Carolina	Virginia		South Carolina		
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	91	-	91	321		206
M.+	(30)	97	-	97	-		-
M.	(31)	2,876	41	2,917	10,160		3,276
S.L.M.+	(40)	263	33	296	2,355		734
S.L.M.	(41)	65,279	335	65,614	90,400		27,623
L.M.+	(50)	18,942	257	19,199	17,450		4,945
L.M.	(51)	56,062	1,028	57,090	89,909		24,197
S.G.O.+	(60)	1,997	60	2,057	3,622		1,320
S.G.O.	(61)	9,558	83	9,641	11,728		4,658
G.O.+	(70)	12	-	12	15		21
G.O.	(71)	1,214	9	1,223	1,532		510
Total		156,391	1,846	158,237	227,492		67,490
Light Spotted:							
G.M.	(12)	-	-	-	-		-
S.M.	(22)	-	-	-	257		100
M.	(32)	260	21	281	2,843		2,979
S.L.M.	(42)	3,995	-	3,995	25,695		16,490
L.M.	(52)	2,904	26	2,930	22,718		8,340
Total		7,159	47	7,206	51,513		27,909
Spotted:							
G.M.	(13)	-	-	-	-		-
S.M.	(23)	-	-	-	20		51
M.	(33)	34	-	34	126		223
S.L.M.	(43)	222	-	222	1,554		1,526
L.M.	(53)	281	9	290	2,844		1,073
Total		537	9	546	4,544		2,873
Tinged:							
All grades		19	-	19	78		51
Light Gray:							
All grades		20	-	20	437		87
Gray:							
All grades		24	-	24	86		20
Below Grade							
		722	9	731	2,512		1,335
All grades							
		164,872	1,911	166,783	286,662		99,765
Grade index							
		88.7	87.1	88.6	88.1		88.0
Staple Code							
26 and shorter		-	-	-	-		-
28		-	-	-	-		-
29		-	-	-	-		-
30		-	-	-	-		26
31		-	-	-	12		13
32		36	-	36	164		356
33		49	-	49	1,923		7,910
34		32,132	329	32,461	95,725		71,892
35		128,246	1,582	129,828	153,688		19,499
36		4,279	-	4,279	30,995		69
37		130	-	130	3,993		-
38		-	-	-	162		-
39		-	-	-	-		-
40 and longer		-	-	-	-		-
All staples		164,872	1,911	166,783	286,662		99,765
Average staple							
		34.8	34.8	34.8	34.8		34.1

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		ATLANTA		BIRMINGHAM		MONTGOMERY		Classing Office total
Grade and Staple		Ginned in State :: Georgia		Ginned in State :: Alabama		Ginned in State :: Alabama Florida		
Grade	Code	Bales	::	Bales	::	Bales	Bales	Bales
White:								
G.M.	(11)	-	::	-	::	-	-	-
S.M.	(21)	77	::	295	::	226	-	226
M.+	(30)	-	::	26	::	-	-	-
M.	(31)	5,301	::	10,673	::	4,652	97	4,749
S.L.M.+	(40)	846	::	326	::	916	9	925
S.L.M.	(41)	91,518	::	127,957	::	67,799	4,531	72,330
L.M.+	(50)	7,244	::	5,584	::	7,473	508	7,981
L.M.	(51)	88,308	::	65,328	::	46,756	4,981	51,737
S.G.O.+	(60)	2,503	::	94	::	256	19	275
S.G.O.	(61)	9,229	::	4,689	::	4,472	365	4,837
G.O.+	(70)	22	::	-	::	11	-	11
G.O.	(71)	856	::	333	::	317	15	332
Total		205,904	::	215,305	::	132,878	10,525	143,403
Light Spotted:								
G.M.	(12)	-	::	-	::	-	-	-
S.M.	(22)	54	::	134	::	178	-	178
M.	(32)	2,961	::	4,966	::	2,283	32	2,315
S.L.M.	(42)	37,137	::	31,299	::	15,292	770	16,062
L.M.	(52)	23,284	::	12,131	::	8,054	463	8,517
Total		63,436	::	48,530	::	25,807	1,265	27,072
Spotted:								
G.M.	(13)	-	::	-	::	-	-	-
S.M.	(23)	9	::	32	::	45	-	45
M.	(33)	118	::	1,315	::	114	-	114
S.L.M.	(43)	2,010	::	7,625	::	916	54	970
L.M.	(53)	2,579	::	3,984	::	1,078	87	1,165
Total		4,716	::	12,956	::	2,153	141	2,294
Tinged:								
All grades		85	::	1,178	::	89	-	89
Light Gray:								
All grades		109	::	495	::	344	23	367
Gray:								
All grades		7	::	130	::	11	-	11
Below Grade								
		2,559	::	3,610	::	489	55	544
All grades		276,816	::	282,204	::	161,771	12,009	173,780
Grade index		88.0	::	89.5	::	89.4	88.3	89.3
Staple Code								
26 and shorter		-	::	-	::	-	-	-
28		-	::	-	::	-	-	-
29		-	::	12	::	-	-	-
30		-	::	174	::	23	-	23
31		15	::	878	::	18	-	18
32		1,178	::	11,322	::	366	15	381
33		35,754	::	150,161	::	24,332	1,040	25,372
34		192,136	::	112,639	::	113,768	10,431	124,199
35		47,359	::	6,818	::	22,952	523	23,475
36		374	::	187	::	312	-	312
37		-	::	13	::	-	-	-
38		-	::	-	::	-	-	-
39		-	::	-	::	-	-	-
40 and longer		-	::	-	::	-	-	-
All staples		276,816	::	282,204	::	161,771	12,009	173,780
Average staple		34.0	::	33.4	::	34.0	34.0	34.0

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		GREENWOOD		JACKSON	
Grade and Staple		Ginned in State		Ginned in State	
		Mississippi		Mississippi	
Grade	Code	Bales		Bales	
White:			::		
G.M.	(11)	13	::	-	
S.M.	(21)	2,228	::	650	
M.+	(30)	590	::	-	
M.	(31)	30,328	::	4,847	
S.L.M.+	(40)	3,133	::	602	
S.L.M.	(41)	713,065	::	45,213	
L.M.+	(50)	28,165	::	1,341	
L.M.	(51)	436,955	::	26,955	
S.G.O.+	(60)	1,646	::	54	
S.G.O.	(61)	40,525	::	2,867	
G.O.+	(70)	30	::	-	
G.O.	(71)	4,382	::	378	
Total		1,261,060	::	82,907	
Light Spotted:					
G.M.	(12)	-	::	-	
S.M.	(22)	43	::	79	
M.	(32)	8,162	::	1,667	
S.L.M.	(42)	92,215	::	15,209	
L.M.	(52)	33,727	::	7,672	
Total		134,147	::	24,627	
Spotted:					
G.M.	(13)	-	::	-	
S.M.	(23)	-	::	2	
M.	(33)	676	::	11	
S.L.M.	(43)	4,986	::	786	
L.M.	(53)	3,181	::	1,264	
Total		8,843	::	2,063	
Tinged:					
All grades		204	::	17	
Light Gray:					
All grades		959	::	59	
Gray:					
All grades		28	::	-	
Below Grade		4,382	::	361	
All grades		1,409,623	::	110,034	
Grade index		89.8	::	89.5	
Staple Code					
26 and shorter		-	::	-	
28		-	::	-	
29		-	::	-	
30		13	::	-	
31		26	::	11	
32		317	::	321	
33		10,693	::	18,681	
34		713,064	::	79,442	
35		657,811	::	11,311	
36		26,583	::	240	
37		1,076	::	28	
38		40	::	-	
39		-	::	-	
40 and longer		-	::	-	
All staples		1,409,623	::	110,034	
Average staple		34.5	::	33.9	

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		MEMPHIS				HAYTI	
Grade and Staple		Ginned in State				Classing Office total	Ginned in State Missouri
		Tennessee	Kentucky	Arkansas	Mississippi		
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	1,010	-	7	651	1,668	42
M.+	(30)	-	-	-	-	-	-
M.	(31)	36,553	45	1,195	11,725	49,518	15,874
S.L.M.+	(40)	3,439	-	67	783	4,289	243
S.L.M.	(41)	193,910	98	24,550	105,952	324,510	101,955
L.M.+	(50)	5,085	-	360	3,219	8,664	5,323
L.M.	(51)	51,570	-	10,916	44,869	107,355	12,427
S.G.O.+	(60)	641	-	20	259	920	143
S.G.O.	(61)	4,243	-	1,427	6,031	11,701	809
G.O.+	(70)	41	-	-	-	41	-
G.O.	(71)	370	-	111	393	874	34
Total		296,862	143	38,653	173,882	509,540	136,850
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	46	-	-	58	104	-
M.	(32)	24,668	9	1,421	7,703	33,801	7,173
S.L.M.	(42)	73,224	52	12,273	30,486	116,035	23,315
L.M.	(52)	19,307	9	3,155	12,898	35,369	5,572
Total		117,245	70	16,849	51,145	185,309	36,060
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-
M.	(33)	876	-	18	321	1,215	153
S.L.M.	(43)	5,006	13	312	1,247	6,578	1,052
L.M.	(53)	2,435	-	167	997	3,599	1,761
Total		8,317	13	497	2,565	11,392	2,966
Tinged:							
All grades		79	-	-	22	101	10
Light Gray:							
All grades		248	-	75	141	464	28
Gray:							
All grades		-	-	-	-	-	23
Below Grade							
All grades		1,100	-	129	877	2,106	1,378
All grades							
Grade index		423,851	226	56,203	228,632	708,912	177,315
Grade index		91.5	93.0	89.8	90.4	91.0	92.2
Staple Code							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		-	-	-	-	-	-
30		-	-	-	-	-	-
31		37	-	-	22	59	11
32		2,897	-	123	814	3,834	355
33		113,060	98	4,106	26,301	143,565	10,035
34		284,497	128	42,637	172,721	499,983	139,353
35		23,004	-	9,202	28,032	60,238	27,286
36		356	-	135	742	1,233	275
37		-	-	-	-	-	-
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		423,851	226	56,203	228,632	708,912	177,315
Average staple		33.8	33.6	34.1	34.0	33.9	34.1

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		BLYTHEVILLE		LITTLE ROCK		WINNSBORO		ALEXANDRIA	
Grade and Staple		Ginned in State		Ginned in State		Ginned in State		Ginned in State	
		Arkansas		Arkansas		Louisiana		Louisiana	
Grade	Code	Bales		Bales		Bales		Bales	
White:									
G.M.	(11)	-	::	-	::	-	::	-	::
S.M.	(21)	24	::	177	::	281	::	-	::
M.+	(30)	-	::	-	::	-	::	-	::
M.	(31)	19,652	::	27,018	::	15,385	::	1,848	::
S.L.M.+	(40)	1,442	::	939	::	602	::	-	::
S.L.M.	(41)	156,818	::	393,952	::	179,570	::	52,611	::
L.M.+	(50)	7,393	::	10,943	::	3,193	::	180	::
L.M.	(51)	29,204	::	181,518	::	75,655	::	23,990	::
S.G.O.+	(60)	216	::	732	::	166	::	39	::
S.O.O.	(61)	2,705	::	10,002	::	4,628	::	2,530	::
G.O.+	(70)	18	::	-	::	-	::	9	::
G.O.	(71)	338	::	620	::	525	::	498	::
Total		217,810	::	625,901	::	280,005	::	81,705	::
Light Spotted:									
G.M.	(12)	-	::	-	::	-	::	-	::
S.M.	(22)	20	::	-	::	37	::	-	::
M.	(32)	7,671	::	4,842	::	17,182	::	379	::
S.L.M.	(42)	21,131	::	52,374	::	77,295	::	15,085	::
L.M.	(52)	3,547	::	16,634	::	14,610	::	6,068	::
Total		32,369	::	73,850	::	109,124	::	21,532	::
Spotted:									
G.M.	(13)	-	::	-	::	-	::	-	::
S.M.	(23)	-	::	-	::	12	::	10	::
M.	(33)	156	::	204	::	1,177	::	94	::
S.L.M.	(43)	623	::	1,898	::	5,173	::	910	::
L.M.	(53)	351	::	2,013	::	2,266	::	1,011	::
Total		1,130	::	4,115	::	8,628	::	2,025	::
Tinged:									
All grades		10	::	82	::	152	::	11	::
Light Gray:									
All grades		202	::	615	::	1,610	::	1,074	::
Gray:									
All grades		48	::	12	::	32	::	93	::
Below Grade									
		502	::	1,154	::	1,129	::	432	::
All grades									
		252,071	::	705,729	::	400,680	::	106,872	::
Grade index									
		92.4	::	90.7	::	90.5	::	89.6	::
Staple Code									
26 and shorter		-	::	-	::	-	::	-	::
28		-	::	-	::	-	::	-	::
29		-	::	-	::	-	::	-	::
30		-	::	-	::	-	::	-	::
31		-	::	38	::	-	::	-	::
32		52	::	570	::	176	::	346	::
33		4,915	::	23,905	::	13,866	::	6,774	::
34		141,397	::	509,663	::	282,456	::	82,477	::
35		104,013	::	169,791	::	101,770	::	17,132	::
36		1,658	::	1,749	::	2,392	::	143	::
37		36	::	13	::	20	::	-	::
38		-	::	-	::	-	::	-	::
39		-	::	-	::	-	::	-	::
40 and longer		-	::	-	::	-	::	-	::
All staples		252,071	::	705,729	::	400,680	::	106,872	::
Average staple									
		34.4	::	34.2	::	34.2	::	34.1	::

SOUTHWESTERN SMITH-DOXEY CLASSING OFFICE TERRITORIES




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		ALTUS		DALLAS			
Grade and Staple		Ginned in State		Classing Office total	Ginned in State		Classing Office total
		Oklahoma	Texas		Texas	Oklahoma	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	-	64	64	-	-	-
M.+	(30)	-	12	12	-	-	-
M.	(31)	26,546	67,062	93,628	2,274	620	2,894
S.L.M.+	(40)	953	438	1,391	29	-	29
S.L.M.	(41)	110,895	102,229	213,124	27,199	4,183	31,382
L.M.+	(50)	935	624	1,559	433	52	485
L.M.	(51)	24,011	11,367	35,378	52,660	3,504	56,164
S.G.O.+	(60)	152	16	168	67	17	84
S.G.O.	(61)	1,176	267	1,463	25,185	745	25,930
G.O.+	(70)	-	-	-	-	-	-
G.O.	(71)	122	14	136	2,034	99	2,133
Total		164,790	182,133	346,923	109,881	9,220	119,101
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	43	6	49	-	-	-
M.	(32)	79,361	117,620	196,981	5,950	736	6,686
S.L.M.	(42)	110,809	70,085	180,894	59,428	5,707	65,135
L.M.	(52)	18,410	5,935	24,345	97,935	5,232	103,167
Total		208,623	193,646	402,269	163,313	11,675	174,988
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	29	-	29	-	-	-
M.	(33)	4,156	3,957	8,113	170	69	239
S.L.M.	(43)	7,760	4,960	12,720	2,195	351	2,546
L.M.	(53)	2,819	850	3,669	6,017	491	6,508
Total		14,764	9,767	24,531	8,382	911	9,293
Tinged:							
All grades		284	259	543	25	43	68
Stained:							
All grades		-	6	6	-	-	-
Light Gray:							
All grades		19	-	19	405	-	405
Gray:							
All grades		15	-	15	26	-	26
Below Grade							
All grades		358	123	481	9,108	306	9,414
All grades		368,853	385,934	774,787	291,140	22,155	313,295
Grade index		91.9	94.3	93.1	83.5	86.4	83.7
Staple Code							
26 and shorter		160	54	214	15	-	15
28		935	467	1,402	213	-	213
29		4,730	3,782	8,512	5,929	249	6,178
30		50,361	34,704	85,065	117,414	6,465	123,879
31		116,069	141,969	258,038	111,604	8,064	119,668
32		148,205	172,691	320,896	46,472	3,031	49,503
33		44,984	28,807	73,791	7,117	796	7,913
34		15,070	3,253	18,323	1,629	688	2,317
35		6,327	187	6,514	698	1,745	2,443
36		1,877	-	1,877	49	1,097	1,146
37		135	-	135	-	-	-
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		368,853	385,934	774,787	291,140	22,155	313,295
Average staple		31.7	31.5	31.6	30.8	31.6	30.8

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		AUSTIN		CORPUS CHRISTI		HARLINGEN		ABILENE	
Grade and Staple		Ginned in State	::	Ginned in State	::	Ginned in State	::	Ginned in State	::
		Texas	::	Texas	::	Texas	::	Texas	::
Grade	Code	Bales	::	Bales	::	Bales	::	Bales	::
White:									
G.M.	(11)	-	::	-	::	-	::	-	::
S.M.	(21)	-	::	-	::	119	::	3,514	::
M.+	(30)	-	::	-	::	-	::	-	::
M.	(31)	6,511	::	1,234	::	4,979	::	73,479	::
S.L.M.+	(40)	200	::	-	::	633	::	147	::
S.L.M.	(41)	47,478	::	15,904	::	40,183	::	179,590	::
L.M.+	(50)	1,012	::	369	::	641	::	660	::
L.M.	(51)	21,568	::	13,970	::	31,690	::	57,918	::
S.G.O.+	(60)	130	::	23	::	53	::	75	::
S.G.O.	(61)	8,813	::	3,677	::	4,379	::	4,989	::
G.O.+	(70)	-	::	-	::	-	::	-	::
G.O.	(71)	1,027	::	809	::	544	::	242	::
Total		86,739	::	35,986	::	83,221	::	320,614	::
Light Spotted:									
G.M.	(12)	-	::	-	::	-	::	-	::
S.M.	(22)	7	::	-	::	32	::	842	::
M.	(32)	10,362	::	955	::	2,280	::	150,837	::
S.L.M.	(42)	55,766	::	18,425	::	45,555	::	150,270	::
L.M.	(52)	39,043	::	10,621	::	22,435	::	45,719	::
Total		105,178	::	30,001	::	70,302	::	347,668	::
Spotted:									
G.M.	(13)	-	::	-	::	-	::	-	::
S.M.	(23)	-	::	-	::	-	::	29	::
M.	(33)	253	::	138	::	360	::	4,893	::
S.L.M.	(43)	3,455	::	3,585	::	11,072	::	7,799	::
L.M.	(53)	8,758	::	5,625	::	12,101	::	3,039	::
Total		12,466	::	9,348	::	23,533	::	15,760	::
Tinged:									
All grades		310	::	262	::	957	::	655	::
Light Gray:									
All grades		132	::	201	::	883	::	102	::
Gray:									
All grades		7	::	3	::	54	::	40	::
Below Grade									
All grades		5,585	::	5,874	::	5,561	::	404	::
All grades		210,417	::	81,675	::	184,511	::	685,243	::
Grade index		86.7	::	84.2	::	86.1	::	92.2	::
Staple Code									
26 and shorter		-	::	636	::	-	::	120	::
28		99	::	867	::	5	::	1,169	::
29		2,659	::	1,511	::	47	::	14,952	::
30		15,668	::	4,369	::	144	::	207,866	::
31		49,297	::	11,127	::	506	::	319,083	::
32		71,892	::	18,896	::	3,190	::	115,090	::
33		28,250	::	24,237	::	25,017	::	20,612	::
34		32,672	::	18,331	::	123,492	::	5,136	::
35		9,755	::	1,659	::	32,045	::	908	::
36		125	::	42	::	65	::	307	::
37		-	::	-	::	-	::	-	::
38		-	::	-	::	-	::	-	::
39		-	::	-	::	-	::	-	::
40 and longer		-	::	-	::	-	::	-	::
All staples		210,417	::	81,675	::	184,511	::	685,243	::
Average staple		32.2	::	32.4	::	34.0	::	30.9	::

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		LUBBOCK			EL PASO			
Grade and Staple		Ginned in State		Classing Office total	Ginned in State			Classing Office total
		Texas	New Mexico		Texas	New Mexico	Arizona	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:								
G.M.	(11)	-	-	-	45	-	-	45
S.M.	(21)	4,708	-	4,708	1,622	1,824	236	3,682
M.+	(30)	356	-	356	54	-	-	54
S.L.M.+	(31)	617,393	773	618,166	11,662	21,389	12,164	45,215
S.L.M.	(40)	13,095	-	13,095	1,186	3,362	1,491	6,039
S.L.M.	(41)	1,139,537	2,833	1,142,370	7,210	12,948	3,721	23,879
L.M.+	(50)	13,153	33	13,186	218	1,466	424	2,108
L.M.	(51)	98,414	174	98,588	468	946	326	1,740
S.G.O.+	(60)	446	-	446	-	-	-	-
S.G.O.	(61)	5,713	2	5,715	113	265	169	547
G.O.+	(70)	73	-	73	-	-	-	-
G.O.	(71)	1,076	-	1,076	19	124	65	208
Total		1,893,964	3,815	1,897,779	22,597	42,324	18,596	83,517
Light Spotted:								
G.M.	(12)	-	-	-	-	-	-	-
S.M.	(22)	1,092	-	1,092	21	73	216	310
M.	(32)	378,758	3,300	382,058	3,809	4,741	2,593	11,143
S.L.M.	(42)	195,129	2,553	197,682	1,631	1,156	496	3,283
L.M.	(52)	16,926	30	16,956	1,029	783	531	2,343
Total		591,905	5,883	597,788	6,490	6,753	3,836	17,079
Spotted:								
G.M.	(13)	-	-	-	-	-	-	-
S.M.	(23)	134	4	138	-	-	11	11
M.	(33)	19,707	102	19,809	726	413	240	1,379
S.L.M.	(43)	15,616	61	15,677	554	65	35	654
L.M.	(53)	4,228	-	4,228	413	125	21	559
Total		39,685	167	39,852	1,693	603	307	2,603
Tinged:								
All grades		768	-	768	122	20	13	155
Stained:								
All grades		9	-	9	-	-	-	-
Light Gray:								
All grades		860	-	860	10	-	-	10
Gray:								
All grades		100	-	100	-	-	-	-
Below Grade								
		1,208	42	1,250	610	504	468	1,582
All grades								
		2,528,499	9,907	2,538,406	31,522	50,204	23,220	104,946
Grade index								
		94.9	93.7	94.9	95.1	96.2	96.3	95.9
Staple Code								
26 and shorter		1,409	-	1,409	-	-	-	-
28		26,402	155	26,557	31	14	-	45
29		203,875	2,158	206,033	12	7	-	19
30		753,591	5,401	758,992	599	639	41	1,279
31		755,403	1,761	757,164	505	299	91	895
32		470,265	286	470,551	1,526	1,364	506	3,396
33		171,211	93	171,304	2,730	1,143	888	4,761
34		84,781	31	84,812	4,812	2,474	5,855	13,141
35		32,238	11	32,249	6,050	6,613	5,840	18,503
36		26,086	-	26,086	11,062	29,047	7,941	48,050
37		2,798	11	2,809	4,184	8,538	2,058	14,780
38		359	-	359	11	66	-	77
39		27	-	27	-	-	-	-
40 and longer		54	-	54	-	-	-	-
All staples		2,528,499	9,907	2,538,406	31,522	50,204	23,220	104,946
Average staple								
		31.0	30.0	31.0	35.0	35.7	35.1	35.3

**WESTERN
SMITH-DOXEY CLASSING OFFICE TERRITORIES**




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		CARLSBAD			PHOENIX		FRESNO
Grade and Staple		Ginned in State		Classing Office total	Ginned in State Arizona	Ginned in State California	
		New Mexico	Texas				
Grade	Code	Bales	Bales	Bales	Bales	Bales	
White:							
G.M.	(11)	-	-	-	-	9	
S.M.	(21)	2,977	649	3,626	10,197	8,646	
M.+	(30)	-	-	-	-	53	
M.	(31)	42,929	25,240	68,169	298,478	285,312	
S.L.M.+	(40)	1,782	2,784	4,566	11,471	77,441	
S.L.M.	(41)	17,486	21,745	39,231	81,834	250,092	
L.M.+	(50)	56	207	263	2,893	10,563	
L.M.	(51)	2,234	2,063	4,297	11,204	42,510	
S.G.O.+	(60)	-	-	-	302	831	
S.G.O.	(61)	1,162	1,306	2,468	6,199	6,856	
G.O.+	(70)	-	-	-	10	51	
G.O.	(71)	189	459	648	1,230	1,199	
Total		68,815	54,453	123,268	423,818	683,563	
Light Spotted:							
G.M.	(12)	-	-	-	-	-	
S.M.	(22)	97	-	97	691	136	
M.	(32)	1,880	10,320	12,200	64,150	5,162	
S.L.M.	(42)	1,453	3,923	5,376	15,789	8,964	
L.M.	(52)	517	482	999	9,405	3,165	
Total		3,947	14,725	18,672	90,035	17,427	
Spotted:							
G.M.	(13)	-	-	-	-	-	
S.M.	(23)	-	-	-	-	102	
M.	(33)	61	214	275	367	233	
S.L.M.	(43)	77	378	455	518	492	
L.M.	(53)	73	100	173	1,275	518	
Total		211	692	903	2,160	1,345	
Tinged:							
All grades		-	39	39	28	64	
Stained:							
All grades		-	-	-	-	8	
Light Gray:							
All grades		30	6	36	216	2,778	
Gray:							
All grades		-	-	-	10	272	
Below Grade		174	881	1,055	6,794	868	
All grades		73,177	70,796	143,973	523,061	706,325	
Grade index		97.2	95.1	96.2	96.7	95.9	
Staple Code							
26 and shorter		45	13	58	24	-	
28		424	57	481	185	-	
29		1,494	615	2,109	250	-	
30		4,257	3,604	7,861	2,094	-	
31		2,826	10,784	13,610	3,686	-	
32		3,255	10,459	13,714	12,841	18	
33		2,050	6,431	8,481	16,288	53	
34		4,060	30,270	34,330	137,549	7,254	
35		10,559	4,236	14,795	343,713	422,105	
36		35,932	2,352	38,284	6,074	276,376	
37		8,038	1,731	9,769	222	519	
38		237	211	448	32	-	
39		-	11	11	24	-	
40 and longer		-	22	22	79	-	
All staples		73,177	70,796	143,973	523,061	706,325	
Average staple		34.9	33.1	34.0	34.6	35.4	

Total San Joaquin Valley Bales 70
 31
 46
 1.4
 66.0
 77.5
 6.7
 0.1

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1973-74 (Cont'd.)

		BAKERSFIELD			EL CENTRO		
Grade and Staple		Ginned in State		Classing Office total	Ginned in State		Classing Office total
		California	Nevada		California	Arizona	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	12	-	12	-	-	-
S.M.	(21)	11,422	-	11,422	4,087	3,709	7,796
M.+	(30)	12	-	12	-	12	12
M.	(31)	461,483	1,550	463,033	63,533	24,916	88,449
S.L.M.+	(40)	58,262	14	58,276	2,073	1,184	3,257
S.L.M.	(41)	302,491	241	302,732	28,260	14,254	42,514
L.M.+	(50)	10,421	-	10,421	163	63	226
L.M.	(51)	46,156	-	46,156	4,322	1,585	5,907
S.G.O.+	(60)	714	-	714	-	14	14
S.G.O.	(61)	7,510	-	7,510	1,608	642	2,250
G.O.+	(70)	11	-	11	-	10	10
G.O.	(71)	1,779	-	1,779	699	169	868
Total		900,273	1,805	902,078	104,745	46,558	151,303
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	12	-	12	96	408	504
M.	(32)	2,998	-	2,998	9,464	5,194	14,658
S.L.M.	(42)	10,314	7	10,321	4,329	3,471	7,800
L.M.	(52)	5,385	1	5,386	2,196	1,738	3,934
Total		18,709	8	18,717	16,085	10,811	26,896
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-
M.	(33)	115	-	115	21	21	42
S.L.M.	(43)	583	-	583	205	51	256
L.M.	(53)	751	-	751	402	229	631
Total		1,449	-	1,449	628	301	929
Tinged:							
All grades		42	-	42	23	-	23
Stained:							
All grades		39	-	39	-	-	-
Light Gray:							
All grades		2,248	-	2,248	224	178	402
Gray:							
All grades		140	-	140	7	7	14
Below Grade		1,613	-	1,613	2,013	1,110	3,123
All grades		924,513	1,813	926,326	123,725	58,965	182,690
Grade index		96.4	99.1	96.4	95.9	95.6	95.8
Staple Code							
26 and shorter		-	-	-	-	-	-
28		-	-	-	11	24	35
29		-	-	-	32	-	32
30		-	-	-	302	152	454
31		-	-	-	532	194	726
32		13	-	13	3,104	1,121	4,225
33		93	-	93	5,272	1,663	6,935
34		15,820	-	15,820	42,409	16,911	59,320
35		654,727	66	654,793	72,063	38,900	110,963
36		253,772	1,741	255,513	-	-	-
37		88	6	94	-	-	-
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		924,513	1,813	926,326	123,725	58,965	182,690
Average staple		35.3	36.0	35.3	34.5	34.6	34.5

Table 11. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by states, 1973-74 with comparisons

State	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals						Average					
	1972		1973		1972		1973		1972		1973		1972		1973		1972		1973		3.5-4.9		9.0 and above		1972		1973			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
Va.	-	-	2.8	-	-	1.4	-	0.5	9.2	21.1	46.8	61.6	35.1	14.3	5.2	1.1	0.9	-	2.8	1.9	91.1	97.0	6.1	1.1	4.4	4.1				
N. C.	*	-	0.3	0.1	1.7	0.9	2.7	1.7	21.1	20.3	44.4	51.3	26.4	23.7	3.1	1.9	0.3	0.1	4.7	2.7	91.9	95.3	3.4	2.0	4.2	4.2				
S. C.	*	-	0.3	*	1.6	0.2	2.0	0.5	17.9	6.6	45.5	37.5	27.2	47.9	4.8	6.8	0.7	0.5	3.9	0.7	90.6	92.0	5.5	7.3	4.3	4.5				
Ga.	-	*	*	*	0.6	*	1.2	0.3	15.6	8.7	45.2	42.5	30.7	41.8	5.4	6.2	1.3	0.5	1.8	0.3	91.5	93.0	6.7	6.7	4.3	4.4				
Fla.	-	-	-	0.3	0.2	1.3	0.2	2.0	6.4	22.8	40.0	58.4	44.8	14.2	8.2	0.6	0.2	0.4	0.4	3.6	91.2	95.4	8.4	1.0	4.5	4.1				
Ala.	*	-	0.1	*	0.8	0.3	1.7	0.8	16.3	8.6	46.6	31.1	30.5	41.6	3.6	13.5	0.4	4.1	2.6	1.1	93.4	81.3	4.0	17.6	4.3	4.5				
Miss.	*	*	0.1	0.1	0.9	0.8	1.2	1.0	9.0	7.0	36.1	27.2	42.9	46.3	8.9	15.0	0.9	2.6	2.2	1.9	88.0	80.5	9.8	17.6	4.4	4.6				
Ky.	-	-	-	-	0.6	-	1.2	-	31.5	4.0	57.8	35.4	8.3	60.6	-	-	0.6	-	1.8	-	97.6	100.0	0.6	-	4.1	4.5				
Tenn.	*	*	0.1	*	0.7	0.1	1.5	0.4	20.9	5.4	53.2	30.1	22.1	50.8	1.4	11.3	0.1	1.9	2.3	0.5	96.2	86.3	1.5	13.2	4.2	4.6				
Mo.	-	*	*	0.3	1.1	1.9	2.3	2.6	23.3	17.7	51.0	39.7	21.4	30.6	0.9	6.0	*	1.2	3.4	4.8	95.7	86.0	0.9	7.2	4.2	4.3				
Ark.	*	*	0.1	0.1	0.6	0.8	0.9	0.9	10.4	7.0	37.8	25.1	38.6	46.2	9.4	16.3	2.0	3.6	1.6	1.8	87.0	78.3	11.4	19.9	4.4	4.6				
La.	-	*	*	0.5	0.6	1.1	0.8	1.2	8.7	6.6	43.4	30.3	37.7	44.5	7.3	12.6	1.5	3.2	1.4	2.8	89.8	81.4	8.8	15.8	4.4	4.5				
Okla.	*	0.1	*	1.0	0.5	2.7	0.9	2.8	7.6	13.3	24.3	30.2	41.8	33.8	19.2	12.5	5.7	3.6	1.4	6.6	73.7	77.3	24.9	16.1	4.6	4.4				
Tex.	4.7	0.4	11.8	1.1	17.5	3.4	9.3	3.8	19.3	19.6	19.2	37.7	13.3	26.9	3.7	5.7	1.2	1.4	43.3	8.7	51.8	84.2	4.9	7.1	3.7	4.2				
N. M.	1.8	6.5	8.6	13.7	17.5	15.7	13.6	9.6	41.5	31.6	16.1	20.4	0.9	2.3	*	0.2	*	*	41.5	45.5	58.5	54.3	*	0.2	3.5	3.5				
Ariz.	0.1	1.1	1.0	3.1	2.6	5.0	2.1	3.2	9.4	10.7	29.4	25.0	45.7	41.3	9.0	9.6	0.7	1.0	5.8	12.4	84.5	77.0	9.7	10.6	4.4	4.3				
Nev.	-	-	0.6	0.7	5.4	12.8	10.0	9.7	33.9	21.3	38.1	36.2	12.0	19.3	-	-	-	-	16.0	23.2	84.0	76.8	-	-	3.9	4.0				
Calif.	*	0.4	0.3	2.0	1.0	3.4	1.1	2.3	7.6	13.5	37.5	44.3	49.5	32.3	2.9	1.7	0.1	0.1	2.4	8.1	94.6	90.1	3.0	1.8	4.4	4.2				
U. S.	1.5	0.4	3.8	1.1	6.3	2.5	3.9	2.4	14.2	13.5	32.9	34.6	30.8	35.4	5.6	8.4	1.0	1.7	15.5	6.4	77.9	83.5	6.6	10.1	4.2	4.3				

* Less than 0.05 percent.

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1973-74 with comparisons

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals			Average mike				
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	Below 3.5	3.5-4.9	5.0 and above	1972	1973			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
<u>NORTH CAROLINA</u>																										
Prior to Oct. 1	-	-	-	-	-	0.3	-	0.6	30.1	15.3	51.4	56.0	18.5	26.6	-	1.2	-	-	-	0.9	100.0	97.9	-	1.2	4.2	4.3
Oct.	-	0.1	-	0.4	0.4	1.3	1.1	22.8	18.0	49.6	52.8	24.4	25.5	1.3	2.1	0.1	0.1	1.8	1.5	96.8	96.3	1.4	2.2	4.2	4.2	
Nov.	-	0.1	0.2	1.4	1.4	2.6	2.4	20.0	23.7	43.5	49.0	27.9	21.3	4.2	1.9	0.3	0.1	4.1	4.0	91.4	94.0	4.5	2.0	4.2	4.2	
Dec.	-	0.7	0.8	3.3	4.3	3.8	4.7	20.7	28.1	40.8	42.8	26.9	17.9	3.7	1.4	0.1	-	7.8	9.8	88.4	88.8	3.8	1.4	4.2	4.1	
After Dec. 31	0.7	-	2.2	1.0	5.6	4.6	6.9	3.8	24.1	28.6	39.1	41.4	20.6	19.5	0.6	1.1	0.2	-	15.4	9.4	83.8	89.5	0.8	1.1	4.0	4.1
Total crop	-	0.3	0.1	1.7	0.9	2.7	1.7	21.1	20.3	44.4	51.3	26.4	23.7	3.1	1.9	0.3	0.1	4.7	2.7	91.9	95.3	3.4	2.0	4.2	4.2	
<u>SOUTH CAROLINA</u>																										
Prior to Oct. 1	-	-	-	-	-	0.2	0.4	0.2	6.0	6.6	33.8	47.9	41.2	40.8	14.0	4.1	4.6	0.2	0.4	0.4	81.0	95.3	18.6	4.3	4.6	4.4
Oct.	-	0.1	-	0.2	0.1	0.6	0.1	13.4	4.0	47.5	36.5	31.9	50.7	5.6	8.0	0.7	0.6	0.9	0.2	92.8	91.2	6.3	8.6	4.3	4.5	
Nov.	-	0.6	-	2.0	0.4	2.5	0.7	21.6	7.5	48.4	37.5	21.8	48.3	2.9	5.3	0.2	0.3	5.1	1.1	91.8	93.3	3.1	5.6	4.2	4.5	
Dec.	-	1.1	-	6.3	1.3	6.2	2.1	34.2	19.5	37.5	38.2	13.0	32.7	1.5	5.8	0.2	0.4	13.6	3.4	84.7	90.4	1.7	6.2	4.0	4.3	
After Dec. 31	-	1.6	0.2	6.2	1.0	7.9	2.8	30.3	18.3	35.4	28.6	17.0	37.9	1.6	10.0	-	1.2	15.7	4.0	82.7	84.8	1.6	11.2	4.0	4.4	
Total crop	-	0.3	-	1.6	0.2	2.0	0.5	17.9	6.6	45.5	37.5	27.2	47.9	4.8	6.8	0.7	0.5	3.9	0.7	90.6	92.0	5.5	7.3	4.3	4.5	
<u>GEORGIA</u>																										
Prior to Oct. 1	-	0.1	-	1.0	-	1.5	0.1	18.4	6.5	45.2	32.5	25.8	43.2	6.1	14.0	1.9	3.7	2.6	0.1	89.4	82.2	8.0	17.7	4.3	4.6	
Oct.	-	-	-	0.3	-	1.1	0.3	15.9	9.0	47.0	44.4	29.5	40.4	4.9	5.5	1.3	0.4	1.4	0.3	92.4	93.8	6.2	5.9	4.3	4.4	
Nov.	-	-	-	0.4	-	1.0	0.2	11.9	7.3	42.2	41.7	38.2	43.8	5.7	6.5	0.6	0.5	1.4	0.2	92.3	92.8	6.3	7.0	4.4	4.5	
Dec.	-	-	-	0.1	1.4	0.5	1.2	0.8	10.6	11.5	30.5	39.4	44.3	41.9	10.1	5.4	1.9	0.4	2.6	1.4	85.4	92.8	12.0	5.8	4.5	4.4
After Dec. 31	-	0.1	0.2	0.1	1.2	2.4	2.7	14.8	13.4	39.6	35.6	36.5	39.1	4.4	7.0	0.9	0.8	3.8	4.1	90.9	88.1	5.3	7.8	4.3	4.4	
Total crop	-	-	-	0.6	-	1.2	0.3	15.6	8.7	45.2	42.5	30.7	41.8	5.4	6.2	1.3	0.5	1.8	0.3	91.5	93.0	6.7	6.7	4.3	4.4	
<u>FLORIDA</u>																										
Prior to Oct. 1	-	-	-	-	-	-	-	9.1	-	46.2	100.0	39.9	-	4.8	-	-	-	-	-	95.2	-	4.8	-	4.4	4.3	
Oct.	-	-	-	0.2	-	0.2	1.4	5.0	11.3	40.0	65.3	44.2	20.4	10.0	0.4	0.4	1.2	0.4	1.4	89.2	97.0	10.4	1.6	4.5	4.3	
Nov.	-	-	-	0.4	0.6	-	0.8	6.7	15.4	34.2	66.7	50.3	15.1	8.0	1.2	0.4	0.2	0.4	1.4	91.2	97.2	8.4	1.4	4.5	4.2	
Dec.	-	-	-	0.6	1.6	2.1	3.2	3.3	12.1	41.6	47.3	44.9	35.8	7.2	-	0.3	-	4.8	6.0	95.2	93.7	-	0.3	4.3	4.0	
After Dec. 31	-	-	-	1.9	-	10.1	14.3	8.2	-	47.4	50.8	25.2	19.0	7.2	15.9	-	-	14.3	20.2	69.8	79.8	15.9	-	4.4	3.8	
Total crop	-	-	-	0.3	0.2	1.3	0.2	2.0	6.4	22.8	40.0	58.4	44.8	4.2	8.2	0.6	0.2	0.4	0.4	3.6	91.2	95.4	8.4	1.0	4.5	4.1

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1973-74 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals						Average mike															
	1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.	1972	1973	Pct.	Pct.	Below 3.5		3.5-4.9		5.0 and above		1972	1973	Rdg.	Rdg.										
																					1972	1973	Pct.	Pct.	1972	1973					Pct.	Pct.	1972	1973	Pct.	Pct.				
ARKANSAS																																								
Prior to Oct. 1	-	-	0.2	0.6	0.5	0.6	7.5	4.0	33.4	21.0	39.4	38.8	13.9	22.7	5.1	12.3	0.7	1.2	80.3	63.8	19.0	35.0	4.6	4.7																
Oct.	-	-	0.2	0.2	0.4	0.1	8.9	3.2	37.3	23.1	41.0	50.3	10.2	19.0	2.0	4.3	0.6	0.1	87.2	76.6	12.2	23.3	4.5	4.7																
Nov.	0.1	0.1	0.2	0.9	1.1	1.1	1.3	12.5	9.1	40.4	26.9	37.4	44.0	6.7	14.5	1.0	2.9	2.0	2.6	90.3	80.0	7.7	17.4	4.4	4.5															
Dec.	0.1	0.1	0.8	0.9	3.5	4.0	3.5	4.8	20.6	24.1	41.5	33.8	26.7	26.0	2.9	5.5	0.4	0.8	7.9	9.8	88.8	83.9	3.3	6.3	4.2	4.2														
After Dec. 31	0.1	-	0.9	0.6	4.1	4.3	4.0	6.3	22.0	27.6	41.5	33.4	24.4	23.1	2.7	4.0	0.3	0.7	9.1	11.2	87.9	84.1	3.0	4.7	4.1	4.1														
Total crop	0.1	0.1	0.1	0.6	0.8	0.9	0.9	10.4	7.0	37.8	25.1	38.8	46.2	9.4	16.3	2.0	3.6	1.6	1.8	87.0	78.3	11.4	19.9	4.4	4.6															
LOUISIANA																																								
Prior to Oct. 1	-	-	-	-	-	-	-	4.2	-	29.8	7.8	46.4	32.7	15.2	26.1	4.4	33.4	*	-	80.4	40.5	19.6	59.5	4.6	5.0															
Oct.	-	-	0.2	0.2	0.3	0.1	6.0	2.4	43.5	24.5	41.0	49.6	7.7	18.2	1.3	5.2	0.5	0.1	90.5	76.5	9.0	23.4	4.5	4.7																
Nov.	-	-	0.1	0.1	1.3	0.3	1.7	0.6	14.6	6.0	49.4	35.3	29.1	47.9	3.3	8.8	0.5	1.1	3.1	0.9	93.1	89.2	3.8	9.9	4.3	4.5														
Dec.	-	0.2	0.3	2.4	2.6	6.2	3.2	5.7	20.2	21.4	49.1	38.2	22.2	22.9	2.2	2.8	0.2	6.1	14.5	91.5	82.5	2.4	3.0	4.2	4.1															
After Dec. 31	-	0.6	0.3	6.1	2.0	14.0	3.2	6.7	20.4	24.9	51.6	30.8	20.8	14.9	1.6	2.0	0.1	-	5.5	27.4	92.8	70.6	1.7	2.0	4.2	3.9														
Total crop	-	0.6	0.5	0.6	1.1	0.8	1.2	8.7	6.6	43.4	30.3	37.7	44.5	7.3	12.6	1.5	3.2	1.4	2.6	89.8	81.4	8.8	15.8	4.4	4.5															
OKLAHOMA																																								
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Oct.	-	-	0.6	1.2	0.9	2.6	6.3	15.3	31.1	48.7	43.5	24.1	14.2	9.3	2.2	*	2.7	66.6	80.9	33.4	16.4	4.8	4.5																	
Nov.	-	0.4	0.1	0.9	0.6	1.0	4.4	8.7	18.7	34.7	44.8	39.5	23.9	11.3	7.5	3.5	0.7	2.3	67.9	82.9	31.4	14.8	4.7	4.5																
Dec.	-	0.7	0.5	2.1	0.8	2.5	7.6	12.4	26.1	29.5	41.4	35.0	18.4	13.8	5.2	4.0	1.3	5.3	75.1	76.9	23.6	17.8	4.6	4.4																
After Dec. 31	0.4	0.4	2.0	1.0	4.6	1.7	4.0	12.0	16.9	29.2	29.1	36.7	29.4	15.3	10.9	4.1	2.7	2.7	11.0	77.9	75.4	19.4	13.6	4.5	4.3															
Total crop	0.1	0.1	0.5	2.7	0.9	2.8	7.6	13.3	24.3	30.2	41.8	33.8	19.2	12.5	5.7	3.6	1.4	6.6	73.7	77.3	24.9	16.1	4.6	4.4																
TEXAS																																								
Prior to Sept. 1	0.1	0.9	0.9	2.6	0.6	2.4	1.4	13.5	9.9	33.8	21.5	32.1	48.7	10.9	15.5	3.7	2.4	6.0	2.0	79.4	80.1	14.6	17.9	4.4	4.6															
Sept.	0.1	0.6	0.8	1.8	2.1	2.1	2.2	16.6	12.6	40.2	30.9	30.7	40.3	6.4	9.2	1.5	1.9	4.6	5.1	87.5	83.8	7.9	11.1	4.3	4.4															
Oct.	0.1	0.1	0.2	0.5	1.5	1.9	1.8	2.4	13.7	14.7	36.7	39.3	36.2	34.1	8.1	5.8	1.7	1.2	3.6	4.9	86.6	88.1	9.8	7.0	4.4	4.3														
Nov.	0.7	0.1	3.9	0.5	13.7	1.9	11.2	2.5	31.0	16.6	24.7	40.9	11.2	29.4	2.8	6.5	0.8	1.6	29.5	5.0	66.9	86.9	3.6	8.1	3.8	4.3														
Dec.	3.3	0.4	15.4	1.7	25.9	4.6	13.3	4.9	22.0	24.0	12.1	37.3	5.8	21.6	1.7	4.5	0.5	1.0	57.9	11.6	39.9	82.9	2.2	5.5	4.1	4.1														
After Dec. 31	13.1	0.9	21.8	2.6	24.2	6.1	10.5	6.0	16.1	25.3	8.1	36.2	4.3	18.5	1.4	3.5	0.5	0.9	69.6	15.6	28.5	80.0	1.9	4.4	3.3	4.0														
Total crop	4.7	0.4	11.8	1.1	17.5	3.4	9.3	3.8	19.3	19.6	19.2	37.7	13.3	26.9	3.7	5.7	1.2	1.4	43.3	8.7	51.8	84.2	4.9	7.1	3.7	4.2														

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1973-74 with comparisions (Continued)

Periods	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals			Average ml/ke					
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
NEW MEXICO																											
Prior to Oct. 1	-	-	-	-	-	-	-	-	9.3	23.3	82.9	76.7	7.8	-	-	-	-	-	-	100.0	100.0	-	-	4.2	4.0		
Oct.	-	•	0.4	0.3	2.6	2.6	5.5	5.9	49.7	46.3	39.6	42.6	2.2	2.3	-	•	-	-	-	8.5	8.6	91.5	91.2	-	•	3.9	3.9
Nov.	0.1	2.5	2.6	12.8	14.6	22.5	16.5	13.6	52.9	32.3	12.9	13.6	0.4	2.4	•	0.3	-	-	-	33.8	51.4	66.2	48.3	•	0.3	3.6	3.5
Dec.	3.0	16.4	15.8	30.0	30.5	20.0	16.3	7.5	27.2	16.2	6.6	8.0	0.5	1.9	0.1	•	•	•	•	65.6	73.9	34.3	26.1	0.1	•	3.3	3.1
After Dec. 31	8.5	29.0	29.0	23.9	29.4	14.4	11.2	6.2	16.8	15.6	4.6	9.7	0.5	1.0	•	0.1	-	0.1	78.1	73.5	21.9	26.3	•	0.2	3.1	3.1	
Total crop	1.6	6.5	8.6	13.7	17.5	15.7	13.6	9.6	41.5	31.6	16.1	20.4	0.9	2.3	•	0.2	•	•	41.5	45.5	58.5	54.3	•	0.2	3.5	3.5	
ARIZONA																											
Prior to Oct. 1	-	-	-	-	0.2	-	0.1	1.0	2.1	4.7	21.4	40.3	56.0	48.9	17.8	5.1	2.4	-	-	0.3	1.0	79.5	93.9	20.2	5.1	4.7	4.5
Oct.	-	•	0.1	0.2	0.5	0.2	0.8	3.3	4.7	22.7	23.9	55.7	55.0	16.5	13.9	1.4	1.1	0.4	1.4	0.4	1.4	81.7	83.6	17.9	15.0	4.6	4.6
Nov.	•	0.3	0.2	1.2	0.6	2.6	0.8	2.0	5.4	8.7	28.2	24.6	53.7	47.1	10.4	11.7	0.7	1.8	1.6	6.1	87.3	80.4	11.1	13.5	4.5	4.5	
Dec.	0.1	2.5	1.1	6.9	4.0	10.7	3.5	6.7	14.8	19.0	38.0	28.9	35.5	22.2	2.9	3.1	0.1	•	•	8.7	26.8	88.3	70.1	3.0	3.1	4.2	3.9
After Dec. 31	1.2	6.1	6.0	14.9	12.5	21.4	8.7	10.7	26.1	22.8	31.2	16.9	13.8	6.6	0.5	0.6	•	•	28.4	53.1	71.1	46.3	0.5	0.6	3.8	3.5	
Total crop	0.1	1.1	1.0	3.1	2.6	5.0	2.1	3.2	9.4	10.7	29.4	25.0	45.7	41.3	9.0	9.6	0.7	1.0	5.8	12.4	84.5	77.0	9.7	10.6	4.4	4.3	
CALIFORNIA																											
Prior to Oct. 1	-	-	-	-	0.2	0.1	0.2	-	5.1	19.7	51.5	63.3	42.4	16.7	0.6	0.2	-	-	-	0.4	0.1	99.0	99.7	0.6	0.2	4.4	4.2
Oct.	-	•	•	•	•	0.2	0.1	0.5	4.9	9.4	37.8	49.2	54.0	39.4	3.2	1.3	•	•	•	0.1	0.7	96.7	98.0	3.2	1.3	4.5	4.4
Nov.	•	0.4	0.2	2.8	1.1	5.1	1.1	3.6	7.6	18.2	38.1	42.3	48.7	25.4	3.1	2.0	0.1	0.2	2.4	11.9	94.4	85.9	3.2	2.2	4.4	4.1	
Dec.	0.1	1.5	1.0	7.2	4.2	11.0	4.1	6.1	16.7	15.4	32.7	28.1	38.7	27.8	2.4	2.8	0.1	0.1	9.4	25.8	89.1	71.3	2.5	2.9	4.2	4.0	
After Dec. 31	0.1	4.0	1.8	12.3	4.7	14.0	4.5	8.0	18.9	16.1	37.5	20.2	31.1	23.0	1.4	2.4	•	•	11.1	38.3	87.5	59.3	1.4	2.4	4.2	3.8	
Total crop	•	0.4	0.3	2.0	1.0	3.4	1.1	2.3	7.6	13.5	37.5	44.3	49.5	32.3	2.9	1.7	0.1	0.1	2.4	8.1	94.6	90.1	3.0	1.8	4.4	4.2	
UNITED STATES																											
Prior to Sept. 1	0.1	•	0.9	•	2.6	0.6	2.4	1.4	13.5	9.9	33.8	21.5	32.1	48.7	10.9	15.5	3.7	2.4	6.0	2.0	79.4	80.1	14.6	17.9	4.4	4.6	
Sept.	•	•	0.2	0.6	0.7	1.5	1.0	1.6	10.2	10.7	36.2	32.8	39.3	39.7	10.0	10.2	2.4	2.9	1.9	3.7	85.7	83.2	12.4	13.1	4.5	4.4	
Oct.	•	•	•	•	0.3	0.4	0.6	0.6	9.3	7.0	40.5	33.3	41.6	45.0	6.8	11.6	0.9	2.1	0.9	1.0	91.4	85.3	7.7	13.7	4.4	4.5	
Nov.	0.1	0.1	0.8	0.9	3.5	2.2	3.5	2.3	17.1	13.9	37.4	37.1	32.4	34.7	4.6	7.3	0.6	1.5	7.9	5.5	86.9	85.7	5.2	8.8	4.2	4.5	
Dec.	2.2	0.8	10.4	2.5	18.6	5.3	10.1	4.9	20.7	21.6	20.2	35.0	14.3	23.9	2.8	5.0	0.7	1.0	41.3	13.5	55.2	80.5	3.5	6.0	3.7	4.1	
After Dec. 31	8.7	1.4	15.1	3.5	17.9	6.9	8.6	6.0	18.6	23.3	18.4	33.1	10.2	20.1	2.0	4.5	0.5	1.2	50.3	17.8	47.2	76.5	2.5	5.7	3.6	4.0	
Total crop	1.5	0.4	3.8	1.1	6.3	2.5	3.9	2.4	14.2	13.5	32.9	34.6	30.8	35.4	5.6	8.4	1.0	1.7	15.5	6.4	77.9	83.5	6.6	10.1	4.2	4.3	

Table 13. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by classing office territories, 1973-74 with comparisons

Classing Office	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals						Average mike						
	1972		1973		1972		1973		1972		1973		1972		1973		1972		1973		3.5-4.9		5.0 and above		1972		1973				
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
Raleigh	0.4	0.1	1.7	0.9	2.7	1.7	21.1	20.3	44.5	51.4	26.3	23.6	3.0	1.9	0.3	0.1	4.8	2.7	91.9	95.3	3.3	2.0	4.2	4.2							
Columbia	0.3	*	1.6	0.2	2.0	0.5	17.9	6.6	45.5	37.5	27.2	47.9	4.8	6.8	0.7	0.5	3.9	0.7	90.6	92.0	5.5	7.3	4.3	4.5							
Augusta	*	*	0.1	0.1	0.4	0.5	7.0	11.2	30.0	48.1	42.7	34.2	15.1	5.1	4.7	0.8	0.5	0.6	79.7	93.5	19.8	5.9	4.6	4.4							
Atlanta	*	*	0.7	*	1.5	0.3	18.5	7.7	49.9	40.7	26.9	44.3	2.3	6.6	0.2	0.4	2.2	0.3	95.3	92.7	2.5	7.0	4.2	4.5							
Birmingham	0.2	*	1.0	0.1	1.7	0.4	14.8	4.5	45.6	24.5	32.5	46.1	3.8	18.4	0.4	6.0	2.9	0.5	92.9	75.1	4.2	24.4	4.3	4.7							
Montgomery	*	0.2	0.6	0.7	1.6	1.5	18.6	16.1	47.9	44.0	27.1	32.6	3.9	4.6	0.3	0.3	2.2	2.4	93.6	92.7	4.2	4.9	4.3	4.3							
Greenwood	0.1	0.1	0.9	0.9	1.2	1.2	7.2	7.2	34.2	26.8	45.5	46.2	9.9	15.3	1.0	2.3	2.2	2.2	86.9	80.2	10.9	17.6	4.5	4.5							
Jackson	*	*	0.5	0.2	0.9	0.4	8.7	4.5	37.5	21.1	42.5	48.1	8.8	19.6	1.1	6.1	1.4	0.6	88.7	73.7	9.9	25.7	4.5	4.7							
Memphis	0.1	*	0.7	0.4	1.4	0.5	19.1	6.6	51.0	31.5	25.1	48.5	2.3	10.4	0.3	2.1	2.2	0.9	95.2	86.6	2.6	12.5	4.2	4.5							
Hayti	*	0.3	1.1	1.9	2.3	2.6	23.3	17.7	51.0	39.7	21.4	30.6	0.9	6.0	*	1.2	3.4	4.8	95.7	88.0	0.9	7.2	4.2	4.3							
Blytheville	*	0.2	0.5	1.2	1.0	1.1	18.8	10.9	53.9	40.5	24.1	39.1	1.4	6.1	0.3	0.9	1.5	2.5	96.8	90.5	1.7	7.0	4.2	4.4							
Little Rock	0.2	0.1	0.7	0.6	0.8	0.8	5.4	5.2	26.5	18.6	48.6	48.8	14.7	21.1	3.1	4.8	1.7	1.5	80.5	72.6	17.8	25.9	4.6	4.7							
Winnboro	*	0.4	0.4	0.8	0.6	1.0	7.8	5.8	40.1	27.4	40.2	45.7	9.0	14.9	1.9	4.0	1.0	2.2	88.1	78.9	10.9	18.9	4.5	4.6							
Alexandria	*	0.1	0.5	0.9	2.0	1.1	17.7	10.9	9.3	52.5	41.1	31.5	41.5	2.8	3.6	0.2	0.3	2.1	4.2	94.9	91.9	3.0	3.9	4.3	4.4						
Altus	0.2	0.2	1.4	1.4	5.9	4.2	6.0	4.7	17.9	19.1	23.0	31.9	27.8	27.2	13.3	9.0	4.5	2.3	13.5	10.5	68.7	78.2	17.8	11.3	4.3	4.2					
Dallas	*	0.3	0.4	1.3	1.5	2.1	1.2	16.7	9.6	42.3	31.3	28.1	47.7	5.8	7.6	1.4	0.7	3.7	3.1	89.1	88.6	7.2	8.3	4.3	4.4						
Austin	*	0.4	0.6	1.3	1.7	1.5	2.2	9.1	11.2	30.5	31.8	39.7	43.3	12.6	7.7	4.9	1.5	3.2	4.5	79.3	86.3	17.5	9.2	4.5	4.4						
Corpus Christi	*	0.1	*	0.5	1.0	0.8	2.9	7.6	22.1	29.8	29.4	40.3	29.5	16.1	11.2	4.8	3.9	1.4	3.9	77.7	81.0	20.9	15.1	4.6	4.4						
Harlingen	0.3	*	1.7	0.4	4.5	0.8	3.7	0.9	16.2	5.2	37.5	21.8	29.3	52.3	5.7	16.2	1.1	2.4	10.2	2.1	83.0	79.3	6.8	18.6	4.2	4.6					
Abilene	2.5	0.1	2.9	0.5	8.5	2.2	7.7	3.0	24.2	19.4	29.8	42.8	19.0	26.4	4.6	4.8	0.8	0.8	21.6	5.8	73.0	88.6	5.4	5.6	4.0	4.2					
Lubbock	8.8	0.4	22.6	1.4	30.6	3.7	13.5	4.1	18.3	21.6	5.4	39.7	0.7	22.7	0.1	4.9	*	1.5	75.5	9.6	24.4	84.0	0.1	6.4	3.2	4.2					
El Paso	0.6	8.5	4.9	15.0	13.1	17.2	10.5	9.7	42.3	28.1	25.3	18.6	3.2	2.8	0.1	0.1	-	*	29.1	50.4	70.8	49.5	0.1	0.1	3.7	3.4					
Carlsbad	0.8	4.0	4.3	9.7	11.3	12.1	10.6	8.9	38.7	31.4	25.7	25.4	7.5	7.9	1.1	0.6	*	*	27.0	34.7	71.9	64.7	1.1	0.6	3.8	3.7					
Phoenix	0.1	1.0	1.1	2.7	2.7	4.4	2.0	2.9	7.7	9.6	27.3	23.9	47.9	43.6	10.4	10.7	0.8	1.2	5.9	11.0	82.9	77.1	11.2	11.9	4.4	4.4					
Fresno	*	0.4	0.2	1.6	0.7	3.2	0.7	2.1	5.7	13.6	33.6	45.5	55.8	32.7	3.2	0.7	0.1	*	1.6	7.5	95.1	91.8	3.3	0.7	4.5	4.2					
Bakersfield	0.3	0.3	1.9	1.1	3.5	1.2	2.5	9.0	14.2	40.7	45.7	45.0	30.7	2.7	1.2	*	*	2.6	8.2	94.7	90.6	2.7	1.2	4.4	4.2						
El Centro	0.1	0.7	0.6	2.5	1.8	4.2	1.5	2.8	8.3	9.2	40.5	29.8	43.8	40.5	3.3	9.4	0.1	0.9	4.0	10.2	92.6	79.5	3.4	10.3	4.4	4.3					
United States	1.5	0.4	3.6	1.1	6.3	2.5	3.9	2.4	14.2	13.5	32.9	34.6	30.8	35.4	5.6	8.4	1.0	1.7	15.5	6.4	77.9	83.5	6.6	10.1	4.2	4.3					

* Less than 0.05 percent.

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned in the United States, by states, 1973-74 with comparisons

State	Zero Gage Fiber Strength (Mps1)																		Average strength	
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		1972	1973
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mps1	Mps1
N. C.	*	*	-	1.7	-	18.7	-	49.7	-	25.8	-	3.8	-	0.3	-	-	-	-	82.6	1/
S. C.	-	-	*	1.3	2.8	16.3	24.3	43.0	49.8	32.2	20.2	6.8	2.9	0.4	*	-	-	-	83.4	81.8
Ga.	-	0.1	0.1	2.1	4.0	15.2	30.6	37.3	45.8	34.2	17.8	10.1	1.7	1.0	*	*	*	-	83.9	81.1
Ala.	-	0.3	0.4	5.3	4.4	34.1	32.7	36.8	43.9	18.3	15.9	4.8	2.3	0.4	0.4	*	*	-	81.2	81.0
Miss.	-	-	*	1.0	2.0	10.9	25.0	35.4	51.3	38.0	19.2	13.0	2.5	1.7	*	-	*	-	84.7	81.7
Tenn.	-	0.1	0.1	5.0	3.3	30.4	21.8	41.8	48.6	18.0	22.6	3.9	3.2	0.8	0.4	-	-	-	81.4	82.0
Mo.	*	0.3	-	7.7	1.6	31.7	19.2	43.9	43.8	13.9	29.1	2.1	6.0	0.4	0.3	*	*	-	80.6	83.1
Ark.	-	-	*	0.8	0.4	8.1	12.1	31.5	44.5	44.4	33.4	14.0	8.4	1.2	1.1	*	*	0.1	85.4	84.1
La.	*	-	*	0.5	0.8	9.0	22.5	39.2	57.9	39.8	17.0	10.6	1.7	0.9	0.1	*	*	-	84.7	81.8
Okla.	*	0.3	0.8	7.3	11.1	33.6	37.4	37.0	33.7	16.9	13.4	4.0	2.9	0.8	0.7	0.1	*	*	81.0	79.9
Tex.	0.3	*	4.7	0.2	21.1	3.3	33.2	17.6	23.8	38.2	12.2	26.6	4.1	9.2	0.6	2.2	*	0.7	78.6	83.5
N. Mex.	*	-	0.7	*	3.0	0.4	11.0	2.8	12.5	8.0	21.0	13.3	28.8	18.8	17.6	32.2	5.4	24.5	88.7	94.2
Ariz.	-	-	*	-	0.4	0.1	8.4	4.0	40.2	30.7	39.0	46.3	9.9	15.1	1.7	2.8	0.4	1.0	84.8	86.3
Calif.	*	-	-	*	*	0.1	0.1	1.5	1.2	7.0	6.3	19.3	17.9	37.9	38.2	34.2	36.3	97.1	97.5	
U. S.	*	1.5	0.1	7.9	2.3	19.1	16.9	28.2	36.7	23.2	23.1	9.4	8.3	6.0	6.9	4.7	5.7	84.0	85.1	

1/ Not available.

* Less than 0.05 percent.

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1973-74 with comparisons

Period	Zero gage Fiber Strength (Mpsl)														Average strength				
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsl	Mpsl
<u>NORTH CAROLINA</u>																			
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	13.3	-	1.6	-	-	-	-	-	-	-	-	-	-	-	-	-
Nov.	0.1	-	0.1	18.3	-	1.9	-	18.3	-	50.4	-	31.2	-	3.5	-	-	-	-	83.2
Dec.	-	-	-	22.3	-	1.0	-	22.3	-	49.2	-	25.6	-	4.4	-	-	-	-	82.7
After Dec. 31	-	-	-	33.9	-	3.1	-	33.9	-	50.7	-	23.2	-	2.7	-	-	-	-	82.3
Total crop	-	-	-	18.7	-	1.7	-	18.7	-	49.7	-	25.8	-	3.8	-	-	-	-	82.6
<u>SOUTH CAROLINA</u>																			
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	10.6	20.6	0.5	2.2	10.6	20.6	39.7	50.7	39.2	22.8	9.3	3.7	0.7	-	-	84.4
Nov.	-	-	-	21.8	28.1	2.5	3.7	21.8	28.1	46.3	47.9	25.0	18.2	4.2	1.9	0.2	0.1	-	82.4
Dec.	-	-	-	24.5	37.7	1.4	2.5	24.5	37.7	48.6	50.0	22.1	9.2	3.4	0.4	-	-	-	82.0
After Dec. 31	-	-	-	30.1	34.5	5.0	8.7	30.1	34.5	44.9	43.7	18.3	12.6	1.7	-	-	-	-	80.8
Total crop	-	-	-	16.3	24.3	1.3	2.8	16.3	24.3	43.0	49.8	32.2	20.2	6.8	2.9	0.4	-	-	83.4
<u>GEORGIA</u>																			
Prior to Oct. 1	-	-	-	9.2	6.6	0.8	0.2	9.2	6.6	33.0	39.5	40.2	49.7	14.4	3.9	1.8	0.1	-	85.2
Oct.	-	-	-	17.2	27.9	2.5	3.4	17.2	27.9	37.9	46.1	31.8	20.4	9.7	2.2	0.9	-	-	83.6
Nov.	-	-	-	17.3	35.1	3.0	5.0	17.3	35.1	38.4	46.5	33.7	12.0	7.2	1.2	0.3	0.1	-	83.3
Dec.	-	-	-	14.9	42.2	1.6	6.6	14.9	42.2	47.8	46.0	30.5	4.9	4.2	-	1.0	-	-	83.1
After Dec. 31	-	-	-	28.8	41.5	0.5	5.4	28.8	41.5	40.2	37.3	25.4	14.8	4.9	0.5	0.2	-	-	82.2
Total crop	-	-	-	15.2	30.6	0.1	4.0	15.2	30.6	37.3	45.8	34.2	17.8	10.1	1.7	1.0	-	-	83.9
<u>ALABAMA</u>																			
Prior to Oct. 1	-	-	-	23.4	9.8	2.3	-	23.4	9.8	33.0	51.4	26.3	35.8	13.7	3.0	1.3	-	-	83.6
Oct.	-	-	-	33.6	26.1	6.3	2.1	33.6	26.1	35.7	46.2	18.7	21.4	4.5	3.4	0.5	0.7	0.1	81.0
Nov.	-	-	-	37.7	36.0	3.9	6.0	37.7	36.0	38.7	42.6	16.1	13.0	3.2	1.9	0.3	0.1	-	80.9
Dec.	-	-	-	35.8	43.4	5.8	6.9	35.8	43.4	41.8	41.7	14.8	6.8	1.8	0.2	-	-	-	80.6
After Dec. 31	-	-	-	42.6	49.8	9.9	8.1	42.6	49.8	40.1	33.5	7.4	8.2	-	0.4	-	-	-	79.3
Total crop	-	-	-	34.1	32.7	5.3	4.4	34.1	32.7	36.8	43.9	18.3	15.9	4.8	2.3	0.4	0.4	-	81.2
<u>MISSISSIPPI</u>																			
Prior to Oct. 1	-	-	-	1.2	15.4	1.2	1.8	1.2	15.4	18.3	41.7	48.7	32.3	27.4	8.8	3.2	-	-	87.4
Oct.	-	-	-	10.0	16.2	0.8	1.0	10.0	16.2	35.3	52.4	39.6	26.8	12.5	3.6	1.8	-	-	84.9
Nov.	-	-	-	16.1	38.9	1.3	3.6	16.1	38.9	47.4	50.0	30.4	7.2	4.2	0.3	0.6	-	-	83.0
Dec.	-	-	-	24.3	44.2	2.1	4.9	24.3	44.2	54.7	45.7	18.4	4.9	0.5	0.3	-	-	-	81.4
After Dec. 31	-	-	-	33.1	52.7	2.8	4.7	33.1	52.7	53.4	39.6	9.9	3.0	0.7	-	0.1	-	-	80.6
Total crop	-	-	-	10.9	25.0	1.0	2.0	10.9	25.0	35.4	51.3	38.0	19.2	13.0	2.5	1.7	-	-	84.7

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1973-74 with comparisons (Continued)

Period	Zero Gage Fiber Strength (Mps1)																Average strength			
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		1972	1973
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	1972	1973	Mps1	Mps1
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
<u>TENNESSEE</u>																				
Prior to Oct. 1	-	-	1.4	-	5.2	14.0	39.3	40.8	31.8	24.5	20.9	20.7	1.4	-	-	-	-	-	85.6	84.5
Oct.	-	-	3.3	1.8	24.5	14.0	42.8	49.7	23.8	29.5	4.3	4.5	1.3	0.5	-	-	-	-	82.3	83.0
Nov.	-	0.4	5.6	6.5	41.5	35.2	43.9	47.1	8.2	10.8	0.4	0.2	-	-	-	-	-	-	79.8	80.1
Dec.	-	-	7.8	5.3	47.8	41.7	37.6	46.1	6.4	6.5	0.4	0.2	-	-	-	-	-	-	79.3	79.7
After Dec. 31	-	0.9	16.0	5.0	47.6	41.5	33.2	42.8	2.3	10.7	-	-	-	-	-	-	-	-	77.9	80.0
Total crop	-	0.1	5.0	3.3	30.4	21.8	41.8	48.6	18.0	22.6	3.9	3.2	0.8	0.4	-	-	-	-	81.4	82.0
<u>MISSOURI</u>																				
Prior to Oct. 1	-	-	-	-	10.7	-	50.5	-	31.3	-	6.1	-	1.4	-	-	-	-	-	84.0	-
Oct.	-	-	4.5	0.6	26.1	12.1	51.5	41.5	15.3	36.7	2.1	8.6	0.5	0.5	-	-	-	-	81.4	84.2
Nov.	-	0.3	7.0	3.8	40.5	32.3	38.2	48.7	12.0	14.6	1.9	0.6	0.1	-	-	-	-	-	80.1	80.8
Dec.	-	0.1	11.1	2.4	48.9	35.2	32.1	46.7	6.7	13.4	1.1	2.0	-	0.3	-	-	-	-	78.9	80.9
After Dec. 31	0.1	-	26.4	8.8	50.4	51.4	18.7	35.6	2.2	3.8	0.3	-	0.1	-	-	-	-	0.4	76.6	78.7
Total crop	-	0.3	7.7	1.6	31.7	19.2	43.9	43.8	13.9	29.1	2.1	6.0	0.4	0.3	-	-	-	-	80.6	83.1
<u>ARKANSAS</u>																				
Prior to Oct. 1	-	-	0.6	-	3.7	2.7	23.9	26.4	45.5	51.1	22.5	19.8	3.5	-	0.3	-	-	-	87.0	86.4
Oct.	-	-	-	0.1	4.7	5.7	28.9	40.3	49.9	40.3	15.4	11.8	1.1	1.6	-	0.2	-	-	86.0	85.2
Nov.	-	-	0.3	0.7	8.9	18.4	39.4	53.0	40.2	25.0	9.8	2.6	1.3	0.3	0.1	-	-	-	84.7	82.6
Dec.	-	0.3	4.4	2.4	28.6	35.0	48.9	49.9	15.5	11.2	2.1	1.5	0.2	-	-	-	-	-	81.1	80.7
After Dec. 31	-	-	7.2	4.8	40.6	36.3	40.4	44.0	10.7	12.9	1.0	2.0	0.1	-	-	-	-	-	80.0	80.5
Total crop	-	-	0.8	0.4	8.1	12.1	31.5	44.5	44.4	33.4	14.0	8.4	1.2	1.1	-	0.1	-	-	85.4	84.1
<u>LOUISIANA</u>																				
Prior to Oct. 1	-	-	0.1	-	3.4	-	25.5	-	43.5	-	25.1	-	2.4	-	-	-	-	-	86.9	-
Oct.	-	-	0.4	0.3	9.3	14.9	40.1	57.3	40.0	24.2	9.4	3.2	0.8	0.1	-	-	-	-	84.6	82.8
Nov.	-	-	0.2	0.2	7.5	25.3	43.7	63.1	40.7	11.0	7.2	0.4	0.7	-	-	-	-	-	84.5	81.2
Dec.	-	-	0.1	0.3	4.1	9.6	42.2	47.1	44.6	39.0	8.8	4.0	0.2	-	-	-	-	-	83.9	80.0
After Dec. 31	0.1	-	7.0	-	43.5	-	40.0	-	8.1	-	0.5	-	-	-	0.1	-	-	-	79.5	-
Total crop	-	-	0.5	0.8	9.0	22.5	39.2	57.9	39.8	17.0	10.6	1.7	0.9	0.1	-	-	-	-	84.7	81.8
<u>OKLAHOMA</u>																				
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	0.6	12.7	12.4	20.2	40.4	22.3	35.6	36.4	8.9	3.2	2.0	3.2	0.1	-	-	-	84.4	82.3
Nov.	-	-	2.7	4.5	19.2	21.3	42.3	36.7	26.6	28.3	7.1	7.6	1.6	1.6	0.5	-	-	-	83.2	82.8
Dec.	-	-	0.6	7.1	9.4	40.1	37.2	37.9	38.2	11.3	11.7	3.0	2.4	0.6	0.5	-	-	-	80.3	80.0
After Dec. 31	0.1	1.0	13.5	16.4	43.9	46.0	30.8	25.2	9.4	8.8	1.0	1.6	0.4	0.3	-	-	-	-	78.9	78.4
Total crop	-	0.3	0.8	7.3	11.1	33.6	37.4	37.0	33.7	16.9	13.4	4.0	2.9	0.8	0.7	0.1	-	-	81.0	79.9

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1973-74 with comparisons (Continued)

Period	Zero Gage Fiber Strength (Mpsi)														Average strength				
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	Mpsi	
Prior to Oct. 1	•	0.2	0.2	3.6	17.7	14.9	37.2	33.6	31.0	33.2	10.2	13.0	0.8	1.5	0.1	•	83.5	84.1	
Oct.	0.1	•	0.6	•	1.0	16.9	8.2	31.9	30.9	30.3	38.1	10.8	15.9	2.7	3.4	1.1	2.5	83.7	86.0
Nov.	0.1	•	1.7	0.4	14.2	2.6	41.7	14.3	28.0	38.3	9.0	30.5	3.8	9.8	1.3	3.2	0.2	79.3	84.1
Dec.	0.2	•	5.0	0.2	26.6	3.5	41.9	20.9	19.6	41.2	4.8	25.9	1.6	6.7	0.3	1.4	•	76.9	82.8
After Dec. 31	0.8	•	10.3	0.9	35.4	6.3	34.7	26.2	14.5	37.9	3.4	21.5	0.9	5.7	•	1.3	•	75.3	81.8
Total crop	0.3	•	4.7	0.2	21.1	3.3	33.2	17.6	23.8	38.2	12.2	28.6	4.1	9.2	0.6	2.2	•	78.6	83.5
TEXAS																			
NEW MEXICO																			
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	-	99.0
Oct.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98.0
Nov.	-	-	0.4	-	1.8	0.6	6.1	1.8	10.1	6.4	24.5	13.1	35.3	20.4	17.6	34.3	4.2	23.4	89.7
Dec.	-	-	1.8	•	5.7	0.6	24.6	6.9	20.6	15.7	20.2	23.7	19.1	22.0	7.4	22.1	0.6	9.0	84.1
After Dec. 31	0.8	-	1.1	0.3	10.6	2.3	28.8	10.2	25.3	20.6	18.1	22.3	11.0	19.7	3.5	17.1	0.8	7.5	82.1
Total crop	•	-	0.7	•	3.0	0.4	11.0	2.8	12.5	8.0	21.0	13.3	28.8	18.8	17.6	32.2	5.4	24.5	88.7
ARIZONA																			
Prior to Oct. 1	-	-	-	-	0.5	-	4.3	1.4	29.5	19.3	47.6	65.3	15.6	13.3	2.5	0.7	•	-	85.9
Oct.	-	-	-	-	0.3	•	5.4	3.3	28.7	30.8	45.3	47.6	18.5	16.1	1.7	2.1	0.1	0.1	86.3
Nov.	-	-	-	-	0.1	0.1	8.1	4.9	40.1	34.0	40.4	42.2	8.5	14.1	2.1	3.0	0.7	1.7	84.9
Dec.	-	-	-	-	1.4	0.2	9.7	2.5	48.5	25.5	32.7	51.5	6.5	15.5	0.7	3.2	0.5	1.6	83.8
After Dec. 31	-	-	-	-	•	0.2	14.6	6.0	48.2	32.7	30.6	43.6	5.0	12.9	1.4	3.6	0.2	1.0	85.9
Total crop	-	-	-	-	0.4	0.1	8.4	4.0	40.2	30.7	39.0	46.3	9.9	15.1	1.7	2.8	0.4	1.0	84.8
CALIFORNIA																			
Prior to Oct. 1	-	-	-	-	-	-	0.5	-	1.9	0.8	5.9	7.6	8.7	10.4	38.7	31.4	44.3	49.8	99.1
Oct.	-	-	-	-	-	-	•	•	0.2	0.6	3.1	3.2	14.2	14.3	39.3	36.8	43.2	45.1	98.7
Nov.	-	-	-	-	-	-	0.2	0.2	1.7	1.2	8.8	6.3	22.9	19.1	40.3	42.0	26.1	31.2	97.0
Dec.	•	-	-	-	•	0.6	0.3	4.7	3.4	19.4	17.0	36.7	31.3	27.8	34.2	10.8	13.8	93.1	93.9
After Dec. 31	-	-	-	-	0.2	•	1.1	1.5	11.4	9.9	19.5	32.4	33.1	28.0	25.4	20.5	9.3	7.7	92.1
Total crop	•	-	-	-	•	0.1	0.1	1.5	1.2	7.0	6.3	19.3	17.9	37.9	38.2	34.2	36.3	37.1	97.5
UNITED STATES																			
Prior to Oct. 1	•	0.1	0.1	1.7	3.1	11.4	13.6	31.0	33.2	36.5	33.5	15.7	12.5	2.5	2.3	1.1	1.7	85.2	84.7
Oct.	•	•	•	1.4	0.8	10.5	10.9	29.1	35.9	30.2	25.5	11.5	9.0	8.9	8.5	8.4	9.4	87.1	86.8
Nov.	•	•	0.2	3.6	2.2	18.7	18.0	31.1	36.5	21.9	20.3	9.7	8.3	9.2	8.7	5.6	5.8	85.3	85.2
Dec.	0.1	-	3.2	0.1	18.3	3.8	34.3	23.3	25.0	38.2	10.4	22.2	5.2	7.5	2.7	3.6	0.8	1.3	79.6
After Dec. 31	0.5	-	7.1	0.9	27.0	7.2	34.8	27.5	21.1	35.0	6.1	20.7	2.1	6.2	1.0	2.2	0.3	0.3	83.1
Total crop	•	1.5	0.1	7.9	2.3	19.1	16.9	28.2	36.7	23.2	23.1	9.4	8.3	6.0	6.9	4.7	5.7	84.0	85.1

1/ Not available.
• Less than 0.05 percent.

Table 16. -- Percentage distribution of fiber strength for upland cotton ginned in the United States, by classing office territories, 1973-74 with comparisons

Classing Office	Zero Gage Fiber Strength (Mpsi)																								Average strength	
	64 & below		55-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		1972	1973	Mpsi	Mpsi				
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
Raleigh	•	-	-	•	18.7	-	49.7	-	25.8	-	3.6	-	0.3	-	-	-	-	-	-	-	82.6	1/				
Columbia	-	-	•	1.3	2.8	24.3	43.0	49.8	32.2	20.2	6.8	2.9	0.4	•	-	-	-	-	-	-	83.4	81.8				
Augusta	-	-	•	0.1	0.2	2.7	4.6	26.3	27.4	48.9	19.6	20.8	2.4	1.6	•	-	-	-	-	-	86.3	81.6				
Atlanta	-	-	•	0.2	•	2.6	4.6	18.9	32.0	40.4	44.6	30.5	17.1	6.6	•	-	-	-	-	-	83.1	81.0				
Birmingham	-	-	•	0.5	0.2	7.3	3.0	42.7	33.7	37.2	47.9	11.3	14.2	1.0	0.9	-	-	-	-	-	79.7	80.9				
Montgomery	-	-	•	0.5	0.7	6.8	14.9	31.1	36.0	37.5	33.8	18.8	13.2	4.5	1.3	0.8	0.1	-	-	-	84.4	81.2				
Greenwood	-	-	•	0.7	1.1	8.0	22.7	32.9	52.4	40.8	21.1	15.4	2.7	2.2	•	-	-	-	-	-	85.4	82.0				
Jackson	-	-	•	1.4	4.3	13.8	34.4	48.0	48.0	32.0	12.0	4.8	1.3	-	-	-	-	-	-	-	83.3	80.6				
Memphis	-	-	•	0.1	0.1	4.1	4.2	27.0	26.8	42.2	47.7	21.1	18.6	4.8	2.3	0.7	0.3	•	-	-	81.9	81.4				
Hayti	•	-	•	0.3	-	7.7	1.6	31.7	19.2	43.9	43.8	13.9	29.1	2.1	6.0	0.4	0.3	•	-	-	80.6	83.1				
Blytheville	-	-	•	•	0.6	0.5	9.1	9.8	34.5	39.6	43.6	37.9	11.2	10.3	1.0	1.8	•	-	-	-	85.0	84.8				
Little Rock	-	-	•	•	0.8	0.2	7.2	11.5	29.0	46.3	45.3	33.0	16.0	8.0	1.6	0.8	0.1	0.1	-	-	85.6	84.0				
Winnboro	•	-	•	•	0.2	0.3	5.6	19.6	33.9	58.5	45.7	19.3	13.6	2.2	1.0	0.1	•	-	-	-	85.5	82.2				
Alexandria	-	-	•	•	1.1	2.6	18.4	34.0	54.1	55.2	24.1	7.9	2.2	0.3	0.1	-	-	-	-	-	82.4	80.5				
Altus	•	•	1.2	0.7	11.3	9.5	32.7	31.1	33.6	33.6	16.1	18.0	4.3	6.0	0.8	1.1	•	-	-	-	80.4	81.0				
Dallas	-	-	•	0.1	0.1	1.7	3.8	11.6	25.5	35.0	48.9	39.0	19.9	11.5	1.7	1.0	0.1	0.1	-	-	86.4	84.4				
Austin	-	-	•	•	3.1	1.1	21.4	12.0	44.1	35.9	24.5	36.9	6.3	12.2	0.6	1.7	-	-	-	-	82.6	84.7				
Corpus Christi	0.1	0.2	1.1	2.5	7.3	16.7	20.0	35.3	36.3	27.6	25.5	13.7	9.3	3.1	0.3	0.9	0.1	-	-	-	82.4	79.2				
Harlingen	-	-	•	•	2.7	1.2	26.1	14.1	43.8	40.7	23.6	31.0	3.4	12.0	0.4	1.0	-	-	-	-	82.0	84.1				
Ablene	•	-	5.2	0.2	27.7	2.6	43.1	18.8	19.6	42.0	4.0	27.5	0.4	7.5	•	1.3	•	-	-	-	76.6	83.1				
Lubbock	0.6	•	7.6	0.3	30.4	2.8	39.4	16.7	17.3	38.9	3.3	29.0	1.1	9.0	0.3	2.5	•	-	-	-	76.1	83.7				
El Paso	•	-	0.4	-	3.5	0.5	10.2	5.2	10.7	11.9	21.5	11.0	28.9	17.1	19.1	28.4	5.7	25.9	-	-	89.0	93.6				
Carlsbad	0.2	-	1.9	0.2	12.6	5.5	28.9	18.5	16.3	21.7	11.7	12.5	15.4	11.1	9.2	17.7	3.8	12.8	-	-	83.2	87.5				
Phoenix	-	-	-	-	0.3	0.1	8.4	4.0	42.6	30.9	38.8	46.9	9.2	15.5	0.7	2.4	•	-	-	-	84.6	86.1				
Fresno	-	-	-	-	-	-	•	0.1	0.5	0.3	5.0	3.4	22.6	16.2	39.8	40.8	32.1	39.2	-	-	97.1	98.3				
Bakersfield	-	-	-	-	-	-	-	-	0.1	0.1	3.6	3.0	16.2	17.3	40.4	41.1	39.7	38.5	-	-	98.2	98.1				
El Centro	•	-	•	•	0.3	•	3.2	1.7	24.4	20.3	49.6	48.7	19.7	25.6	2.6	3.6	0.2	0.1	-	-	86.7	87.5				
United States	•	•	1.5	0.1	7.9	2.3	19.1	16.9	28.2	36.7	23.2	23.1	9.4	8.3	6.0	6.9	4.7	5.7	-	-	84.0	85.1				

1/ Not available.

• Less than 0.05 percent.

Table 17. -- Grade and staple of American Pima cotton ginned, by states and United States, 1973-74

Grade Code	Ginnings						Percentages					
	Staple Code						Staple Code					
	40 and shorter	42	44	46	48 and longer	All staples	40 and shorter	42	44	46	48 and longer	All staples
	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent
<u>TEXAS</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	1,363	33	-	1,396	-	-	5.8	1.6	-	4.5
3 (30)	-	-	13,794	1,255	-	15,049	-	-	58.5	61.9	-	48.9
4 (40)	-	9	6,480	720	-	7,209	-	0.2	27.5	35.5	-	23.4
5 (50)	-	43	1,573	21	-	1,637	-	0.8	6.7	1.0	-	5.3
6 (60)	-	334	355	-	-	689	-	6.5	1.5	-	-	2.2
7 (70)	8	1,930	6	-	-	1,944	17.0	37.4	*	-	-	6.3
8 (80)	-	2,127	-	-	-	2,127	-	41.2	-	-	-	6.9
9 (90)	-	613	-	-	-	613	-	11.9	-	-	-	2.0
10 (00)	39	104	-	-	-	143	83.0	2.0	-	-	-	0.5
All grades	47	5,160	23,571	2,029	-	30,807	100.0	100.0	100.0	100.0	-	100.0
<u>NEW MEXICO</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	430	13	-	443	-	-	11.1	4.3	-	10.0
3 (30)	-	-	2,078	112	-	2,190	-	-	53.5	37.3	-	49.5
4 (40)	-	-	1,010	175	-	1,185	-	-	26.0	58.4	-	26.7
5 (50)	-	-	325	-	-	325	-	-	8.4	-	-	7.3
6 (60)	-	97	37	-	-	134	-	38.6	1.0	-	-	3.0
7 (70)	-	80	-	-	-	80	-	31.9	-	-	-	1.8
8 (80)	-	53	-	-	-	53	-	21.1	-	-	-	1.2
9 (90)	-	14	-	-	-	14	-	5.6	-	-	-	0.3
10 (00)	-	7	-	-	-	7	-	2.8	-	-	-	0.2
All grades	-	251	3,880	300	-	4,431	-	100.0	100.0	100.0	-	100.0
<u>ARIZONA</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	25	316	13	-	354	-	1.4	0.8	1.2	-	0.8
3 (30)	-	-	19,151	524	-	19,675	-	-	47.9	50.0	-	46.0
4 (40)	-	22	17,268	450	-	17,740	-	1.2	43.2	43.0	-	41.4
5 (50)	-	73	2,578	49	-	2,700	-	4.1	6.4	4.7	-	6.3
6 (60)	-	82	406	-	-	488	-	4.6	1.0	-	-	1.1
7 (70)	-	333	114	11	-	458	-	18.5	0.3	1.1	-	1.1
8 (80)	-	654	87	-	-	741	-	36.4	0.2	-	-	1.7
9 (90)	-	428	40	-	-	468	-	23.8	0.1	-	-	1.1
10 (00)	-	179	56	-	-	235	-	10.0	0.1	-	-	0.5
All grades	-	1,796	40,016	1,047	-	42,859	-	100.0	100.0	100.0	-	100.0
<u>UNITED STATES</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	25	2,109	59	-	2,193	-	0.3	3.1	1.7	-	2.8
3 (30)	-	-	35,023	1,891	-	36,914	-	-	51.9	56.1	-	47.2
4 (40)	-	31	24,758	1,345	-	26,134	-	0.4	36.7	39.8	-	33.5
5 (50)	-	116	4,476	70	-	4,662	-	1.6	6.6	2.1	-	6.0
6 (60)	-	513	798	-	-	1,311	-	7.1	1.2	-	-	1.7
7 (70)	8	2,343	120	11	-	2,482	17.0	32.5	0.2	0.3	-	3.2
8 (80)	-	2,834	87	-	-	2,921	-	39.5	0.1	-	-	3.7
9 (90)	-	1,055	40	-	-	1,095	-	14.6	0.1	-	-	1.4
10 (00)	39	290	56	-	-	385	83.0	4.0	0.1	-	-	0.5
All grades	47	7,207	67,467	3,376	-	78,097 ^{1/}	100.0	100.0	100.0	100.0	-	100.0

^{1/} As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Table 18. -- Grade and staple of American Pima cotton ginned in the United States, during specified periods, 1973-74

Grade and staple		Ginnings					Total crop
		Prior to Oct. 1	October	November	December	After Dec. 31	
<u>Grade</u>	<u>Code</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
1	(10)	-	-	-	-	-	-
2	(20)	-	114	1,675	377	27	2,193
3	(30)	-	1,528	13,608	18,199	3,579	36,914
4	(40)	-	428	6,696	13,160	5,850	26,134
5	(50)	-	84	727	1,746	2,105	4,662
6	(60)	-	35	25	366	885	1,311
7	(70)	-	-	-	556	1,926	2,482
8	(80)	-	-	-	198	2,723	2,921
9	(90)	-	-	-	103	992	1,095
10	(00)	-	-	-	30	355	385
All grades		-	2,189	22,731	34,735	18,442	78,097 ^{1/}
<u>Staple Code</u>							
40 and shorter		-	-	-	20	27	47
42		-	25	-	1,075	6,107	7,207
44		-	2,029	20,597	32,654	12,187	67,467
46		-	135	2,134	986	121	3,376
48 and longer		-	-	-	-	-	-
All staples		-	2,189	22,731	34,735	18,442	78,097 ^{1/}
<u>Grade</u>	<u>Code</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
1	(10)	-	-	-	-	-	-
2	(20)	-	5.2	7.4	1.1	0.1	2.8
3	(30)	-	69.8	59.8	52.3	19.4	47.2
4	(40)	-	19.6	29.5	37.9	31.8	33.5
5	(50)	-	3.8	3.2	5.0	11.4	6.0
6	(60)	-	1.6	0.1	1.1	4.8	1.7
7	(70)	-	-	-	1.6	10.4	3.2
8	(80)	-	-	-	0.6	14.8	3.7
9	(90)	-	-	-	0.3	5.4	1.4
10	(00)	-	-	-	0.1	1.9	0.5
All grades		-	100.0	100.0	100.0	100.0	100.0
<u>Staple Code</u>							
40 and shorter		-	-	-	0.1	0.1	0.1
42		-	1.1	-	3.1	33.1	9.2
44		-	92.7	90.6	94.0	66.1	86.4
46		-	6.2	9.4	2.8	0.7	4.3
48 and longer		-	-	-	-	-	-
All staples		-	100.0	100.0	100.0	100.0	100.0

^{1/} As reported by the Bureau of the Census, running bales.

Average grade.... 3.9

Average staple... 43.9

Table 19. -- Percentage distribution of micronaire readings for American Pima cotton ginned in the United States, by states, 1973-74 with comparisons

Readings	State						United States	
	Texas		New Mexico		Arizona		1972	1973
	1972	1973	1972	1973	1972	1973		
	<u>Percent</u>		<u>Percent</u>	<u>Percent</u>		<u>Percent</u>		
2.4 and below	-	0.1	-	0.2	-	*	-	*
2.5	*	0.2	0.1	0.2	-	0.1	*	0.1
2.6	0.4	0.7	0.2	0.4	*	0.2	0.2	0.4
2.7	1.0	1.4	0.3	0.2	0.1	0.4	0.5	0.8
2.8	1.9	2.9	0.5	2.1	0.2	0.7	0.9	1.7
2.9	3.1	3.1	1.0	2.5	0.2	1.2	1.4	2.1
3.0	5.7	4.8	1.9	3.6	0.6	2.3	2.7	3.3
3.1	7.6	5.3	4.1	6.3	1.0	3.1	3.8	4.1
3.2	11.1	5.3	5.8	8.9	2.0	4.5	5.8	5.1
3.3	9.5	5.7	9.2	6.7	2.7	5.3	5.9	5.5
3.4	11.5	7.4	14.7	11.1	3.8	8.1	7.8	8.0
3.5	12.8	8.3	14.3	10.4	7.6	9.2	10.2	8.9
3.6	11.9	9.5	16.1	9.7	11.3	11.7	12.1	10.7
3.7	8.4	9.3	12.0	8.6	12.8	12.3	11.0	10.9
3.8	6.9	11.5	7.1	8.7	15.4	13.6	11.4	12.6
3.9	3.1	6.9	5.8	6.7	14.3	10.9	9.2	9.1
4.0	2.5	7.5	2.8	5.3	11.2	7.7	7.1	7.5
4.1	1.1	4.4	1.5	3.7	8.3	5.0	4.9	4.7
4.2	1.0	3.4	1.6	2.6	5.1	2.1	3.2	2.6
4.3	0.4	1.1	0.5	0.6	2.2	1.2	1.3	1.1
4.4	0.1	0.9	0.2	1.2	0.8	0.3	0.5	0.6
4.5	-	0.3	0.3	0.3	0.2	0.1	0.1	0.2
4.6	-	-	-	-	0.1	-	*	-
4.7	-	*	-	-	0.1	-	*	*
4.8	-	-	-	-	*	-	*	-
4.9	-	-	-	-	-	-	-	-
5.0 and above	-	-	-	-	-	-	-	-
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average mike	3.4	3.6	3.5	3.5	3.8	3.6	3.6	3.6

* Less than 0.05 percent.