


Don Ethridge

AUG 25 1975

COTTON QUALITY CROP OF 1974



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

Vol. 48, No. 8

August 1975

CONTENTS

	<u>Table No.</u>	<u>Page No.</u>
Introduction		1
Map - Distribution of Cotton Production in the United States		2
<u>UPLAND COTTON GINNED IN THE UNITED STATES</u>		
Grade and Staple Length		
1974-75.	1	3
1973-74.	2	4
During Specified Periods, 1974-75.	3	5
By States, 1974-75	8	9-23
During Specified Periods by States, 1974-75.	9	24-31
By Classing Office Territories, 1974-75.	10	32-45
Preparation and Grade Reductions		
United States and by States, 1974-75	4	6
Grade Index and Average Staple		
United States and by States, 1971-1974	5	7
Tenderability		
By States, 1974-75	6	8
United States, 1957-1974	7	8
Micronaire Readings		
United States and by States, 1974-75	11	46
During Specified Periods, United States and by States, 1974-75	12	47-50
By Classing Office Territories, 1974-75.	13	51
Fiber Strength		
United States and by States, 1974-75	14	52
During Specified Periods, United States and by States, 1974-75	15	53-55
By Classing Office Territories, 1974-75.	16	56
<u>AMERICAN PIMA COTTON GINNED IN THE UNITED STATES</u>		
Grade and Staple Length		
United States and by States, 1974-75	17	57
During Specified Periods, 1974-75.	18	58
Micronaire Readings		
United States and by States, 1974-75	19	59

Cotton Quality - United States

1974 Crop

Introduction

Upland cotton ginned in the United States from the 1974 crop contained a record-high proportion of the staples 34 and longer, according to the Department of Agriculture, Agricultural Marketing Service. These medium and longer lengths accounted for four-fifths of total ginnings. White grades 31 and above represented 12 percent of ginnings, down from 19 percent in 1973-74 ginnings. Fiber strength test results showed that cotton from the 1974 crop was a little stronger than a year ago. Cotton miking in the 3.5-4.9 range comprised a smaller proportion of ginnings than a year earlier.

The 1974 upland cotton crop contained 8.9 million bales of cotton stapling 34 and longer. This was equivalent to a record-high percentage - 79 percent - of total ginnings. Staple 35 was the predominant staple and comprised 44 percent of ginnings, up sharply from the 25 percent in 1973-74 ginnings. Ten percent of the 1974 upland crop was in the two lengths 32 and 33, down from 16 percent a year ago. Cotton stapling 31 and shorter accounted for 11 percent of 1974 ginnings, the smallest percentage on record. The average staple of the 1974 crop was 34.2 thirty-seconds inches, the longest average staple on record.


Ginnings of White grades 31 and above totaled 1.4 million bales, equivalent to 12 percent of the 1974 upland cotton crop. This is down from the 19 percent in the preceding season. Grade 41 was the most prevalent grade and accounted for 38 percent of ginnings against 39 percent a year ago. The Light Spotted and other Colored grades made up 24 percent of total ginnings, the same as a year ago. The grade index of the 1974 crop was 90.8 (grade 31 = 100) compared with 92.3 a year earlier.

American Pima cotton ginned from the 1974 crop contained a larger proportion of the longer staples than last season but a much smaller proportion of the higher grades. The staples 46 and longer comprised 12 percent of total ginnings compared with four percent a year ago. Grades 4 and above accounted for 65 percent of ginnings, down sharply from the 84 percent in 1973-74 ginnings.

Cotton ginned in the United States from the 1974 crop totaled 11,328,400 running bales, according to the Bureau of the Census. This total includes 11,239,700 bales of upland cotton and 88,700 bales of American Pima cotton. The average net weight per bale of cotton ginned from the 1974 crop was 488.8 pounds.

August 21, 1975

DISTRIBUTION OF COTTON PRODUCTION: UNITED STATES



EACH DOT REPRESENTS 5000 BALES
GINNINGS FROM AVERAGE OF 1972-1974 CROPS

U.S. DEPARTMENT OF AGRICULTURE

NEG. AMS 1573(3) AGRICULTURAL MARKETING SERVICE

Table 1. -- Grade and staple of upland cotton ginned in the United States, 1974-75

Grade	Staple														All staples		
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent	
White:																	
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	-	-	-	75	60	82	769	4,245	14,272	3,518	6	-	-	-	25	0.2	
M.	-	-	-	41	20	4	300	117	300	71	-	-	-	-	23,048	0.2	
S.L.M.+	31	78	271	4,997	9,760	6,086	29,822	163,156	667,914	259,250	5,602	206	11	114	1,369,000	12.2	
S.L.M.	-	-	-	6	261	459	1,769	21,680	210,630	170,739	3,046	218	65	65	409,209	3.6	
L.M.+	64	2,343	45,978	144,133	136,650	124,961	980,916	2,166,630	599,713	56,400	4,157	200	2,000	1,127	4,223,564	37.7	
L.M.	-	-	-	10	1,166	2,008	4,719	51,465	112,278	61,794	4,959	689	236	371	239,927	2.1	
S.G.O.+	10	156	1,650	29,623	96,874	116,784	122,725	569,629	861,866	163,773	9,159	1,716	244	231	1,976,610	17.6	
S.G.O.	-	-	-	27	158	372	747	6,713	6,524	3,092	137	13	-	-	19,783	0.2	
G.O.+	-	-	-	89	780	4,663	8,658	13,241	21,694	69,056	87,778	2,189	267	21	246,238	2.2	
G.O.	-	-	-	20	20	97	17	250	303	87	10	250	-	-	784	0.0	
G.O.+	-	-	-	51	170	740	605	2,755	4,378	13,756	9,313	1,769	20	-	33,252	0.3	
Total	41	438	5,230	86,742	262,095	282,740	311,501	1,921,204	4,339,798	1,241,214	81,784	7,286	691	1,929	8,542,693	76.1	
Light Spotted:																	
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	-	-	-	45	308	263	32	192	467	1,060	200	8	-	-	2,595	-	
M.	-	-	-	263	3,644	32,138	34,560	19,363	19,848	62,968	105,374	10,009	1,957	21	16	290,201	2.6
S.L.M.	4	1,065	16,457	154,208	240,229	165,944	94,984	306,007	339,234	41,126	2,411	320	19	118	1,364,126	12.1	
L.M.	-	-	-	45	2,932	16,396	84,496	101,295	87,197	71,117	169,801	126,912	17,761	843	-	661,005	6.1
Total	49	4,280	30,542	271,150	376,367	272,536	186,141	541,243	572,600	69,096	5,219	951	19	134	2,337,927	20.8	
Spotted:																	
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	-	-	-	20	54	-	-	17	63	28	-	-	-	-	-	-	
M.	-	-	-	92	1,744	5,557	3,268	1,473	1,325	3,609	4,374	368	-	-	21,810	0.2	
S.L.M.	10	1,024	7,049	27,667	21,479	12,966	8,468	24,148	19,803	2,223	31	9	-	-	124,867	1.1	
L.M.	168	3,137	10,591	21,967	13,269	10,949	10,519	82,742	12,777	1,434	11	36	-	-	107,611	1.0	
Total	198	4,253	19,384	59,231	38,070	25,369	20,329	50,562	36,982	4,036	42	45	-	-	254,501	2.3	
Tinged:																	
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	-	-	-	23	173	141	62	43	139	213	27	-	-	-	685	-	
S.L.M.	10	60	256	440	221	118	273	1,025	591	10	-	-	-	-	2,612	-	
L.M.	20	67	112	277	230	156	221	512	337	6	-	-	-	-	1,724	-	
Total	38	178	591	856	491	308	537	1,665	741	43	-	-	-	-	5,400	-	
Stained:																	
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	
M.	-	-	-	-	-	6	11	10	46	11	-	-	-	32	116	-	
Total	-	-	-	-	10	6	11	10	46	11	-	-	-	32	126	-	
Light Gray:																	
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	-	-	-	6	8	136	956	4,375	3,742	522	44	8	-	-	1,217	-	
S.L.M.	17	122	240	68	247	537	2,216	3,282	178	-	-	-	-	-	9,797	0.1	
Total	17	128	240	96	383	1,553	6,979	5,866	727	44	8	-	-	-	16,041	0.1	
Gray:																	
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	-	-	-	8	6	15	35	149	30	20	-	-	-	-	20	-	
S.L.M.	-	-	-	19	25	8	48	178	239	20	-	-	-	-	243	-	
Total	-	-	-	27	31	8	63	337	279	20	-	-	-	-	546	-	
Below Grade	264	2,527	6,462	9,743	6,690	13,000	11,579	21,244	9,616	1,115	18	-	-	-	82,238	0.7	
All grades	590	11,693	70,314	423,995	603,787	594,366	531,734	2,543,264	4,965,928	1,316,262	87,069	7,908	710	2,095	11,239,735	100.0	
All grades	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
	0.1	0.6	3.8	6.1	5.3	4.7	22.6	44.2	44.2	11.7	0.8	0.1	0.1	100.0	100.0		

1/ As reported by the Bureau of the Census, running bales.

2/ Less than 0.05 percent.

Percentage rough preparation.....

Grade index.....

Average staple.....

90.8

34.2

Table 2. -- Grade and staple of upland cotton ginned in the United States, 1973-74

Grade	Code	Staple														All staples		
		26 and shorter	26	29	30	31	32	33	34	35	36	37	38	39	40 and longer		Bales	Percent
White:																		
G.M.	(11)	-	463	1,452	3,339	2,499	647	1,164	11,892	28,183	9,738	45	-	-	-	-	79	•
S.M.	(21)	-	-	-	9	179	9	32	26	442	330	76	26	23	-	-	60,060	0.5
M.+	(30)	-	67,453	263,674	263,695	142,025	63,343	279,771	878,182	270,760	12,245	236	79	2,251,093	79	2,251,093	18.1	
S.L.M.+	(40)	31	123	1,229	3,737	3,961	3,092	3,905	18,022	96,979	61,034	87	1,705	87	1,705	193,277	1.5	
S.L.M.	(41)	293	7,799	68,837	346,729	512,000	443,025	321,849	1,637,765	1,233,341	270,558	10,675	457	53	67	4,683,449	38.9	
L.M.+	(50)	-	112	743	2,294	2,926	4,447	9,154	64,495	69,720	17,200	696	54	-	-	171,991	1.4	
L.M.	(51)	-	455	5,663	46,461	79,914	82,741	125,456	772,462	510,963	62,315	3,202	117	-	-	1,697,718	13.5	
S.O.O.+	(60)	-	-	9	100	129	438	901	7,162	6,492	1,295	141	-	-	-	16,627	0.1	
S.O.O.	(61)	-	52	661	13,444	16,956	16,375	20,985	82,138	45,607	5,243	285	9	-	-	201,345	1.6	
G.O.+	(70)	-	-	15	10	10	10	75	134	46	34	-	-	-	-	334	•	
G.O.	(71)	-	-	173	1,701	1,046	2,461	3,756	9,549	4,509	292	40	-	-	-	24,334	0.2	
Total		877	18,064	145,929	681,673	884,065	695,303	549,084	2,883,798	2,682,281	698,637	29,706	963	62	155	9,471,519	75.8	
Light Spotted:																		
G.M.	(12)	-	95	303	1,058	455	162	362	1,153	1,072	-	-	-	-	-	-	-	•
S.M.	(22)	-	5,801	46,631	231,371	289,976	149,634	49,092	98,861	73,686	7,862	11	-	-	-	4,778	-	
M.	(32)	310	2,763	24,827	164,363	235,577	170,990	133,343	415,820	148,345	11,537	22	-	-	-	997,692	7.6	
S.L.M.	(42)	-	541	6,924	79,651	69,793	53,172	99,720	149,671	54,151	4,300	86	-	-	-	1,306,597	10.4	
L.M.	(52)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	488,637	3.9	
Total		424	9,200	80,685	476,673	609,761	379,938	236,917	668,505	277,254	23,806	135	-	-	-	2,759,704	21.9	
Spotted:																		
G.M.	(13)	-	14	69	47	24	28	90	96	122	-	-	-	-	-	-	-	•
S.M.	(23)	53	704	3,761	13,479	10,095	4,789	4,096	3,605	1,057	162	11	-	-	-	490	-	
M.	(33)	249	1,075	4,948	14,366	12,295	8,414	17,436	30,765	5,776	344	37	-	-	-	41,632	0.3	
S.L.M.	(43)	105	611	3,560	9,782	8,382	7,703	16,336	23,129	5,221	332	55	-	-	-	95,725	0.8	
L.M.	(53)	407	2,404	12,378	37,674	30,796	20,934	37,958	57,595	12,176	838	103	-	-	-	75,216	0.6	
Total		466	2,758	14,310	42,246	36,302	26,129	52,681	87,779	18,386	1,512	198	-	-	-	213,263	1.7	
Tinged:																		
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
M.	(34)	11	70	135	295	141	84	192	202	42	9	-	-	-	-	9	-	
S.L.M.	(44)	26	130	361	342	113	216	852	483	35	9	-	-	-	-	1,172	-	
L.M.	(54)	19	71	161	218	139	353	681	52	60	9	-	-	-	-	2,567	-	
Total		56	271	677	895	393	653	1,725	1,216	137	18	-	-	-	-	2,253	•	
Stained:																		
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
M.	(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
M.	(36)	-	-	21	40	301	191	670	3,541	2,583	512	-	-	-	-	920	-	
S.L.M.	(46)	-	-	18	398	2,096	334	1,203	2,051	1,318	249	-	-	-	-	6,161	0.1	
Total		-	-	77	672	546	525	1,948	5,849	4,326	675	-	-	-	-	5,726	•	
Gray:																		
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
M.	(37)	-	-	7	46	9	24	140	19	37	-	-	-	-	-	282	-	
S.L.M.	(47)	-	-	8	73	14	62	166	269	264	52	-	-	-	-	908	-	
Total		-	-	15	119	23	86	306	293	301	52	-	-	-	-	1,195	•	
Below Grade																		
	712	1,119	2,553	10,235	9,337	12,214	10,000	15,128	3,942	199	-	-	-	-	-	66,339	0.5	
All grades	2,476	31,058	242,314	1,207,907	1,534,921	1,103,633	841,338	3,629,384	3,180,464	724,434	724,434	33,637	1,116	62	155	12,532,901	100.0	
Percent		0.2	1.9	9.6	12.2	8.6	6.7	29.1	25.4	5.8	5.8	0.3	-	-	-	100.0		
All grades		0.2	1.9	9.6	12.2	8.6	6.7	29.1	25.4	5.8	5.8	0.3	-	-	-	100.0		

/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Percentage rough preparation.... 92.9
 Grade index..... 33.3
 Average staple..... 33.3

Table 3. -- Grade and staple of upland cotton ginned in the United States, during specified periods, 1974-75

Grade and Staple		Prior to Sept. 1	Sept.	Oct.	Nov.	Dec.	After Dec. 31	Total crop	Prior Sept. 1	Sept.	Oct.	Nov.	Dec.	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
White:															
G.M.	(11)	-	-	-	19	6	-	25	-	-	-	-	-	-	-
S.M.	(21)	2,749	936	9,942	4,954	3,741	726	23,048	0.5	0.3	0.2	0.1	0.2	0.1	0.2
M.	(30)	161	7	200	23	138	24	553	*	*	*	*	*	*	*
M.	(31)	118,397	65,701	738,047	278,475	133,758	34,622	1,369,000	21.8	23.1	17.9	8.4	5.9	4.9	12.2
S.L.M.+	(40)	5,163	8,337	239,961	108,897	33,689	13,162	409,209	1.0	2.9	5.8	3.3	1.5	1.8	3.6
S.L.M.	(41)	192,644	72,980	1,831,127	1,377,351	617,371	132,091	4,223,564	35.5	25.8	44.7	41.5	27.1	18.5	37.7
L.M.+	(50)	4,756	2,863	118,885	85,316	22,117	5,990	239,927	0.9	1.0	2.9	2.6	1.0	0.8	2.1
L.M.	(51)	90,582	18,951	590,319	745,903	474,943	95,912	1,976,610	9.3	6.7	14.4	22.5	20.9	13.5	17.6
S.G.O.+	(60)	518	30	5,411	8,762	4,252	810	19,783	0.1	*	0.1	0.3	0.2	0.1	0.2
S.G.O.	(61)	5,291	2,215	39,697	85,313	72,051	41,671	246,238	1.0	0.8	1.0	2.6	3.2	5.9	2.2
G.O.+	(70)	88	-	118	296	247	35	784	*	-	*	*	*	*	*
G.O.	(71)	523	282	3,586	8,300	9,156	12,105	33,652	0.1	0.1	0.1	0.3	0.4	1.7	0.3
Total		380,872	172,302	3,577,293	2,703,609	1,371,469	337,148	8,542,693	70.2	60.7	87.1	81.6	60.4	47.3	76.1
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	716	168	910	543	213	45	2,595	0.1	0.1	*	*	*	*	*
M.	(32)	53,712	16,079	86,107	52,593	66,243	15,467	290,201	9.9	5.7	2.1	1.6	2.9	2.2	2.6
S.L.M.	(42)	84,978	49,592	259,772	323,160	496,036	150,588	1,364,126	15.6	17.5	6.3	9.8	21.8	21.3	12.1
L.M.	(52)	14,954	31,166	131,482	167,170	223,759	112,564	681,005	2.8	11.0	3.2	5.0	9.8	15.8	6.1
Total		154,370	97,005	478,271	543,466	786,251	278,564	2,337,927	28.4	34.3	11.6	16.4	34.5	39.3	20.8
Spotted:															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	4	36	92	57	4	193	-	*	*	*	*	*	*
M.	(33)	714	382	1,244	3,444	12,177	3,849	21,810	0.1	0.1	*	0.1	0.5	0.5	0.2
S.L.M.	(43)	2,617	4,643	9,270	22,066	56,479	29,812	124,887	0.5	1.6	0.2	0.7	2.5	4.2	1.1
L.M.	(53)	1,291	7,241	25,866	18,226	27,517	27,470	107,611	0.2	2.5	0.6	0.6	1.2	3.9	1.0
Total		4,622	12,270	36,416	43,828	96,230	61,135	254,501	0.8	4.2	0.8	1.4	4.2	8.6	2.3
Tinged:															
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	9	-	-	-	9	-	*	*	*	*	*	*
M.	(34)	15	97	25	84	455	179	855	*	*	*	*	*	*	*
S.L.M.	(44)	-	221	137	134	1,324	996	2,812	-	0.1	*	*	0.1	0.1	*
L.M.	(54)	-	28	132	110	510	944	1,724	-	*	*	*	*	0.1	*
Total		15	346	303	328	2,289	2,119	5,400	*	0.1	*	*	0.1	0.2	*
Stained:															
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	10	-	10	-	-	-	-	-	-	-
M.	(35)	-	-	41	23	37	15	116	-	-	-	-	-	-	-
Total		-	-	41	23	47	15	126	-	-	*	*	*	*	*
Light Gray:															
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	264	12	217	904	108	112	1,217	*	*	*	*	*	*	*
M.	(36)	1,485	102	1,068	3,584	1,875	1,683	9,797	0.3	*	*	0.1	0.1	0.2	0.1
S.L.M.	(46)	375	167	765	1,078	1,009	1,633	5,027	0.1	0.1	*	*	*	0.2	*
Total		2,124	281	2,050	5,166	2,992	3,428	16,041	0.4	0.1	*	0.1	0.1	0.4	0.1
Gray:															
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	20	-	-	20	-	-	-	-	-	-	-
M.	(37)	139	9	11	41	5	38	243	*	*	*	*	*	*	*
S.L.M.	(47)	31	-	82	137	128	168	546	*	*	*	*	*	*	*
Total		170	9	93	198	133	206	809	*	*	*	*	*	*	*
Below Grade		1,061	1,840	18,595	15,642	15,452	29,648	82,238	0.2	0.6	0.5	0.5	0.7	4.2	0.7
All grades		543,234	284,053	4,113,062	3,312,260	2,274,863	712,263	11,239,735 ^{1/}	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Grade index		93.3	91.6	92.7	90.4	88.7	85.7	90.8	-	-	-	-	-	-	-
Staple															
26 and shorter		-	7	420	66	47	50	590	*	*	*	*	*	*	*
28		74	104	6,028	1,793	2,696	998	11,693	*	*	0.1	0.1	0.1	0.1	0.1
29		2,071	2,845	25,550	10,146	23,188	6,515	70,314	0.4	1.0	0.6	0.3	1.0	0.9	0.6
30		21,683	36,581	43,614	51,687	212,536	57,894	423,995	4.0	12.9	2.1	1.6	9.3	8.1	3.8
31		37,430	20,476	12,035	91,897	392,423	129,526	683,787	6.9	7.2	1.4	2.8	17.3	18.2	6.1
32		32,390	8,285	13,953	89,300	311,864	138,974	594,366	6.0	2.9	1.1	2.7	13.7	19.5	5.3
33		102,446	16,331	81,445	99,212	161,591	70,709	531,734	18.9	5.7	4.1	3.0	7.1	9.9	4.7
34		285,365	63,814	943,685	621,093	463,563	165,744	2,543,264	52.4	22.5	26.2	18.8	20.4	23.4	22.6
35		60,893	128,511	2,346,464	1,778,464	540,036	111,560	4,965,928	11.2	45.3	51.3	53.5	23.8	15.7	44.2
36		867	7,066	625,213	505,353	148,506	29,257	1,316,262	0.2	2.5	12.8	15.3	6.5	4.1	11.7
37		15	33	13,559	56,671	16,095	716	87,089	*	*	0.3	1.7	0.7	0.1	0.8
38		-	-	1,261	5,154	1,222	271	7,908	-	-	*	0.2	0.1	*	0.1
39		-	-	67	109	495	39	710	-	-	*	*	*	*	*
40 and longer		-	-	168	1,316	601	10	2,025	-	-	*	*	*	*	*
All staples		543,234	284,053	4,113,062	3,312,260	2,274,863	712,263	11,239,735 ^{1/}	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		33.4	33.6	34.8	34.7	33.1	32.8	34.2	-	-	-	-	-	-	-

^{1/} As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Table 4. -- Preparation and grade reductions by specified causes of upland cotton ginned in the United States, by states, 1974-75

State	Preparation			Grade Reductions by Causes $\frac{1}{2}$										Total Bales		
	Normal	Rough Preparation		Bark	Grass	Motes	Oil	Sand and Dust	Seed	Spindle Twist	Stems	Other				
		Bales	Prep. 3 and 4										Gin Cut		Bales	Bales
Virginia	2,417	10	-	54	190	-	-	-	-	-	-	-	-	-	-	244
North Carolina	131,004	32	-	409	14,676	-	-	-	151	16	-	-	-	-	-	15,252
South Carolina	265,117	29	-	2,896	17,002	-	-	-	26	-	-	-	-	-	-	19,924
Georgia	396,254	39	-	11,276	13,191	-	50	19	16	-	-	-	-	9	-	24,561
Florida	13,045	-	-	170	950	-	-	-	-	-	-	-	-	-	-	1,120
Alabama	509,794	15	-	2,200	31,953	7	97	75	9	20	-	-	-	-	-	34,361
Mississippi	1,541,695	224	-	19,649	120,250	-	419	-	-	11	92	-	-	-	-	140,421
Kentucky	1,317	-	-	4	115	-	-	-	-	-	-	-	-	-	-	119
Tennessee	302,844	32	-	4,077	34,930	-	34	-	-	63	-	-	-	-	-	39,104
Missouri	227,371	216	-	702	6,143	-	11	-	-	11	18	-	-	-	-	6,885
Arkansas	864,130	112	-	2,606	37,497	17	152	-	65	60	166	24	-	-	-	40,587
Louisiana	545,069	73	-	9,986	31,447	-	12	-	-	7	10	-	-	-	-	41,462
Oklahoma	308,230	98	7	40,386	1,166	-	-	-	-	-	-	-	-	-	-	41,552
Texas	2,448,216	528	-	460,652	18,416	-	147	630	92	21	59	27	-	-	-	480,044
New Mexico	139,940	200	-	13,897	824	-	96	-	-	-	-	-	-	-	-	14,817
Arizona	969,897	443	11	46,350	24,804	5	7	9	195	30	64	8	-	-	-	71,472
Nevada	1,229	-	-	33	38	-	-	-	-	-	-	-	-	-	-	71
California	2,569,648	449	-	6,883	90,521	-	146	-	583	230	8	-	-	-	-	98,371
United States	11,237,217	2,500	18	622,230	444,113	29	1,171	733	1,137	469	417	68	-	-	-	1,070,367

$\frac{1}{2}$ Cotton reduced in grade for reasons other than preparation.

Table 5. -- Grade index and average staple of upland cotton ginned in the United States, by states, crops of 1971-1974

State	Grade index <u>1/</u>				Average staple <u>2/</u>			
	1971	1972	1973	1974	1971	1972	1973	1974
	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>
Virginia	83.4	82.8	87.1	84.5	33.8	34.3	34.8	35.1
North Carolina	85.1	88.0	88.7	87.6	34.3	34.6	34.8	35.4
South Carolina	85.3	87.9	88.1	88.4	34.7	34.7	34.8	35.0
Georgia	85.3	89.2	88.0	86.2	33.9	33.8	34.1	34.0
Florida	85.8	90.3	88.3	88.9	34.0	33.9	34.0	34.1
Alabama	89.7	88.1	89.5	90.1	34.1	33.6	33.6	34.2
Mississippi	90.7	89.5	89.9	89.2	34.9	34.4	34.4	34.7
Kentucky	94.9	92.8	93.0	90.0	34.3	33.9	33.6	34.7
Tennessee	92.0	89.0	91.5	89.6	34.2	33.8	33.8	34.4
Missouri	93.3	88.4	92.2	91.1	34.9	34.0	34.1	35.1
Arkansas	92.0	88.8	91.1	90.6	35.0	34.2	34.3	34.9
Louisiana	92.2	90.6	90.3	90.6	34.6	34.1	34.2	34.6
Oklahoma	83.4	88.2	91.6	87.2	31.1	31.6	31.7	31.9
Texas	84.8	87.1	92.8	88.3	31.1	31.7	31.3	32.1
New Mexico	93.8	91.0	96.5	91.7	35.7	35.2	34.8	35.9
Arizona	93.7	90.4	96.5	92.4	34.2	34.1	34.6	34.7
Nevada	98.2	97.0	99.1	97.5	36.0	36.0	36.0	35.9
California	96.6	94.3	96.1	95.2	35.6	35.3	35.3	35.3
United States	89.9	89.2	92.3	90.8	33.8	33.5	33.3	34.2

1/ Computed by weighting the quantity in each grade by the 1937-39 average price per pound for such grade of staple code 30. Converted to an index with Middling White equaling 100.

2/ Averages calculated on numerical staple codes (32nd inches).

Table 6. -- Tenderability of upland cotton ginned, by states, 1974-75

State	Tenderable ^{1/}		Untenderable		Total crop	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
Virginia	1,238	51.0	1,189	49.0	2,427	100.0
North Carolina	83,852	64.0	47,184	36.0	131,036	100.0
South Carolina	179,442	67.7	85,704	32.3	265,146	100.0
Georgia	208,385	52.6	187,908	47.4	396,293	100.0
Florida	9,480	72.7	3,565	27.3	13,045	100.0
Alabama	356,461	69.9	153,348	30.1	509,809	100.0
Mississippi	1,066,136	69.1	475,783	30.9	1,541,919	100.0
Kentucky	895	68.0	422	32.0	1,317	100.0
Tennessee	189,625	62.6	113,251	37.4	302,876	100.0
Missouri	137,720	60.5	89,867	39.5	227,587	100.0
Arkansas	559,169	64.7	305,073	35.3	864,242	100.0
Louisiana	325,288	59.7	219,854	40.3	545,142	100.0
Oklahoma	76,067	24.7	232,268	75.3	308,335	100.0
Texas	620,271	25.3	1,828,473	74.7	2,448,744	100.0
New Mexico	68,033	48.5	72,107	51.5	140,140	100.0
Arizona	578,130	59.6	392,221	40.4	970,351	100.0
Nevada	1,119	91.0	110	9.0	1,229	100.0
California	2,190,674	85.2	379,423	14.8	2,570,097	100.0
All states	6,651,985	59.2	4,587,750	40.8	11,239,735	100.0

^{1/} Tenderable with respect to grade, staple, and mike in settlement of futures contracts.

Table 7. -- Tenderability of upland cotton ginned in the United States, 1957-1974

Year	Tenderable ^{1/}		Untenderable		Total crop ^{2/}	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
1957	6,859,873	63.5	3,940,845	36.5	10,800,718	100.0
1958	9,768,742	86.0	1,584,723	14.0	11,353,465	100.0
1959	11,401,025	78.9	3,044,992	21.1	14,446,017	100.0
1960	10,050,977	70.8	4,148,110	29.2	14,199,087	100.0
1961	11,655,270	81.7	2,608,095	18.3	14,263,365	100.0
1962	11,373,949	77.1	3,380,447	22.9	14,754,396	100.0
1963	12,395,120	81.9	2,733,655	18.1	15,128,775	100.0
1964	10,154,264	67.5	4,878,050	32.5	15,032,314	100.0
1965	9,540,115	64.3	5,307,177	35.7	14,847,292	100.0
1966	4,902,137	51.6	4,589,060	48.4	9,491,197	100.0
1967	4,011,329	54.4	3,358,964	45.6	7,370,293	100.0
1968	6,714,407	62.0	4,123,977	38.0	10,838,384	100.0
1969	5,511,908	55.9	4,348,322	44.1	9,860,230	100.0
1970	6,342,553	63.1	3,712,684	36.9	10,055,237	100.0
1971	5,638,379	55.6	4,495,040	44.4	10,133,419	100.0
1972	7,279,575	55.3	5,895,947	44.7	13,175,522	100.0
1973	8,367,010	66.8	4,165,891	33.2	12,532,901	100.0
1974	6,651,985	59.2	4,587,750	40.8	11,239,735	100.0

^{1/} Beginning in 1965, tenderable with respect to grade, staple, and mike in settlement of futures contracts. Prior to 1965, tenderability was based on grade and staple only.

^{2/} As reported by the Bureau of the Census, running bales.

Table 6. -- Grade and staple of upland cotton ginned in North Carolina, 1974-75

Grade	Code	76 and shorter		Staple										40 and longer		All staples					
		Bales	Percent	26	27	28	29	30	31	32	33	34	35	36	37		38	39	Bales	Percent	
White:	O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	S.M.	-	-	-	-	-	-	-	-	-	-	15	54	-	-	-	-	-	69	0.1	
	M.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	N.	-	-	-	-	-	-	-	-	-	160	697	497	-	-	-	-	-	-	1,354	1.0
	S.L.M.+	-	-	-	-	-	-	-	-	-	35	471	359	16	-	-	-	-	-	661	0.7
	S.L.M.	-	-	-	-	-	-	-	-	-	1,395	20,290	16,161	184	-	-	-	-	-	37,990	28.9
	L.M.+	-	-	-	-	-	-	-	-	-	176	8,039	7,248	80	-	-	-	-	-	15,512	11.8
L.M.	-	-	-	-	-	-	-	-	-	1,474	20,126	15,649	214	16	-	-	-	-	37,479	28.6	
S.O.O.+	-	-	-	-	-	-	-	-	-	9	516	357	9	-	-	-	-	-	691	0.7	
S.O.O.	-	-	-	-	-	-	-	-	-	161	2,796	1,992	9	-	-	-	-	-	4,938	3.8	
O.O.+	-	-	-	-	-	-	-	-	-	-	26	6	-	-	-	-	-	-	34	-	
O.O.	-	-	-	-	-	-	-	-	-	53	543	264	-	-	-	-	-	-	800	0.7	
Total		-	-	-	-	-	-	-	-	3,482	53,461	42,567	462	16	-	-	-	-	100,028	76.3	
Light Spotted:	O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	N.	-	-	-	-	-	-	-	-	25	444	376	28	-	-	-	-	-	873	0.7	
	S.L.M.	-	-	-	-	-	-	-	-	992	7,235	5,276	97	-	-	-	-	-	13,209	10.1	
	L.M.	-	-	-	-	-	-	-	-	460	5,707	4,893	354	-	-	-	-	-	10,651	8.2	
Total		-	-	-	-	-	-	-	18	1,105	13,386	9,954	479	-	-	-	-	-	24,942	19.1	
Spotted:	O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	N.	-	-	-	-	-	-	-	-	22	172	66	-	-	-	-	-	-	260	0.2	
	S.L.M.	-	-	-	-	-	-	-	-	70	1,250	790	25	-	-	-	-	-	2,045	1.6	
	L.M.	-	-	-	-	-	-	-	-	9	1,332	577	-	-	-	-	-	-	2,049	1.6	
Total		-	-	-	-	-	-	-	9	223	2,724	1,373	25	-	-	-	-	-	4,354	3.4	
Tinged:	O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	N.	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	-	-	13	-	
	S.L.M.	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	6	-	
	L.M.	-	-	-	-	-	-	-	-	6	23	6	-	-	-	-	-	-	35	-	
Total		-	-	-	-	-	-	-	6	42	6	-	-	-	-	-	-	-	54	-	
Light Gray:	O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	N.	-	-	-	-	-	-	-	-	-	19	13	-	-	-	-	-	-	48	-	
	S.L.M.	-	-	-	-	-	-	-	-	6	40	-	-	-	-	-	-	-	46	-	
Total		-	-	-	-	-	-	-	16	6	59	13	-	-	-	-	-	-	94	-	
Gray:	O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.L.M.	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	-	-	15	-	
Total		-	-	-	-	-	-	-	-	15	-	-	-	-	-	-	-	-	15	-	
Below Grade		-	-	-	-	-	-	-	-	296	969	284	-	-	-	-	-	-	1,549	1.2	
All grades		-	-	-	-	-	-	-	43	5,118	70,676	54,197	986	16	-	-	-	-	131,036	100.0	
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		-	-	-	-	-	-	-	-	3.9	53.9	41.4	0.8	-	-	-	-	-	100.0	-	

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Percentage rough preparation..... 67.6
 Grade index.....
 Average staple..... 35.4

Table 8. -- Grade and staple of upland cotton ginned in South Carolina, 1974-75 (Continued)

Grade	Code	Staple														All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer		Bales	Percent
White:																		
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	9	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	45	-	-	-	-	260	0.1
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	-	-	-	-	-	48	-	-	-	-	7,662	3.0
S.L.M.+	(40)	-	-	-	-	-	-	-	-	-	-	169	-	-	-	-	1,144	0.4
S.L.M.	(41)	-	-	-	-	-	-	-	-	-	-	307	-	-	-	-	91,332	34.5
L.M.+	(50)	-	-	-	-	-	-	-	-	-	-	19	-	-	-	-	15,377	5.8
L.M.	(51)	-	-	-	-	-	-	-	-	-	-	173	-	-	-	-	74,143	28.1
S.G.O.+	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,957	0.7
S.G.O.	(61)	-	-	-	-	-	-	-	-	-	-	152	-	-	-	-	10,808	4.1
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-
G.O.	(71)	-	-	-	-	-	-	-	-	-	-	83	-	-	-	-	1,459	0.6
Total		-	-	-	-	22	73	782	30,129	140,434	31,641	1,302	-	-	-	-	204,363	77.3
Light Spotted:																		
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	19	-	-	-	-	70	-
M.	(32)	-	-	-	-	-	-	-	-	-	-	67	-	-	-	-	5,146	1.9
S.L.M.	(42)	-	-	-	-	-	-	-	-	-	-	183	-	-	-	-	26,808	10.1
L.M.	(52)	-	-	-	-	-	-	-	-	-	-	219	-	-	-	-	20,970	7.9
Total		-	-	-	9	13	51	469	11,275	35,165	5,846	153	-	-	-	-	52,904	19.9
Spotted:																		
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	26	-	-	-	-	26	-
M.	(33)	-	-	-	-	-	-	-	-	-	-	19	-	-	-	-	345	0.1
S.L.M.	(43)	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	2,248	0.8
L.M.	(53)	-	-	-	-	-	-	-	-	-	-	104	-	-	-	-	2,258	0.9
Total		-	-	-	-	-	20	130	1,586	2,632	509	-	-	-	-	-	4,877	1.8
Tinged:																		
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	17	-	-	-	-	60	-
S.L.M.	(44)	-	-	-	-	-	-	-	-	-	-	39	-	-	-	-	65	-
L.M.	(54)	-	-	-	-	-	-	-	-	-	-	26	-	-	-	-	47	-
Total		-	-	-	-	-	-	-	-	-	-	82	-	-	-	-	172	-
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	38	-	-	-	-	67	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	177	0.1
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-	78	-
Total		-	-	-	-	-	-	-	-	-	-	29	-	-	-	-	322	0.1
Below Grade																		
		-	-	-	-	-	-	49	430	1,012	661	56	-	-	-	-	2,396	0.9
All grades		-	-	-	9	35	103	1,640	44,233	179,296	36,072	1,455	13	-	-	-	265,146 $\frac{1}{2}$	100.0
All grades		-	-	-	-	-	-	0.1	0.7	16.7	67.6	14.4	0.5	-	-	-	100.0	-

$\frac{1}{2}$ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Percentage rough preparation.....
Grade index.....
Average staple.....

88.4
35.0

Table 8. -- Grade and staple of upland cotton ginned in Georgia, 1974-75 (Continued)

Grade	Code	Staple														All staples	
		26 and shorter	26	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.M.	(21)	-	-	-	-	-	-	60	20	-	-	-	-	-	-	-	100
S.M.	(30)	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	10
M.+	(31)	-	-	-	-	322	1,094	532	12	-	-	-	-	-	-	-	2,760
S.L.M.+	(40)	-	-	-	-	90	289	-	-	-	-	-	-	-	-	-	948
S.L.M.	(41)	-	-	40	412	6,507	62,307	20,102	411	-	-	-	-	-	-	-	92,059
L.M.+	(50)	-	-	21	673	10,115	5,005	131	23	-	-	-	-	-	-	-	16,568
L.M.	(51)	-	-	51	365	12,428	65,284	24,770	663	23	-	-	-	-	-	-	123,624
S.G.O.+	(60)	-	-	23	119	2,797	1,586	74	-	-	-	-	-	-	-	-	4,539
S.G.O.	(61)	-	-	44	106	2,724	12,721	3,203	46	-	-	-	-	-	-	-	16,656
G.O.+	(70)	-	-	-	-	74	143	-	-	-	-	-	-	-	-	-	217
G.O.	(71)	-	-	-	69	477	900	234	-	-	-	-	-	-	-	-	1,680
Total		-	-	135	1,016	25,316	177,063	56,424	1,357	46	-	-	-	-	-	-	261,361
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	27	-	-	-	-	-	-	-	-	27
S.M.	(22)	-	-	-	23	263	1,767	315	-	-	-	-	-	-	-	-	2,408
M.	(32)	-	-	23	457	6,945	37,462	7,560	11	-	-	-	-	-	-	-	54,470
S.L.M.	(42)	-	-	35	17	1,247	13,343	43,162	8,778	29	-	-	-	-	-	-	56,651
L.M.	(52)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16,8
Total		-	-	96	69	1,727	27,471	62,438	16,753	40	-	-	-	-	-	-	123,956
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	27	-	-	-	-	-	-	-	-	27
M.	(33)	-	-	-	12	44	322	707	152	35	-	-	-	-	-	-	65
S.L.M.	(43)	-	-	12	23	237	1,612	2,560	475	12	-	-	-	-	-	-	1,272
L.M.	(53)	-	-	12	39	301	2,146	3,350	654	47	-	-	-	-	-	-	5,159
Total		-	-	24	51	581	4,637	6,987	1,336	104	-	-	-	-	-	-	6,525
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	61	11	-	-	-	-	-	-	-	-	-	92
S.L.M.	(46)	-	-	-	21	30	15	-	-	-	-	-	-	-	-	-	74
Total		-	-	-	21	119	26	-	-	-	-	-	-	-	-	-	166
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	18
Total		-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	18
Below Grade																	
		-	-	27	516	1,708	2,032	341	9	-	-	-	-	-	-	-	4,633
All grades																	
		-	-	70	284	3,203	51,700	264,925	74,172	1,453	46	-	-	-	-	-	396,293
				Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
				0.1	0.9	13.1	66.6	16.7	0.4								100.0
All grades																	
				Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
				Percentage rough preparation	Grade Index	Average staple											
				86.2		34.0											

1/ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Percentage rough preparation..... 86.2

Grade Index..... 34.0

Average staple..... 34.0

Table 8. -- Grade and staple of upland cotton ginned in Florida, 1974-75 (Continued)

Grade	Code	Staple															All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent	
White:																		
	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(31)	-	-	-	-	-	12	11	-	-	-	-	-	-	-	23	0.2	
	(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(41)	-	-	-	-	-	116	4,974	500	-	-	-	-	-	-	5,590	42.8	
	(50)	-	-	-	-	-	487	116	9	-	-	-	-	-	-	612	4.7	
	(51)	-	-	-	-	-	43	3,868	560	-	-	-	-	-	-	4,471	34.3	
	(60)	-	-	-	-	-	-	9	18	-	-	-	-	-	-	27	0.2	
	(61)	-	-	-	-	-	19	241	44	-	-	-	-	-	-	304	2.3	
	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(71)	-	-	-	-	-	-	35	-	-	-	-	-	-	-	35	0.3	
	Total	-	-	-	-	-	190	9,625	1,238	9	-	-	-	-	-	11,062	84.8	
Light Spotted:																		
	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(32)	-	-	-	-	-	-	11	9	-	-	-	-	-	-	20	0.2	
	(42)	-	-	-	-	-	41	898	35	-	-	-	-	-	-	1,219	9.3	
	(52)	-	-	-	-	-	12	585	26	-	-	-	-	-	-	652	5.0	
	Total	-	-	-	-	-	12	41	274	1,494	70	-	-	-	-	1,891	14.5	
Spotted:																		
	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(43)	-	-	-	-	-	-	18	9	-	-	-	-	-	-	27	0.2	
	(53)	-	-	-	-	-	-	18	11	-	-	-	-	-	-	29	0.2	
	Total	-	-	-	-	-	-	36	11	9	-	-	-	-	-	56	0.4	
Light Gray:																		
	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(46)	-	-	-	-	-	-	9	-	-	-	-	-	-	-	9	0.1	
	Total	-	-	-	-	-	-	9	-	-	-	-	-	-	-	9	0.1	
Below Grade																		
		-	-	-	-	-	-	18	-	9	-	-	-	-	-	27	0.2	
	All grades	-	-	-	-	-	12	41	518	11,139	1,326	9	-	-	-	13,045	100.0	
All Grades																		
		-	-	-	-	-	0.1	0.3	4.0	85.3	10.2	0.1	-	-	-	100.0		

As reported by the Bureau of the Census, running bales.

Percentage rough preparation... -
 Grade Index..... 88.9
 Average staple..... 34.1

Table 8 -- Grade and staple of upland cotton ginned in Alabama, 1974-75 (Continued)

Grade	Code	Staple														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.M.	(21)	-	-	-	-	-	68	482	-	-	-	-	-	-	-	-	10
S.M.	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	613
M.	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.+	(40)	-	-	-	-	-	1,925	14,359	-	-	-	-	-	-	-	-	20,990
S.L.M.	(41)	-	-	-	-	-	507	5,849	-	-	-	-	-	-	-	-	8,318
L.M.+	(50)	-	-	-	-	-	175	10,869	100,181	65,913	1,279	10	29	-	-	-	238,461
L.M.	(51)	-	-	-	-	-	656	17,076	10,854	123	-	-	-	-	-	-	28,709
S.O.+	(60)	-	-	-	-	-	108	4,794	73,565	35,835	998	57	20	-	-	-	115,377
S.O.	(61)	-	-	-	-	-	82	1,118	827	90	-	-	-	-	-	-	2,117
O.O.+	(70)	-	-	-	-	-	30	1,295	7,893	3,266	191	39	-	-	-	-	12,734
O.O.	(71)	-	-	-	-	-	11	186	743	380	-	-	-	-	-	-	1,320
Total		-	-	-	-	-	5	370	20,382	261,276	123,480	2,881	106	49	-	-	428,549
Light Spotted:																	
	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.M.	(22)	-	-	-	-	-	49	110	-	-	-	-	-	-	-	-	169
S.M.	(32)	-	-	-	-	-	161	948	4,743	885	23	-	-	-	-	-	6,780
M.	(42)	-	-	-	-	-	37	304	5,759	27,008	0,174	115	10	-	-	-	41,407
S.L.M.	(52)	-	-	-	-	-	-	240	3,903	14,859	4,721	111	-	-	-	-	23,804
Total		-	-	-	-	-	37	705	10,679	46,690	13,790	249	10	-	-	-	72,160
Spotted:																	
	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
S.M.	(33)	-	-	-	-	-	23	140	317	47	-	-	-	-	-	-	527
M.	(43)	-	-	-	-	-	71	821	1,917	491	10	-	-	-	-	-	3,319
S.L.M.	(53)	-	-	-	-	-	2	92	759	1,505	300	-	-	-	-	-	2,658
Total		-	-	-	-	-	9	2	186	1,720	3,769	838	10	-	-	-	6,534
Tagged:																	
	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(44)	-	-	-	-	-	5	3	14	-	-	-	-	-	-	-	31
S.L.M.	(54)	-	-	-	-	-	5	49	23	18	-	-	-	-	-	-	95
Total		-	-	-	-	-	12	28	44	-	-	-	-	-	-	-	84
Stained:																	
	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(45)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Gray:																	
	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(36)	-	-	-	-	-	19	-	-	-	-	-	-	-	-	-	19
M.	(46)	-	-	-	-	-	40	107	31	-	-	-	-	-	-	-	178
S.L.M.	(56)	-	-	-	-	-	14	2	47	54	20	-	-	-	-	-	137
Total		-	-	-	-	-	14	2	106	161	51	-	-	-	-	-	334
Gray:																	
	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(57)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	9	9	30	-	-	-	-	-	-	-	39
Below Grade																	
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades		-	-	-	-	-	9	63	1,394	33,322	138,430	3,140	116	49	-	-	509,809 1/2
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Percent																	
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Percent																	
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Percentage rough preparation..... 90.1
 Grade index.....
 Average staple..... 34.2

Table 8. -- Grade and staple of upland cotton ginned in Mississippi, 1974-75 (Continued)

Grade	Code	Staple														All staples				
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent			
White:																				
	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(30)	-	-	-	-	61	-	-	-	-	-	-	-	-	-	-	-	2,043	0.1	
	(31)	-	-	-	-	31	-	-	-	-	-	-	-	-	-	-	-	-	31	2.8
	(40)	-	-	-	-	861	18,816	23,343	447	-	-	-	-	-	-	-	-	-	43,467	0.5
	(41)	-	-	-	-	93	2,758	4,035	128	-	-	-	-	-	-	-	-	-	7,014	45.3
	(50)	-	-	-	-	42	7,298	214,764	451,675	22,070	622	33	-	-	-	-	-	-	696,504	1.7
	(51)	-	-	-	-	155	6,924	17,646	1,683	106	-	-	-	-	-	-	-	-	26,524	32.8
	(60)	-	-	-	-	254	6,302	151,067	328,301	19,611	730	244	-	-	-	-	-	-	506,509	0.1
	(61)	-	-	-	-	11	387	1,389	68	-	-	-	-	-	-	-	-	-	1,855	3.9
	(70)	-	-	-	-	11	765	26,945	30,065	2,077	42	-	-	-	-	-	-	-	59,905	44
	(71)	-	-	-	-	274	5,582	2,106	103	-	-	-	-	-	-	-	-	-	8,065	87.7
	Total	-	-	-	-	10	307	15,820	428,278	859,528	46,241	1,500	277	-	-	-	-	-	1,351,961	
Light Spotted:																				
	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(22)	-	-	-	-	30	76	48	-	-	-	-	-	-	-	-	-	-	154	0.6
	(32)	-	-	-	-	48	709	5,279	3,594	127	-	-	-	-	-	-	-	-	9,757	6.6
	(42)	-	-	-	-	85	2,535	40,390	55,193	2,801	25	-	-	-	-	-	-	-	101,029	3.6
	(52)	-	-	-	-	107	1,689	22,548	29,447	1,369	41	-	-	-	-	-	-	-	55,201	10.8
	Total	-	-	-	-	240	4,903	68,293	88,282	4,297	66	-	-	-	-	-	-	-	166,141	
Spotted:																				
	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(33)	-	-	-	-	80	341	253	9	-	-	-	-	-	-	-	-	-	692	0.4
	(43)	-	-	-	-	24	2,961	2,305	132	-	-	-	-	-	-	-	-	-	5,738	0.4
	(53)	-	-	-	-	65	287	3,385	2,036	106	-	-	-	-	-	-	-	-	5,879	0.4
	Total	-	-	-	-	9	89	663	6,707	4,594	247	-	-	-	-	-	-	-	12,309	0.8
Tinged:																				
	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(54)	-	-	-	-	20	92	-	-	-	-	-	-	-	-	-	-	-	110	0.4
	Total	-	-	-	-	20	214	14	-	-	-	-	-	-	-	-	-	-	112	0.8
Light Gray:																				
	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(36)	-	-	-	-	31	33	27	-	-	-	-	-	-	-	-	-	-	60	0.4
	(46)	-	-	-	-	10	94	50	-	-	-	-	-	-	-	-	-	-	175	0.4
	Total	-	-	-	-	10	9	226	21	-	-	-	-	-	-	-	-	-	266	0.4
Gray:																				
	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	0.4
Below Grade																				
		-	-	-	-	6	65	534	7,954	2,083	44	11	-	-	-	-	-	-	10,697	0.7
All Grades																				
		-	-	-	-	25	711	22,040	511,951	954,609	50,829	1,566	288	-	-	-	-	-	1,541,919	100.0
All grades																				
		-	-	-	-	1.4	33.2	62.0	3.3	0.1	-	-	-	-	-	-	-	-	100.0	
✓ As reported by the Bureau of the Census, running bales. * Less than 0.05 percent. Percentage rough preparation... 89.2 Grade index..... 34.7 Average staple.....																				

Table 8. -- Grade and staple of upland cotton ginned in Tennessee, 1974-75 (Continued)

Grade	Code	Staple														All staples			
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer		Bales	Percent	
White:																			
	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
G.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(30)	-	-	-	-	-	239	-	-	266	-	-	-	-	-	-	-	505	0.2
M.+	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(40)	-	-	-	10	-	6,864	6,371	177	-	-	-	-	-	-	-	-	13,549	4.5
S.L.M.+	(41)	-	-	-	-	-	1,227	1,558	44	-	-	-	-	-	-	-	-	2,883	1.0
S.L.M.	(50)	-	-	-	10	-	996	67,502	1,097	66	-	-	-	-	-	-	-	127,922	42.2
L.M.+	(51)	-	-	-	-	-	48	3,123	228	-	-	-	-	-	-	-	-	5,903	1.9
L.M.	(60)	-	-	-	13	-	34,205	37,849	538	32	-	-	-	-	-	-	-	73,770	24.4
S.G.O.+	(61)	-	-	-	-	-	10	384	165	11	-	-	-	-	-	-	-	570	0.2
S.G.O.	(70)	-	-	-	32	-	360	4,357	3,525	20	-	-	-	-	-	-	-	8,294	2.7
G.O.+	(71)	-	-	-	-	-	7	53	20	-	-	-	-	-	-	-	-	80	0.0
G.O.	(71)	-	-	-	7	-	91	440	270	10	-	-	-	-	-	-	-	819	0.3
Total		-	-	-	72	-	2,786	108,564	120,649	2,125	98	-	-	-	-	-	-	234,294	77.4
Light Spotted:																			
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	31	-	-	-	-	-	-	-	-	31	0.0
M.	(32)	-	-	-	-	-	422	4,084	1,972	52	-	-	-	-	-	-	-	6,530	2.2
S.L.M.	(42)	-	-	-	63	-	2,110	21,833	10,469	159	-	-	-	-	-	-	-	34,634	11.4
L.M.	(52)	-	-	-	31	-	1,263	9,956	3,376	-	-	-	-	-	-	-	-	14,626	4.8
Total		-	-	-	94	-	3,795	35,873	15,848	211	-	-	-	-	-	-	-	55,821	18.4
Spotted:																			
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	11	-	223	496	33	-	-	-	-	-	-	-	-	763	0.3
S.L.M.	(43)	-	-	-	4	-	853	3,781	950	-	-	-	-	-	-	-	-	5,188	1.7
L.M.	(53)	-	-	-	30	-	803	3,007	309	-	-	-	-	-	-	-	-	4,149	1.4
Total		-	-	-	45	-	1,879	7,284	992	-	-	-	-	-	-	-	-	10,100	3.4
Tinged:																			
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	21	25	7	-	-	-	-	-	-	-	-	53	0.0
S.L.M.	(44)	-	-	-	10	-	93	205	14	-	-	-	-	-	-	-	-	322	0.1
L.M.	(54)	-	-	-	21	-	60	58	7	-	-	-	-	-	-	-	-	146	0.0
Total		-	-	-	31	-	174	288	28	-	-	-	-	-	-	-	-	521	0.1
Light Gray:																			
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	11	0.0
M.	(36)	-	-	-	7	-	36	215	30	-	-	-	-	-	-	-	-	289	0.1
S.L.M.	(46)	-	-	-	-	-	27	55	4	-	-	-	-	-	-	-	-	86	0.0
Total		-	-	-	7	-	63	281	34	-	-	-	-	-	-	-	-	395	0.1
Gray:																			
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	10	0.0
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	10	0.0
Total		-	-	-	10	-	10	10	-	-	-	-	-	-	-	-	-	20	0.0
Below Grade																			
		-	-	-	7	-	28	480	978	242	-	-	-	-	-	-	-	1,735	0.6
All grades																			
		-	-	-	7	-	277	9,187	137,693	2,336	98	-	-	-	-	-	-	302,876	100.0
All grades																			
		-	-	-	0.1	-	3.0	50.6	45.5	0.8	0.0	-	-	-	-	-	-	100.0	100.0

As reported by the Bureau of the Census, running bales

Less than 0.05 percent.

Percentage rough preparation... 89.6

Grade index..... 34.4

Average staple..... 34.4

Table 8. -- Grade and staple of upland cotton ginned in Missouri, 1974-75 (Continued)

Grade	Code	Staple														All staples			
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer				
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	
White:																			
	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
G.M.	(21)	-	-	-	-	-	-	32	212	21	-	-	-	-	-	-	265	0.1	
S.M.	(30)	-	-	-	-	-	-	-	85	-	-	-	-	-	-	-	85	0.1	
M.+	(31)	-	-	-	-	-	-	1,120	16,199	3,990	11	-	-	-	-	-	20,752	9.1	
S.L.M.+	(40)	-	-	-	-	-	-	180	1,695	403	-	-	-	-	-	-	2,278	1.0	
S.L.M.	(41)	-	-	-	-	-	-	43	5,742	73,073	18,226	222	-	-	-	-	97,306	42.9	
S.L.M.+	(50)	-	-	-	-	-	-	350	6,495	3,961	74	-	-	-	-	-	10,880	4.8	
L.M.+	(51)	-	-	-	-	-	-	29	3,649	21,919	5,324	95	11	-	-	-	31,026	13.6	
L.M.	(60)	-	-	-	-	-	-	-	248	232	-	-	-	-	-	-	491	0.2	
S.O.O.+	(61)	-	-	-	-	-	-	74	938	1,666	427	21	-	-	-	-	3,126	1.4	
S.O.O.	(70)	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	21	0.1	
G.O.+	(71)	-	-	-	-	-	-	11	96	112	22	-	-	-	-	-	241	0.1	
	Total	-	-	-	-	-	-	189	12,106	121,715	32,006	444	11	-	-	-	166,471	73.2	
Light Spotted:																			
	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
G.M.	(22)	-	-	-	-	-	-	-	53	11	-	-	-	-	-	-	64	0.1	
S.M.	(32)	-	-	-	-	-	-	866	4,242	774	18	-	-	-	-	-	5,900	2.6	
M.	(42)	-	-	-	-	-	-	33	5,207	29,057	5,902	32	11	-	-	-	40,242	17.7	
S.L.M.	(52)	-	-	-	-	-	-	55	2,645	1,691	43	-	-	-	-	-	11,067	4.9	
	Total	-	-	-	-	-	-	88	8,718	39,965	8,378	93	11	-	-	-	57,273	25.2	
Spotted:																			
	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
G.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(33)	-	-	-	-	-	-	-	50	152	-	-	-	-	-	-	202	0.1	
M.	(43)	-	-	-	-	-	-	-	407	916	148	-	-	-	-	-	1,471	0.6	
S.L.M.	(53)	-	-	-	-	-	-	29	324	306	110	-	-	-	-	-	769	0.3	
	Total	-	-	-	-	-	-	29	781	1,374	258	-	-	-	-	-	2,442	1.0	
Tinged:																			
	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
G.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(44)	-	-	-	-	-	-	-	11	15	-	-	-	-	-	-	11	0.1	
S.L.M.	(54)	-	-	-	-	-	-	-	15	-	-	-	-	-	-	-	15	0.1	
	Total	-	-	-	-	-	-	-	26	-	-	-	-	-	-	-	26	0.1	
Light Gray:																			
	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
G.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(36)	-	-	-	-	-	-	-	64	60	-	-	-	-	-	-	124	0.1	
M.	(46)	-	-	-	-	-	-	7	184	76	-	-	-	-	-	-	267	0.1	
S.L.M.	(56)	-	-	-	-	-	-	7	248	136	-	-	-	-	-	-	391	0.2	
	Total	-	-	-	-	-	-	7	248	136	-	-	-	-	-	-	391	0.2	
Gray:																			
	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
G.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(47)	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	11	0.1	
S.L.M.	(57)	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	11	0.1	
	Total	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	11	0.1	
Below grade																			
		-	-	-	-	-	-	11	32	33	356	449	92	-	-	-	973	0.4	
All grades																			
		-	-	-	-	-	-	11	32	346	22,209	163,696	40,734	537	22	-	227,587	100.0	
All grades																			
		-	-	-	-	-	-	0.2	9.8	71.9	17.9	0.2	-	-	-	-	100.0	-	

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Percentage rough preparation... 0.1
 Grade index... 91.1
 Average staple... 35.1

Table 8. -- Grade and staple of upland cotton ginned in Arkansas, 1974-75 (Continued)

Grade	Code	26 and shorter		Staple							40 and longer		All staples				
		Bales	Percent	28	29	30	31	32	33	34	35	36	37	38	39	Bales	Percent
White:																	
	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(21)	-	-	-	-	-	-	24	247	-	-	-	-	-	-	271	-
	(30)	-	-	-	-	-	-	-	82	-	-	-	-	-	-	82	-
	(31)	-	-	-	-	-	-	5,567	38,785	6,064	-	-	-	-	-	50,437	5.8
	(40)	-	-	-	-	-	-	3,775	3,823	797	-	-	-	-	-	4,970	0.6
	(41)	-	-	-	-	10	286	51,700	315,766	52,961	560	-	-	-	-	421,263	48.9
	(50)	-	-	-	-	-	-	1,446	11,995	4,468	-	-	-	-	-	17,943	2.1
	(51)	-	-	-	-	-	323	38,037	113,633	16,123	311	-	-	-	-	166,427	19.6
	(60)	-	-	-	-	-	-	92	236	59	-	-	-	-	-	387	-
	(61)	-	-	-	-	-	261	4,057	5,062	510	64	-	-	-	-	10,954	1.2
	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(71)	-	-	-	-	12	21	314	384	71	11	11	-	-	-	713	0.1
	Total	-	-	-	-	22	891	102,112	489,083	81,053	992	-	-	-	-	675,053	78.3
Light Spotted:																	
	(12)	-	-	-	-	-	-	36	68	-	-	-	-	-	-	136	-
	(22)	-	-	-	-	-	62	4,220	7,372	522	-	-	-	-	-	12,176	1.4
	(32)	-	-	-	-	-	356	39,020	70,314	5,178	43	-	-	-	-	114,911	13.3
	(42)	-	-	-	-	10	318	16,440	17,992	1,377	-	-	-	-	-	36,144	4.2
	(52)	-	-	-	-	10	736	59,716	95,783	7,109	43	-	-	-	-	163,367	18.9
	Total	-	-	-	-	32	1,502	76,412	121,137	14,161	88	-	-	-	-	214,706	25.2
Spotted:																	
	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(23)	-	-	-	-	-	-	41	928	774	46	-	-	-	-	1,789	0.2
	(33)	-	-	-	-	-	48	6,534	6,102	100	-	-	-	-	-	13,184	1.5
	(43)	-	-	-	-	-	206	4,546	2,348	37	11	-	-	-	-	7,148	0.8
	(53)	-	-	-	-	-	295	12,408	9,224	183	11	-	-	-	-	22,121	2.5
	Total	-	-	-	-	-	549	23,416	17,928	366	23	-	-	-	-	45,782	5.3
Tinged:																	
	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(24)	-	-	-	-	-	-	15	30	-	-	-	-	-	-	45	-
	(34)	-	-	-	-	-	26	436	107	-	-	-	-	-	-	569	0.1
	(44)	-	-	-	-	-	169	37	-	-	-	-	-	-	-	206	-
	(54)	-	-	-	-	-	26	620	174	-	-	-	-	-	-	820	0.1
	Total	-	-	-	-	-	226	823	311	-	-	-	-	-	-	1,356	0.2
Stained:																	
	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(25)	-	-	-	-	-	-	6	-	-	-	-	-	-	-	6	-
	(35)	-	-	-	-	-	-	-	6	-	-	-	-	-	-	6	-
	Total	-	-	-	-	-	-	6	6	-	-	-	-	-	-	6	-
Light Gray:																	
	(16)	-	-	-	-	-	-	8	-	-	-	-	-	-	-	8	-
	(26)	-	-	-	-	-	-	191	139	11	-	-	-	-	-	341	-
	(36)	-	-	-	-	-	44	283	37	-	-	-	-	-	-	364	-
	(46)	-	-	-	-	-	44	482	176	11	-	-	-	-	-	713	-
	Total	-	-	-	-	-	92	863	332	23	-	-	-	-	-	1,106	-
Gray:																	
	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(37)	-	-	-	-	-	-	10	-	-	-	-	-	-	-	10	-
	(47)	-	-	-	-	-	-	10	-	-	-	-	-	-	-	10	-
	Total	-	-	-	-	-	-	20	-	-	-	-	-	-	-	20	-
Below Grade																	
		-	-	-	-	-	231	1,362	548	11	-	-	-	-	-	2,152	0.2
All grades																	
		-	-	-	-	32	2,223	176,710	595,864	88,367	1,046	-	-	-	-	864,242	100.0
All grades																	
		-	-	-	-	-	0.3	20.4	69.0	10.2	0.1	-	-	-	-	100.0	-
1/ As reported by the Bureau of the Census, rounding bales. * Less than 0.05 percent.																	

Table 8. -- Grade and staple of upland cotton ginned in Louisiana, 1974-75 (Continued)

Grade	Code	Staple														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	{ 11 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	{ 21 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.+	{ 30 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	{ 31 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.+	{ 40 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	{ 41 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.+	{ 50 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	{ 51 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.O.O.+	{ 60 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.O.O.	{ 61 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.+	{ 70 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	{ 71 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Spotted:																	
G.M.	{ 12 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	{ 22 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	{ 32 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	{ 42 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	{ 52 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spotted:																	
G.M.	{ 13 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	{ 23 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	{ 33 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	{ 43 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	{ 53 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tinged:																	
G.M.	{ 14 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	{ 24 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	{ 34 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	{ 44 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	{ 54 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stained:																	
G.M.	{ 15 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	{ 25 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	{ 35 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Gray:																	
G.M.	{ 16 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	{ 26 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	{ 36 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	{ 46 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gray:																	
G.M.	{ 17 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	{ 27 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	{ 37 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	{ 47 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		Grade index	Grade index	Grade index	Grade index	Grade index	Grade index	Grade index	Grade index	Grade index	Grade index	Grade index	Grade index	Grade index	Grade index	Grade index	Grade index
		Average staple	Average staple	Average staple	Average staple	Average staple	Average staple	Average staple	Average staple	Average staple	Average staple	Average staple	Average staple	Average staple	Average staple	Average staple	Average staple
		Percentage rough preparation	Percentage rough preparation	Percentage rough preparation	Percentage rough preparation	Percentage rough preparation	Percentage rough preparation	Percentage rough preparation	Percentage rough preparation	Percentage rough preparation	Percentage rough preparation	Percentage rough preparation	Percentage rough preparation	Percentage rough preparation	Percentage rough preparation	Percentage rough preparation	Percentage rough preparation
		51	68	87	10.4	233,600	280,302	19,210	572	51	51	51	51	51	51	51	51
		1.9	42.9	51.4	3.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
		90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6
		34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6

As reported by the Bureau of the Census, running bales.

Less than 0.05 percent

Table 8. -- Grade and staple of upland cotton ginned in Oklahoma, 1974-75 (Continued)

Grade	Code	Staple														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(31)	-	-	-	136	703	454	179	190	79	12	-	-	-	-	-	-
	(40)	-	-	-	-	39	109	-	-	13	-	-	-	-	-	-	-
	(41)	-	-	-	1,518	11,875	22,608	8,128	4,894	1,937	824	73	-	-	-	-	1,760
	(50)	-	-	23	10	87	232	462	-	-	-	-	-	-	-	-	161
	(51)	-	13	65	1,137	4,614	14,187	11,550	5,923	1,576	451	53	-	-	-	-	51,878
	(60)	-	-	-	-	-	79	216	-	-	-	-	-	-	-	-	1,074
	(61)	-	-	10	136	413	1,326	1,333	854	51	10	-	-	-	-	-	39,569
	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	308
	(71)	-	-	-	10	57	75	82	102	20	-	-	-	-	-	-	4,133
	Total	-	13	98	2,947	17,786	39,055	21,949	12,283	3,675	1,297	126	-	-	-	-	99,229
Light Spotted:																	
	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(32)	-	27	78	1,974	5,381	4,473	421	48	17	-	-	-	-	-	-	-
	(42)	-	98	536	11,239	37,837	57,239	11,777	1,237	286	73	-	-	-	-	-	12,419
	(52)	-	10	598	2,839	8,962	23,368	8,930	1,657	164	96	-	-	-	-	-	120,322
	Total	-	135	1,212	16,052	52,180	85,080	21,028	2,942	467	169	-	-	-	-	-	179,265
Spotted:																	
	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(33)	-	-	32	283	599	572	83	2	-	-	-	-	-	-	-	-
	(43)	-	78	197	1,998	5,238	6,377	1,591	130	27	-	-	-	-	-	-	1,571
	(53)	-	43	224	1,020	2,022	4,267	1,168	179	51	-	-	-	-	-	-	15,636
	Total	-	121	453	3,301	7,859	11,216	2,842	311	78	-	-	-	-	-	-	26,181
Tinged:																	
	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(34)	-	-	-	-	13	13	13	-	11	-	-	-	-	-	-	37
	(44)	-	-	27	99	99	86	16	-	-	-	-	-	-	-	-	228
	(54)	-	6	35	66	66	62	17	-	-	-	-	-	-	-	-	186
	Total	-	6	62	165	161	161	46	-	11	-	-	-	-	-	-	451
Light Gray:																	
	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(36)	-	-	-	-	13	99	23	-	-	-	-	-	-	-	-	135
	(46)	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	7
	Total	-	-	-	-	13	99	30	-	-	-	-	-	-	-	-	142
Gray:																	
	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(47)	-	-	-	-	-	-	-	-	12	-	-	-	-	-	-	12
	Total	-	-	-	-	-	-	-	-	12	-	-	-	-	-	-	-
Below Grade																	
		-	17	138	281	447	1,288	742	129	13	-	-	-	-	-	-	3,055
All grades																	
		-	286	1,907	22,643	78,437	136,800	46,620	15,764	4,286	1,466	126	-	-	-	-	308,335
All grades																	
		-	0.1	0.6	7.3	25.4	44.5	15.1	5.1	1.4	0.5	-	-	-	-	-	100.0

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Percentage rough preparation... 87.2
 Grade index..... 31.9
 Average staple..... 31.9

Table 8. -- Grade and staple of upland cotton ginned in Texas, 1974-75 (Continued)

Grade	Staple														All staples			
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent		
White:																		
O.M.	-	-	-	75	60	82	640	1,517	651	-	14	-	-	-	-	-	-	
S.M.	-	-	-	41	20	4	102	76	102	-	-	-	-	-	-	-	3,046	
M.	-	-	-	4,835	8,989	7,162	24,785	77,832	13,416	1,039	775	21	11	25	-	-	243	
S.L.M.+	31	71	271	6	222	296	644	3,572	1,015	354	356	-	-	-	-	-	139,263	
O.M.	-	-	-	2,298	43,929	131,595	82,143	157,300	39,388	11,966	8,104	224	32	121	-	-	6,813	
S.M.	-	-	-	1,046	222	1,648	2,484	3,306	1,205	1,061	521	10	-	-	-	-	569,739	
L.M.	10	134	1,576	26,152	91,825	102,141	89,235	83,762	34,074	11,993	2,524	398	40	65	-	-	11,854	
S.O.+	-	-	-	27	158	314	849	444	95	49	20	-	-	-	-	-	439,061	
S.O.	-	-	-	89	770	4,481	8,234	9,627	6,227	2,626	1,827	267	-	-	-	-	1,350	
O.O.	-	-	-	162	667	582	699	524	41	7	-	-	-	-	-	-	54,833	
O.O.	-	-	-	51	402	5,095	82,595	242,391	234,642	200,871	340,422	96,619	28,691	14,272	940	83	232	1,247,896
Total	41	402	5,095	82,595	242,391	234,642	200,871	340,422	96,619	28,691	14,272	940	83	232	1,247,896	51.0		
Light Spotted:																		
O.M.	-	-	-	45	308	263	32	102	106	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	3,952	29,984	26,915	14,377	15,483	20,302	3,233	338	211	-	-	-	-	850	-
M.	-	-	-	938	15,031	141,348	200,307	105,727	56,825	61,163	13,941	1,635	30	-	-	-	116,058	4.8
S.L.M.	4	45	2,859	17,653	89,595	90,972	59,315	35,553	28,177	7,465	930	210	-	-	-	-	598,047	24.5
L.M.	49	4,063	36,883	232,226	320,457	178,481	107,923	109,748	24,659	2,903	919	51	-	-	-	-	322,817	13.2
Total	108	4,517	39,742	252,226	320,457	178,481	107,923	109,748	24,659	2,903	919	51	-	-	-	-	1,036,378	42.5
Spotted:																		
O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	20	54	-	4	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	92	1,703	5,228	2,632	608	607	324	82	20	-	-	-	-	78	-
S.L.M.	10	946	6,797	25,425	16,090	6,057	3,752	2,599	526	20	-	-	-	-	-	-	11,526	0.5
L.M.	188	3,094	10,326	20,810	11,096	5,723	4,217	2,379	362	20	-	-	-	-	-	-	62,222	2.5
Total	198	4,132	16,826	51,489	29,872	12,618	8,980	5,302	970	60	-	-	-	-	-	-	59,236	2.4
Tinged:																		
O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	23	173	141	45	21	14	90	15	-	-	-	-	-	522	-
S.L.M.	10	86	236	404	117	70	138	69	-	-	-	-	-	-	-	-	1,149	-
L.M.	28	67	106	242	124	56	35	38	-	-	-	-	-	-	-	-	695	-
Total	38	178	515	787	286	94	105	190	159	15	-	-	-	-	-	-	2,367	-
Stained:																		
O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	10
Light Gray:																		
O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	-	-	-	172	340	74	174	282	186	15	-	-	-	-	-	-	264	0.1
L.M.	17	122	182	240	74	271	880	1,449	61	-	-	-	-	-	-	-	1,110	-
Total	17	128	182	240	74	271	880	1,449	61	-	-	-	-	-	-	-	3,120	0.1
Gray:																		
O.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	8	6	-	15	35	98	-	-	-	-	-	-	-	162	-
S.L.M.	-	-	-	19	23	8	15	16	-	-	-	-	-	-	-	-	83	-
Total	-	-	-	27	31	8	15	50	114	-	-	-	-	-	-	-	245	-
Below Grade																		
	264	2,493	6,096	7,512	3,077	2,374	1,032	1,183	247	36	-	-	-	-	-	-	25,214	1.0
All grades																		
	590	11,305	67,570	594,684	596,175	428,465	320,341	458,418	122,795	31,705	15,191	1,012	83	280	2,448,744	100.0		
Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades																		
	0.5	2.6	16.1	24.4	17.5	13.1	18.7	5.0	1.3	0.6	-	-	-	-	-	-	100.0	-

As reported by the Bureau of the Census, rounding bales.
 * Less than 0.05 percent.
 Percentage rough preparation.....
 Grade index.....
 Average staple.....

Table 8. -- Grade and staple of upland cotton ginned in New Mexico, 1974-75 (Continued)

Grade	Code	Staple														All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent	
White:																		
	(11) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(21) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(30) M.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(31) M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(40) S.L.M.+	7	7	26	68	142	15	26	398	4,337	3,442	125	-	12	-	8,598	6.1	
	(41) S.L.M.	-	-	-	-	-	-	-	50	1,264	1,985	186	-	-	-	3,504	2.5	
	(50) L.M.+	7	22	531	597	542	413	411	2,724	28,945	41,539	3,583	126	567	79,907	57.1		
	(51) L.M.	-	-	-	-	-	-	-	285	2,448	3,368	654	236	371	7,522	5.4		
	(60) S.G.O.+	7	7	512	601	896	427	623	2,283	5,497	4,007	988	204	166	16,220	11.6		
	(61) S.G.O.	-	-	-	-	-	-	-	20	50	13	-	-	-	90	0.1		
	(70) G.O.+	-	-	-	-	-	-	-	1,241	791	38	-	-	-	2,668	1.9		
	(71) G.O.	-	-	-	-	-	-	-	7	-	-	-	-	-	7	-		
	Total	-	23	29	1,078	1,332	1,745	965	1,818	7,218	43,303	54,398	5,549	566	1,116	119,140	85.1	
Light Spotted:																		
	(12) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(22) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(32) M.	-	-	14	180	259	108	25	350	1,639	900	-	-	-	-	3,558	2.5	
	(42) S.L.M.	13	290	1,562	1,883	922	513	768	970	2,472	1,317	226	19	106	11,061	7.9		
	(52) L.M.	25	143	833	699	547	457	557	480	384	100	197	-	-	4,423	3.2		
	Total	-	39	447	2,575	2,841	1,577	995	1,408	4,502	2,325	423	19	106	19,057	13.6		
Spotted:																		
	(13) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(23) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(33) M.	-	-	9	34	28	20	9	35	23	-	-	-	-	-	-	-	-
	(43) S.L.M.	-	-	55	255	128	27	13	79	80	9	-	-	-	161	0.1		
	(53) L.M.	-	-	28	54	37	26	11	100	48	7	15	-	-	326	0.2		
	Total	-	-	92	343	193	73	24	155	110	24	-	-	-	1,205	0.8		
Tinged:																		
	(14) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(24) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(34) M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(44) S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(54) L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Gray:																		
	(16) G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(26) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(36) M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(46) S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Below Grade	-	-	-	32	12	15	229	248	33	27	-	7	-	-	603	0.4	
	All grades	-	62	568	4,037	4,395	3,410	2,220	3,673	9,206	47,992	56,767	6,003	585	1,222	140,140	100.0	
	All grades	-	-	0.4	2.9	3.1	2.4	1.6	2.6	6.6	34.2	40.6	4.3	0.4	0.9	100.0		

As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Percentage rough preparation... 0.1
Grade index... 91.7
Average staple... 35.9

Table 8. --- Grade and staple of upland cotton ginned in Arizona, 1974-75 (Continued)

Grade	Code	26 and shorter	Staple													All staples				
			26	27	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent	
White:																				
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.L.M.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	L.M.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.G.O.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.G.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	G.O.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	G.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		8	63	221	1,822	2,136	1,285	205	23	42	393	6,206	44,168	561	776,299	60.0				
Light Spotted:																				
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		12	93	506	22	632	0.1													
Spotted:																				
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		13	85	650	2,005	16,222	60,532	3,104	776	75,436	7.6									
Timed:																				
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		13	71	591	3,011	3,835	7,318	541	12	290,831	2.1									
Stained:																				
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		15	220	676	3,741	6,507	35,936	113,679	7,059	1,018	17.4									
Light Gray:																				
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		16	26	41	67	779	1,142	70	8	67	0.2									
Gray:																				
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		17	248	1,663	2,692	7,414	3,447	1,570	265	43	17,779	1.6								
Below Grade																				
		40	269	2,276	4,057	16,257	25,674	212,805	646,957	51,403	42	593	970,351	100.0						
All grades																				
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		0.2	0.4	1.7	2.6	21.9	67.1	5.3	0.7	0.1	100.0									

As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 † Percentage rough preparation..... 92.4
 ‡ Grade index..... 34.7
 § Average staple.....

Table 6. -- Grade and staple of upland cotton ginned in California, 1974-75 (Continued)

Grade	Code	Staple														All staples		
		26 and shorter	26	29	30	31	32	33	34	35	36	37	39	40 and longer				
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	
White:																		
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13,304	
M.	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102	
S.L.M.+	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	877,862	
S.L.M.	(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34,2	
S.L.M.	(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	345,787	
S.L.M.	(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	971,798	
S.L.M.+	(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56,857	
S.L.M.	(51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	164,884	
S.O.O.+	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,980	
S.O.O.	(61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29,942	
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112	
G.O.	(71)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6,673	
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,470,277	
Light Spotted:																		
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	411	
M.	(32)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18,498	
S.L.M.	(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38,626	
S.L.M.	(52)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19,254	
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76,799	
Spotted:																		
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36	
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,073	
S.L.M.	(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,262	
S.L.M.	(53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,443	
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9,834	
Tined:																		
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	
S.L.M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86	
S.L.M.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57	
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	170	
Stained:																		
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	692	
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,341	
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,418	
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5,451	
Gray:																		
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	272	
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	323	
Below Grade																		
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7,211
All grades																		
Percent		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,570,097 1/2
Percent		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
All grades																		
Percent		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0

1/2 As reported by the Bureau of the Census, rounding bales.
 * Less than 0.05 percent.
 Percentage rough preparation.... 95.2
 Grade index.....
 Average staple..... 35.3

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75

NORTH CAROLINA								SOUTH CAROLINA					
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	9	-	-	9
S.M.	(21)	-	31	38	-	-	69	-	232	28	-	-	260
M.	(30)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	655	650	19	30	1,354	818	4,735	2,211	88	-	7,852
S.L.M.	(40)	-	655	226	-	-	881	-	978	150	7	9	1,144
S.L.M.	(41)	181	23,038	13,680	1,072	19	37,990	2,590	63,344	23,468	1,802	128	91,332
L.M.	(50)	254	9,228	5,878	133	19	15,512	68	11,015	3,663	373	258	15,377
L.M.	(51)	-	12,081	20,874	4,256	268	37,479	613	42,526	24,480	5,977	547	74,143
S.O.O.	(60)	-	187	641	38	25	891	-	811	890	196	60	1,957
S.G.O.	(61)	-	779	2,939	964	256	4,938	-	2,728	5,265	2,290	525	10,808
G.O.	(70)	-	-	9	25	-	34	-	13	19	-	-	32
G.O.	(71)	-	62	584	127	107	880	-	232	646	339	252	1,469
Total		435	46,716	45,519	6,634	724	100,028	4,089	126,614	60,829	11,072	1,779	204,383
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	9	-	-	9	-	13	37	20	-	70
M.	(32)	-	125	678	70	-	873	1,090	1,930	1,921	196	9	5,146
S.L.M.	(42)	-	1,434	9,326	2,372	77	13,209	3,136	11,581	9,743	2,094	254	26,808
L.M.	(52)	-	748	6,641	2,784	678	10,851	136	6,987	8,638	4,180	1,029	20,970
Total		-	2,307	16,654	5,226	755	24,942	4,362	20,511	20,339	6,490	1,292	52,994
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	19	7	-	26
M.	(33)	-	16	160	38	46	260	-	39	215	81	10	345
S.L.M.	(43)	-	109	1,366	558	12	2,045	341	618	646	617	26	2,248
L.M.	(53)	-	140	895	729	285	2,049	136	386	487	759	490	2,258
Total		-	265	2,421	1,325	343	4,354	477	1,043	1,367	1,464	526	4,877
Tinged:													
All grades		-	16	-	32	6	54	-	-	28	81	63	172
Light Gray:													
All grades		-	47	9	38	-	94	-	129	122	54	17	322
Gray:													
All grades		-	-	-	-	15	15	-	-	-	-	-	-
Below Grade													
All grades		-	47	735	342	425	1,549	-	219	946	528	705	2,398
All grades		435	49,398	65,338	13,597	2,268	131,036 1/2	8,928	148,516	83,631	19,689	4,382	265,146 1/2
Grade index		91.7	90.3	86.7	83.5	76.3	87.6	91.6	89.8	87.4	83.0	77.4	88.4
Staple													
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	9	-	-	9
31		-	-	-	-	-	-	-	26	9	-	-	35
32		-	-	-	-	-	-	-	128	28	7	30	193
33		-	16	27	-	-	43	-	580	609	244	407	1,840
34		-	2,074	2,788	126	130	5,118	750	19,070	15,647	6,748	2,018	44,233
35		399	30,206	32,059	6,664	1,348	70,676	7,430	101,483	56,226	12,317	1,840	179,296
36		36	16,773	29,797	6,801	790	54,197	748	25,968	10,896	373	87	38,072
37		-	313	667	6	-	986	-	1,248	207	-	-	1,455
38		-	16	-	-	-	16	-	13	-	-	-	13
39		-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-
All staples		435	49,398	65,338	13,597	2,268	131,036 1/2	8,928	148,516	83,631	19,689	4,382	265,146 1/2
Average staple		35.1	35.3	35.4	35.5	35.3	35.4	35.0	35.1	34.9	34.7	34.4	35.0

1/2 As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

GEORGIA								FLORIDA					
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	14	68	18	-	-	100	-	-	-	-	-	-
M.+	(30)	-	-	-	10	-	10	-	-	-	-	-	-
M.	(31)	312	1,802	621	14	11	2,760	-	12	11	-	-	23
S.L.M.+	(40)	185	581	163	19	-	948	-	-	-	-	-	-
S.L.M.	(41)	7,724	57,032	22,981	3,971	351	92,059	41	2,712	1,852	974	11	5,590
L.M.+	(50)	422	9,278	5,079	1,712	77	16,568	-	210	287	115	-	612
L.M.	(51)	3,054	50,658	44,496	21,630	3,786	123,624	-	853	1,776	1,745	97	4,471
S.G.O.+	(60)	-	772	2,253	1,249	265	4,539	-	-	-	27	-	27
S.G.O.	(61)	248	3,110	5,977	6,979	2,542	18,856	-	12	11	195	86	304
G.O.+	(70)	-	11	177	29	-	217	-	-	-	-	-	-
G.O.	(71)	34	252	445	495	454	1,680	-	-	-	35	-	35
Total		11,993	123,564	82,210	36,108	7,486	261,361	41	3,799	3,937	3,091	194	11,062
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	11	9	7	-	27	-	-	-	-	-	-
M.	(32)	171	1,515	645	46	31	2,408	-	-	11	9	-	20
S.L.M.	(42)	3,323	33,444	14,784	2,395	524	54,470	165	596	254	142	62	1,219
L.M.	(52)	1,603	30,271	24,529	7,664	2,584	66,651	41	222	188	168	33	652
Total		5,097	65,241	39,967	10,112	3,139	123,556	206	818	453	319	95	1,891
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	9	-	-	9	-	-	-	-	-	-
M.	(33)	-	57	18	10	-	85	-	-	-	-	-	-
S.L.M.	(43)	150	678	287	94	63	1,272	-	12	-	9	6	27
L.M.	(53)	130	2,759	1,432	585	253	5,159	-	12	11	-	6	29
Total		280	3,494	1,746	689	316	6,525	-	24	11	9	12	56
Tinged:													
All grades		-	-	18	7	9	34	-	-	-	-	-	-
Light Gray:													
All grades		-	115	-	29	22	166	-	-	-	9	-	9
Gray:													
All grades		-	-	18	-	-	18	-	-	-	-	-	-
Below Grade													
		102	1,207	1,827	662	835	4,633	-	12	-	9	6	27
All grades		17,472	193,621	125,786	47,607	11,807	396,293 1/2	247	4,653	4,401	3,437	307	13,045 1/2
Grade index		89.5	87.6	85.4	83.3	79.8	86.2	88.3	90.7	89.2	86.9	82.3	88.9
Staple													
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	70	-	-	-	70	-	-	-	-	-	-
31		34	207	18	-	25	284	-	12	-	-	-	12
32		232	2,498	533	142	178	3,583	41	-	-	-	-	41
33		3,457	26,299	12,927	5,753	3,344	51,780	83	306	77	9	43	518
34		10,967	122,120	87,860	36,438	7,520	264,905	123	4,265	3,962	2,541	228	11,139
35		2,765	41,225	24,207	5,235	740	74,172	-	70	342	878	36	1,326
36		17	1,156	241	39	-	1,453	-	-	-	9	-	9
37		-	46	-	-	-	46	-	-	-	-	-	-
38		-	-	-	-	-	-	-	-	-	-	-	-
39		-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-
All staples		17,472	193,621	125,786	47,607	11,807	396,293 1/2	247	4,653	4,401	3,437	307	13,045 1/2
Average staple		33.9	34.1	34.1	34.0	33.7	34.0	33.3	33.9	34.1	34.3	34.0	34.1

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

ALABAMA								MISSISSIPPI							
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1		October	November	December	After Dec. 31	Total crop	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
White:															
G.M.	(11)	-	-	10	-	-	10	-	-	-	-	-	-	-	
S.M.	(21)	-	416	179	15	3	613	107	1,663	214	59	-	-	2,043	
M.+	(30)	-	-	-	-	-	-	-	31	-	-	-	-	31	
M.	(31)	358	15,910	4,412	160	50	20,890	1,895	35,398	5,678	477	19	-	43,467	
S.L.M.+	(40)	50	6,637	1,552	51	28	8,318	283	5,391	949	391	-	-	7,014	
S.L.M.	(41)	2,800	152,487	70,801	10,221	2,152	238,461	17,811	454,838	183,102	39,145	1,608	-	696,504	
L.M.+	(50)	381	18,371	8,770	670	517	28,709	895	20,927	3,903	576	223	-	26,524	
L.M.	(51)	1,194	51,559	44,136	14,796	3,692	115,377	6,223	238,675	188,123	66,594	6,894	-	506,509	
S.G.O.+	(60)	12	965	1,014	111	15	2,117	-	1,416	353	72	14	-	1,855	
S.G.O.	(61)	46	3,651	4,651	2,925	1,461	12,734	91	14,412	21,596	12,918	10,888	-	59,905	
G.O.+	(70)	-	-	-	-	-	-	-	44	-	-	-	-	44	
G.O.	(71)	-	241	668	307	104	1,320	17	910	1,788	1,683	3,667	-	8,065	
Total		4,841	250,237	136,193	29,256	8,022	428,549	27,322	773,705	405,706	121,915	23,313	-	1,351,961	
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(22)	12	85	65	7	-	169	17	96	27	7	7	-	154	
M.	(32)	200	3,711	2,160	665	44	6,780	231	5,673	2,149	1,608	96	-	9,757	
S.L.M.	(42)	743	18,618	13,733	7,140	1,173	41,407	1,836	40,936	31,084	25,321	1,852	-	101,029	
L.M.	(52)	281	7,825	8,991	4,874	1,833	23,804	568	17,370	19,133	14,049	4,081	-	55,201	
Total		1,236	30,239	24,949	12,686	3,050	72,160	2,652	64,075	52,393	40,985	6,036	-	166,141	
Spotted:															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(23)	-	14	-	16	-	30	-	-	-	-	-	-	-	
M.	(33)	25	97	216	186	3	527	-	139	132	414	7	-	692	
S.L.M.	(43)	12	587	980	1,345	395	3,319	17	897	970	3,258	596	-	5,738	
L.M.	(53)	12	677	698	775	496	2,658	52	1,017	815	2,287	1,708	-	5,879	
Total		49	1,375	1,894	2,322	894	6,534	69	2,053	1,917	5,959	2,311	-	12,309	
Tinged:															
All grades		-	25	20	81	84	210	-	-	-	122	126	-	248	
Stained:															
All grades		-	-	-	-	3	3	-	-	-	-	-	-	-	
Light Gray:															
All grades		12	68	67	164	23	334	17	87	118	77	202	-	501	
Gray:															
All grades		-	14	-	16	9	39	-	10	9	-	43	-	62	
Below Grade															
All grades		-	225	568	618	569	1,980	-	921	2,231	1,864	5,681	-	10,697	
All grades		6,138	282,183	163,691	45,143	12,654	509,809 ^{1/}	30,060	840,851	462,374	170,922	37,712	-	1,541,919 ^{1/}	
Grade Index		91.0	91.4	89.5	86.2	83.7	90.1	91.8	90.7	88.3	86.2	76.7	-	89.2	
Staple															
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-	-	
28		-	-	-	-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	-	-	-	
30		-	-	-	-	9	9	-	-	-	-	-	-	-	
31		12	14	-	10	27	63	-	10	9	6	-	-	25	
32		123	466	45	609	151	1,394	-	517	64	9	121	-	711	
33		706	16,653	6,416	8,063	1,684	33,522	572	15,635	2,950	1,992	891	-	22,040	
34		3,776	194,270	99,833	28,081	7,126	333,086	16,071	271,976	106,667	86,456	30,681	-	511,851	
35		1,383	68,629	56,451	8,319	3,648	138,430	12,624	521,621	334,268	80,140	5,956	-	954,609	
36		138	2,036	896	61	9	3,140	774	29,577	18,110	2,305	63	-	50,829	
37		-	86	30	-	-	116	19	1,227	306	14	-	-	1,566	
38		-	29	20	-	-	49	-	288	-	-	-	-	288	
39		-	-	-	-	-	-	-	-	-	-	-	-	-	
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-	-	
All staples		6,138	282,183	163,691	45,143	12,654	509,809 ^{1/}	30,060	840,851	462,374	170,922	37,712	-	1,541,919 ^{1/}	
Average staple		34.1	34.2	34.3	34.0	34.1	34.2	34.5	34.7	34.8	34.5	34.1	-	34.7	

^{1/} As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

TENNESSEE								MISSOURI					
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	333	172	-	-	505	-	233	32	-	-	265
M.+	(30)	-	-	-	-	-	-	-	85	-	-	-	85
M.	(31)	-	9,550	3,874	125	-	13,549	-	19,627	1,118	7	-	20,732
S.L.M.+	(40)	-	2,143	710	26	4	2,883	-	2,194	84	-	-	2,278
S.L.M.	(41)	313	69,512	50,370	7,568	159	127,922	374	75,402	18,014	3,167	349	97,306
L.M.+	(50)	-	3,531	2,241	131	-	5,903	-	9,729	1,129	22	-	10,880
L.M.	(51)	-	30,648	34,991	7,640	491	73,770	-	7,715	16,348	4,256	2,707	31,026
S.G.O.+	(60)	-	111	446	13	-	570	-	297	158	36	-	491
S.G.O.	(61)	-	2,754	3,732	1,207	601	8,294	-	477	1,150	494	1,005	3,126
G.O.+	(70)	-	-	41	39	-	80	-	-	21	-	-	21
G.O.	(71)	-	233	426	98	61	818	-	42	53	36	110	241
Total		313	118,815	97,009	16,847	1,316	234,294	374	115,801	38,107	8,018	4,171	166,471
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	11	20	-	-	31	-	64	-	-	-	64
M.	(32)	-	1,910	3,377	1,213	30	6,530	-	3,497	2,025	349	29	5,900
S.L.M.	(42)	202	4,697	15,923	12,784	1,028	34,634	303	12,452	18,500	7,336	1,651	40,242
L.M.	(52)	-	1,832	5,112	5,777	1,905	14,626	-	2,014	4,356	2,237	2,460	11,067
Total		202	8,450	24,432	19,774	2,963	55,821	303	18,027	24,881	9,922	4,140	57,273
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	89	81	544	49	763	-	64	105	22	11	202
S.L.M.	(43)	-	189	477	3,613	909	5,188	-	276	559	334	302	1,471
L.M.	(53)	-	133	223	1,738	2,055	4,149	-	127	200	189	253	769
Total		-	411	781	5,895	3,013	10,100	-	467	864	545	566	2,442
Tinged:													
All grades		-	11	10	314	186	521	-	-	-	15	11	26
Light Gray:													
All grades		-	33	182	124	46	385	-	11	105	29	246	391
Gray:													
All grades		-	-	20	-	-	20	-	-	11	-	-	11
Below Grade													
All grades		-	178	284	380	893	1,735	-	117	295	153	408	973
All grades		515	127,898	122,712	43,334	8,417	302,876 1/2	677	134,423	64,263	18,682	9,542	227,587 1/2
Grade index		92.0	91.4	89.6	86.4	78.3	89.6	91.8	93.4	88.8	87.1	82.2	91.1
Staple													
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	7	-	7	-	-	-	-	-	-
31		-	-	-	-	-	-	-	11	-	-	-	11
32		-	11	80	75	111	277	-	32	-	-	-	32
33		-	788	1,986	4,508	1,905	9,187	-	86	33	15	212	346
34		263	56,411	59,131	31,609	5,864	153,278	20	7,314	4,568	5,012	5,295	22,209
35		252	69,110	60,856	6,938	537	137,693	353	98,841	47,290	13,177	4,035	163,696
36		-	1,500	639	197	-	2,336	304	27,724	12,235	471	-	40,734
37		-	78	20	-	-	98	-	393	137	7	-	537
38		-	-	-	-	-	-	-	22	-	-	-	22
39		-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-
All staples		515	127,898	122,712	43,334	8,417	302,876 1/2	677	134,423	64,263	18,682	9,542	227,587 1/2
Average staple		34.5	34.6	34.5	34.1	33.8	34.4	35.4	35.2	35.1	34.8	34.4	35.1

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

ARKANSAS								LOUISIANA							
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop		
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales		
White:															
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(21)	-	262	9	-	-	271	39	122	48	-	-	209		
M.+	(30)	-	71	11	-	-	82	-	-	-	-	-	-		
M.	(31)	109	43,112	6,747	430	39	50,437	2,065	16,595	3,780	608	6	23,054		
S.L.M.+	(40)	-	4,376	585	15	-	4,976	34	551	325	14	-	924		
S.L.M.	(41)	486	250,046	135,878	32,876	1,977	421,263	9,244	181,492	59,467	20,762	532	271,497		
L.M.+	(50)	163	13,145	4,166	399	70	17,943	203	5,286	1,254	124	11	6,878		
L.M.	(51)	217	61,186	70,539	31,455	5,030	168,427	825	38,326	25,791	14,020	2,468	81,430		
S.G.O.+	(60)	-	245	91	43	8	387	-	204	84	48	24	360		
S.G.O.	(61)	109	2,146	3,222	2,514	2,563	10,554	75	2,784	1,657	2,004	1,425	7,945		
G.O.+	(70)	-	-	-	-	-	-	-	50	-	7	-	57		
G.O.	(71)	-	158	219	113	223	713	-	409	218	258	242	1,127		
Total		1,084	374,747	221,467	67,845	9,910	675,053	12,485	245,819	92,624	37,845	4,708	393,481		
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(22)	-	83	53	-	-	136	-	-	-	21	-	21		
M.	(32)	163	3,811	4,877	3,150	175	12,176	1,621	7,774	2,708	1,772	84	13,959		
S.L.M.	(42)	54	24,016	41,854	43,345	5,642	114,911	7,426	51,159	25,038	10,888	1,221	95,732		
L.M.	(52)	109	4,942	10,179	11,952	8,952	36,144	991	11,750	7,965	3,249	2,659	26,614		
Total		326	32,852	56,963	58,457	14,769	163,367	10,038	70,683	35,711	15,930	3,964	136,326		
Spotted:															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(23)	-	-	-	-	-	-	-	-	-	14	-	14		
M.	(33)	-	34	239	1,289	227	1,789	17	174	205	734	36	1,166		
S.L.M.	(43)	-	452	1,463	8,420	2,849	13,184	628	1,847	1,703	1,950	451	6,579		
L.M.	(53)	-	306	765	2,068	4,009	7,148	140	1,118	1,115	544	647	3,564		
Total		-	792	2,467	11,777	7,085	22,121	785	3,139	3,023	3,242	1,134	11,323		
Tinged:															
All grades		-	-	-	461	359	820	-	49	24	90	71	234		
Stained:															
All grades		-	-	-	-	6	6	-	9	-	-	-	9		
Light Gray:															
All grades		-	35	170	175	333	713	94	244	144	534	505	1,521		
Gray:															
All grades		-	-	-	-	10	10	-	-	12	-	24	36		
Below Grade															
		-	245	418	470	1,019	2,152	120	737	494	256	605	2,212		
All grades		1,410	408,671	281,485	139,185	33,491	864,242 1/2	23,522	320,680	132,032	57,897	11,011	545,142 1/2		
Grade Index		90.3	92.6	90.2	87.8	82.0	90.6	91.6	91.5	89.9	88.7	81.3	90.6		
Staple															
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-		
28		-	-	-	-	-	-	-	-	-	-	-	-		
29		-	-	-	-	-	-	-	-	-	-	-	-		
30		-	-	-	-	-	-	17	-	-	-	-	17		
31		-	-	-	-	-	-	68	-	-	-	-	68		
32		-	10	10	6	6	32	694	173	-	7	-	874		
33		-	327	164	1,051	681	2,223	2,132	7,374	500	265	177	10,448		
34		162	41,317	38,098	76,006	21,127	176,710	13,214	173,644	25,260	14,406	7,076	233,600		
35		759	294,345	227,600	61,717	11,443	595,864	7,380	131,983	94,419	42,762	3,758	280,302		
36		489	71,626	15,613	405	234	88,367	17	7,075	11,661	457	-	19,210		
37		-	1,046	-	-	-	1,046	-	380	192	-	-	572		
38		-	-	-	-	-	-	-	51	-	-	-	51		
39		-	-	-	-	-	-	-	-	-	-	-	-		
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-		
All staples		1,410	408,671	281,485	139,185	33,491	864,242 1/2	23,522	320,680	132,032	57,897	11,011	545,142 1/2		
Average staple		35.2	35.1	34.9	34.4	34.3	34.9	34.2	34.4	34.9	34.7	34.3	34.6		

1/2 As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

OKLAHOMA							TEXAS							
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Sept. 1	September	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:														
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	2,749	144	93	11	21	28	3,046
M.+	(30)	-	-	-	-	-	-	161	7	-	-	71	4	243
M.	(31)	-	34	294	1,129	303	1,760	118,397	2,875	949	2,775	12,357	1,910	139,263
S.L.M.+	(40)	-	-	-	154	7	161	5,163	171	256	381	763	79	6,813
S.L.M.	(41)	8	677	7,369	31,222	12,602	51,878	192,571	12,024	13,490	90,180	239,233	42,241	589,739
L.M.+	(50)	-	11	241	738	84	1,074	4,756	264	209	2,176	3,728	421	11,554
L.M.	(51)	-	350	9,787	20,401	9,031	39,569	50,566	5,215	9,554	114,593	218,570	37,563	436,061
S.G.O.+	(60)	-	-	134	167	7	308	518	18	44	214	533	29	1,356
S.G.O.	(61)	-	23	804	2,322	984	4,133	5,291	1,610	4,371	18,379	20,962	4,220	54,833
G.O.+	(70)	-	-	-	-	-	-	88	-	-	-	68	9	165
G.O.	(71)	-	-	27	249	70	346	523	195	902	623	1,011	969	4,223
Total		8	1,095	18,656	56,382	23,088	99,229	380,783	22,523	29,868	229,332	497,317	87,473	1,247,296
Light Spotted:														
G.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	716	15	44	-	81	-	856
M.	(32)	-	80	883	8,068	3,388	12,419	53,712	6,020	1,309	7,256	40,073	8,288	116,656
S.L.M.	(42)	-	781	13,947	64,121	41,473	120,322	84,978	30,266	25,842	73,525	296,354	87,082	598,047
L.M.	(52)	-	126	6,306	19,183	20,909	46,524	14,964	27,412	42,489	45,977	136,022	55,953	322,817
Total		-	987	21,136	91,372	65,770	179,265	154,370	63,713	69,684	126,758	472,530	151,323	1,038,378
Spotted:														
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	4	9	41	20	4	78
M.	(33)	-	-	80	772	719	1,571	714	265	289	813	7,067	2,378	11,526
S.L.M.	(43)	-	11	2,514	6,635	6,476	15,636	2,617	3,286	2,381	8,645	28,161	17,132	62,222
L.M.	(53)	-	-	1,499	2,758	4,717	8,974	1,291	6,703	18,793	6,463	13,129	11,857	58,236
Total		-	11	4,093	10,165	11,912	26,181	4,622	10,258	21,472	15,962	48,377	31,371	132,062
Tinged:														
All grades		-	11	27	232	181	451	15	346	167	79	810	950	2,367
Stained:														
All grades		-	-	-	-	-	-	-	-	32	-	30	-	62
Light Gray:														
All grades		-	-	-	77	65	142	2,124	158	441	51	51	295	3,120
Gray:														
All grades		-	-	-	-	12	12	170	9	46	-	-	20	245
Below Grade														
All grades		-	11	909	848	1,287	3,055	1,061	1,600	13,760	1,259	2,084	5,450	25,214
All grades		8	2,115	44,821	159,076	102,315	308,335 1/2	543,145	98,607	135,470	373,441	1,021,199	276,882	2,448,744 1/2
Grade index		94.0	89.5	86.3	88.0	86.2	87.2	93.3	85.8	81.0	87.0	87.9	85.9	88.3
Staple														
26 and shorter		-	-	-	-	-	-	-	7	420	66	47	50	590
28		-	-	81	198	7	286	74	104	6,028	1,673	2,451	975	11,305
29		-	22	270	1,357	258	1,907	2,071	2,845	25,494	9,561	21,496	6,103	67,570
30		-	338	4,144	14,786	3,375	22,643	21,683	36,564	43,128	46,454	194,379	52,676	394,884
31		-	385	10,655	48,414	18,983	78,437	37,430	20,362	11,258	79,948	340,276	106,901	596,175
32		-	306	12,524	66,189	57,781	136,800	32,390	7,159	8,716	73,099	238,631	68,470	428,465
33		-	136	8,854	19,366	18,264	46,620	102,432	9,377	12,025	59,418	112,712	24,377	320,341
34		-	111	5,873	6,603	3,177	15,764	285,311	15,766	19,830	52,505	72,477	12,529	458,418
35		3	400	1,490	1,944	449	4,286	60,872	6,118	3,782	24,082	24,520	3,351	122,725
36		5	371	850	219	21	1,466	867	305	3,068	15,468	10,633	1,364	31,705
37		-	46	80	-	-	126	15	-	1,598	10,346	3,163	69	15,191
38		-	-	-	-	-	-	-	-	45	635	315	17	1,012
39		-	-	-	-	-	-	-	-	-	33	50	-	83
40 and longer		-	-	-	-	-	-	-	-	78	153	49	-	280
All staples		8	2,115	44,821	159,076	102,315	308,335 1/2	543,145	98,607	135,470	373,441	1,021,199	276,882	2,448,744 1/2
Average staple		35.6	33.0	32.2	31.7	32.0	31.9	33.4	31.6	31.1	32.4	31.6	31.4	32.1

1/2 As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

NEW MEXICO								ARIZONA						
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
White:														
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(21)	-	16	-	14	5	35	364	1,335	291	239	99	2,328	
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(31)	14	1,843	5,327	1,296	118	8,598	15,483	76,463	37,682	20,907	6,062	136,597	
S.L.M.+	(40)	-	404	2,679	401	20	3,504	1,879	6,920	7,833	5,155	1,562	23,349	
S.L.M.	(41)	16	7,784	53,047	16,817	2,243	79,907	11,414	104,149	197,721	102,736	33,281	449,301	
L.M.+	(50)	-	154	4,384	2,658	326	7,522	176	1,910	9,504	4,314	1,947	17,851	
L.M.	(51)	-	447	6,471	7,581	1,721	16,220	1,515	9,280	48,846	28,051	14,584	102,276	
S.G.O.+	(60)	-	-	26	59	5	90	-	45	711	922	167	1,845	
S.G.O.	(61)	-	-	641	957	1,070	2,668	36	441	2,980	4,335	9,182	16,974	
G.O.+	(70)	-	-	-	7	-	7	-	-	-	15	-	15	
G.O.	(71)	-	-	26	176	387	589	36	33	291	1,677	3,726	5,763	
Total		30	10,648	72,601	29,966	5,895	119,140	30,903	200,576	305,859	168,351	70,610	776,299	
Light Spotted:														
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(22)	-	-	-	15	-	15	124	427	59	8	14	632	
M.	(32)	-	534	1,367	1,376	281	3,558	6,308	49,802	13,682	3,859	1,785	75,436	
S.L.M.	(42)	-	827	2,765	5,797	1,672	11,061	1,852	25,216	30,285	9,656	5,018	72,027	
L.M.	(52)	-	90	795	2,123	1,415	4,423	25	3,142	6,294	4,921	6,449	20,831	
Total		-	1,451	4,927	9,311	3,368	19,057	8,309	78,587	50,320	18,444	13,266	168,926	
Spotted:														
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(33)	-	-	12	95	54	161	75	101	216	104	154	650	
S.L.M.	(43)	-	60	49	344	265	718	135	528	760	366	160	1,949	
L.M.	(53)	-	-	-	146	180	326	68	177	635	725	261	1,866	
Total		-	60	61	585	499	1,205	278	806	1,611	1,195	575	4,465	
Tinged:														
All grades		-	-	-	16	25	41	-	11	36	-	5	52	
Stained:														
All grades		-	-	-	-	-	-	-	-	-	8	6	14	
Light Gray:														
All grades		-	22	65	7	-	94	-	403	1,532	685	178	2,798	
Gray:														
All grades		-	-	-	-	-	-	-	11	-	-	7	18	
Below Grade														
		-	-	39	105	459	603	18	718	2,466	4,901	9,676	17,779	
All grades		30	12,181	77,693	39,990	10,246	140,140 ^{1/}	39,508	281,112	361,824	193,584	94,323	970,351 ^{1/}	
Grade index		96.8	94.3	93.1	90.1	84.8	91.7	96.4	95.2	92.3	91.2	85.5	92.4	
Staple														
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-	
28		-	-	39	23	-	62	-	-	-	24	16	40	
29		-	-	254	234	80	568	-	34	60	101	74	269	
30		-	-	825	2,280	932	4,037	-	66	243	1,084	883	2,276	
31		-	-	760	2,733	902	4,395	-	99	403	978	2,577	4,057	
32		-	-	857	2,039	514	3,410	36	545	1,622	3,755	10,599	16,557	
33		-	-	489	1,068	663	2,220	18	762	4,061	5,483	15,350	25,674	
34		-	81	448	1,745	1,399	3,673	2,128	18,513	81,162	67,987	43,015	212,805	
35		-	605	2,992	3,654	1,955	9,206	35,785	248,633	241,675	103,573	19,291	648,957	
36		27	5,310	25,491	14,000	3,164	47,992	1,530	11,155	28,103	8,403	2,212	51,403	
37		3	5,371	40,177	10,772	444	56,767	11	1,165	4,118	1,734	196	7,224	
38		-	747	4,356	740	160	6,003	-	50	143	167	94	454	
39		-	67	64	421	33	585	-	-	12	24	6	42	
40 and longer		-	-	941	281	-	1,222	-	90	222	271	10	593	
All staples		30	12,181	77,693	39,990	10,246	140,140 ^{1/}	39,508	281,112	361,824	193,584	94,323	970,351 ^{1/}	
Average staple		36.1	36.5	36.4	35.2	34.2	35.9	35.0	35.0	34.8	34.6	33.8	34.7	

^{1/} As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

CALIFORNIA

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	6	-	6
S.M.	(21)	268	5,138	3,914	3,393	591	13,304
M.+	(30)	-	13	12	57	20	102
M.	(31)	41,772	511,257	203,124	95,690	26,019	877,862
S.L.M.+	(40)	5,735	208,858	93,188	26,546	11,430	345,757
S.L.M.	(41)	8,027	374,948	448,896	105,576	34,351	971,798
L.M.+	(50)	37	15,794	32,570	6,424	2,032	56,857
L.M.	(51)	111	36,444	93,845	27,473	7,011	164,884
S.G.O.+	(60)	-	314	1,737	738	191	2,980
S.G.O.	(61)	-	2,009	12,218	10,878	4,837	29,942
G.O.+	(70)	-	-	29	57	26	112
G.O.	(71)	-	112	2,276	2,552	1,733	6,673
Total		55,950	1,154,887	891,809	279,390	88,241	2,470,277
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	-	76	264	47	24	411
M.	(32)	275	4,392	8,815	3,789	1,227	18,498
S.L.M.	(42)	286	8,086	22,179	6,221	1,854	38,626
L.M.	(52)	-	1,674	11,772	4,316	1,502	19,264
Total		561	14,228	43,030	14,373	4,607	76,799
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	13	23	-	-	36
M.	(33)	74	145	952	821	155	2,073
S.L.M.	(43)	-	625	1,638	775	170	3,282
L.M.	(53)	-	204	2,968	1,085	186	4,443
Total		74	987	5,581	2,681	511	9,834
Tinged:							
All grades		-	13	86	28	43	170
Stained:							
All grades		-	-	23	9	-	32
Light Gray:							
All grades		-	415	2,601	939	1,496	5,451
Gray:							
All grades		-	12	128	117	66	323
Below Grade							
		-	198	3,151	2,232	1,630	7,211
All grades		56,585	1,170,740	946,409	299,769	96,594	2,570,097 ^{1/}
Grade index		98.7	96.8	93.8	93.8	93.0	95.2
Staple							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		-	-	-	-	-	-
30		-	12	12	-	19	43
31		-	13	95	6	111	225
32		-	151	438	395	1,013	1,997
33		-	458	701	1,062	2,711	4,932
34		628	12,568	36,869	27,195	18,529	95,789
35		53,281	735,119	573,006	167,598	53,060	1,582,064
36		2,676	421,857	334,897	103,126	21,144	883,700
37		-	562	391	387	7	1,347
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		56,585	1,170,740	946,409	299,769	96,594	2,570,097 ^{1/}
Average staple		35.0	35.3	35.3	35.2	34.9	35.3

^{1/} As reported by the Bureau of the Census, running bales.

SOUTHEASTERN SMITH-DOXEY CLASSING OFFICE TERRITORIES



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75

Grade and Staple	Code	RALEIGH		Classing Office total	COLUMBIA		AUGUSTA
		Ginned in State			Ginned in State	Ginned in State	
		North Carolina	Virginia				
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	9	-	-
S.M.	(21)	69	-	69	260	-	68
M.+	(30)	-	-	-	-	-	-
M.	(31)	1,354	10	1,364	7,852	-	1,442
S.L.M.+	(40)	881	-	881	1,144	-	569
S.L.M.	(41)	37,990	280	38,270	91,332	-	27,992
L.M.+	(50)	15,512	71	15,583	15,377	-	6,517
L.M.	(51)	37,479	1,009	38,488	74,143	-	21,352
S.G.O.+	(60)	891	10	901	1,957	-	679
S.G.O.	(61)	4,938	198	5,136	10,808	-	3,812
G.O.+	(70)	34	-	34	32	-	11
G.O.	(71)	880	10	890	1,469	-	337
Total		100,028	1,588	101,616	204,383		62,779
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	9	-	9	70	-	27
M.	(32)	873	9	882	5,146	-	1,788
S.L.M.	(42)	13,209	246	13,455	26,808	-	20,022
L.M.	(52)	10,851	544	11,395	20,970	-	12,157
Total		24,942	799	25,741	52,994		33,994
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	-	26	-	9
M.	(33)	260	-	260	345	-	29
S.L.M.	(43)	2,045	-	2,045	2,248	-	321
L.M.	(53)	2,049	20	2,069	2,258	-	661
Total		4,354	20	4,374	4,877		1,020
Tinged:							
All grades		54	-	54	172		16
Light Gray:							
All grades		94	-	94	322		17
Gray:							
All grades		15	-	15	-		-
Below Grade		1,549	20	1,569	2,398		1,223
All grades		131,036	2,427	133,463	265,146		99,049
Grade index		87.6	84.5	87.5	86.4		87.6
Staple							
26 and shorter		-	-	-	-		-
28		-	-	-	-		-
29		-	-	-	-		-
30		-	-	-	9		-
31		-	-	-	35		53
32		-	-	-	193		291
33		43	-	43	1,840		6,039
34		5,118	231	5,349	44,233		72,314
35		70,676	1,739	72,415	179,296		20,297
36		54,197	457	54,654	38,072		55
37		986	-	986	1,455		-
38		16	-	16	13		-
39		-	-	-	-		-
40 and longer		-	-	-	-		-
All staples		131,036	2,427	133,463	265,146		99,409
Average staple		35.4	35.1	35.4	35.0		34.1

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

		ATLANTA		BIRMINGHAM		MONTGOMERY		Classing Office total Bales
Grade and Staple		Ginned in State		Ginned in State		Ginned in State		
Grade	Code	Georgia	Alabama	Alabama	Florida	Alabama	Florida	
White:								
G.M.	(11)	-	10	-	-	-	-	-
S.M.	(21)	32	516	97	-	-	-	97
M.+	(30)	10	-	-	-	-	-	-
M.	(31)	1,318	18,539	2,351	23	-	-	2,374
S.L.M.+	(40)	379	8,010	308	-	-	-	308
S.L.M.	(41)	64,067	165,849	72,612	5,590	-	-	78,202
L.M.+	(50)	10,051	20,783	7,926	612	-	-	8,538
L.M.	(51)	102,272	66,468	48,909	4,471	-	-	53,380
S.G.O.+	(60)	3,860	1,785	332	27	-	-	359
S.G.O.	(61)	15,044	7,956	4,778	304	-	-	5,082
G.O.+	(70)	206	-	-	-	-	-	-
G.O.	(71)	1,343	920	400	35	-	-	435
Total		198,582	290,836	137,713	11,062	-	-	148,775
Light Spotted:								
G.M.	(12)	-	-	-	-	-	-	-
S.M.	(22)	-	39	130	-	-	-	130
M.	(32)	620	3,947	2,833	20	-	-	2,853
S.L.M.	(42)	34,448	19,316	22,091	1,219	-	-	23,310
L.M.	(52)	54,494	10,036	13,768	652	-	-	14,420
Total		89,562	33,338	38,822	1,891	-	-	40,713
Spotted:								
G.M.	(13)	-	-	-	-	-	-	-
S.M.	(23)	-	30	-	-	-	-	-
M.	(33)	56	316	211	-	-	-	211
S.L.M.	(43)	951	2,160	1,159	27	-	-	1,186
L.M.	(53)	4,498	1,152	1,506	29	-	-	1,535
Total		5,505	3,658	2,876	56	-	-	2,932
Tinged:								
All grades		18	117	93	-	-	-	93
Stained:								
All grades		-	3	-	-	-	-	-
Light Gray:								
All grades		149	165	169	9	-	-	178
Gray:								
All grades		18	30	9	-	-	-	9
Below Grade		3,410	994	986	27	-	-	1,013
All grades		297,244	329,141	180,668	13,045	-	-	193,713
Grade index		85.7	90.8	88.9	88.9	-	-	88.9
Staple								
26 and shorter		-	-	-	-	-	-	-
28		-	-	-	-	-	-	-
29		-	-	-	-	-	-	-
30		70	-	9	-	-	-	9
31		231	26	37	12	-	-	49
32		3,292	800	594	41	-	-	635
33		45,741	18,780	14,742	518	-	-	15,260
34		192,591	205,971	127,115	11,139	-	-	138,254
35		53,875	100,384	38,046	1,326	-	-	39,372
36		1,398	3,015	125	9	-	-	134
37		46	116	-	-	-	-	-
38		-	49	-	-	-	-	-
39		-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-
All staples		297,244	329,141	180,668	13,045	-	-	193,713
Average staple		34.0	34.3	34.1	34.1	-	-	34.1

SOUTH CENTRAL SMITH-DOXEY CLASSING OFFICE TERRITORIES




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

		GREENWOOD		JACKSON	
Grade and Staple		Ginned in State		Ginned in State	
		Mississippi		Mississippi	
Grade	Code	Bales		Bales	
White:					
G.M.	(11)	-	::	-	
S.M.	(21)	772	::	730	
M.+	(30)	-	::	10	
M.	(31)	23,418	::	8,210	
S.L.M.+	(40)	3,476	::	1,505	
S.L.M.	(41)	540,864	::	66,970	
L.M.+	(50)	20,528	::	1,565	
L.M.	(51)	413,904	::	40,199	
S.G.O.+	(60)	1,465	::	182	
S.G.O.	(61)	48,688	::	3,697	
G.O.+	(70)	33	::	-	
G.O.	(71)	6,744	::	432	
Total		1,059,892	::	123,500	
Light Spotted:					
G.M.	(12)	-	::	-	
S.M.	(22)	47	::	68	
M.	(32)	5,255	::	1,462	
S.L.M.	(42)	76,567	::	7,994	
L.M.	(52)	41,258	::	5,253	
Total		123,127	::	14,777	
Spotted:					
G.M.	(13)	-	::	-	
S.M.	(23)	-	::	-	
M.	(33)	383	::	60	
S.L.M.	(43)	3,998	::	416	
L.M.	(53)	4,228	::	479	
Total		8,609	::	955	
Tinged:					
All grades		98	::	6	
Light Gray:					
All grades		337	::	84	
Gray:					
All grades		43	::	10	
Below Grade		9,385	::	217	
All grades		1,201,491	::	139,549	
Grade index		88.9	::	90.3	
Staple					
26 and shorter		-	::	-	
28		-	::	-	
29		-	::	-	
30		-	::	-	
31		-	::	16	
32		105	::	471	
33		2,987	::	14,900	
34		340,337	::	80,961	
35		810,091	::	42,114	
36		46,211	::	1,087	
37		1,472	::	-	
38		288	::	-	
39		-	::	-	
40 and longer		-	::	-	
All staples		1,201,491	::	139,549	
Average staple		34.8	::	34.2	

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

		MEMPHIS				HAYTI	
Grade and Staple		Ginned in State				Classing Office total	Ginned in State Missouri
		Tennessee	Kentucky	Arkansas	Mississippi		
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	505	-	19	541	1,065	265
M.+	(30)	-	-	71	21	92	85
M.	(31)	13,549	149	1,083	11,839	26,620	20,752
S.L.M.+	(40)	2,883	17	165	2,033	5,098	2,278
S.L.M.	(41)	127,922	421	17,924	88,670	234,937	97,306
L.M.+	(50)	5,903	87	656	4,431	11,077	10,880
L.M.	(51)	73,770	317	8,610	52,406	135,103	31,026
S.G.O.+	(60)	570	-	61	208	839	491
S.G.O.	(61)	8,294	26	1,221	7,520	17,061	3,126
G.O.+	(70)	80	-	-	11	91	21
G.O.	(71)	818	-	102	889	1,809	241
Total		234,294	1,017	29,912	168,569	433,792	166,471
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	31	-	-	39	70	64
M.	(32)	6,530	54	1,017	3,040	10,641	5,900
S.L.M.	(42)	34,634	131	5,762	16,468	56,995	40,242
L.M.	(52)	14,626	22	2,837	8,690	26,175	11,067
Total		55,821	207	9,616	28,237	93,881	57,273
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-
M.	(33)	763	-	126	249	1,138	202
S.L.M.	(43)	5,188	9	701	1,324	7,222	1,471
L.M.	(53)	4,149	84	558	1,172	5,963	769
Total		10,100	93	1,385	2,745	14,323	2,442
Tinged:							
All grades		521	-	73	144	738	26
Stained:							
All grades		-	-	6	-	6	-
Light Gray:							
All grades		385	-	178	80	643	391
Gray:							
All grades		20	-	-	9	29	11
Below Grade							
All grades		1,735	-	525	1,095	3,355	973
Grade index							
All grades		89.6	90.0	89.2	89.8	89.6	91.1
Staple							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		-	-	-	-	-	-
30		7	-	-	-	7	-
31		-	-	-	9	9	11
32		277	-	22	135	434	32
33		9,187	-	802	4,153	14,142	346
34		153,278	455	16,884	90,553	261,170	22,209
35		137,693	811	23,246	102,404	264,154	163,696
36		2,336	51	731	3,531	6,649	40,734
37		98	-	10	94	202	537
38		-	-	-	-	-	22
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		302,876	1,317	41,695	200,879	546,767	227,587
Average staple		34.4	34.7	34.6	34.5	34.5	35.1

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

		BLYTHEVILLE	LITTLE ROCK	WINNSBORO	ALEXANDRIA
Grade and Staple		Ginned in State Arkansas	Ginned in State Arkansas	Ginned in State Louisiana	Ginned in State Louisiana
Grade	Code	Bales	Bales	Bales	Bales
White:					
G.M.	(11)	-	-	-	-
S.M.	(21)	75	177	151	58
M.+	(30)	11	-	-	-
M.	(31)	17,701	31,653	20,077	2,977
S.L.M.+	(40)	3,393	1,418	886	38
S.L.M.	(41)	111,019	292,320	214,800	56,697
L.M.+	(50)	7,586	9,701	6,556	322
L.M.	(51)	39,972	119,845	59,710	21,720
S.G.O.+	(60)	70	256	341	19
S.G.O.	(61)	3,177	6,156	5,455	2,490
G.O.+	(70)	-	-	31	26
G.O.	(71)	171	440	748	379
Total		183,175	461,966	308,755	84,726
Light Spotted:					
G.M.	(12)	-	-	-	-
S.M.	(22)	75	61	21	-
M.	(32)	4,559	6,600	13,506	453
S.L.M.	(42)	26,216	82,933	78,991	16,741
L.M.	(52)	7,912	25,395	20,146	6,468
Total		38,762	114,989	112,664	23,662
Spotted:					
G.M.	(13)	-	-	-	-
S.M.	(23)	-	-	14	-
M.	(33)	555	1,108	1,123	43
S.L.M.	(43)	3,311	9,172	5,506	1,073
L.M.	(53)	1,994	4,596	2,549	1,015
Total		5,860	14,876	9,192	2,131
Tinged:					
All grades		136	611	183	51
Stained:					
All grades		-	-	-	9
Light Gray:					
All grades		281	254	1,228	293
Gray:					
All grades		-	10	36	-
Below Grade					
All grades		520	1,107	1,792	420
All grades		228,734	593,813	433,850	111,292
Grade index		91.1	90.6	90.8	89.9
Staple					
26 and shorter		-	-	-	-
28		-	-	-	-
29		-	-	-	-
30		-	-	17	-
31		-	-	68	-
32		-	10	865	9
33		479	942	7,388	3,060
34		29,394	130,432	155,491	78,109
35		148,507	424,111	250,206	30,096
36		49,647	37,989	19,192	18
37		707	329	572	-
38		-	-	51	-
39		-	-	-	-
40 and longer		-	-	-	-
All staples		228,734	593,813	433,850	111,292
Average staple		35.1	34.8	34.6	34.2

SOUTHWESTERN SMITH-DOXEY CLASSING OFFICE TERRITORIES




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

		ALTUS			DALLAS		
Grade and Staple		Ginned in State		Classing Office total	Ginned in State		Classing Office total
		Oklahoma	Texas		Texas	Oklahoma	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	-	22	22	77	-	77
M.+	(30)	-	-	-	-	-	-
M.	(31)	1,744	8,766	10,510	2,969	16	2,985
S.L.M.+	(40)	161	283	444	-	-	-
S.L.M.	(41)	49,079	74,452	123,531	6,536	2,799	9,335
L.M.+	(50)	1,044	641	1,685	112	30	142
L.M.	(51)	35,789	22,229	58,018	5,998	3,780	9,778
S.G.O.+	(60)	308	7	315	-	-	-
S.G.O.	(61)	3,552	1,241	4,793	4,214	581	4,795
G.O.+	(70)	-	-	-	-	-	-
G.O.	(71)	303	7	310	627	43	670
Total		91,980	107,648	199,628	20,533	7,249	27,782
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	-	-	-	522	-	522
M.	(32)	12,419	10,904	23,323	10,549	-	10,549
S.L.M.	(42)	116,839	69,837	186,676	17,454	3,483	20,937
L.M.	(52)	43,131	15,456	58,587	43,389	3,393	46,782
Total		172,389	96,197	268,586	71,914	6,876	78,790
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-
M.	(33)	1,565	722	2,287	262	6	268
S.L.M.	(43)	15,375	4,796	20,171	2,391	261	2,652
L.M.	(53)	8,004	2,248	10,252	15,302	970	16,272
Total		24,944	7,766	32,710	17,955	1,237	19,192
Tinged:							
All grades		432	85	517	37	19	56
Light Gray:							
All grades		142	-	142	515	-	515
Gray:							
All grades		-	-	-	46	12	58
Below Grade							
		2,791	441	3,232	13,598	264	13,862
All grades							
		292,678	212,137	504,815	124,598	15,657	140,255
Grade index							
		87.3	90.1	88.5	81.4	85.0	81.8
Staple							
26 and shorter		-	-	-	332	-	332
28		216	188	404	5,784	70	5,854
29		887	1,176	2,063	24,643	1,020	25,663
30		18,509	29,973	48,482	66,427	4,134	70,561
31		75,735	93,978	169,713	20,813	2,702	23,515
32		134,520	70,168	204,688	4,085	2,280	6,365
33		45,269	14,283	59,552	519	1,351	1,870
34		13,733	2,138	15,871	1,131	2,031	3,162
35		2,833	187	3,020	717	1,453	2,170
36		850	46	896	147	616	763
37		126	-	126	-	-	-
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		292,678	212,137	504,815	124,598	15,657	140,255
Average staple							
		31.9	31.3	31.7	30.0	31.9	30.2

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

Grade and Staple	Code	AUSTIN		CORPUS CHRISTI		HARLINGEN		ABILENE	
		Ginned in State		Ginned in State		Ginned in State		Ginned in State	
		Texas		Texas		Texas		Texas	
Grade	Code	Bales		Bales		Bales		Bales	
White:									
G.M.	(11)	-	::	-	::	-	::	-	::
S.M.	(21)	754	::	475	::	1,624	::	-	::
M.+	(30)	168	::	-	::	-	::	-	::
M.	(31)	8,580	::	30,940	::	78,919	::	1,301	::
S.L.M.+	(40)	670	::	1,028	::	3,633	::	6	::
S.L.M.	(41)	38,044	::	52,480	::	115,534	::	27,429	::
L.M.+	(50)	843	::	2,508	::	1,666	::	42	::
L.M.	(51)	18,827	::	12,954	::	26,655	::	16,041	::
S.G.O.+	(60)	316	::	198	::	31	::	-	::
S.G.O.	(61)	3,148	::	1,066	::	3,100	::	2,478	::
G.O.+	(70)	88	::	-	::	-	::	-	::
G.O.	(71)	713	::	77	::	350	::	146	::
Total		72,151	::	101,726	::	231,512	::	47,443	::
Light Spotted:									
G.M.	(12)	-	::	-	::	-	::	-	::
S.M.	(22)	51	::	43	::	159	::	-	::
M.	(32)	17,142	::	16,642	::	15,793	::	12,771	::
S.L.M.	(42)	69,542	::	24,580	::	25,690	::	100,104	::
L.M.	(52)	31,619	::	4,695	::	7,795	::	54,146	::
Total		118,354	::	45,960	::	49,437	::	167,021	::
Spotted:									
G.M.	(13)	-	::	-	::	-	::	-	::
S.M.	(23)	9	::	-	::	4	::	-	::
M.	(33)	367	::	306	::	319	::	739	::
S.L.M.	(43)	2,860	::	1,366	::	1,330	::	17,050	::
L.M.	(53)	11,079	::	792	::	857	::	10,585	::
Total		14,315	::	2,464	::	2,510	::	28,374	::
Tinged:									
All grades		477	::	8	::	15	::	218	::
Light Gray:									
All grades		89	::	506	::	1,845	::	27	::
Gray:									
All grades		-	::	8	::	179	::	12	::
Below Grade		3,852	::	512	::	1,016	::	863	::
All grades		209,238	::	151,184	::	286,514	::	243,958	::
Grade index		87.7	::	93.0	::	93.7	::	86.5	::
Staple									
26 and shorter		164	::	-	::	-	::	5	::
28		2,650	::	-	::	-	::	1,236	::
29		9,356	::	13	::	-	::	12,897	::
30		32,325	::	457	::	15	::	84,250	::
31		44,045	::	1,675	::	291	::	99,178	::
32		26,917	::	13,805	::	2,782	::	34,931	::
33		26,848	::	63,138	::	33,479	::	7,916	::
34		53,124	::	68,805	::	197,005	::	2,351	::
35		13,384	::	3,226	::	52,418	::	1,043	::
36		425	::	65	::	509	::	151	::
37		-	::	-	::	15	::	-	::
38		-	::	-	::	-	::	-	::
39		-	::	-	::	-	::	-	::
40 and longer		-	::	-	::	-	::	-	::
All staples		209,238	::	151,184	::	286,514	::	243,958	::
Average staple		32.1	::	33.4	::	34.0	::	30.8	::

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

		LUBBOCK			EL PASO			
Grade and Staple	Code	Ginned in State		Classing Office total	Ginned in State			Classing Office total
		Texas	New Mexico		Texas	New Mexico	Arizona	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:								
G.M.	(11)	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	88	23	20	131
M.+	(30)	75	-	75	-	-	-	-
M.	(31)	5,019	115	5,134	2,159	5,918	6,857	14,934
S.L.M.+	(40)	284	-	284	764	2,407	2,070	5,241
S.L.M.	(41)	241,507	1,203	242,710	19,315	39,528	20,572	79,415
L.M.+	(50)	3,238	79	3,317	2,081	4,881	955	7,917
L.M.	(51)	317,440	868	318,308	6,057	3,758	1,053	10,868
S.G.O.+	(60)	462	-	462	63	52	16	131
S.G.O.	(61)	35,678	96	35,774	1,699	403	136	2,238
G.O.+	(70)	70	-	70	7	7	-	14
G.O.	(71)	1,275	-	1,275	727	207	118	1,052
Total		605,048	2,361	607,409	32,960	57,184	31,797	121,941
Light Spotted:								
G.M.	(12)	-	-	-	-	-	-	-
S.M.	(22)	81	-	81	-	15	35	50
M.	(32)	31,188	264	31,452	818	2,767	7,108	10,693
S.L.M.	(42)	263,299	2,405	265,704	3,418	4,285	3,522	11,225
L.M.	(52)	152,495	810	153,305	2,100	932	167	3,199
Total		447,063	3,479	450,542	6,336	7,999	10,832	25,167
Spotted:								
G.M.	(13)	-	-	-	-	-	-	-
S.M.	(23)	65	-	65	-	-	-	-
M.	(33)	8,722	61	8,783	13	77	276	366
S.L.M.	(43)	29,238	293	29,531	179	195	153	527
L.M.	(53)	14,883	17	14,900	278	172	78	528
Total		52,908	371	53,279	470	444	507	1,421
Tinged:								
All grades		1,395	9	1,404	19	8	5	32
Stained:								
All grades		62	-	62	-	-	14	14
Light Gray:								
All grades		30	-	30	-	-	16	16
Below Grade								
All grades		1,233	-	1,233	896	389	188	1,473
Grade index		87.2	88.3	87.2	89.6	93.0	94.5	92.5
Staple								
26 and shorter		63	-	63	-	-	-	-
28		1,337	9	1,346	-	-	16	16
29		18,105	184	18,289	-	-	-	-
30		171,795	1,907	173,702	38	7	-	45
31		327,601	2,190	329,791	-	15	-	15
32		268,422	1,255	269,677	148	44	98	290
33		161,086	472	161,558	926	355	336	1,617
34		99,502	168	99,670	6,251	1,958	5,497	13,706
35		39,413	18	39,431	9,262	4,770	16,465	30,497
36		14,794	17	14,811	13,693	30,325	13,485	57,503
37		4,717	-	4,717	9,892	25,727	6,598	42,217
38		835	-	835	177	1,175	324	1,676
39		-	-	-	83	452	42	577
40 and longer		69	-	69	211	1,196	498	1,905
All staples		1,107,739	6,220	1,113,959	40,681	66,024	43,359	150,064
Average staple		31.9	31.1	31.8	35.7	36.4	35.5	35.9

**WESTERN
SMITH-DOXEY CLASSING OFFICE TERRITORIES**




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

Grade and Staple	Code	CARLSBAD		Classing Office total	::	PHOENIX		::	PRESNO	
		Ginned in State				Ginned in State			Ginned in State	
		New Mexico	Texas			Arizona	California			
Grade	Bales	Bales	Bales	::	Bales	::	Bales			
White:					::		::			
G.M.	(11)	-	-	-	::	-	::	6		
S.M.	(21)	12	6	18	::	1,915	::	5,324		
M.+	(30)	-	-	-	::	-	::	90		
M.	(31)	2,565	610	3,175	::	127,126	::	298,645		
S.L.M.+	(40)	1,097	145	1,242	::	16,573	::	241,172		
S.L.M.	(41)	39,176	14,442	53,618	::	381,757	::	382,064		
L.M.+	(50)	2,562	423	2,985	::	15,688	::	39,708		
L.M.	(51)	11,594	9,860	21,454	::	89,296	::	78,458		
S.G.O.+	(60)	38	279	317	::	1,829	::	2,391		
S.G.O.	(61)	2,169	2,209	4,378	::	15,700	::	13,999		
G.O.+	(70)	-	-	-	::	15	::	87		
G.O.	(71)	382	301	683	::	5,314	::	2,997		
Total		59,595	28,275	87,870	::	655,213	::	1,064,941		
Light Spotted:					::		::			
G.M.	(12)	-	-	-	::	-	::	-		
S.M.	(22)	-	-	-	::	597	::	122		
M.	(32)	527	851	1,378	::	65,697	::	3,309		
S.L.M.	(42)	4,371	24,123	28,494	::	59,984	::	10,427		
L.M.	(52)	2,681	11,122	13,803	::	16,388	::	5,882		
Total		7,579	36,096	43,675	::	142,666	::	19,740		
Spotted:					::		::			
G.M.	(13)	-	-	-	::	-	::	-		
S.M.	(23)	-	-	-	::	-	::	13		
M.	(33)	23	76	99	::	365	::	142		
S.L.M.	(43)	230	3,012	3,242	::	1,673	::	942		
L.M.	(53)	137	2,212	2,349	::	1,324	::	1,273		
Total		390	5,300	5,690	::	3,362	::	2,370		
Tinged:					::		::			
All grades		24	113	137	::	47	::	71		
Light Gray:					::		::			
All grades		94	108	202	::	2,694	::	2,299		
Gray:					::		::			
All grades		-	-	-	::	18	::	214		
Below Grade		214	2,803	3,017	::	14,313	::	2,175		
All grades		67,896	72,695	140,591	::	818,313	::	1,091,810		
Grade index		90.8	86.0	88.3	::	92.4	::	95.0		
Staple					::		::			
26 and shorter		-	26	26	::	-	::	-		
28		53	110	163	::	24	::	-		
29		384	1,380	1,764	::	269	::	-		
30		2,123	9,604	11,727	::	2,245	::	-		
31		2,190	8,594	10,784	::	3,935	::	29		
32		2,111	7,207	9,318	::	15,016	::	130		
33		1,393	12,146	13,539	::	23,282	::	528		
34		1,547	28,111	29,658	::	196,454	::	6,503		
35		4,418	3,075	7,493	::	544,685	::	479,948		
36		17,650	1,875	19,525	::	31,552	::	603,418		
37		31,040	567	31,607	::	626	::	1,254		
38		4,828	-	4,828	::	130	::	-		
39		133	-	133	::	-	::	-		
40 and longer		26	-	26	::	95	::	-		
All staples		67,896	72,695	140,591	::	818,313	::	1,091,810		
Average staple		35.9	32.8	34.3	::	34.7	::	35.5		

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

		BAKERSFIELD			EL CENTRO		
Grade and Staple		Ginned in State		Classing Office total	Ginned in State		Classing Office total
		California	Nevada		California	Arizona	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	6,854	-	6,854	1,126	393	1,519
M.+	(30)	12	-	12	-	-	-
M.	(31)	469,456	623	470,079	109,761	22,614	132,375
S.L.M.+	(40)	92,648	242	92,890	11,937	4,706	16,643
S.L.M.	(41)	474,849	316	475,165	114,885	46,972	161,857
L.M.+	(50)	15,842	5	15,847	1,307	1,208	2,515
L.M.	(51)	76,908	18	76,926	9,518	11,927	21,445
S.G.O.+	(60)	561	-	561	28	-	28
S.G.O.	(61)	14,164	-	14,164	1,779	1,138	2,917
G.O.+	(70)	19	-	19	6	-	6
G.O.	(71)	3,032	-	3,032	644	331	975
Total		1,154,345	1,204	1,155,549	250,991	89,289	340,280
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	289	-	289	-	-	-
M.	(32)	9,961	20	9,981	5,228	2,631	7,859
S.L.M.	(42)	17,430	5	17,435	10,769	6,521	19,290
L.M.	(52)	10,355	-	10,355	3,027	4,276	7,303
Total		38,035	25	38,060	19,024	15,428	34,452
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	23	-	23	-	-	-
M.	(33)	1,856	-	1,856	75	9	84
S.L.M.	(43)	2,123	-	2,123	217	123	340
L.M.	(53)	2,820	-	2,820	350	464	814
Total		6,822	-	6,822	642	596	1,238
Tinged:							
All grades		81	-	81	18	-	18
Stained:							
All grades		32	-	32	-	-	-
Light Gray:							
All grades		1,463	-	1,463	1,689	88	1,777
Gray:							
All grades		83	-	83	26	-	26
Below Grade		2,603	-	2,603	2,433	3,278	5,711
All grades		1,203,464	1,229	1,204,693	274,823	108,679	383,502
Grade index		95.4	97.5	95.4	95.4	92.1	94.5
Staple							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		-	-	-	-	-	-
30		-	-	-	43	31	74
31		-	-	-	196	122	318
32		12	-	12	1,855	1,443	3,298
33		251	-	251	4,153	2,056	6,209
34		18,308	-	18,308	70,978	10,654	81,632
35		905,657	76	905,733	196,499	87,807	284,266
36		279,143	1,141	280,284	1,139	6,366	7,505
37		93	12	105	-	-	-
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		1,203,464	1,229	1,204,693	274,823	108,679	383,502
Average staple		35.2	35.9	35.2	34.7	34.9	34.7

Table 11. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by states, 1974-75 with comparisons

State	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals						Average mike						
	1973		1974		1973		1974		1973		1974		1973		1974		1973		1974		1973		1974		1973		1974				
	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	
Va.	-	-	-	-	1.4	1.2	0.5	6.6	21.1	40.4	61.6	40.2	14.3	11.6	1.1	-	-	-	-	1.9	7.8	97.0	92.2	1.1	-	-	-	-	4.1	4.0	
N. C.	-	*	0.1	0.1	0.9	1.7	1.7	3.2	20.3	31.3	53.2	23.7	10.1	1.9	0.3	0.1	0.1	2.7	5.0	95.3	94.6	2.0	0.4	4.2	4.0						
S. C.	-	-	*	*	0.2	0.7	0.5	1.7	6.6	18.6	37.5	51.7	47.9	24.6	6.8	2.4	0.5	0.3	0.7	2.4	92.0	94.9	7.3	2.7	4.5	4.2					
Ga.	*	*	*	*	*	0.5	0.3	0.8	8.7	8.9	42.5	39.9	41.8	39.0	6.2	8.5	0.5	2.4	0.3	1.3	93.0	87.8	6.7	10.9	4.4	4.5					
Fla.	-	-	0.3	0.5	1.3	1.3	2.0	2.1	22.8	12.7	58.4	37.4	14.2	36.7	0.6	6.8	0.4	2.5	3.6	3.9	95.4	86.8	1.0	9.3	4.1	4.4					
Ala.	-	0.1	*	1.1	0.3	2.6	0.8	2.3	8.6	14.1	31.1	39.8	41.6	32.9	13.5	6.1	4.1	1.0	1.1	6.1	81.3	86.8	17.6	7.1	4.5	4.3					
Miss.	*	0.1	0.1	1.2	0.8	4.5	1.0	4.3	7.0	19.8	27.2	37.6	46.3	28.1	15.0	4.1	2.6	0.3	1.9	10.1	80.5	85.5	17.6	4.4	4.6	4.2					
Ky.	-	-	-	1.0	-	2.9	-	7.6	4.0	24.7	35.4	34.4	60.6	28.7	-	0.7	-	-	-	11.5	100.0	87.8	-	0.7	4.5	4.1					
Tenn.	*	0.3	*	2.1	0.1	6.8	0.4	6.3	5.4	31.4	30.1	39.8	50.8	12.8	11.3	0.5	1.9	*	0.5	15.5	86.3	84.0	13.2	0.5	4.6	3.9					
Mo.	*	0.2	0.3	3.3	1.9	8.6	2.6	7.1	17.7	24.5	39.7	32.6	30.6	20.0	6.0	3.2	1.2	0.5	4.8	19.2	88.0	77.1	7.2	3.7	4.3	4.0					
Ark.	*	0.1	0.1	1.4	0.8	5.1	0.9	4.6	7.0	18.1	25.1	35.5	46.2	29.8	16.3	4.7	3.6	0.7	1.8	11.2	78.3	83.4	19.9	5.4	4.6	4.2					
La.	*	0.5	0.2	1.1	1.1	1.2	1.5	6.6	8.7	30.3	28.3	44.5	46.7	12.6	11.0	3.2	2.5	2.8	2.8	81.4	83.7	15.8	13.5	4.5	4.5						
Okla.	0.1	1.5	1.0	4.3	2.7	8.8	2.8	7.0	13.3	21.5	30.2	28.6	33.8	21.1	12.5	5.7	3.6	1.5	6.6	21.6	77.3	71.2	16.1	7.2	4.4	4.0					
Tex.	0.4	11.6	1.1	12.8	3.4	12.3	3.8	6.8	19.6	18.1	37.7	18.4	26.9	12.5	5.7	5.7	1.4	1.8	8.7	43.5	84.2	49.0	7.1	7.5	4.2	3.7					
N. M.	6.5	3.2	13.7	10.4	15.7	19.2	9.6	14.0	31.6	37.4	20.4	15.3	2.3	0.5	0.2	-	*	-	45.5	46.8	54.3	53.2	0.2	-	3.5	3.5					
Ariz.	1.1	0.1	3.1	0.9	5.0	2.6	3.2	2.0	10.7	8.2	25.0	20.1	41.3	40.1	9.6	19.0	1.0	7.0	12.4	5.6	77.0	68.4	10.6	26.0	4.3	4.6					
Nev.	-	-	0.7	-	12.8	1.7	9.7	1.1	21.3	26.1	36.2	44.5	19.3	25.8	-	0.8	-	-	23.2	2.8	76.8	96.4	-	0.8	4.0	4.2					
Calif.	0.4	0.1	2.0	0.8	3.4	1.8	2.3	1.7	13.5	13.3	44.3	45.4	32.3	32.5	1.7	3.5	0.1	0.9	8.1	4.4	90.1	91.2	1.8	4.4	4.2	4.3					
U. S.	0.4	2.6	1.1	3.7	2.5	5.4	2.4	4.0	13.5	16.5	34.6	33.1	35.4	26.9	8.4	6.1	1.7	1.7	6.4	15.7	83.5	76.5	10.1	7.8	4.3	4.1					

* Less than 0.05 percent.

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals		Average mike				
	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
NORTH CAROLINA																									
Prior to Oct. 1	-	-	-	0.3	-	0.6	-	15.3	-	56.0	50.2	26.6	33.0	1.2	-	16.8	0.9	-	97.9	83.2	1.2	16.8	4.3	4.6	
October	-	-	-	0.4	0.4	1.1	1.2	18.0	22.1	52.8	60.0	25.5	15.8	2.1	0.5	0.1	-	1.5	1.6	96.3	97.9	2.2	0.5	4.2	
November	-	0.2	0.1	1.4	1.8	2.4	3.6	23.7	36.0	49.0	51.3	21.3	7.1	1.9	0.1	0.1	*	4.0	5.5	94.0	94.4	2.0	0.1	4.2	
December	-	0.1	0.8	0.7	4.3	4.5	4.7	7.3	28.1	42.6	40.8	17.9	4.0	1.4	-	*	9.8	12.6	88.8	87.4	1.4	*	4.1		
After Dec. 31	-	0.3	1.0	1.7	4.6	9.1	3.8	13.1	28.6	35.9	41.4	35.8	19.5	4.1	1.1	-	-	9.4	24.2	89.5	75.8	1.1	-	4.1	
Total crop	-	*	0.1	0.1	0.9	1.7	1.7	3.2	20.3	31.3	51.3	53.2	23.7	10.1	1.9	0.3	0.1	0.1	2.7	5.0	95.3	94.6	2.0	0.4	4.2
SOUTH CAROLINA																									
Prior to Oct. 1	-	-	-	0.2	-	0.2	0.8	6.6	1.6	47.9	31.3	40.8	50.2	4.1	13.8	0.2	2.3	0.4	0.8	95.3	83.1	4.3	16.1	4.4	
October	-	*	-	0.1	0.1	0.1	0.6	4.0	12.8	36.5	54.9	50.7	28.9	8.0	2.5	0.6	0.2	0.2	0.7	91.2	96.6	8.6	2.7	4.5	
November	-	*	0.1	0.4	1.1	0.7	2.4	7.5	24.8	37.5	51.4	48.3	18.3	5.3	1.7	0.3	0.2	1.1	3.6	93.3	94.5	5.6	1.9	4.5	
December	-	-	0.3	1.3	3.3	2.1	5.7	19.5	39.3	38.2	39.3	32.7	11.6	5.8	0.5	0.4	*	3.4	9.3	90.4	90.2	6.2	0.5	4.3	
After Dec. 31	-	0.2	-	1.0	4.6	2.8	8.7	18.3	35.9	28.6	41.4	37.9	8.6	10.0	0.4	1.2	0.4	4.0	13.3	84.8	85.9	11.2	0.8	4.4	
Total crop	-	*	0.2	0.7	0.5	1.7	6.6	18.6	37.5	51.7	47.9	24.6	6.8	2.4	0.5	0.3	0.7	2.4	92.0	94.9	7.3	2.7	4.5	4.2	
GEORGIA																									
Prior to Oct. 1	-	-	-	0.1	0.1	-	6.5	1.8	32.5	20.1	43.2	48.6	14.0	20.2	3.7	9.2	0.1	0.1	82.2	70.5	17.7	29.4	4.6	4.7	
October	-	*	*	0.3	0.2	9.0	5.4	44.4	36.1	40.4	44.2	5.5	11.0	0.4	3.1	0.3	0.2	0.2	93.8	85.7	5.9	14.1	4.4	4.5	
November	-	*	*	0.4	0.2	0.8	7.3	10.5	41.7	45.7	43.8	35.6	6.5	5.6	0.5	1.4	0.2	1.2	92.8	91.8	7.0	7.0	4.5	4.4	
December	-	0.1	0.1	0.3	0.5	1.8	0.8	2.1	11.5	17.3	39.4	47.8	41.9	26.9	5.4	3.2	0.4	0.5	1.4	4.3	92.8	92.0	5.8	3.7	4.4
After Dec. 31	0.1	0.1	0.1	1.4	1.2	3.5	2.7	6.1	13.4	24.4	35.6	37.8	39.1	23.1	7.0	2.7	0.8	0.9	4.1	11.1	88.1	85.3	7.8	3.6	4.4
Total crop	*	*	*	0.5	0.3	0.8	8.7	8.9	42.5	39.9	41.8	39.0	6.2	8.5	0.5	2.4	0.3	1.3	93.0	87.8	6.7	10.9	4.4	4.5	
FLORIDA																									
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	100.0	-	-	33.2	-	50.2	-	16.6	-	100.0	33.2	-	66.8	4.3	5.1	
October	-	-	-	-	-	1.4	-	11.3	3.0	65.3	31.4	20.4	50.2	0.4	11.3	1.2	4.1	1.4	-	97.0	84.6	1.6	15.4	4.3	
November	-	-	-	0.6	-	0.8	-	15.4	2.9	66.7	29.8	15.1	49.4	1.2	13.2	0.2	4.7	1.4	-	97.2	-	1.4	-	4.2	
December	-	0.6	1.1	2.1	2.0	3.3	6.9	41.6	28.1	44.9	46.4	7.2	14.7	0.3	0.8	-	6.0	10.0	93.7	89.2	0.3	0.8	4.0		
After Dec. 1	-	1.9	12.3	10.1	27.3	8.2	10.1	47.4	13.7	25.2	16.6	7.2	11.8	-	8.2	-	20.2	49.7	79.8	42.1	-	8.2	3.8		
Total crop	-	0.3	0.5	1.3	1.3	2.0	2.1	22.8	12.7	58.4	37.4	4.2	36.7	0.6	6.8	0.4	2.5	3.6	3.9	95.4	86.8	1.0	9.3	4.1	

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals				Average mike			
	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	Below 3.5	3.5-4.9	5.0 and above	1973	1974	Rdg.	Rdg.	
ALABAMA																										
Prior to Oct. 1	-	-	-	-	0.6	5.1	0.4	9.2	6.4	39.0	29.3	36.4	36.7	10.3	20.8	-	5.8	5.1	1.0	84.6	72.4	10.3	26.6	4.4	4.6	
October	-	-	0.1	0.2	0.3	0.4	7.2	8.3	31.8	40.5	42.5	41.3	13.9	8.0	4.2	1.3	0.4	0.6	81.5	90.1	18.1	9.3	4.6	4.5		
November	0.1	*	1.1	0.2	3.7	0.6	4.0	7.4	19.9	28.3	41.8	42.8	25.4	15.7	3.6	5.0	0.4	0.8	78.5	87.1	20.7	4.0	4.6	4.2		
December	-	1.3	0.1	7.1	1.2	12.7	2.3	7.9	16.7	26.3	36.7	29.8	35.9	12.9	6.3	1.8	0.8	0.2	3.6	29.0	89.3	69.0	7.1	2.0	4.3	
After Dec. 31	-	0.6	0.4	2.8	1.3	6.1	3.0	4.5	11.8	25.4	30.8	42.4	39.0	15.7	8.8	2.2	4.9	0.3	4.7	14.0	81.6	83.5	13.7	2.5	4.4	
Total crop	-	0.1	*	1.1	0.3	2.6	0.8	2.3	8.6	14.1	31.1	39.8	41.6	32.9	13.5	6.1	4.1	1.0	1.1	81.3	86.8	17.6	7.1	4.5	4.3	
MISSISSIPPI																										
Prior to Oct. 1	-	-	-	-	0.1	0.1	0.2	1.9	3.1	18.4	21.4	52.3	52.7	21.2	19.1	6.1	3.4	0.1	0.3	72.6	77.2	27.3	22.5	4.7	4.7	
October	-	*	*	0.5	0.2	0.9	3.0	11.1	23.1	41.1	51.2	40.0	19.1	6.0	3.4	0.4	0.4	0.2	1.4	77.3	92.2	22.5	6.4	4.7	4.4	
November	-	0.1	*	1.4	0.8	6.7	1.4	7.1	10.9	30.3	34.5	37.4	42.5	15.5	8.9	1.3	1.0	0.2	2.2	15.3	87.9	83.2	9.9	1.5	4.4	
December	*	0.6	1.2	5.7	6.4	15.5	6.9	12.0	25.2	34.4	34.2	26.3	22.2	5.2	3.6	0.3	0.3	*	14.5	33.8	81.6	65.9	3.9	0.3	4.1	
After Dec. 31	0.3	0.5	1.8	5.2	8.3	14.6	8.4	12.1	24.5	34.9	31.5	26.0	20.7	6.3	3.4	0.4	1.1	-	18.8	32.4	76.7	67.2	4.5	0.4	4.0	
Total crop	*	0.1	0.1	1.2	0.8	4.5	1.1	4.3	7.1	19.8	27.2	37.6	46.3	26.1	14.8	4.1	2.6	0.3	2.0	10.1	80.6	85.5	17.4	4.4	4.6	
TENNESSEE																										
Prior to Oct. 1	-	-	-	-	-	-	-	1.9	3.0	27.2	18.0	43.6	44.0	27.3	30.0	-	5.0	-	-	1.9	65.0	98.1	35.0	-	4.8	4.2
October	-	-	*	0.7	0.2	1.1	3.7	19.6	27.4	53.9	53.1	23.7	13.2	1.0	2.4	*	2.4	*	0.2	1.8	84.2	97.2	15.6	1.0	4.6	
November	*	0.1	*	1.4	0.4	7.1	0.7	7.6	40.4	33.4	37.0	48.6	6.3	7.9	0.1	1.2	*	1.1	16.2	89.8	83.7	9.1	0.1	4.5	3.9	
December	-	1.0	*	8.7	1.1	21.7	1.3	16.8	12.8	39.6	43.8	11.4	35.3	0.8	4.7	*	1.0	-	2.4	48.2	91.9	51.8	5.7	*	4.3	
After Dec. 31	-	1.3	-	8.2	0.9	20.3	1.3	17.0	20.0	38.0	39.9	14.0	30.1	0.9	6.2	0.3	1.6	-	2.2	46.8	90.0	52.9	7.8	0.3	4.3	
Total crop	*	0.3	*	2.1	0.1	6.8	0.4	6.3	5.4	31.4	30.1	39.8	50.8	12.8	11.3	0.5	1.9	*	0.5	15.5	86.3	84.0	13.2	0.5	4.6	
MISSOURI																										
Prior to Oct. 1	-	-	-	-	-	-	-	10.5	11.0	23.8	44.6	41.8	33.3	20.9	2.8	3.0	8.3	-	-	10.5	88.9	86.5	11.1	3.0	4.5	
October	*	*	0.1	0.5	1.3	0.8	2.2	11.5	18.7	39.7	40.8	37.6	30.7	8.3	5.2	1.6	1.0	1.0	1.3	3.6	88.8	90.2	9.9	6.2	4.4	
November	*	0.3	0.8	5.1	4.7	14.8	5.9	12.8	26.7	35.2	40.9	26.0	18.8	5.6	2.1	0.2	0.1	-	11.4	33.0	86.4	66.8	2.2	0.2	4.1	
December	-	1.1	0.9	15.9	5.9	30.8	8.3	16.5	43.4	28.1	34.7	7.0	6.6	0.6	0.2	*	-	-	15.1	64.3	84.7	35.7	0.2	*	3.9	
After Dec. 1	-	1.2	0.8	9.3	3.2	27.8	2.0	18.7	44.6	33.3	31.0	9.2	17.6	0.5	0.8	-	-	-	6.0	57.0	93.2	43.0	0.8	-	4.0	
Total crop	*	0.2	0.3	3.3	1.9	8.6	2.6	7.1	17.7	24.5	39.7	32.6	30.6	20.0	6.0	3.2	1.2	0.5	4.8	19.2	88.0	77.1	7.2	3.7	4.3	

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals						Average mike											
	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	Below 3.5		3.5-4.9		5.0 and above		1973	1974	Rdg.	Rdg.								
																			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.												
ARKANSAS																																				
Prior to Oct. 1	-	-	3.8	0.6	-	0.6	-	4.0	15.3	21.0	46.3	36.8	34.6	22.7	-	12.3	-	1.2	3.8	63.8	96.2	35.0	-	4.7	4.3											
October	-	*	*	0.4	0.1	0.5	3.2	7.7	23.1	38.5	50.3	43.9	19.0	7.7	4.3	1.3	0.1	0.9	76.6	90.1	23.3	9.0	4.7	4.5												
November	*	0.2	0.8	1.1	4.3	1.3	4.5	9.1	21.6	26.9	39.7	44.0	25.6	14.5	3.2	2.9	0.3	2.6	9.6	80.0	86.9	17.4	3.5	4.5	4.2											
December	0.1	0.3	0.9	5.5	4.0	18.0	4.8	14.0	24.1	35.8	33.8	22.2	26.0	4.0	5.5	0.2	0.8	*	9.8	37.8	83.9	62.0	6.3	0.2	4.2	3.6										
After Dec. 31	-	0.3	0.6	5.3	4.3	15.3	6.3	14.2	27.6	40.3	33.4	20.7	23.1	3.7	4.0	0.2	0.7	-	11.2	35.1	84.1	64.7	4.7	0.2	4.1	3.6										
Total crop	*	0.1	0.1	1.4	0.8	5.1	0.9	4.6	7.0	18.1	25.1	35.5	46.2	29.8	16.3	4.7	3.6	0.7	1.8	11.2	78.3	83.4	19.9	5.4	4.6	4.2										
LOUISIANA																																				
Prior to Oct. 1	-	-	-	0.2	-	0.1	-	-	0.8	7.8	11.1	32.7	53.6	26.1	22.1	33.4	12.1	-	0.3	40.5	65.5	59.5	34.2	5.0	4.8											
October	-	-	*	*	0.1	0.1	0.2	2.4	2.3	24.5	23.6	49.6	56.6	18.2	14.2	5.2	3.0	0.1	0.3	76.5	82.5	23.4	17.2	4.7	4.7											
November	-	*	0.1	0.3	1.5	0.6	2.4	6.0	13.9	35.3	36.9	47.9	38.4	8.8	6.0	1.1	0.8	0.9	4.0	89.2	89.2	9.9	6.8	4.5	4.3											
December	0.2	-	2.4	0.9	6.2	5.2	5.7	6.4	21.4	30.1	38.2	39.7	22.9	16.0	2.8	1.4	0.2	0.3	14.5	12.5	82.5	85.8	3.0	1.7	4.1	4.0										
After Dec. 31	0.6	0.1	6.1	0.9	14.0	3.2	6.7	8.2	24.9	31.2	30.8	36.7	14.9	17.2	2.0	2.3	-	0.2	27.4	12.4	70.6	85.1	2.0	2.5	3.9	4.0										
Total crop	*	0.5	0.2	1.1	1.1	1.2	1.5	6.6	8.7	30.3	28.3	44.5	46.7	12.6	11.0	3.2	2.5	2.8	2.8	81.4	83.7	15.8	13.5	4.5	4.5											
OKLAHOMA																																				
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	44.4	-	55.6	100.0	-	-	-	-	-	100.0	100.0	-	-	-	4.5	4.8											
October	-	0.6	-	1.2	1.6	0.9	0.5	6.3	5.7	31.1	25.1	43.5	41.9	14.2	18.2	2.2	7.6	2.7	2.1	80.9	72.1	16.4	25.8	4.5	4.6											
November	0.2	0.4	0.7	0.9	2.4	1.0	2.7	8.7	11.8	34.7	28.0	39.5	37.7	11.3	12.8	3.5	3.7	2.3	6.0	82.9	77.5	14.8	16.5	4.5	4.4											
December	0.7	0.7	2.8	2.1	6.7	2.5	6.1	12.4	22.0	29.5	32.0	35.0	22.7	13.8	5.6	4.0	1.4	5.3	16.3	76.9	76.7	17.8	7.0	4.4	4.1											
After Dec. 31	0.4	3.6	2.0	8.0	4.6	15.5	4.0	10.2	16.9	25.4	29.1	23.7	29.4	10.7	10.9	2.4	2.7	0.5	11.0	37.3	75.4	59.8	13.6	2.9	4.3	3.7										
Total crop	0.1	1.5	1.0	4.3	2.7	8.8	2.8	7.0	13.3	21.5	30.2	28.6	33.8	21.1	12.5	5.7	3.6	1.5	6.6	21.6	77.3	71.2	16.1	7.2	4.4	4.0										
TEXAS																																				
Prior to Sept. 1	*	*	0.5	0.6	2.9	1.4	3.7	9.9	20.3	21.5	26.3	48.7	23.4	15.5	17.0	2.4	5.9	2.0	7.1	80.1	70.0	17.9	22.9	4.6	4.4											
September	*	0.8	0.3	2.1	2.0	2.2	3.5	12.6	20.9	30.9	41.8	40.3	20.9	9.2	7.5	1.9	3.1	5.1	5.8	83.8	83.6	11.1	10.6	4.4	4.2											
October	0.1	*	0.5	0.1	1.9	1.0	2.4	1.3	14.7	10.9	39.3	30.6	34.1	36.3	5.8	15.3	1.2	4.5	4.9	2.4	88.1	77.8	7.0	19.8	4.3	4.5										
November	0.1	5.9	0.5	14.7	1.9	17.9	2.5	10.1	16.6	22.7	40.9	17.9	29.4	8.9	6.5	1.5	1.6	0.4	5.0	48.6	86.9	49.5	8.1	1.9	4.3	3.6										
December	0.4	18.7	1.7	19.8	4.6	17.0	4.9	8.2	24.0	16.9	37.3	12.4	21.6	5.8	4.5	1.0	1.0	0.2	11.6	63.7	82.9	35.1	5.5	1.2	4.1	3.3										
After Dec. 31	0.9	24.3	2.6	18.6	6.1	14.7	6.0	7.3	25.3	15.3	36.2	11.9	18.5	6.0	3.5	1.4	0.9	0.5	15.6	64.9	80.0	33.2	4.4	1.9	4.0	3.3										
Total crop	0.4	11.6	1.1	12.8	3.4	12.3	3.8	6.8	19.6	18.1	37.7	18.4	26.9	12.5	5.7	5.7	1.4	1.8	8.7	43.5	84.2	49.0	7.1	7.5	4.2	3.7										

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals			Average						
	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974				
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
October	*	0.3	0.3	2.6	1.7	5.9	2.9	46.3	38.8	42.6	54.3	2.3	2.0	*	-	-	-	-	-	-	-	-	-	-	-	4.0	4.0	
November	2.5	0.4	12.8	4.8	22.5	16.9	13.6	15.8	32.3	46.0	13.6	15.8	2.4	0.3	0.3	-	-	-	-	-	-	-	-	-	-	3.9	4.0	
December	16.4	6.8	30.0	20.5	20.0	27.5	7.5	14.2	16.2	25.6	8.0	5.3	1.9	0.1	*	-	-	-	-	-	-	-	-	-	-	3.5	3.6	
After Dec. 31	29.0	14.8	23.9	25.4	14.4	26.2	6.2	13.1	15.6	16.7	9.7	3.5	1.0	0.3	0.1	-	-	-	-	-	-	-	-	-	-	3.1	3.2	
Total crop	6.5	3.2	13.7	10.4	15.7	19.2	9.6	14.0	31.6	37.4	20.4	15.3	2.3	0.5	0.2	-	-	-	-	-	-	-	-	-	-	3.1	3.1	
NEW MEXICO																												
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
October	*	0.1	*	0.5	0.3	0.8	0.2	4.7	3.4	23.9	18.7	55.0	44.3	13.9	23.5	1.1	9.6	1.4	0.5	83.6	66.4	15.0	33.1	4.6	4.7	4.5	4.5	
November	0.3	1.2	0.1	2.6	0.9	2.0	0.8	8.7	6.4	24.6	19.6	47.1	43.5	11.7	21.2	1.8	7.5	6.1	1.8	80.4	69.5	13.5	28.7	4.5	4.7	4.5	4.7	
December	2.5	0.1	6.9	1.5	10.7	4.6	6.7	4.1	19.0	12.2	28.9	19.7	22.2	35.8	3.1	16.2	*	5.8	26.8	10.3	70.1	67.7	3.1	22.0	3.9	4.4	4.4	
After Dec. 31	6.1	1.4	14.9	6.3	21.4	12.6	10.7	8.5	22.8	21.5	16.9	22.1	6.6	20.6	0.6	5.2	*	1.8	53.1	28.8	46.3	64.2	0.6	7.0	3.5	3.9	3.9	
Total crop	1.1	0.1	3.1	0.9	5.0	2.6	3.2	2.0	10.7	8.2	25.0	20.1	41.3	40.1	9.6	19.0	1.0	7.0	12.4	5.6	77.0	68.4	10.6	26.0	4.3	4.6	4.3	4.6
CALIFORNIA																												
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
October	*	*	*	0.2	0.6	0.5	0.9	9.4	13.4	49.2	50.9	39.4	31.8	1.3	2.0	*	0.4	0.7	1.5	98.0	96.1	1.3	2.4	4.4	4.3	4.4	4.3	
November	0.4	0.3	2.8	1.2	5.1	2.4	3.6	2.0	18.2	13.5	42.3	41.4	25.4	32.8	2.0	4.9	0.2	1.5	11.9	5.9	85.9	87.7	2.2	6.4	4.1	4.3	4.3	
December	1.5	0.5	7.2	2.0	11.0	4.1	6.1	2.9	15.4	12.3	28.1	34.6	27.8	36.6	2.8	5.6	0.1	1.4	25.8	9.5	71.3	83.5	2.9	7.0	4.0	4.3	4.3	
After Dec. 31	4.0	0.8	12.3	3.2	14.0	4.7	8.0	3.9	16.1	16.3	20.2	35.6	23.0	29.2	2.4	5.0	*	1.3	38.3	12.6	59.3	81.1	2.4	6.3	3.8	4.2	4.2	
Total crop	0.4	0.1	2.0	0.8	3.4	1.8	2.3	1.7	13.5	13.3	44.3	45.4	32.3	32.5	1.7	3.5	0.1	0.9	8.1	4.4	90.1	91.2	1.8	4.4	4.2	4.3	4.2	4.3
UNITED STATES																												
Prior to Sept. 1	*	*	0.5	0.6	2.9	1.4	3.7	9.9	20.3	21.5	26.3	48.7	23.4	15.5	17.0	2.4	5.9	2.0	7.1	80.1	70.0	17.9	22.9	4.6	4.4	4.4	4.4	
September	*	0.6	0.1	1.5	0.8	1.6	1.3	10.7	11.0	32.8	38.8	39.7	33.5	10.2	11.0	2.9	3.5	3.7	2.2	83.2	83.3	13.1	14.5	4.4	4.4	4.4	4.4	
October	*	*	*	0.4	0.4	0.6	0.8	7.0	10.5	33.1	41.5	45.0	38.1	11.6	7.1	2.1	1.6	1.0	1.2	85.3	90.1	13.7	8.7	4.5	4.4	4.4	4.4	
November	0.1	0.8	0.9	2.7	2.2	5.4	2.3	4.6	13.9	19.9	37.3	34.8	34.7	25.1	7.3	5.2	1.5	1.5	5.3	13.5	85.7	79.8	8.8	6.7	4.5	4.2	4.2	
December	0.8	8.7	2.5	11.2	5.3	13.0	4.9	7.7	21.6	20.3	35.0	21.0	23.9	14.1	5.0	3.1	1.0	0.9	13.5	40.6	80.5	55.4	6.0	4.0	4.1	3.7	3.7	
After Dec. 31	1.4	10.4	3.5	10.8	6.9	13.0	6.0	8.3	23.3	21.3	33.1	20.9	20.1	12.1	4.5	2.5	1.2	0.7	17.8	42.5	76.5	54.3	5.7	3.2	4.0	3.6	3.6	
Total crop	0.4	2.6	1.1	3.7	2.5	5.4	2.4	4.0	13.5	16.5	34.6	33.1	35.4	26.9	8.4	6.1	1.7	1.7	6.4	15.7	83.5	76.5	10.1	7.8	4.3	4.1	4.1	4.1

Table 13. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, 1974-75 with comparisons by classing office territories, 1974-75 with comparisons

Classing Office	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals				Average mike			
	1973		1974		1973		1974		1973		1974		1973		1974		1973		1974		1973			1974		
	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.		Pct.	Fct.	Pct.
Raleigh	0.1	0.1	0.9	1.7	3.3	20.3	31.5	51.4	52.9	23.6	10.1	1.9	0.3	0.1	0.1	2.7	5.1	95.3	94.5	2.0	0.4	4.2	4.0			
Columbia	-	-	0.2	0.7	0.5	1.7	6.6	18.6	37.5	51.7	47.9	24.6	6.8	2.4	0.5	0.3	0.7	2.4	92.0	94.9	7.3	2.7	4.5	4.2		
Augusta	-	-	0.1	0.4	0.5	0.7	11.2	8.8	48.1	39.2	34.2	39.6	5.1	8.9	0.8	2.4	0.6	1.1	93.5	87.6	5.9	11.3	4.4	4.5		
Atlanta	-	-	-	-	0.5	0.3	0.8	7.7	8.9	40.7	40.2	44.3	38.9	6.6	8.3	0.4	2.4	0.3	1.3	92.7	88.0	7.0	10.7	4.5	4.4	
Birmingham	0.3	-	1.5	0.1	3.5	0.4	3.0	4.5	15.2	24.5	37.7	46.1	32.7	18.4	5.4	6.0	0.7	0.5	8.3	75.1	85.6	24.4	6.1	4.7	4.3	
Montgomery	-	-	0.2	0.7	0.9	1.5	1.2	16.1	11.9	44.0	43.5	32.6	33.8	4.6	7.0	0.3	1.5	2.4	92.7	89.2	4.9	8.5	4.3	4.4		
Greenwood	0.1	0.1	1.2	0.9	4.5	1.2	4.4	7.2	19.7	26.8	38.0	46.2	28.1	15.3	3.8	2.3	0.2	2.2	10.2	80.2	85.8	17.6	4.0	4.5	4.2	
Jackson	-	-	0.3	0.2	1.2	0.4	1.5	4.5	9.6	21.1	29.5	48.1	44.5	19.6	11.4	6.1	2.0	0.6	3.0	73.7	83.6	25.7	13.4	4.7	4.5	
Memphis	0.3	-	2.2	0.4	6.5	0.5	6.0	6.6	29.9	31.5	39.3	48.5	15.1	10.4	0.7	2.1	*	0.9	15.0	86.6	84.3	12.5	0.7	4.5	4.0	
Hayti	0.2	0.3	3.3	1.9	8.6	2.6	7.1	17.7	24.5	39.7	32.6	30.6	20.0	6.0	3.2	1.2	0.5	4.8	19.2	88.0	77.1	7.2	3.7	4.3	4.0	
Blytheville	0.1	0.2	2.2	1.2	7.2	1.1	5.1	10.9	24.5	40.5	41.5	39.1	18.5	6.1	0.8	0.9	0.1	2.5	14.6	90.5	84.5	7.0	0.9	4.4	4.0	
Little Rock	-	-	0.1	0.9	0.6	4.0	0.8	4.2	5.2	15.0	18.6	33.5	48.8	35.1	21.1	6.4	4.8	0.9	1.5	9.1	72.6	83.6	25.9	7.3	4.7	4.3
Winnsboro	-	-	0.4	0.2	0.8	1.1	1.0	1.8	5.8	9.2	27.4	28.3	45.7	44.7	14.9	11.6	4.0	3.1	2.2	3.1	78.9	82.2	18.9	14.7	4.6	4.5
Alexandria	-	-	0.5	*	2.0	0.4	1.7	0.7	9.3	6.7	41.1	28.2	41.5	55.2	3.6	8.4	0.3	0.4	4.2	1.1	91.9	90.1	3.9	8.8	4.4	4.5
Altus	0.2	5.4	1.4	9.1	4.2	12.4	4.7	7.9	19.1	20.7	31.9	23.7	27.2	15.7	9.0	4.2	2.3	0.9	10.5	34.8	78.2	60.1	11.3	5.1	4.2	3.8
Dallas	0.1	0.4	0.6	1.5	3.1	1.2	2.8	9.6	21.4	31.3	34.4	47.7	23.0	7.6	9.6	0.7	5.0	3.1	6.6	88.6	78.8	8.3	14.6	4.4	4.3	
Austin	-	-	0.6	0.2	1.7	1.7	2.2	2.1	11.2	14.5	31.8	37.8	43.3	28.2	7.7	11.5	1.5	4.0	4.5	4.0	86.3	80.5	9.2	15.5	4.4	4.4
Corpus Christi	-	-	0.1	1.0	3.3	2.9	6.9	22.1	35.7	29.4	27.3	29.5	16.9	11.2	7.1	3.9	2.7	3.9	10.3	81.0	79.9	15.1	9.8	4.4	4.1	
Harrison	-	-	0.4	0.6	0.8	2.3	0.9	2.3	5.2	11.4	21.8	19.7	28.3	28.9	16.2	26.3	2.4	8.5	2.1	5.2	79.3	60.0	18.6	34.8	4.6	4.6
Abilene	0.1	1.0	0.5	2.5	2.2	6.2	3.0	5.4	19.4	20.3	42.8	32.6	26.4	26.9	4.8	4.5	0.8	0.6	5.8	15.1	88.6	79.8	5.6	5.1	4.2	4.1
Lubbock	0.4	22.8	1.4	24.0	3.7	19.9	4.1	9.1	21.6	15.4	39.7	7.1	22.7	1.4	4.9	0.3	1.5	*	9.6	75.8	84.0	23.9	6.4	0.3	4.2	3.1
El Paso	8.5	0.7	15.0	4.1	17.2	11.9	9.7	10.8	28.1	40.5	18.6	26.9	2.8	4.7	0.1	0.4	*	50.4	27.5	49.5	72.1	0.1	0.4	3.4	3.7	
Carlsbad	4.0	2.5	9.7	8.1	12.1	15.1	8.9	11.6	31.4	32.6	25.4	23.8	7.9	6.0	0.6	0.3	*	34.7	37.3	64.7	62.4	0.6	0.3	3.7	3.6	
Phoenix	1.0	0.1	2.7	0.9	4.4	2.3	2.9	1.8	9.6	6.8	23.9	18.2	43.6	41.1	10.7	20.7	1.2	8.1	11.0	5.1	77.1	66.1	11.9	28.8	4.4	4.6
Fresno	0.4	0.3	1.8	0.9	3.2	2.0	2.1	2.1	13.6	17.1	45.5	47.9	32.7	29.3	0.7	0.4	*	7.5	5.3	91.8	94.3	0.7	0.4	4.2	4.2	
Bakersfield	0.3	0.1	1.9	0.8	3.5	1.7	2.5	1.4	14.2	12.3	45.7	49.7	30.7	32.8	1.2	1.2	*	8.2	4.0	90.6	94.8	1.2	0.2	4.2	4.3	
El Centro	0.7	0.2	2.5	0.9	4.2	1.7	2.8	1.3	9.2	4.2	29.8	18.5	40.5	43.6	9.4	22.5	0.9	7.1	10.2	4.1	79.5	66.3	10.3	29.6	4.3	4.6
United States	0.4	2.6	1.1	3.7	2.5	5.4	2.4	4.0	13.5	16.5	34.6	33.1	35.4	26.9	8.4	6.1	1.7	1.7	6.4	15.7	83.5	76.5	10.1	7.8	4.3	4.1

* Less than 0.05 percent.

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned in the United States by states, 1974-75 with comparisons

State	Zero Gage Fiber Strength (Mpsi)														Average strength					
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		Mpsi	Pct.
	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974		
S. C.	-	0.1	*	0.2	2.8	6.2	24.3	42.4	49.8	42.5	20.2	8.0	2.9	0.6	*	-	-	-	81.8	79.7
Ga.	-	-	0.1	0.2	4.0	8.9	30.6	41.3	45.8	40.5	17.8	8.7	1.7	0.4	*	-	-	81.1	79.5	
Ala.	-	-	0.4	-	4.4	2.7	32.7	24.8	43.9	49.7	15.9	20.3	2.3	2.5	0.4	*	-	81.0	81.8	
Miss.	-	-	*	-	2.0	0.8	25.0	15.5	51.3	48.2	19.2	30.9	2.5	4.4	*	0.2	*	81.7	83.1	
Tenn.	-	-	0.1	*	3.3	1.4	21.8	23.4	48.6	51.7	22.6	21.4	3.2	2.1	0.4	*	-	82.0	82.0	
Mo.	-	-	-	*	1.6	1.2	19.2	17.7	43.8	49.1	29.1	27.4	6.0	4.3	0.3	0.3	*	83.1	82.9	
Ark.	-	-	*	*	0.4	1.0	12.1	21.2	44.5	49.6	33.4	23.3	8.4	4.7	1.1	0.2	0.1	*	84.1	82.5
La.	-	-	*	*	0.8	1.0	22.5	17.9	57.9	52.1	17.0	25.7	1.7	3.3	0.1	*	-	81.8	82.6	
Oklahoma	*	-	0.8	0.1	11.1	7.3	37.4	29.4	33.7	41.0	13.4	18.3	2.9	3.5	0.7	0.4	*	79.9	81.1	
Tex.	*	*	0.2	0.2	3.3	3.9	17.6	22.4	38.2	38.5	28.6	23.4	9.2	8.6	2.2	2.3	0.7	83.5	83.0	
N. Mex.	-	-	*	*	0.4	0.5	2.8	4.0	8.0	8.5	13.3	17.3	18.8	34.1	32.2	28.1	24.5	7.5	94.2	91.8
Ariz.	-	-	-	*	0.1	0.6	4.0	9.9	30.7	38.2	46.3	36.4	15.1	12.3	2.8	2.3	1.0	0.3	86.3	84.9
Calif.	-	-	*	*	*	0.1	0.2	1.2	1.7	6.3	7.6	17.9	22.1	38.2	39.6	36.3	28.8	97.5	96.5	
U. S.	*	*	0.1	*	2.3	2.1	16.9	16.0	36.7	33.6	23.1	20.8	8.3	10.1	6.9	10.2	5.7	7.2	85.1	86.0

* Less than 0.05 percent.

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons

Period	Zero Gage Fiber Strength (Mpsi)														Average strength						
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above				
	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	Mpsi	Mpsi	
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
October	-	0.1	-	0.1	2.2	5.8	20.6	39.3	50.7	44.0	22.8	9.8	3.7	0.9	-	-	-	-	-	82.2	80.0
November	-	-	0.1	0.1	3.7	6.4	28.1	45.4	47.9	41.8	18.2	6.1	1.9	0.2	0.1	-	-	-	-	81.4	79.4
December	-	-	0.2	0.2	2.5	8.4	37.7	52.6	50.0	36.3	9.2	2.5	0.4	-	-	-	-	-	-	80.3	78.7
After Dec. 31	-	-	0.5	-	8.7	-	34.5	-	43.7	-	12.6	-	-	-	-	-	-	-	-	79.9	-
Total crop	-	0.1	*	0.2	2.8	6.2	24.3	42.4	49.8	42.5	20.2	8.0	2.9	0.6	*	-	-	-	-	81.8	79.7
GEORGIA																					
Prior to Oct. 1	-	-	-	1.0	0.2	3.4	6.6	33.4	39.5	48.3	49.7	12.9	3.9	1.0	0.1	-	-	-	-	84.4	80.8
October	-	-	*	0.1	3.4	8.4	27.9	38.1	46.1	42.1	20.4	10.8	2.2	0.5	*	-	-	-	-	81.5	79.9
November	-	-	0.1	0.6	5.0	9.8	35.1	44.3	46.5	38.1	12.0	7.0	1.2	0.2	0.1	-	-	-	-	80.5	79.1
December	-	-	0.3	0.2	6.6	10.2	42.2	46.9	46.0	38.6	4.9	4.0	-	0.1	-	-	-	-	-	79.5	78.7
After Dec. 31	-	-	0.5	0.2	5.4	11.2	41.5	48.4	37.3	36.3	14.8	3.8	0.5	0.1	-	-	-	-	-	80.3	78.6
Total crop	-	-	0.1	0.2	4.0	8.9	30.6	41.3	45.8	40.5	17.8	8.7	1.7	0.4	*	-	-	-	-	81.1	79.5
ALABAMA																					
Prior to Oct. 1	-	-	-	-	-	1.7	9.8	19.6	51.4	54.6	35.8	20.5	3.0	3.6	-	-	-	-	-	83.9	82.7
October	-	-	0.1	-	2.1	1.7	26.1	18.7	46.2	50.6	21.4	25.8	3.4	3.1	0.7	0.1	-	-	-	82.0	82.5
November	-	-	0.4	-	6.0	4.2	36.0	32.3	42.6	48.0	13.0	13.5	1.9	2.0	0.1	-	-	-	-	80.4	80.8
December	-	-	1.0	-	6.9	3.3	43.4	34.6	41.7	49.2	6.8	11.6	0.2	1.3	-	-	-	-	-	79.4	80.6
After Dec. 31	-	-	-	-	8.1	-	49.8	-	33.5	-	8.2	-	0.4	-	-	-	-	-	-	79.2	-
Total crop	-	-	0.4	-	4.4	2.7	32.7	24.8	43.9	49.7	15.9	20.3	2.3	2.5	0.4	*	-	-	-	81.0	81.8
MISSISSIPPI																					
Prior to Oct. 1	-	-	-	-	1.8	-	15.4	4.5	41.7	42.8	32.3	48.2	8.8	4.5	-	-	-	-	-	83.8	84.8
October	-	-	*	-	1.0	0.4	16.2	9.0	52.4	42.9	26.8	40.2	3.6	7.1	*	0.4	-	-	-	82.8	84.2
November	-	-	*	-	3.6	1.1	38.9	21.4	50.0	55.6	7.2	20.5	0.3	1.4	-	-	-	-	-	80.1	82.0
December	-	-	*	-	4.9	1.5	44.2	33.6	45.7	53.5	4.9	11.4	0.3	*	-	-	-	-	-	79.5	80.6
After Dec. 31	-	-	-	-	4.7	2.1	52.7	30.8	39.6	60.5	3.0	6.6	-	-	-	-	-	-	-	79.1	80.5
Total crop	-	-	*	-	2.0	0.8	25.0	15.5	51.3	48.2	19.2	30.9	2.5	4.4	*	0.2	-	-	-	81.7	83.1
TENNESSEE																					
Prior to Oct. 1	-	-	-	-	-	-	14.0	-	40.8	-	24.5	-	20.7	-	-	-	-	-	-	84.5	-
October	-	-	-	*	1.8	-	14.0	9.2	49.7	51.3	29.5	35.2	4.5	4.3	0.5	*	-	-	-	83.0	83.7
November	-	-	0.2	-	6.5	2.6	35.2	34.2	47.1	50.2	10.8	12.6	0.2	0.4	-	-	-	-	-	80.1	80.8
December	-	-	0.2	-	5.3	2.4	41.7	33.7	46.1	57.4	6.5	6.5	0.2	-	-	-	-	-	-	79.7	80.5
After Dec. 31	-	-	-	-	5.0	2.9	41.5	39.7	42.8	48.3	10.7	9.1	-	-	-	-	-	-	-	80.0	80.1
Total crop	-	-	0.1	*	3.3	1.4	21.8	23.4	48.6	51.7	22.6	21.4	3.2	2.1	0.4	*	-	-	-	82.0	82.0

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons (Continued)

Period	Zero Gage Fiber Strength (Mpsi)												Average strength							
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above			
	Pct.	Pct.	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974		
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
October	-	-	0.6	*	12.1	6.9	41.5	48.3	36.7	38.2	8.6	6.2	0.5	0.4	-	-	-	-	84.2	84.3
November	-	-	3.8	0.9	32.3	27.6	48.7	55.3	14.6	14.4	0.6	1.8	-	-	-	-	-	-	80.8	81.5
December	-	-	2.4	7.8	35.2	45.4	46.7	39.5	13.4	6.3	2.0	0.8	0.3	-	-	-	-	-	80.9	79.3
After Dec. 31	-	-	8.8	7.4	51.4	46.6	35.6	40.0	3.8	5.8	-	0.1	-	0.4	-	-	-	-	78.7	79.2
Total crop	-	-	1.6	1.2	19.2	17.7	43.8	49.1	29.1	27.4	6.0	4.3	0.3	0.3	*	-	-	-	83.1	82.9
<u>MISSOURI</u>																				
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
October	-	-	0.1	0.3	5.7	12.9	40.3	47.4	40.3	31.7	11.8	7.2	1.6	0.5	0.2	*	-	-	86.4	83.2
November	-	-	0.7	1.0	18.4	21.9	53.0	54.0	25.0	19.7	2.6	3.3	0.3	0.1	-	-	-	-	82.6	82.1
December	-	-	2.4	2.4	35.0	39.5	49.9	47.6	11.2	9.9	1.5	0.6	-	-	-	-	-	-	80.7	80.4
After Dec. 31	-	-	4.8	6.2	36.3	42.0	44.0	43.4	12.9	8.0	2.0	0.3	-	-	-	-	-	-	80.5	79.7
Total crop	-	-	0.4	1.0	12.1	21.2	44.5	49.6	33.4	23.3	8.4	4.7	1.1	0.2	0.1	*	-	-	84.1	82.5
<u>ARKANSAS</u>																				
Prior to Oct. 1	-	-	-	-	2.7	6.7	26.4	73.2	51.1	13.4	19.8	6.7	-	-	-	-	-	-	-	-
October	-	-	0.3	0.6	14.9	14.0	57.3	49.8	24.2	30.9	3.2	4.6	0.1	0.1	-	-	-	-	82.8	83.2
November	-	-	0.2	0.7	25.3	18.1	63.1	61.0	11.0	18.8	0.4	1.3	-	0.1	-	-	-	-	81.2	82.1
December	-	-	4.1	3.2	42.2	30.0	44.6	48.0	8.8	17.5	0.2	1.3	-	-	-	-	-	-	80.0	81.3
After Dec. 31	-	-	11.8	-	61.4	-	25.1	-	1.6	-	-	*	-	-	-	-	-	-	-	78.0
Total crop	-	-	0.8	1.0	22.5	17.9	57.9	52.1	17.0	25.7	1.7	3.3	0.1	*	-	-	-	-	81.8	82.6
<u>LOUISIANA</u>																				
Prior to Oct. 1	-	-	-	-	0.4	-	25.6	-	47.8	-	24.3	-	1.9	-	-	-	-	-	-	82.0
October	-	-	0.3	0.6	14.9	14.0	57.3	49.8	24.2	30.9	3.2	4.6	0.1	0.1	-	-	-	-	82.8	83.2
November	-	-	0.2	0.7	25.3	18.1	63.1	61.0	11.0	18.8	0.4	1.3	-	0.1	-	-	-	-	81.2	82.1
December	-	-	4.1	3.2	42.2	30.0	44.6	48.0	8.8	17.5	0.2	1.3	-	-	-	-	-	-	80.0	81.3
After Dec. 31	-	-	11.8	-	61.4	-	25.1	-	1.6	-	-	*	-	-	-	-	-	-	-	78.0
Total crop	-	-	0.8	1.0	22.5	17.9	57.9	52.1	17.0	25.7	1.7	3.3	0.1	*	-	-	-	-	81.8	82.6
<u>OKLAHOMA</u>																				
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
October	-	-	12.7	0.6	20.2	10.8	22.3	37.6	38.4	41.2	3.2	9.2	3.2	0.6	-	-	-	-	82.3	84.4
November	-	-	4.5	1.5	21.3	14.6	36.7	35.8	28.3	36.2	7.6	10.8	1.6	1.1	-	-	-	-	82.8	84.1
December	-	-	9.4	5.4	37.2	25.7	38.2	47.2	11.7	18.9	2.4	2.4	0.5	0.4	*	-	-	-	80.0	81.5
After Dec. 31	0.1	-	16.4	12.9	46.0	41.9	25.2	34.0	8.8	9.0	1.6	1.6	0.3	0.2	-	-	-	-	78.4	79.2
Total crop	*	-	0.8	0.1	11.1	7.3	37.4	29.4	33.7	41.0	13.4	18.3	2.9	3.5	0.7	0.4	*	-	79.9	81.1
<u>TEXAS</u>																				
Prior to Oct. 1	-	-	3.6	0.7	14.9	17.3	33.6	35.1	33.2	31.0	13.0	12.7	1.5	2.9	*	-	-	-	84.1	84.4
October	*	*	0.1	1.0	2.5	8.2	14.8	30.9	39.0	38.1	28.6	15.9	10.9	3.4	3.1	2.5	1.0	2.5	86.0	84.3
November	*	-	0.4	0.5	2.6	4.0	14.3	17.7	38.3	38.7	30.5	23.2	9.8	9.9	3.2	4.3	0.9	1.7	84.1	83.8
December	-	-	0.2	0.3	3.5	5.1	20.9	26.6	41.2	40.5	25.9	19.3	6.7	6.2	1.4	1.4	0.2	0.6	82.8	82.0
After Dec. 31	*	*	0.9	0.5	6.3	7.7	26.2	28.4	37.9	37.7	21.5	19.3	5.7	5.0	1.3	1.1	0.2	0.3	81.8	81.4
Total crop	*	*	0.2	0.2	3.3	3.9	17.6	22.4	38.2	38.5	28.6	23.4	9.2	8.6	2.2	2.3	0.7	0.7	83.5	83.0

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons (Continued)

Period	Zero Gage Fiber Strength (Mpsi)																Average strength				
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		1973	1974	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi			Mpsi
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
October	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
November	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
December	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
After Dec. 31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
Total crop	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
<u>NEW MEXICO</u>																					
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
October	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
November	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
December	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
After Dec. 31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
Total crop	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
<u>ARIZONA</u>																					
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
October	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
November	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
December	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
After Dec. 31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
Total crop	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
<u>CALIFORNIA</u>																					
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
October	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
November	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
December	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
After Dec. 31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
Total crop	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
<u>UNITED STATES</u>																					
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
October	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
November	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
December	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
After Dec. 31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2
Total crop	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.1	99.0	93.2

* Less than 0.05 percent.

Table 16. -- Percentage distribution of fiber strength for upland cotton ginned in the United States, by classing office territories, 1974-75 with comparisons

Classing Office	Zero Gage Fiber Strength (Mpsi)																		Average strength	
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		Mpsi	Mpsi
	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974
Columbia	-	0.1	*	0.1	Pct. 2.8	Pct. 6.2	Pct. 24.3	Pct. 42.5	Pct. 49.8	Pct. 42.5	Pct. 20.2	Pct. 8.0	Pct. 2.9	Pct. 0.6	*	-	-	-	81.8	79.7
Augusta	-	-	0.1	0.2	2.7	5.8	26.3	39.0	48.9	44.4	19.6	10.2	2.4	0.4	*	-	-	-	81.6	80.0
Atlanta	-	-	*	0.4	4.6	9.9	32.0	41.9	44.6	39.2	17.1	8.2	1.7	0.4	*	-	-	-	81.0	79.3
Birmingham	-	-	0.2	-	3.0	2.4	33.7	24.2	47.9	52.7	14.2	19.3	0.9	1.4	0.1	-	-	-	80.9	81.7
Montgomery	-	-	0.5	-	6.8	2.8	31.1	25.2	37.5	44.7	18.8	22.3	4.5	4.8	0.8	0.2	-	-	81.2	82.0
Greenwood	-	-	-	-	1.1	0.6	22.7	13.4	52.4	47.1	21.1	33.4	2.7	5.2	*	0.3	*	-	82.0	83.5
Jackson	-	-	*	-	4.3	0.9	34.4	16.0	48.0	49.9	12.0	30.3	1.3	2.9	-	-	-	-	80.6	82.9
Memphis	-	-	0.1	*	4.2	1.5	26.8	24.6	47.7	51.9	18.6	20.2	2.3	1.8	0.3	*	-	-	81.4	81.8
Hayti	-	-	-	-	1.6	1.2	19.2	17.7	43.8	49.2	29.1	27.4	6.0	4.2	0.3	0.3	*	-	83.1	82.9
Blytheville	-	-	-	-	0.5	1.3	9.8	19.4	39.6	50.6	37.9	23.6	10.3	4.8	1.8	0.3	0.1	*	84.8	82.6
Little Rock	-	-	-	-	0.2	1.0	11.5	22.2	46.3	48.7	33.0	23.0	8.0	4.8	0.8	0.3	0.1	*	84.0	82.4
Winnsboro	-	-	*	-	0.3	0.9	19.6	16.1	58.5	51.3	19.3	28.1	2.2	3.5	0.1	0.1	-	-	82.2	82.9
Alexandria	-	-	*	*	2.6	1.9	34.0	25.6	55.2	54.1	7.9	16.6	0.3	1.8	-	*	-	-	80.5	81.6
Altus	*	-	0.7	0.1	9.5	6.0	31.1	26.4	33.6	39.5	18.0	21.4	6.0	5.6	1.1	1.0	*	*	81.0	81.8
Dallas	-	-	0.1	*	1.7	0.8	11.6	6.8	35.0	30.5	39.0	40.9	11.5	17.7	1.0	2.3	0.1	1.0	84.4	85.9
Austin	-	-	*	0.1	1.1	1.0	12.0	8.1	35.9	33.7	36.9	39.4	12.2	14.0	1.7	3.2	0.2	0.5	84.7	85.4
Corpus Christi	0.2	-	2.5	-	16.7	1.7	35.3	30.3	27.6	39.8	13.7	17.4	3.1	7.3	0.9	3.1	-	0.4	79.2	82.4
Harlingen	-	-	-	-	1.2	0.4	14.1	20.4	40.7	38.8	31.0	27.1	12.0	10.8	1.0	2.3	-	0.2	84.1	83.8
Abilene	-	-	0.2	0.4	2.6	9.8	18.8	28.4	42.0	38.0	27.5	18.7	7.5	3.6	1.3	0.7	0.1	0.4	83.1	81.1
Lubbock	*	-	0.3	0.2	2.8	3.9	16.7	24.5	38.9	42.1	29.0	19.9	9.0	6.7	2.5	1.9	0.8	0.8	83.7	82.5
El Paso	-	-	-	*	0.5	1.3	5.2	9.7	11.9	12.0	11.0	15.5	17.1	29.3	28.4	24.2	25.9	8.0	93.6	90.4
Carlsbad	-	-	0.2	1.0	5.5	7.3	18.5	20.9	21.7	21.6	12.5	13.2	11.1	17.3	17.7	15.0	12.8	3.7	87.5	85.5
Phoenix	-	-	-	*	0.1	0.6	4.0	10.2	30.9	39.6	46.9	36.6	15.5	11.7	2.4	1.1	0.2	0.2	86.1	84.7
Fresno	-	-	-	-	-	-	0.1	0.1	0.3	0.1	3.4	3.7	16.2	20.2	40.8	40.2	39.2	35.7	98.3	97.7
Bakersfield	-	-	-	-	-	-	-	-	0.1	0.3	3.0	2.7	17.3	22.0	41.1	45.4	38.5	29.6	98.1	97.3
El Centro	-	-	-	*	*	*	1.7	2.3	20.3	19.8	48.7	44.5	25.6	26.3	3.6	6.2	0.1	0.9	87.5	87.8
United States	*	*	0.1	*	2.3	2.1	16.9	16.0	36.7	33.6	23.1	20.8	8.3	10.1	6.9	10.2	5.7	7.2	85.1	86.0

* Less than 0.05 percent.

Table 17. -- Grade and staple of American Pima cotton ginned, by states and United States, 1974-75

Grade Code	Ginnings						Percentages					
	Staple						Staple					
	40 and shorter	42	44	46	48 and longer	All staples	40 and shorter	42	44	46	48 and longer	All staples
	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent
<u>TEXAS</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	8	-	-	8	-	-	*	-	-	*
3 (30)	-	-	1,625	90	-	1,715	-	-	6.6	3.1	-	5.7
4 (40)	-	-	13,467	2,193	-	15,660	-	-	54.9	75.6	-	51.7
5 (50)	-	31	7,612	618	-	8,261	-	1.1	31.0	21.3	-	27.3
6 (60)	122	709	1,661	-	-	2,492	100.0	26.3	6.8	-	-	8.2
7 (70)	-	1,254	165	-	-	1,419	-	46.5	0.7	-	-	4.7
8 (80)	-	598	6	-	-	604	-	22.2	*	-	-	2.0
9 (90)	-	79	-	-	-	79	-	2.9	-	-	-	0.3
10 (00)	-	27	-	-	-	27	-	1.0	-	-	-	0.1
All grades	122	2,698	24,544	2,901	-	30,265	100.0	100.0	100.0	100.0	-	100.0
<u>NEW MEXICO</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	13	-	-	13	-	-	0.2	-	-	0.2
3 (30)	-	-	1,630	106	-	1,736	-	-	29.9	32.2	-	29.3
4 (40)	-	-	2,841	223	-	3,064	-	-	52.2	67.8	-	51.7
5 (50)	-	6	882	-	-	888	-	4.1	16.2	-	-	15.0
6 (60)	-	48	82	-	-	130	-	32.7	1.5	-	-	2.2
7 (70)	-	53	-	-	-	53	-	36.0	-	-	-	0.9
8 (80)	-	40	-	-	-	40	-	27.2	-	-	-	0.7
9 (90)	-	-	-	-	-	-	-	-	-	-	-	-
10 (00)	-	-	-	-	-	-	-	-	-	-	-	-
All grades	-	147	5,448	329	-	5,924	-	100.0	100.0	100.0	-	100.0
<u>ARIZONA</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	5	-	-	5	-	-	*	-	-	*
3 (30)	-	-	3,657	380	-	4,037	-	-	8.2	5.1	-	7.7
4 (40)	-	-	26,881	4,580	-	31,461	-	-	60.5	60.9	-	60.0
5 (50)	-	-	10,643	1,909	-	12,552	-	-	24.0	25.4	-	23.9
6 (60)	10	20	2,308	553	-	2,891	100.0	9.7	5.2	7.4	-	5.5
7 (70)	-	231	367	92	-	690	-	42.9	0.8	1.2	-	1.3
8 (80)	-	144	339	-	-	483	-	26.8	0.8	-	-	0.9
9 (90)	-	76	132	-	-	208	-	14.1	0.3	-	-	0.4
10 (00)	-	67	73	-	-	140	-	12.5	0.2	-	-	0.3
All grades	10	538	44,405	7,514	-	52,467	100.0	100.0	100.0	100.0	-	100.0
<u>UNITED STATES</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	26	-	-	26	-	-	*	-	-	*
3 (30)	-	-	6,912	576	-	7,488	-	-	9.3	5.4	-	8.4
4 (40)	-	-	43,189	6,996	-	50,185	-	-	58.1	65.1	-	56.7
5 (50)	-	37	19,137	2,527	-	21,701	-	1.1	25.7	23.5	-	24.5
6 (60)	132	777	4,051	553	-	5,513	100.0	23.0	5.4	5.1	-	6.2
7 (70)	-	1,538	532	92	-	2,162	-	45.4	0.7	0.9	-	2.4
8 (80)	-	782	345	-	-	1,127	-	23.1	0.5	-	-	1.3
9 (90)	-	155	132	-	-	287	-	4.6	0.2	-	-	0.3
10 (00)	-	94	73	-	-	167	-	2.8	0.1	-	-	0.2
All grades	132	3,383	74,397	10,744	-	88,656 1/2	100.0	100.0	100.0	100.0	-	100.0

1/ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Table 18. -- Grade and staple of American Pima cotton ginned in the United States, during specified periods, 1974-75

Grade and staple		Ginnings					Total crop
		Prior to Oct. 1	October	November	December	After Dec. 31	
<u>Grade</u>	<u>Code</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
1	(10)	-	-	-	-	-	-
2	(20)	-	-	-	8	18	26
3	(30)	-	486	2,841	2,558	1,603	7,488
4	(40)	-	1,824	20,509	19,965	7,887	50,185
5	(50)	-	984	9,495	7,417	3,805	21,701
6	(60)	-	224	2,124	1,698	1,467	5,513
7	(70)	-	70	154	299	1,639	2,162
8	(80)	-	-	14	116	997	1,127
9	(90)	-	-	51	18	218	287
10	(00)	-	-	-	38	128	167
All grades		-	3,588	35,188	32,117	17,763	88,656 ^{1/}
<u>Staple</u>							
40 and shorter		-	-	-	10	122	132
42		-	17	55	535	2,776	3,383
44		-	2,627	29,109	28,617	14,044	74,397
46		-	944	6,024	2,955	821	10,744
48 and longer		-	-	-	-	-	-
All staples		-	3,588	35,188	32,117	17,763	88,656 ^{1/}
<u>Grade</u>	<u>Code</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
1	(10)	-	-	-	-	-	-
2	(20)	-	-	-	*	0.1	*
3	(30)	-	13.5	8.1	8.0	9.0	8.4
4	(40)	-	50.9	58.4	62.1	44.5	56.7
5	(50)	-	27.4	27.0	23.1	21.4	24.5
6	(60)	-	6.2	6.0	5.3	8.3	6.2
7	(70)	-	2.0	0.4	0.9	9.2	2.4
8	(80)	-	-	*	0.4	5.6	1.3
9	(90)	-	-	0.1	0.1	1.2	0.3
10	(00)	-	-	-	0.1	0.7	0.2
All grades		-	100.0	100.0	100.0	100.0	100.0
<u>Staple</u>							
40 and shorter		-	-	-	*	0.7	0.1
42		-	0.5	0.2	1.7	15.6	3.8
44		-	73.2	82.7	89.1	79.1	84.0
46		-	26.3	17.1	9.2	4.6	12.1
48 and longer		-	-	-	-	-	-
All staples		-	100.0	100.0	100.0	100.0	100.0

^{1/} As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Average grade.... 4.4

Average staple...44.2

Table 19. -- Percentage distribution of micronaire readings for American Pima cotton ginned in the United States, by states, 1974-75 with comparisons

Readings	State						United States	
	Texas		New Mexico		Arizona		1973	1974
	1973	1974	1973	1974	1973	1974		
	Percent		Percent		Percent		Percent	
2.4 and below	0.1	0.1	0.2	-	*	-	*	*
2.5	0.2	0.2	0.2	-	0.1	-	0.1	0.1
2.6	0.7	0.4	0.4	0.1	0.2	*	0.4	0.2
2.7	1.4	1.8	0.2	0.3	0.4	*	0.8	0.6
2.8	2.9	2.7	2.1	1.9	0.7	0.1	1.7	1.1
2.9	3.1	3.1	2.5	3.4	1.2	0.2	2.1	1.4
3.0	4.8	5.7	3.6	4.2	2.3	0.5	3.3	2.5
3.1	5.3	5.9	6.3	6.5	3.1	0.9	4.1	3.0
3.2	5.3	9.4	8.9	10.6	4.5	1.3	5.1	4.7
3.3	5.7	9.5	6.7	11.2	5.3	1.8	5.5	5.1
3.4	7.4	11.9	11.1	9.1	8.1	2.4	8.0	6.1
3.5	8.3	11.5	10.4	10.8	9.2	3.3	8.9	6.6
3.6	9.5	12.1	9.7	13.8	11.7	6.4	10.7	8.8
3.7	9.3	9.1	8.6	9.1	12.3	7.9	10.9	8.4
3.8	11.5	6.6	8.7	6.0	13.6	11.3	12.6	9.3
3.9	6.9	4.4	6.7	4.8	10.9	12.9	9.1	9.4
4.0	7.5	3.0	5.3	3.6	7.7	14.7	7.5	10.0
4.1	4.4	1.1	3.7	2.0	5.0	14.3	4.7	9.0
4.2	3.4	0.8	2.6	1.7	2.1	11.2	2.6	7.0
4.3	1.1	0.5	0.6	0.8	1.2	5.7	1.1	3.6
4.4	0.9	0.2	1.2	-	0.3	3.4	0.6	2.1
4.5	0.3	*	0.3	-	0.1	1.3	0.2	0.8
4.6	-	*	-	0.1	-	0.3	-	0.2
4.7	*	-	-	-	-	0.1	*	*
4.8	-	*	-	-	-	*	-	*
4.9	-	-	-	-	-	-	-	-
5.0 and above	-	-	-	-	-	-	-	-
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average mike	3.6	3.4	3.5	3.5	3.6	3.9	3.6	3.7

* Less than 0.05 percent.