


Don Ethridge

OCT 12 1976

COTTON QUALITY CROP OF 1975



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

Vol. 49, No. 7

September 1976

CONTENTS

	<u>Table No.</u>	<u>Page No.</u>
Introduction		1
Map - Distribution of Cotton Production in the United States		2
<u>UPLAND COTTON GINNED IN THE UNITED STATES</u>		
Grade and Staple Length		
1975-76.	1	3
1974-75.	2	4
During Specified Periods, 1975-76.	3	5
By States, 1975-76	8	9-23
During Specified Periods by States, 1975-76.	9	24-31
By Classing Office Territories, 1975-76.	10	32-44
Preparation and Grade Reductions		
United States and by States, 1975-76	4	6
Grade Index and Average Staple		
United States and by States, 1972-1975	5	7
Tenderability		
By States, 1975-76	6	8
United States, 1958-1975	7	8
Micronaire Readings		
United States and by States, 1975-76	11	45
During Specified Periods, United States and by States, 1975-76	12	46-49
By Classing Office Territories, 1975-76.	13	50
Fiber Strength		
United States and by States, 1975-76	14	51
During Specified Periods, United States and by States, 1975-76	15	52-54
By Classing Office Territories, 1975-76.	16	55
<u>AMERICAN PIMA COTTON GINNED IN THE UNITED STATES</u>		
Grade and Staple Length		
United States and by States, 1975-76	17	56
During Specified Periods, 1975-76.	18	57
Micronaire Readings		
United States and by States, 1975-76	19	58

Cotton Quality - United States
1975 Crop

Introduction

Upland cotton ginned in the United States from the 1975 crop averaged shorter in staple length and higher in grade than a year earlier, according to the Cotton Division, Agricultural Marketing Service, USDA. Cotton stapling 33 and shorter accounted for almost one-third of total ginnings against about one-fifth a year earlier. White grades 31 and higher represented about one-fifth of ginnings compared with one-eighth in 1974. Average fiber strength of the 1975 crop was about the same as a year earlier. Average mike of the 1975 crop was 4.0 against 4.1 in 1974.

The 1975 upland cotton crop contained 5.5 million bales of cotton stapling 34 and longer. This was equivalent to 68 percent of total ginnings against 79 percent in the 1974 crop. Staple 35 was the predominant length and comprised 36 percent of ginnings, down from 44 percent in 1974-75 ginnings. Eleven percent of the 1975 upland cotton crop was in the two lengths 32 and 33 against 10 percent a year earlier. Cotton stapling 31 and shorter accounted for 21 percent of 1975 ginnings, up sharply from 11 percent in 1974. The average staple of the 1975 crop was 33.6 thirty-seconds inches, against 34.2 thirty-seconds a year earlier.

Ginnings of White grades 31 and higher totaled 1.5 million bales, equivalent to 19 percent of the 1975 upland cotton crop. This was up from 12 percent a year earlier. Grade 41 was the most prevalent grade and accounted for 30 percent of ginnings against 38 percent the previous season. The Light Spotted and other Colored grades made up 30 percent of total ginnings compared with 24 percent a year earlier. The grade index of the 1975 crop was 91.8 (grade 31=100) against 90.8 a year earlier.

Cotton miking in the 3.5-4.9 range made up 69 percent of ginnings from the 1975 upland cotton crop. This compares with 77 percent a year earlier. Cotton miking 3.4 and below accounted for 26 percent of the 1975 ginnings against 16 percent the previous season. Average mike of 1975 ginnings was 4.0 compared with 4.1 in 1974.


Average fiber strength of the 1975 crop was 86,300 pounds per square inch against 86,000 the previous season. Cotton with fiber strength of 80,000 psi or stronger comprised 86 percent of the 1975 upland crop compared with 82 percent a year earlier.

American Pima cotton ginned from the 1975 crop contained a larger proportion of the higher grades than last season. Grades 4 and above accounted for 84 percent of total ginnings in 1975, up sharply from 65 percent a year earlier. Grade 3 was the predominant quality and comprised 47 percent of ginnings in 1975 against 8 percent the previous season. Staples 44 and longer accounted for 95 percent of ginnings from the 1975 American Pima crop compared with 96 percent a year earlier.

Cotton ginned in the United States from the 1975 crop totaled 8,151,200 running bales, according to the Bureau of the Census. This total includes 8,097,500 bales of upland cotton and 53,700 bales of American Pima cotton. The average net weight per bale of cotton ginned from the 1975 crop was 488.6 pounds.

September 10, 1976

DISTRIBUTION OF COTTON PRODUCTION: UNITED STATES



U.S. DEPARTMENT OF AGRICULTURE

NEG AMS 15-73(3) AGRICULTURAL MARKETING SERVICE

Table 1. -- Grade and staple of upland cotton ginned in the United States, 1975-76

Grade	Code	Staple														All staples				
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent			
White:																				
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	117		
S.M.	(21)	-	21	54	258	124	24	62	2,473	25,817	13,352	294	34	23	-	-	-	39,536	0.5	
S.L.M.	(31)	-	-	-	8	9	7	29	543	1,299	-	-	-	-	-	-	-	1,945	-	
L.N.	(41)	-	1,972	6,257	17,153	29,953	19,581	9,584	138,473	860,368	373,567	10,340	322	183	123	-	-	1,467,906	18.1	
S.L.N.+	(51)	-	6	60	503	684	489	1,820	20,030	208,825	380,085	2,996	100	52	59	-	-	415,709	5.1	
L.M.	(61)	-	7,073	35,812	81,359	101,064	78,610	108,285	545,461	1,140,630	322,091	7,841	330	40	181	-	-	2,428,869	30.0	
S.L.M.	(71)	-	38	161	904	1,800	2,114	7,468	34,718	73,246	22,747	936	106	19	-	-	-	144,177	1.8	
L.N.	(81)	-	6	1,230	7,532	27,959	47,311	50,807	88,638	363,230	355,016	52,968	987	23	-	-	-	995,827	12.3	
S.O.O.+	(91)	-	15	23	133	189	432	820	3,237	2,827	27	27	-	-	-	-	-	8,048	0.1	
G.O.	(10)	-	83	785	2,626	5,728	10,020	17,883	49,741	27,468	2,739	94	7	-	-	-	-	117,174	1.4	
G.O.+	(11)	-	-	-	22	46	26	26	104	55	4	-	-	-	-	-	-	257	-	
G.O.	(12)	-	-	-	65	423	870	1,546	2,800	5,692	1,949	124	26	-	-	-	-	13,495	0.2	
Total		128	10,438	50,757	131,349	187,674	163,676	237,326	1,163,198	2,693,801	969,367	23,564	922	298	382	-	-	5,633,080	69.5	
Light Spotted:																				
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(22)	-	15	63	891	1,136	485	159	577	890	181	7	-	-	-	-	-	4,364	0.1	
M.	(32)	-	546	12,632	45,749	95,044	100,855	61,660	13,479	44,449	52,127	7,526	42	-	-	-	-	435,417	5.4	
S.L.M.	(42)	-	975	25,109	106,216	208,606	222,100	155,137	64,302	181,031	132,197	12,126	753	17	18	-	-	1,108,733	13.7	
L.N.	(52)	-	206	4,889	25,043	62,317	80,005	76,921	46,862	156,525	51,273	4,542	22	-	-	-	-	459,702	5.7	
Total		1,727	42,645	178,071	366,618	404,096	294,203	124,882	332,582	236,487	24,375	2,093	81	18	148	-	-	2,008,216	24.9	
Spotted:																				
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(23)	-	-	-	328	1,279	637	166	90	178	51	-	-	-	-	-	-	2,729	-	
M.	(33)	-	77	1,492	20,627	46,569	30,954	12,849	2,468	2,680	1,112	115	-	-	-	-	-	118,883	1.5	
S.L.M.	(43)	-	308	4,781	21,030	48,324	47,839	24,713	7,800	15,116	7,674	469	18	-	-	-	-	178,152	2.2	
L.N.	(53)	-	233	1,775	4,844	11,186	14,927	10,914	8,331	16,401	5,025	401	-	-	-	-	-	73,837	0.9	
Total		698	7,848	46,829	107,358	94,357	48,642	18,629	34,375	13,862	965	18	-	-	-	-	-	373,601	4.6	
Tinged:																				
G.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(34)	-	37	1,517	6,047	5,704	1,677	404	65	77	48	-	-	-	-	-	-	15,576	0.2	
S.L.M.	(44)	-	570	2,797	4,571	1,849	426	272	264	89	10	-	-	-	-	-	-	15,429	0.2	
L.N.	(54)	-	273	613	825	1,288	891	518	339	251	61	-	-	-	-	-	-	5,059	0.1	
Total		880	4,927	11,593	11,650	4,451	1,348	686	592	198	10	-	-	-	-	-	-	36,335	0.5	
Stained:																				
G.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(35)	-	21	572	470	151	15	10	-	-	-	-	-	-	-	-	-	1,239	-	
Total		21	572	470	151	15	10	-	-	-	-	-	-	-	-	-	-	1,239	-	
Light Gray:																				
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(36)	-	-	22	12	47	56	804	3,728	1,449	110	804	-	-	-	-	-	6,228	0.1	
S.L.M.	(46)	-	-	-	20	20	50	330	947	377	55	-	-	-	-	-	-	1,779	-	
Total		-	-	22	32	57	116	1,204	5,532	2,300	234	-	-	-	-	-	-	9,497	0.1	
Gray:																				
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(37)	-	-	6	17	-	-	-	-	-	-	-	-	-	-	-	-	57	-	
S.L.M.	(47)	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	101	-	
Total		-	-	16	17	5	-	-	-	-	-	-	-	-	-	-	-	158	-	
Below Grade																				
		279	896	1,196	3,084	3,288	6,872	7,216	10,155	2,243	197	-	-	-	-	-	-	35,426	0.4	
All grades																				
		3,753	67,326	288,954	620,459	693,943	514,857	390,191	1,546,506	2,948,891	956,178	25,665	1,003	316	530	-	-	9,097,552	100.0	
All grades																				
		Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent
		0.8	3.6	7.7	8.6	6.4	4.8	19.1	36.4	12.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	100.0	100.0	

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Percentage rough preparation.... 91.8
 Grade index.....
 Average staple..... 33.6

Table 2. -- Grade and staple of upland cotton ginned in the United States, 1974-75

Grade	Staple														All staples	
	26 and shorter	26	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																
G.M.	-	-	-	75	60	82	769	4,245	14,272	3,518	6	-	-	-	25	0.2
S.M.	-	-	-	41	20	4	-	117	300	71	-	-	-	-	583	0.2
M.+	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.+	31	78	271	4,997	9,760	8,068	29,532	103,156	667,914	259,250	5,602	206	11	114	1,369,000	12.2
S.L.M.	-	-	-	146	261	459	1,769	21,880	210,630	170,739	3,046	218	-	65	409,209	3.6
L.M.+	-	64	2,343	45,978	144,133	136,650	124,961	980,918	2,166,630	599,713	56,490	4,157	200	1,127	4,223,564	37.7
L.M.	-	-	-	10	232	1,166	2,008	4,719	51,278	61,794	4,959	689	236	371	239,927	2.1
S.L.O.+	10	156	1,650	29,823	96,874	118,754	122,725	569,629	861,866	163,773	9,159	1,716	244	231	1,976,610	17.6
S.L.O.	-	-	-	27	158	372	747	6,713	8,524	137	13	13	-	-	19,783	0.2
O.O.+	-	89	780	4,663	8,858	13,241	21,894	89,056	87,778	17,402	2,189	267	21	21	246,238	2.2
O.O.	-	-	-	20	20	-	17	250	303	87	10	-	-	-	784	0.3
Total	41	438	5,230	86,742	262,095	282,740	311,501	1,921,204	4,339,798	1,241,214	81,784	7,286	691	1,929	6,542,693	76.1
Light Spotted:																
G.M.	-	-	-	45	308	263	32	132	467	1,080	300	8	-	-	-	-
S.M.	-	-	-	283	3,644	32,138	34,560	19,848	62,960	102,374	10,009	1,957	21	16	290,201	2.6
M.	4	1,065	16,457	154,208	240,229	165,944	94,984	306,007	339,234	41,126	2,411	320	19	118	1,364,126	12.1
S.L.M.	45	2,932	19,395	84,496	101,295	87,197	71,117	169,901	129,912	17,761	843	210	-	-	681,005	6.1
L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	49	4,260	38,542	271,150	376,367	272,536	186,141	541,243	572,600	69,096	5,219	551	19	134	2,337,927	20.8
Spotted:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	20	54	-	17	63	28	11	-	-	-	-	193	-
M.	92	1,744	5,957	3,268	1,473	1,325	3,609	4,374	368	27	-	-	-	-	21,810	0.2
S.L.M.	10	1,024	7,049	27,687	12,956	8,468	24,148	19,803	2,223	31	9	-	-	-	124,887	1.1
L.M.	188	3,137	10,521	21,967	13,269	10,940	10,510	22,742	12,777	1,434	11	36	-	-	107,611	1.0
Total	198	4,253	19,364	55,231	36,070	25,369	20,329	50,962	36,982	4,036	42	45	-	-	254,501	2.3
Tinged:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	23	173	141	62	43	34	43	139	213	27	-	-	-	-	855	-
S.L.M.	10	86	236	440	221	118	273	1,025	391	10	-	-	-	-	2,812	-
L.M.	28	67	112	277	208	156	221	512	137	6	-	-	-	-	1,724	-
Total	38	176	521	856	491	308	537	1,685	741	43	-	-	-	-	5,400	-
Stained:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	-	-	-	6	11	10	46	11	-	-	-	32	10	-
Total	-	-	-	-	10	6	11	10	46	11	-	-	-	32	126	-
Light Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	6	-	8	136	956	4,375	3,742	522	44	8	-	-	1,217	-
S.L.M.	-	17	122	240	88	247	537	2,216	1,382	178	-	-	-	-	9,797	0.1
Total	-	17	128	240	96	363	1,953	6,979	5,866	727	44	8	-	-	16,041	0.1
Gray:																
G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	-	-	8	6	-	15	35	149	30	-	-	-	-	-	20	-
S.L.M.	-	-	19	25	8	9	48	178	239	20	-	-	-	-	243	-
Total	-	-	27	31	8	24	63	337	279	20	-	-	-	-	809	-
Below Grade	264	2,527	6,462	9,743	6,650	13,000	11,579	21,244	9,616	1,115	-	18	-	-	82,238	0.7
All grades	590	11,693	70,314	423,995	680,787	594,366	531,734	2,543,264	4,965,928	1,316,262	87,089	7,908	710	2,095	11,239,735	100.0
All grades	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	0.1	0.6	3.6	6.1	5.3	4.7	22.6	44.2	11.7	0.8	0.1	0.1	0.1	0.1	100.0	

As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Percentage rough preparation..... 90.8
 Grade index..... 34.2
 Average staple.....

Table 3. -- Grade and staple of upland cotton ginned in the United States, during specified periods, 1975-76

Grade and Staple	Prior to Sept. 1	Sept.	Oct.	Nov.	Dec.	After Dec. 31	Total crop	Prior Sept. 1	Sept.	Oct.	Nov.	Dec.	After Dec. 31	Total crop
Grade Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
White:														
G.M. (11)	-	-	52	65	-	-	117	-	-	-	-	-	-	-
S.M. (21)	12	374	20,254	16,044	2,587	265	39,536	*	0.2	0.8	0.5	0.1	*	0.5
M.+ (30)	-	19	1,356	451	119	-	1,945	-	*	0.1	*	*	-	*
M. (31)	11,361	24,851	693,682	541,540	173,551	22,921	1,467,906	6.7	12.1	29.0	18.0	9.7	4.3	18.1
S.L.M.+ (40)	1,840	2,656	199,162	172,232	33,883	5,936	415,709	1.1	1.3	8.3	5.7	1.9	1.1	5.1
S.L.M. (41)	63,916	74,958	959,519	1,022,747	270,909	36,820	2,428,869	38.0	36.6	40.0	33.9	15.2	6.8	30.0
L.M.+ (50)	4,259	5,495	65,251	54,281	13,101	1,810	144,197	2.5	2.7	2.7	1.8	0.7	0.3	1.8
L.M. (51)	33,032	17,638	233,260	494,999	185,006	31,892	995,827	19.6	8.6	9.8	16.5	10.4	5.9	12.3
S.G.O.+ (60)	307	113	1,679	3,585	2,173	191	8,048	0.2	0.1	0.1	0.1	0.1	*	0.1
S.G.O. (61)	1,950	2,827	11,200	54,120	36,207	10,870	117,174	1.2	1.4	0.5	1.8	2.0	2.0	1.4
G.O.+ (70)	-	4	12	108	133	-	257	-	*	*	*	*	*	*
G.O. (71)	260	303	630	4,509	5,062	2,711	13,495	0.2	0.1	*	0.1	0.3	0.5	0.2
Total	116,957	129,238	2,186,057	2,364,681	722,731	113,416	5,633,080	69.5	63.1	91.3	78.4	40.4	20.9	69.5
Light Spotted:														
G.M. (12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (22)	-	-	268	1,506	2,101	489	4,364	-	-	-	0.1	0.1	0.1	0.1
M. (32)	3,048	14,476	39,141	133,950	199,427	45,375	435,417	1.8	7.1	1.6	4.5	11.2	6.4	5.4
S.L.M. (42)	32,888	39,083	114,010	345,809	455,629	121,314	1,108,733	19.5	19.1	4.6	11.5	25.6	22.7	13.7
L.M. (52)	9,860	18,024	42,113	131,290	189,058	69,357	459,702	5.8	8.8	1.8	4.4	10.6	12.9	5.7
Total	45,796	71,583	195,532	612,555	846,215	236,535	2,008,216	27.1	35.0	8.2	20.5	47.5	44.1	24.9
Spotted:														
G.M. (13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (23)	-	-	36	68	1,844	781	2,729	-	-	-	*	0.1	0.1	*
M. (33)	116	118	788	2,404	67,508	47,949	118,863	0.1	0.1	*	0.1	3.8	8.9	1.5
S.L.M. (43)	2,045	1,193	3,608	9,366	91,089	70,851	178,152	1.2	0.6	0.2	0.3	5.1	13.1	2.2
L.M. (53)	2,549	1,446	3,933	8,033	31,041	26,835	73,897	1.5	0.7	0.2	0.3	1.7	5.0	0.9
Total	4,710	2,757	8,365	19,871	191,482	146,416	373,601	2.8	1.4	0.4	0.7	10.7	27.1	4.6
Tinged:														
S.M. (24)	-	-	-	-	201	70	271	-	-	-	-	*	*	*
M. (34)	11	13	32	-	4,966	10,554	15,576	*	*	*	-	0.3	2.0	0.2
S.L.M. (44)	11	3	-	126	4,575	10,714	15,429	*	*	*	*	0.3	2.0	0.2
L.M. (54)	78	36	27	128	1,527	3,263	5,059	*	*	*	*	0.1	0.6	0.1
Total	100	52	59	254	11,269	24,601	36,335	*	*	*	*	0.7	4.6	0.5
Stained:														
S.M. (25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. (35)	-	-	-	-	39	1,200	1,239	-	-	-	-	-	0.2	*
Total	-	-	-	-	39	1,200	1,239	-	-	-	-	-	0.2	*
Light Gray:														
G.M. (16)	-	-	13	10	-	-	23	-	-	*	*	-	-	*
S.M. (26)	-	9	174	1,066	188	10	1,467	-	*	*	*	-	-	*
M. (36)	75	23	145	4,659	1,124	202	6,228	*	*	*	0.2	0.1	*	0.1
S.L.M. (46)	-	49	41	1,115	428	146	1,779	-	*	*	*	*	*	*
Total	75	81	373	6,870	1,740	358	9,497	*	*	*	0.2	0.1	*	0.1
Gray:														
G.M. (17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M. (27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. (37)	-	-	12	20	16	9	57	-	-	*	*	*	*	*
S.L.M. (47)	-	-	36	10	32	23	101	-	-	*	*	*	*	*
Total	-	-	48	30	48	32	158	-	-	*	*	*	*	*
Below Grade	965	926	1,765	4,534	10,717	16,519	35,426	0.6	0.5	0.1	0.2	0.6	3.1	0.4
All grades	168,603	204,637	2,392,199	3,008,795	1,784,241	539,077	8,097,852 1/	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Grade Index	89.9	91.3	94.5	92.2	89.6	86.3	91.8	-	-	-	-	-	-	-
Staple														
26 and shorter	-	26	39	1,582	1,427	659	3,733	-	*	*	0.1	0.1	0.1	*
28	-	22	381	39,014	21,884	6,025	67,326	-	*	*	1.3	1.2	1.1	0.8
29	-	72	905	125,939	132,312	29,726	269,954	-	*	*	4.2	7.4	5.5	3.6
30	338	2,534	9,515	210,019	283,746	114,307	620,459	0.2	1.2	0.4	7.0	15.9	21.2	7.7
31	1,887	29,689	31,546	186,502	299,793	144,526	693,943	1.1	14.5	1.3	6.2	16.8	27.0	8.6
32	14,835	57,726	23,139	91,673	235,623	91,861	514,657	8.8	28.3	1.0	3.0	13.2	17.0	6.4
33	55,903	18,556	34,899	134,592	106,364	39,877	390,191	33.2	9.1	1.5	4.5	6.0	7.4	4.8
34	77,142	38,459	442,948	611,094	309,256	67,607	1,546,506	45.7	18.8	18.5	20.3	17.3	12.5	19.1
35	16,957	49,636	1,349,541	1,174,402	333,516	24,839	2,948,891	10.1	24.3	56.4	39.0	18.8	4.6	36.4
36	1,541	7,427	489,770	419,152	57,773	19,515	995,178	0.9	3.6	20.5	13.9	3.2	3.6	12.3
37	-	306	9,057	14,016	2,216	70	25,665	-	0.1	0.4	0.5	0.1	*	0.3
38	-	184	187	452	199	21	1,003	-	0.1	*	*	*	*	*
39	-	-	41	241	34	-	316	-	-	*	*	*	*	*
40 and longer	-	-	231	117	138	44	530	-	-	*	*	*	*	*
All staples	168,603	204,637	2,392,199	3,008,795	1,784,241	539,077	8,097,852 1/	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple	33.6	33.2	34.9	33.8	32.3	31.7	33.6	-	-	-	-	-	-	-

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Table 4. -- Preparation and grade reductions by specified causes of upland cotton ginned in the United States, by states, 1975-76

State	Preparation			Grade Reductions by Causes ^{1/}										Total
	Normal	Rough Preparation		Bark	Grass	Motes	Oil	Sand and Dust	Seed	Spindle Twist	Stems	Other		
		Bales	Bales										Bales	
Virginia	755	-	-	20	12	-	-	-	-	-	-	-	-	32
North Carolina	44,772	-	-	157	1,646	-	-	-	14	-	-	-	-	1,817
South Carolina	92,287	9	-	3,538	5,731	-	-	-	-	-	-	-	-	9,269
Georgia	139,036	54	-	17,293	1,942	-	23	-	24	-	-	88	-	19,370
Florida	2,599	-	-	89	45	-	-	2	12	-	-	-	-	148
Alabama	301,630	72	-	2,617	9,662	-	-	-	-	6	-	-	-	12,285
Mississippi	1,006,203	229	-	24,198	76,139	-	202	-	-	-	29	-	-	100,568
Tennessee	217,137	9	-	1,500	16,005	-	-	-	-	31	-	-	-	17,536
Missouri	189,401	19	-	422	3,414	11	25	-	-	53	52	-	-	3,977
Arkansas	670,574	82	-	1,233	31,144	-	77	-	-	12	149	-	-	32,615
Louisiana	338,382	61	-	5,420	24,923	-	6	-	-	-	-	-	-	30,349
Oklahoma	172,952	22	-	54,440	769	-	3	-	-	-	-	-	-	55,212
Texas	2,368,415	1,092	-	561,804	14,839	-	24	123	132	17	20	83	577,042	
New Mexico	65,452	19	-	2,690	753	-	7	191	75	-	-	-	-	3,716
Arizona	554,505	214	-	22,413	6,522	-	18	15	415	7	48	-	-	29,438
Nevada	1,245	-	-	7	-	-	-	-	-	-	-	-	-	7
California	1,930,140	156	29	3,259	50,197	-	110	-	437	73	10	-	-	54,086
United States	8,095,485	2,038	29	701,100	243,743	11	495	331	1,109	199	308	171	947,467	

^{1/} Cotton reduced in grade for reasons other than preparation.

Table 5. -- Grade index and average staple of upland cotton ginned in the United States, by states, crops of 1972-1975

State	Grade index <u>1/</u>				Average staple <u>2/</u>			
	1972	1973	1974	1975	1972	1973	1974	1975
	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>
Virginia	82.8	87.1	84.5	84.1	34.3	34.8	35.1	33.5
North Carolina	88.0	88.7	87.6	85.2	34.6	34.8	35.4	34.6
South Carolina	87.9	88.1	88.4	86.7	34.7	34.8	35.0	34.6
Georgia	89.2	88.0	86.2	85.8	33.8	34.1	34.0	34.0
Florida	90.3	88.3	88.9	87.3	33.9	34.0	34.1	34.0
Alabama	88.1	89.5	90.1	89.0	33.6	33.6	34.2	33.7
Mississippi	89.5	89.9	89.2	88.7	34.4	34.4	34.7	34.7
Kentucky	92.8	93.0	90.0	-	33.9	33.6	34.7	-
Tennessee	89.0	91.5	89.6	90.1	33.8	33.8	34.4	34.1
Missouri	88.4	92.2	91.1	91.6	34.0	34.1	35.1	34.6
Arkansas	88.8	91.1	90.6	92.1	34.2	34.3	34.9	34.7
Louisiana	90.6	90.3	90.6	92.3	34.1	34.2	34.6	34.7
Oklahoma	88.2	91.6	87.2	86.6	31.6	31.7	31.9	31.9
Texas	87.1	92.8	88.3	89.3	31.7	31.3	32.1	31.0
New Mexico	91.0	96.5	91.7	95.3	35.2	34.8	35.9	35.2
Arizona	90.4	96.5	92.4	96.3	34.1	34.6	34.7	34.7
Nevada	97.0	99.1	97.5	100.0	36.0	36.0	35.9	36.0
California	94.3	96.1	95.2	96.9	35.3	35.3	35.3	35.4
United States	89.2	92.3	90.8	91.8	33.5	33.3	34.2	33.6

1/ Computed by weighting the quantity in each grade by the 1937-39 average price per pound for such grade of staple code 30. Converted to an index with Middling White equaling 100.

2/ Averages calculated on numerical staple codes (32nd inches).

Table 6. -- Tenderability of upland cotton ginned, by states, 1975-76

State	Tenderable 1/		Untenderable		Total Crop	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
Virginia	485	64.2	270	35.8	755	100.0
North Carolina	31,395	70.1	13,377	29.9	44,772	100.0
South Carolina	53,198	57.6	39,098	42.4	92,296	100.0
Georgia	65,149	46.8	73,941	53.2	139,090	100.0
Florida	1,682	64.7	917	35.3	2,599	100.0
Alabama	220,501	73.1	81,201	26.9	301,702	100.0
Mississippi	658,030	65.4	348,402	34.6	1,006,432	100.0
Tennessee	155,678	71.7	61,468	28.3	217,146	100.0
Missouri	128,516	67.8	60,904	32.2	189,420	100.0
Arkansas	462,948	69.0	207,708	31.0	670,656	100.0
Louisiana	243,403	71.9	95,040	28.1	338,443	100.0
Oklahoma	36,703	21.2	136,271	78.8	172,974	100.0
Texas	418,402	17.7	1,951,105	82.3	2,369,507	100.0
New Mexico	22,949	35.1	42,522	64.9	65,471	100.0
Arizona	341,291	61.5	213,428	38.5	554,719	100.0
Nevada	1,206	96.9	39	3.1	1,245	100.0
California	1,661,678	86.1	268,647	13.9	1,930,325	100.0
All states	4,503,214	55.6	3,594,338	44.4	8,097,552	100.0

1/ Tenderable with respect to grade, staple, and mike in settlement of futures contracts.

Table 7. -- Tenderability of upland cotton ginned in the United States, 1958-1975

Year	Tenderable 1/		Untenderable		Total crop 2/	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
1958	9,768,742	86.0	1,584,723	14.0	11,353,465	100.0
1959	11,401,025	78.9	3,044,992	21.1	14,446,017	100.0
1960	10,050,977	70.8	4,148,110	29.2	14,199,087	100.0
1961	11,655,270	81.7	2,608,095	18.3	14,263,365	100.0
1962	11,373,949	77.1	3,380,447	22.9	14,754,396	100.0
1963	12,395,120	81.9	2,733,655	18.1	15,128,775	100.0
1964	10,154,264	67.5	4,878,050	32.5	15,032,314	100.0
1965	9,540,115	64.3	5,307,177	35.7	14,847,292	100.0
1966	4,902,137	51.6	4,589,060	48.4	9,491,197	100.0
1967	4,011,329	54.4	3,358,964	45.6	7,370,293	100.0
1968	6,714,407	62.0	4,123,977	38.0	10,838,384	100.0
1969	5,511,908	55.9	4,348,322	44.1	9,860,230	100.0
1970	6,342,553	63.1	3,712,684	36.9	10,055,237	100.0
1971	5,638,379	55.6	4,495,040	44.4	10,133,419	100.0
1972	7,279,575	55.3	5,895,947	44.7	13,175,522	100.0
1973	8,367,010	66.8	4,165,891	33.2	12,532,901	100.0
1974	6,651,985	59.2	4,587,750	40.8	11,239,735	100.0
1975	4,503,214	55.6	3,594,338	44.4	8,097,552	100.0

1/ Beginning in 1965, tenderable with respect to grade, staple, and mike in settlement of futures contracts. Prior to 1965, tenderability was based on grade and staple only.

2/ As reported by the Bureau of the Census, running bales.

Table B. -- Grade and staple of upland cotton ginned in North Carolina, 1975-76

Grade	Code	Staple														All staples			
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent		
White:																			
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	M.	-	-	-	-	-	-	16	9	-	-	-	-	-	-	-	-	-	
	(40)	-	-	-	-	-	-	-	42	-	-	-	-	-	-	-	-	25	
	S.L.M.+	-	-	-	-	-	-	-	3,438	371	-	-	-	-	-	-	-	50	
	(41)	-	-	-	-	195	2,787	809	1,031	168	-	-	-	-	-	-	-	6,791	
	S.L.M.	-	-	-	-	11	809	1,031	1,214	39	-	-	-	-	-	-	-	2,019	
	(50)	-	-	-	-	412	10,465	11,861	1,214	39	-	-	-	-	-	-	-	23,991	
	L.M.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	477	
	(51)	-	-	-	-	-	-	248	184	45	-	-	-	-	-	-	-	2,271	
	S.G.O.+	-	-	-	-	119	1,559	517	76	-	-	-	-	-	-	-	-	8	
	(60)	-	-	-	-	-	-	8	76	-	-	-	-	-	-	-	-	8	
	S.G.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	273	
	(70)	-	-	-	-	-	-	197	76	-	-	-	-	-	-	-	-	35,905	
	G.O.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80.2	
	(71)	-	-	-	-	-	-	737	16,097	17,158	1,874	39	-	-	-	-	-	35,905	
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80.2	
Light Spotted:																			
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	M.	-	-	-	-	-	-	50	42	-	-	-	-	-	-	-	-	92	
	(32)	-	-	-	-	-	-	17	623	1,154	90	-	-	-	-	-	-	1,884	
	S.L.M.	-	-	-	-	-	-	118	2,444	2,927	227	-	-	-	-	-	-	5,716	
	(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.8	
	L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17.2	
	(52)	-	-	-	-	-	-	135	3,117	4,123	317	-	-	-	-	-	-	7,692	
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17.2	
Spotted:																			
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	M.	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	8	
	(33)	-	-	-	-	-	-	59	105	24	-	-	-	-	-	-	-	188	
	S.L.M.	-	-	-	-	-	-	313	279	14	-	-	-	-	-	-	-	606	
	(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.4	
	L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	802	
	(53)	-	-	-	-	-	-	360	364	38	-	-	-	-	-	-	-	1.8	
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	802	
Tinged:																			
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(74)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	
Below Grade																			
		-	-	-	-	-	-	32	239	94	-	-	-	-	-	-	-	-	365
All grades																			
		-	-	-	-	-	-	904	19,833	21,767	2,229	39	-	-	-	-	-	-	44,772
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	
All grades																			
		-	-	-	-	-	-	2.0	44.3	48.6	5.0	0.1	-	-	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Percentage rough preparation... 85.2

Grade index..... 34.6

Average staple.....

Table B. -- Grade and staple of upland cotton (staple) in South Carolina, 1975-76 (Continued)

Grade	Staple													All staples		
	26 and shorter	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent	
White:																
(11) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(21) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(41) S.L.M.+	-	-	-	-	-	18	952	607	520	-	-	-	-	-	-	1,237
(51) S.L.M.	-	-	-	-	-	18	39	66	14	14	-	-	-	-	-	132
(61) S.L.M.	-	-	-	-	-	499	7,218	10,950	3,570	-	-	-	-	-	-	22,954
(71) S.L.M.	-	-	-	-	-	41	1,242	2,048	713	44	-	-	-	-	-	4,295
(81) S.L.M.	-	-	-	-	-	653	11,266	15,777	2,690	30	-	-	-	-	-	30,429
(91) S.L.M.	-	-	-	-	-	18	293	470	14	-	-	-	-	-	-	785
(101) S.O.	-	-	-	-	-	99	1,973	954	109	-	-	-	-	-	-	2,711
(111) S.O.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(121) S.O.	-	-	-	-	-	37	425	15	-	-	-	-	-	-	-	177
Total	-	-	-	-	30	1,331	22,277	29,337	7,907	86	-	-	-	-	-	62,190
Light Spotted:																
(12) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(32) S.M.	-	-	-	-	-	91	297	161	40	-	-	-	-	-	-	568
(42) S.L.M.	-	-	-	-	-	866	5,592	4,266	975	63	-	-	-	-	-	11,742
(52) S.L.M.	-	-	-	-	-	933	6,803	5,088	862	24	-	-	-	-	-	14,594
Total	-	-	-	-	39	1,840	12,692	10,415	1,757	87	-	-	-	-	-	26,924
Spotted:																
(13) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(23) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(33) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43) S.L.M.	-	-	-	-	-	36	314	200	58	-	-	-	-	-	-	28
(53) S.L.M.	-	-	-	-	-	160	1,100	454	103	-	-	-	-	-	-	668
Total	-	-	-	-	-	196	1,414	654	191	-	-	-	-	-	-	1,819
Tinged:																
(24) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(34) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(44) S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(54) S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Gray:																
(16) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(26) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(36) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(46) S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade																
(17) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(27) S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(37) S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(47) S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades																
Percent	-	-	-	-	63	3,990	36,805	41,912	9,855	175	-	-	-	-	-	92,296
Percent	-	-	-	-	0.1	3.9	39.9	45.2	10.7	0.2	-	-	-	-	-	100.0
All staples																
Percent	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Percent	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

As reported by the Bureau of the Census, running bales.

Less than 0.05 percent.

Percentage rough preparation... 86.7

Grade Index..... 34.6

Average Staple..... 34.6

Table 9. -- Grade and staple of upland cotton ginned in Georgia, 1975-76 (Continued)

Grade	Code	Staple														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	9	135	346	15	-	-	-	-	-	-	-	-
S.L.M.+	(40)	-	-	-	-	9	86	13	-	-	-	-	-	-	-	505	0.4
S.L.M.	(41)	-	-	-	-	28	3,394	16,363	5,804	436	-	-	-	-	-	108	0.1
L.M.+	(50)	-	-	-	-	139	5,320	25,329	9,754	434	-	-	-	-	-	26,034	18.7
L.M.	(51)	-	-	-	-	60	34	406	29	-	-	-	-	-	-	4,046	2.9
S.G.O.+	(60)	-	-	-	-	90	1,423	3,451	427	23	-	-	-	-	-	554	0.4
S.G.O.	(61)	-	-	-	-	33	282	307	28	-	-	-	-	-	-	5,414	3.9
O.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	0.0
O.O.	(71)	-	-	-	-	9	299	10,922	48,349	17,704	1,037	-	-	-	-	650	0.5
Total		-	-	-	-	9	299	10,922	48,349	17,704	1,037	-	-	-	-	78,320	56.3
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	155	5,102	16,979	4,379	127	-	-	-	-	-	705	0.5
S.L.M.	(42)	-	-	-	-	188	5,084	17,329	4,150	275	-	-	-	-	-	26,742	19.2
L.M.	(52)	-	-	-	-	343	10,270	34,814	8,661	415	-	-	-	-	-	27,056	19.5
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	54,503	39.2
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	3	10	69	8	-	-	-	-	-	-	87	0.1
S.L.M.	(43)	-	-	-	-	93	3,777	917	243	-	-	-	-	-	-	1,540	1.1
L.M.	(53)	-	-	-	-	96	1,005	1,754	256	15	-	-	-	-	-	3,123	2.2
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,750	3.4
Tinted:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	11	9	-	-	-	-	-	-	-	-	20	0.0
L.M.	(54)	-	-	-	-	62	18	3	-	-	-	-	-	-	-	83	0.1
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	103	0.1
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	0.0
Below Grade																	
		-	-	-	-	16	77	560	694	49	-	-	-	-	-	1,396	1.0
All grades																	
		-	-	-	-	25	815	23,217	86,642	26,924	1,467	-	-	-	-	139,090	100.0
All grades																	
		-	-	-	-	0.6	16.7	62.2	19.4	1.1	-	-	-	-	-	100.0	-

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Percentage rough preparation...
 Grade index.....
 Average staple.....

Table B. -- Grade and staple of upland cotton ginned in Florida, 1975-76 (Continued)

Grade	Code	Staple														All staples			
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent		
White:																			
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	M.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	M.	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	7	0.3	
	S.L.M.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.L.M.	-	-	-	-	-	-	-	-	27	635	198	-	-	-	-	-	860	32.9
	L.M.+	-	-	-	-	-	-	-	-	-	47	-	-	-	-	-	-	47	1.8
	L.M.	-	-	-	-	-	-	7	147	563	110	-	-	-	-	-	-	827	31.8
	S.G.O.+	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	7	0.3
	S.G.O.	-	-	-	-	-	-	-	-	57	6	-	-	-	-	-	-	70	2.7
	G.O.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	G.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-	-	-	-	-	7	181	1,316	314	-	-	-	-	-	-	-	1,818	69.8
Light Spotted:																			
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	7	0.3
	S.L.M.	-	-	-	-	-	-	49	216	78	-	-	-	-	-	-	-	343	13.2
	L.M.	-	-	-	-	-	-	91	182	52	-	-	-	-	-	-	-	325	12.5
	Total	-	-	-	-	-	-	140	405	130	-	-	-	-	-	-	-	675	26.0
Spotted:																			
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.L.M.	-	-	-	-	-	-	18	20	-	-	-	-	-	-	-	-	38	1.5
	L.M.	-	-	-	-	-	-	18	12	-	-	-	-	-	-	-	-	30	1.2
	Total	-	-	-	-	-	-	36	32	-	-	-	-	-	-	-	-	68	2.7
Below Grade																			
		-	-	-	-	18	7	7	6	-	-	-	-	-	-	-	-	38	1.5
All grades																			
		-	-	-	-	19	14	364	1,759	444	-	-	-	-	-	-	-	2,599 1/2	100.0
All grades																			
		-	-	-	-	0.7	0.5	14.0	67.7	17.1	-	-	-	-	-	-	-	100.0	-

1/ As reported by the Bureau of the Census, running bales.

Percentage rough preparation...
Grade index..... 87.3
Average staple..... 34.0

Table 6.-- Grade and staple of upland cotton ginned in Alabama, 1975-76 (Continued)

Grade	Code	Staple														All staples	
		26 and shorter	26	29	30	31	32	33	34	35	36	37	39	40 and longer			
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																	
	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.M.	(21)	-	-	-	-	12	15	-	-	-	-	-	-	-	-	-	27
S.M.	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	41	1,380	76	-	-	-	-	-	-	-	-	2,578
S.L.M.+	(40)	-	-	-	-	6	844	28	-	-	-	-	-	-	-	-	1,813
S.L.M.	(41)	-	-	-	174	1,943	51,569	65,191	12,264	239	-	-	-	-	-	-	131,380
L.M.+	(50)	-	-	-	50	2,916	6,109	1,751	73	-	-	-	-	-	-	-	10,899
L.M.	(51)	-	-	-	64	1,107	26,026	43,806	12,086	389	-	-	-	-	-	-	83,478
S.O.+	(60)	-	-	-	60	330	303	71	7	-	-	-	-	-	-	-	711
S.O.	(61)	-	-	-	6	208	2,272	446	6	-	-	-	-	-	-	-	5,589
G.O.+	(70)	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	7
G.O.	(71)	-	-	-	-	31	208	98	31	-	-	-	-	-	-	-	368
Total		-	-	-	244	3,386	85,349	120,403	26,753	714	-	-	-	-	-	-	236,849
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	63	595	568	20	-	-	-	-	-	-	-	-	1,246
S.L.M.	(42)	-	-	-	26	717	10,262	18,451	5,076	11	-	-	-	-	-	-	34,543
L.M.	(52)	-	-	-	27	539	5,277	11,251	2,406	49	-	-	-	-	-	-	19,549
Total		-	-	-	53	1,319	16,134	30,270	7,502	60	-	-	-	-	-	-	55,338
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	6
M.	(33)	-	-	-	26	113	123	12	-	-	-	-	-	-	-	-	274
S.L.M.	(43)	-	-	-	7	137	1,368	1,965	261	-	-	-	-	-	-	-	3,738
L.M.	(53)	-	-	-	128	1,132	1,903	270	-	-	-	-	-	-	-	-	3,433
Total		-	-	-	7	291	2,619	3,991	543	-	-	-	-	-	-	-	7,451
Tinged:																	
G.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(34)	-	-	-	-	25	18	-	-	-	-	-	-	-	-	-	43
M.	(44)	-	-	-	6	94	77	-	-	-	-	-	-	-	-	-	177
S.L.M.	(54)	-	-	-	7	22	104	49	-	-	-	-	-	-	-	-	191
Total		-	-	-	7	28	223	144	-	-	-	-	-	-	-	-	411
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	12
S.L.M.	(46)	-	-	-	-	74	-	-	-	-	-	-	-	-	-	-	74
Total		-	-	-	-	80	6	-	-	-	-	-	-	-	-	-	86
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	6
Total		-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	6
Below Grade																	
		-	-	-	-	164	572	697	128	-	-	-	-	-	-	-	1,561
All grades		-	-	-	311	5,188	104,963	156,511	34,926	774	-	-	-	-	-	-	301,702 1/2
Percent		-	-	-	0.1	1.7	34.8	51.5	11.6	0.3	-	-	-	-	-	-	100.0
All grades																	
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		9	0.1	1.7	34.8	51.5	11.6	0.3	774	301,702 1/2	100.0						

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Percentage rough preparation.....
 Grade index..... 89.0
 Average staple..... 33.7

Table 8. -- Grade and staple of upland cotton ginned in Mississippi, 1975-76 (Continued)

Grade	Code	Staple														All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer			
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																		
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,408
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.+	(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35,313
S.L.M.	(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7,494
L.M.+	(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	401,216
L.M.	(51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28,223
S.G.O.+	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	312,112
S.G.O.	(61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,210
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41,391
G.O.	(71)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,730
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	833,190
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82.9
Light Spotted:																		
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	131
S.L.M.	(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5,177
L.M.	(52)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78,366
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84,674
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13.7
Spotted:																		
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
S.L.M.	(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	984
L.M.	(53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10,920
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10,920
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.1
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10,675
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22,990
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.3
Tinged:																		
G.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
S.L.M.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	217
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	116
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	361
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	341
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,431
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	386
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,158
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
Gray:																		
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6,681
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9
All Grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,006,432 1/2
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
All Grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0

1/ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Percentage rough preparation...
Grade index.....
Average staple.....

86.7
34.7

Table B. --- Grade and staple of upland cotton ginned in Tennessee, 1975-76 (Continued)

Grade	Code	Staple														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.+	(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.+	(51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.G.O.+	(61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.G.O.	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.+	(71)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	10	-	403	10,859	127,020	38,664	703	-	-	-	-	177,659	81.7
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(52)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tinged:																	
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade																	
All grades		-	-	-	-	-	45	507	562	61	-	-	-	-	-	1,175	0.5
All grades																	
Percent		-	-	-	10	5	952	18,672	153,207	43,538	762	-	-	-	217,146	100.0	
Percent		-	-	-	0.4	0.4	8.6	70.5	20.1	0.4	-	-	-	-	100.0		

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Percentage rough preparation... 90.1
 Grade index..... 34.1
 Average staple..... 34.1

Table 8. -- Grade and staple of upland cotton ginned in Missouri, 1975-76 (Continued)

Grade	Code	Staple											All staples					
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent	
White:																		
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.+	-	-	-	-	-	-	-	-	51	-	-	-	-	-	-	-	84
	S.L.M.	-	-	-	-	-	-	-	-	55	6,695	7,239	93	-	-	-	-	16,062
	S.L.M.+	-	-	-	-	-	-	-	-	1,237	1,292	43	-	-	-	-	-	2,572
	L.M.	-	-	-	-	-	-	-	-	281	36,401	51,865	1,408	-	-	-	-	89,955
	L.M.+	-	-	-	-	-	-	-	-	58	1,841	3,461	-	-	-	-	-	5,739
	L.M.	-	-	-	-	-	-	-	-	732	11,195	12,166	859	-	-	-	-	24,952
	S.O.O.+	-	-	-	-	-	-	-	-	63	162	22	-	-	-	-	-	247
	S.O.O.	-	-	-	-	-	-	-	11	193	939	513	85	-	-	-	-	1,741
	G.O.+	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	3
	G.O.	-	-	-	-	-	-	-	45	72	17	-	-	-	-	-	-	134
	Total	-	-	-	-	-	-	-	11	1,367	60,494	76,748	2,899	-	-	-	-	141,509
Light Spotted:																		
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	11
	M.	-	-	-	-	-	-	-	36	4,879	2,725	84	-	-	-	-	-	7,724
	S.L.M.	-	-	-	-	-	-	-	202	12,727	15,874	741	-	-	-	-	-	29,544
	L.M.	-	-	-	-	-	-	-	381	3,969	3,345	217	-	-	-	-	-	7,935
	Total	-	-	-	-	-	-	-	3	619	21,606	21,944	1,042	-	-	-	-	45,214
Spotted:																		
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	102	31	-	-	-	-	-	-	133
	S.L.M.	-	-	-	-	-	-	-	53	694	402	-	-	-	-	-	-	1,149
	L.M.	-	-	-	-	-	-	-	32	407	219	11	-	-	-	-	-	699
	Total	-	-	-	-	-	-	-	85	1,203	652	11	-	-	-	-	-	1,951
Tinged:																		
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	28	-	-	-	-	-	-	-	28
	S.L.M.	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	9
	L.M.	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	9
	Total	-	-	-	-	-	-	-	9	28	-	-	-	-	-	-	-	37
Light Gray:																		
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	11
	M.	-	-	-	-	-	-	-	-	149	9	-	-	-	-	-	-	158
	S.L.M.	-	-	-	-	-	-	-	23	61	12	-	-	-	-	-	-	96
	Total	-	-	-	-	-	-	-	23	221	21	-	-	-	-	-	-	265
Gray:																		
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.L.M.	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	11
	Total	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	11
Below Grade																		
		-	-	-	-	-	-	-	37	168	199	29	-	-	-	-	-	433
All grades																		
		-	-	-	-	-	-	-	51	2,282	83,751	99,394	3,942	-	-	-	-	189,420
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		-	-	-	-	-	-	-	1.2	44.2	92.5	2.1	-	-	-	-	-	100.0

1/ As reported by the Bureau of the Census, running bales.

Percentage rough preparation... 91.6
 Grade Index..... 34.6
 Average staple.....

Table 8. -- Grade and staple of upland cotton ginned in Arkansas, 1975-76 (Continued)

Grade	Code	Staple														All staples			
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer				
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																			
	G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	(21)	-	-	-	-	-	195	-	-	264	-	-	-	-	-	-	-	449
	M.	(30)	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	-	12
	M.+	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.L.M.	(40)	-	25	12	93	15,206	44,548	2,931	-	-	-	-	-	-	-	-	-	62,815
	S.L.M.+	(41)	-	-	-	-	3,590	12,569	933	-	-	-	-	-	-	-	-	-	17,062
	L.M.	(50)	-	-	-	987	92,341	264,630	11,606	16	-	-	-	-	-	-	-	-	370,580
	L.M.+	(51)	-	-	-	32	6,733	22,617	991	-	-	-	-	-	-	-	-	-	30,373
	S.G.O.	(60)	-	-	19	2,453	42,762	54,990	2,109	-	-	-	-	-	-	-	-	-	102,233
	S.G.O.+	(61)	-	-	-	18	477	492	-	-	-	-	-	-	-	-	-	-	1,007
	G.O.	(70)	-	-	9	714	4,150	1,828	65	-	-	-	-	-	-	-	-	-	6,766
	G.O.+	(71)	-	-	-	-	41	10	-	-	-	-	-	-	-	-	-	-	51
	Total		-	25	40	4,411	166,788	401,928	18,647	16	-	-	-	-	-	-	-	-	591,855
Light Spotted:																			
	G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	(22)	-	-	-	-	12	13	-	-	-	-	-	-	-	-	-	-	25
	M.	(32)	-	-	-	-	132	4,262	40	-	-	-	-	-	-	-	-	-	8,266
	S.L.M.	(42)	-	-	-	20	719	19,678	30,873	672	-	-	-	-	-	-	-	-	51,962
	L.M.	(52)	-	-	-	748	7,807	4,913	50	-	-	-	-	-	-	-	-	-	13,547
	Total		-	-	49	1,611	31,760	39,618	762	-	-	-	-	-	-	-	-	-	73,800
Spotted:																			
	G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	(23)	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	-	11
	M.	(33)	-	-	-	-	14	173	78	-	-	-	-	-	-	-	-	-	265
	S.L.M.	(43)	-	-	-	63	1,092	907	18	-	-	-	-	-	-	-	-	-	2,090
	L.M.	(53)	-	-	-	12	90	783	296	11	-	-	-	-	-	-	-	-	1,192
	Total		-	-	12	167	2,048	1,292	29	-	-	-	-	-	-	-	-	-	3,548
Tinged:																			
	G.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	(34)	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	-	11
	M.	(44)	-	-	-	-	-	5	9	-	-	-	-	-	-	-	-	-	14
	S.L.M.	(54)	-	-	-	-	12	13	-	-	-	-	-	-	-	-	-	-	25
	Total		-	-	-	12	18	20	-	-	-	-	-	-	-	-	-	-	50
Stained:																			
	G.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	(35)	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	10
	Total		-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	10
Light Gray:																			
	G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	(26)	-	-	-	-	5	28	11	11	-	-	-	-	-	-	-	-	55
	M.	(36)	-	-	-	-	24	226	110	360	-	-	-	-	-	-	-	-	360
	S.L.M.	(46)	-	-	-	-	87	228	12	-	-	-	-	-	-	-	-	-	327
	Total		-	-	-	116	462	133	11	-	-	-	-	-	-	-	-	-	742
Gray:																			
	G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S.L.M.	(47)	-	-	-	-	19	-	-	-	-	-	-	-	-	-	-	-	19
	Total		-	-	-	19	-	-	-	-	-	-	-	-	-	-	-	-	19
Below Grade																			
			-	-	-	17	86	379	139	11	-	-	-	-	-	-	-	-	632
All grades																			
			-	-	25	118	6,413	201,494	443,130	19,460	16	-	-	-	-	-	-	-	670,656 ^{1/2}
All grades																			
			-	-	-	1.0	30.0	66.1	2.9	-	-	-	-	-	-	-	-	-	100.0

^{1/2} As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Percentage rough preparation..... 92.1
 Grade index.....
 Average staple..... 34.7

Table 8. -- Grade and staple of upland cotton ginned in Oklahoma, 1975-76 (Continued)

Grade	Code	Staple														All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer			
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																		
	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.M.	(21)	-	-	-	-	-	-	13	25	-	-	-	-	-	-	-	-	38
S.M.	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(31)	-	-	37	205	417	91	665	1,426	1,221	13	-	-	-	-	-	-	4,075
S.L.M.+	(40)	-	-	-	9	61	74	-	-	166	30	-	-	-	-	-	-	340
S.L.M.	(41)	-	-	9	279	1,306	2,466	3,103	3,439	2,000	99	-	-	-	-	-	-	15,238
L.M.+	(50)	-	-	-	-	30	108	319	30	-	-	-	-	-	-	-	-	799
L.M.	(51)	-	-	177	927	3,064	3,021	2,151	875	190	30	-	-	-	-	-	-	10,435
S.O.O.+	(60)	-	-	-	9	29	-	-	-	-	-	-	-	-	-	-	-	47
S.O.O.	(61)	-	-	9	234	328	309	368	114	9	-	-	-	-	-	-	-	1,371
O.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O.O.	(71)	-	-	-	21	56	40	39	-	-	-	-	-	-	-	-	-	166
Total		-	-	9	511	2,732	6,449	6,319	6,748	5,983	3,586	172	-	-	-	-	-	32,509
Light Spotted:																		
	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.M.	(22)	-	-	-	9	19	-	-	-	-	-	-	-	-	-	-	-	28
S.M.	(32)	-	-	19	1,443	5,756	6,310	316	330	68	-	-	-	-	-	-	-	15,618
M.	(42)	-	9	112	4,001	19,084	19,054	4,795	365	238	47	-	-	-	-	-	-	49,541
S.L.M.	(52)	-	-	110	1,425	7,920	11,034	3,768	47	-	-	-	-	-	-	-	-	25,353
Total		-	9	241	6,869	33,669	36,417	9,939	742	306	47	-	-	-	-	-	-	90,540
Spotted:																		
	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.M.	(23)	-	-	-	28	8	-	-	-	-	-	-	-	-	-	-	-	36
S.M.	(33)	-	-	28	1,186	4,643	2,933	559	94	9	-	-	-	-	-	-	-	9,442
M.	(43)	-	9	73	2,345	10,890	7,991	1,138	229	9	-	-	-	-	-	-	-	22,693
S.L.M.	(53)	-	-	70	1,253	5,287	4,375	933	165	19	-	-	-	-	-	-	-	12,102
Total		9	9	171	4,784	20,848	15,307	2,630	478	37	-	-	-	-	-	-	-	44,273
Tinged:																		
	(24)	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	9
S.M.	(34)	-	-	51	348	385	153	19	-	-	-	-	-	-	-	-	-	956
M.	(44)	-	7	54	417	585	181	28	9	-	-	-	-	-	-	-	-	1,281
S.L.M.	(54)	-	-	81	349	489	346	72	-	-	-	-	-	-	-	-	-	1,337
Total		-	7	186	1,114	1,468	680	119	9	-	-	-	-	-	-	-	-	3,583
Below Grade																		
		-	15	18	252	746	628	348	44	9	-	-	-	-	-	-	-	2,069
All grades		9	40	625	13,530	59,463	59,481	19,355	9,580	6,771	3,901	219	-	-	-	-	-	172,974 ^{1/}
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		0.4	7.8	34.4	34.4	11.2	5.5	3.9	2.3	0.1	-	-	-	-	-	-	-	100.0

^{1/} As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Percentage rough preparation...
Grade index..... 86.6
Average staple..... 31.9

Table 8. -- Grade and staple of upland cotton ginned in Texas, 1975-76 (Continued)

Grade	Code	Staple														All staple			
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent		
White:																			
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67	•
S.M.	(21)	-	21	54	256	124	6	21	130	236	283	44	23	23	-	-	-	1,227	0.1
M.	(30)	-	8	8	51	9	7	-	28	27	-	-	-	-	-	-	-	130	•
M.	(31)	-	1,933	6,245	16,926	29,572	18,973	5,901	6,558	5,650	4,101	1,479	79	175	99	97,731	4.1	97,731	4.1
S.L.M.+	(40)	-	6,966	35,588	80,673	99,210	73,350	39,161	42,866	15,302	4,159	1,115	30	44	29	6,250	0.3	998,656	16.8
S.L.M.	(41)	-	36	153	904	1,770	1,931	2,992	1,776	531	156	71	17	-	-	-	-	10,339	0.4
S.L.M.+	(50)	-	1,179	7,434	27,652	46,104	45,262	37,903	22,277	4,379	630	112	-	-	-	-	-	192,882	8.1
S.O.+	(60)	-	15	23	124	189	385	117	148	48	-	-	-	-	-	-	-	1,049	•
S.O.	(61)	-	83	785	2,551	5,331	8,134	7,556	4,232	648	108	30	7	-	-	-	-	29,473	1.2
O.O.+	(70)	-	-	-	-	22	46	-	-	-	-	-	-	-	-	-	-	68	•
O.O.	(71)	-	-	53	360	765	921	470	117	-	-	-	-	-	-	-	-	3,533	0.1
Total		67	10,235	50,403	129,936	183,752	149,472	95,171	80,324	27,940	10,155	3,225	247	277	201	741,405	31.1		
Light Spotted:																			
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	15	63	841	1,109	460	134	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	12,547	45,570	93,420	94,961	54,794	8,649	4,079	1,320	610	314	-	-	-	-	-	2,625	0.1
S.L.M.	(42)	-	831	24,603	105,187	203,930	133,654	28,086	6,057	734	153	6	-	-	-	-	-	317,823	13.4
L.M.	(52)	-	4,506	25,497	60,243	71,347	60,707	19,964	10,474	1,726	175	15	8	-	-	-	-	736,579	31.4
Total		1,442	41,671	176,317	356,434	369,127	249,563	62,391	43,452	9,303	1,519	482	14	-	-	-	-	254,807	10.8
Spotted:																			
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	328	1,279	609	151	76	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	1,484	20,478	45,287	26,274	9,794	1,355	506	89	6	-	-	-	-	-	-	2,479	0.1
S.L.M.	(43)	-	374	4,597	20,746	45,863	36,839	16,370	3,567	413	17	-	-	-	-	-	-	105,349	4.4
L.M.	(53)	-	1,877	1,450	4,650	9,410	5,008	2,563	1,657	183	11	-	-	-	-	-	-	130,474	5.5
Total		630	7,531	46,202	102,265	73,132	31,923	7,561	3,867	684	34	-	-	-	-	-	-	35,555	1.5
Tinged:																			
G.M.	(24)	-	-	150	77	25	-	10	-	-	-	-	-	-	-	-	-	-	-
S.M.	(34)	-	37	1,509	5,977	5,324	1,284	251	21	31	22	-	-	-	-	-	-	262	•
M.	(44)	-	570	2,765	4,494	4,129	1,255	239	45	19	9	-	-	-	-	-	-	14,466	0.6
S.L.M.	(54)	-	273	588	744	939	990	150	57	3	-	-	-	-	-	-	-	13,585	0.6
Total		880	4,862	11,365	10,479	2,954	640	133	53	31	-	-	-	-	-	-	-	31,397	1.3
Stained:																			
G.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(35)	-	21	572	470	151	15	-	-	-	-	-	-	-	-	-	-	1,229	0.1
Total		21	572	470	151	15	-	-	-	-	-	-	-	-	-	-	-	1,229	0.1
Light Gray:																			
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	22	12	47	28	47	61	-	-	-	-	-	-	-	-	10	•
S.L.M.	(46)	-	-	-	20	-	8	8	-	-	-	-	-	-	-	-	-	217	•
Total		-	-	22	38	57	28	55	69	-	-	-	-	-	-	-	-	36	•
Gray:																			
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	8	17	-	-	-	-	-	-	-	-	-	-	-	-	25	•
S.L.M.	(47)	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	8	•
Total		-	-	16	17	-	-	-	-	-	-	-	-	-	-	-	-	33	•
Below Grade																			
		244	776	1,054	1,480	1,308	1,128	965	539	35	-	-	-	-	-	-	-	7,489	0.3
All grades																			
		3,292	65,647	295,849	602,734	630,345	432,754	166,296	128,324	37,993	11,708	3,707	261	277	320	2,369,507 1/2	100.0		
All grades		0.1	2.8	12.1	25.4	26.6	18.3	7.0	5.4	1.6	0.5	0.2	•	•	•	100.0			

1/2 As reported by the Bureau of the Census, rounding bales.
 • Less than 0.05 percent.
 Percentage rough preparation.....
 Grade index.....
 Average staple.....

Table 8. -- Grade and staple of upland cotton ginned in New Mexico, 1975-76 (Continued)

Grade	Code	Staple																			All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent					
White:																						
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	*	
S.M.	(21)	-	-	-	-	-	16	-	-	-	-	-	-	-	230	-	-	-	-	-	1,721	2.6
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	10	39	12	190	108	65	143	324	1,684	14,107	7,759	60	-	24,520	-	-	-	-	-	24,520	37.5
S.L.M.+	(40)	-	6	-	16	12	10	6	82	489	3,095	2,300	48	-	6,064	-	-	-	-	-	6,064	9.3
S.L.M.	(41)	45	99	215	387	318	224	93	409	1,816	8,793	5,260	147	-	17,806	-	-	-	-	-	17,806	27.2
L.M.+	(50)	-	-	-	8	-	43	7	43	340	985	366	10	-	1,759	-	-	-	-	-	1,759	2.7
L.M.	(51)	6	43	98	143	47	60	85	209	405	478	156	10	-	1,742	-	-	-	-	-	1,742	2.7
S.G.O.+	(60)	-	-	-	-	-	-	-	7	22	-	-	-	-	29	-	-	-	-	-	29	*
S.G.O.	(61)	-	-	-	8	27	53	97	145	61	-	-	-	-	391	-	-	-	-	-	391	0.6
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	12	-	15	8	17	-	7	-	-	-	-	59	-	-	-	-	-	59	0.1
Total		61	187	345	744	527	456	448	1,245	5,021	28,750	16,072	275	-	54,111	-	-	-	-	-	54,111	82.7
Light Spotted:																						
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	10	18	6	-	-	-	22	27	-	-	83	-	-	-	-	-	83	0.1
M.	(32)	80	77	160	213	98	79	70	109	213	1,214	755	31	-	3,061	-	-	-	-	-	3,061	4.7
S.L.M.	(42)	144	497	917	640	235	97	121	207	525	594	375	18	-	4,370	-	-	-	-	-	4,370	6.7
L.M.	(52)	53	379	456	355	95	166	96	169	109	31	-	-	-	1,889	-	-	-	-	-	1,889	2.9
Total		277	953	1,513	1,180	446	348	287	485	866	1,866	1,130	31	18	9,402	-	-	-	-	-	9,402	14.4
Spotted:																						
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	8	121	96	30	25	-	12	-	-	-	-	-	292	-	-	-	-	-	292	0.4
S.L.M.	(43)	5	175	211	103	35	48	30	6	28	11	18	-	-	670	-	-	-	-	-	670	1.0
L.M.	(53)	46	125	98	35	30	78	67	25	22	-	-	-	-	526	-	-	-	-	-	526	0.8
Total		51	308	430	234	95	151	97	43	50	11	18	-	-	1,488	-	-	-	-	-	1,488	2.2
Tinged:																						
G.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(34)	-	8	19	22	8	-	-	-	-	-	-	-	-	57	-	-	-	-	-	57	0.1
M.	(44)	-	25	23	35	9	-	-	-	-	-	-	-	-	92	-	-	-	-	-	92	0.1
L.M.	(54)	-	16	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-	-	16	*
Total		-	49	42	57	17	-	-	-	-	-	-	-	-	165	-	-	-	-	-	165	0.2
Below Grade																						
		11	38	12	8	12	78	60	84	2	-	-	-	-	305	-	-	-	-	-	305	0.5
All grades		400	1,535	2,342	2,223	1,097	1,033	892	1,857	5,941	30,607	17,220	306	18	65,471	1/	100.0				65,471	100.0
All grades		0.6	2.3	3.6	3.4	1.7	1.6	1.4	2.8	9.1	46.7	26.3	0.5	*	100.0						100.0	

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Percentage rough preparation...
 Grade Index..... 95.3
 Average staple..... 35.2

Table 8. -- Grade and staple of upland cotton ginned in Arizona, 1975-76 (Continued)

Grade	Code	Staple														All staples			
		26 and shorter	26	29	30	31	32	33	34	35	36	37	38	39	40 and longer				
		Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent
White:																			
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.+	(40)	-	-	36	24	759	40,849	213,595	22,401	840	8	183	8	24	278,809	50.4	-	-	-
S.L.M.	(41)	-	-	7	8	131	5,983	28,267	3,124	103	1	22	1	30	37,683	6.8	-	-	-
L.M.+	(50)	-	-	8	144	1,367	25,532	73,573	6,552	165	5	108	5	108	107,462	19.4	-	-	-
L.M.	(51)	-	-	8	139	1,139	1,171	2,123	213	5	19	19	5	19	3,681	0.7	-	-	-
S.G.O.+	(60)	-	-	27	387	1,455	4,150	2,987	143	3	32	62	15	32	9,150	1.6	-	-	-
S.G.O.	(61)	-	-	58	60	621	1,260	1,032	126	10	10	10	10	10	193	0.0	-	-	-
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	3,167	0.6	-	-	-
G.O.	(71)	-	-	44	57	415	265	27	-	-	-	-	-	-	1,234	0.2	-	-	-
Total		-	-	16	129	191	1,612	5,599	79,944	328,853	33,279	1,119	216	21	181	451,160	81.5	-	-
Light Spotted:																			
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	6	13	284	1,145	18,844	33,791	3,141	36	7	11	9	944	0.2	-	-	-
S.L.M.	(42)	-	-	35	119	978	2,768	9,436	6,938	823	157	157	157	20	57,409	10.3	-	-	-
L.M.	(52)	-	-	4	255	434	2,947	3,670	3,375	65	14	14	14	20	21,117	3.8	-	-	-
Total		-	-	12	296	566	4,209	7,601	32,044	41,677	4,065	164	25	29	90,696	16.3	-	-	-
Spotted:																			
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	7	71	266	701	161	-	-	-	-	134	0.2	-	-	-
S.L.M.	(43)	-	-	-	-	7	71	266	701	161	-	-	-	-	1,226	0.2	-	-	-
L.M.	(53)	-	-	26	53	151	481	462	246	-	10	-	-	-	821	0.1	-	-	-
Total		-	-	26	56	226	686	1,041	1,301	254	10	-	-	-	1,429	0.3	-	-	-
Tinged:																			
G.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Gray:																			
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gray:																			
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade																			
		24	67	112	1,269	959	4,249	1,835	441	14	8	-	-	-	6,998	1.6	-	-	-
All grades		32	95	138	1,780	1,947	10,756	16,105	113,822	370,927	37,362	1,263	241	21	210	554,719	100.0	-	-
Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent Percent																			
0.3 0.4 1.9 2.9 20.5 67.1 6.7 0.2 100.0																			
1/ As reported by the Bureau of the Census, running bales.																			
* Less than 0.05 percent.																			
Percentage rough preparation... 96.3																			
Grade index..... 34.7																			
Average staple.....																			

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states 1975-76

NORTH CAROLINA

SOUTH CAROLINA

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	25	-	-	25	60	936	266	13	-	1,297
S.L.M.+	(40)	-	42	8	-	-	50	40	85	27	-	-	152
S.L.M.	(41)	129	3,703	2,767	192	-	6,791	2,735	13,837	4,455	1,147	180	22,354
L.M.+	(50)	99	845	1,007	66	-	2,019	888	2,259	984	139	15	4,285
L.M.	(51)	79	11,503	11,567	829	13	23,991	499	20,841	6,513	2,036	540	30,429
S.G.O.+	(60)	-	127	288	62	-	477	-	426	340	19	-	785
S.G.O.	(61)	-	282	1,574	339	76	2,271	20	668	1,136	611	276	2,711
G.O.+	(70)	-	-	8	-	-	8	-	-	-	-	-	-
G.O.	(71)	-	-	195	51	27	273	-	-	36	44	97	177
Total		307	16,502	17,439	1,541	116	35,905	4,242	39,054	13,777	4,009	1,108	62,190
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	84	8	-	-	92	30	341	179	38	-	588
S.L.M.	(42)	30	1,253	533	68	-	1,884	579	5,961	4,151	441	590	11,742
L.M.	(52)	10	3,252	2,157	277	20	5,716	160	8,765	4,428	637	604	14,594
Total		40	4,589	2,698	345	20	7,692	769	15,087	8,758	1,116	1,194	26,924
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	8	-	-	8	-	28	-	-	-	28
S.L.M.	(43)	10	113	59	6	-	188	50	227	161	44	126	608
L.M.	(53)	-	310	262	34	-	606	30	909	510	132	238	1,819
Total		10	423	329	40	-	802	80	1,164	671	176	364	2,455
Tinged:													
All grades		-	-	8	-	-	8	-	14	9	13	44	80
Light Gray:													
All grades		-	-	-	-	-	-	-	-	63	6	-	69
Below Grade													
All grades		10	70	237	28	20	365	10	114	286	57	111	578
All grades		367	21,584	20,711	1,954	156	44,772 1/2	5,101	55,433	23,564	5,377	2,821	92,296 1/2
Grade index		89.0	85.9	84.7	82.9	74.2	85.2	91.2	87.1	85.9	85.2	81.8	86.7
Staple													
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	-	-	-	6	-	6
32		-	-	-	-	-	-	-	-	36	12	15	63
33		-	14	770	113	7	904	10	739	2,426	234	171	3,580
34		10	4,336	13,966	1,428	93	19,833	50	14,050	17,039	3,567	2,099	36,805
35		60	15,335	5,915	401	56	21,767	2,126	33,728	3,946	1,476	536	41,812
36		258	1,899	60	12	-	2,229	2,825	6,831	117	82	-	9,855
37		39	-	-	-	-	39	90	85	-	-	-	175
38		-	-	-	-	-	-	-	-	-	-	-	-
39		-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-
All staples		367	21,584	20,711	1,954	156	44,772 1/2	5,101	55,433	23,564	5,377	2,821	92,296 1/2
Average staple		35.9	34.9	34.3	34.2	34.3	34.6	35.6	34.8	34.1	34.3	34.1	34.6

1/2 As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Cont'd.)

GEORGIA								FLORIDA					
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	3	71	263	168	-	505	-	-	-	7	-	7
S.L.M.+	(40)	3	13	92	-	-	108	-	-	-	-	-	-
S.L.M.	(41)	105	10,061	11,050	3,776	222	26,034	-	161	366	274	37	660
L.M.+	(50)	125	1,826	1,605	463	27	4,046	-	-	25	20	2	47
L.M.	(51)	286	14,120	16,764	7,642	2,164	40,976	-	65	525	215	22	627
S.G.O.+	(60)	-	120	157	273	4	554	-	-	-	7	-	7
S.G.O.	(61)	9	391	1,013	2,846	1,155	5,414	-	32	25	13	-	70
G.O.+	(70)	-	-	9	24	-	33	-	-	-	-	-	-
G.O.	(71)	-	28	74	278	270	650	-	-	-	-	-	-
Total		531	27,450	31,027	15,470	3,842	78,320	-	258	963	536	61	1,818
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	14	307	241	143	-	705	-	-	-	7	-	7
S.L.M.	(42)	48	7,536	11,148	6,714	1,296	26,742	-	65	137	101	40	343
L.M.	(52)	82	5,923	9,595	8,199	3,257	27,056	-	32	125	128	40	325
Total		144	13,766	20,984	15,056	4,553	54,503	-	97	262	236	80	675
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	53	-	32	2	87	-	-	-	-	-	-
S.L.M.	(43)	-	267	397	403	473	1,540	-	-	-	20	18	38
L.M.	(53)	-	493	732	660	1,238	3,123	-	-	12	-	16	30
Total		-	813	1,129	1,095	1,713	4,750	-	-	12	20	36	68
Tinged:													
All grades		-	-	36	8	59	103	-	-	-	-	-	-
Light Gray:													
All grades		-	-	18	-	-	18	-	-	-	-	-	-
Below Grade													
All grades		-	112	237	673	374	1,396	-	-	-	20	18	38
All grades		675	42,141	53,431	32,302	10,541	139,090 ^{1/}	-	355	1,237	812	195	2,599 ^{1/}
Grade index		87.3	87.4	86.6	84.1	80.5	85.8	-	86.6	87.6	87.3	83.1	87.3
Staple													
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	9	16	-	25	-	-	-	-	18	18
32		-	15	336	274	190	815	-	-	-	14	-	14
33		24	1,161	9,771	7,592	4,669	23,217	-	-	187	88	89	364
34		192	19,708	38,135	23,203	5,404	86,642	-	129	951	591	88	1,759
35		395	19,879	5,171	1,201	278	26,924	-	226	99	119	-	444
36		64	1,378	9	16	-	1,467	-	-	-	-	-	-
37		-	-	-	-	-	-	-	-	-	-	-	-
38		-	-	-	-	-	-	-	-	-	-	-	-
39		-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-
All staples		675	42,141	53,431	32,302	10,541	139,090 ^{1/}	-	355	1,237	812	195	2,599 ^{1/}
Average staple		34.7	34.5	33.9	33.8	33.5	34.0	-	34.6	33.9	34.0	33.3	34.0

^{1/} As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Cont'd.)

ALABAMA								MISSISSIPPI					
Grade and Staple	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade Code	Bales	Bales	Bales	Bales	Bales	Bales		Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M. (11)	-	-	-	-	-	-		-	15	11	-	-	26
S.M. (21)	-	15	-	12	-	27		20	1,207	167	14	-	1,408
M.+ (30)	-	-	-	-	-	-		-	-	-	-	-	-
M. (31)	45	809	1,328	369	27	2,578		560	24,854	9,181	696	22	35,313
S.L.M.+ (40)	42	702	916	153	-	1,813		221	5,477	1,625	171	-	7,494
S.L.M. (41)	567	44,911	70,203	14,790	909	131,380		2,050	182,890	180,823	34,289	1,164	401,216
L.M.+ (50)	43	3,457	5,141	1,766	492	10,899		257	16,378	10,150	1,405	33	28,223
L.M. (51)	131	21,847	42,645	17,187	1,668	83,478		628	62,076	175,063	68,793	5,552	312,112
S.G.O.+ (60)	-	86	364	225	36	711		13	149	624	424	-	1,210
S.G.O. (61)	-	609	2,263	2,398	318	5,588		13	4,331	19,904	14,643	2,500	41,391
G.O.+ (70)	-	-	-	7	-	7		-	-	62	5	-	67
G.O. (71)	-	27	88	217	36	368		-	148	1,764	2,329	489	4,730
Total	828	72,463	122,948	37,124	3,486	236,849		3,762	297,525	399,374	122,769	9,760	833,190
Light Spotted:													
G.M. (12)	-	-	-	-	-	-		-	-	-	-	-	-
S.M. (22)	-	-	-	-	-	-		-	73	31	27	-	131
M. (32)	-	187	517	533	9	1,246		-	1,350	1,907	1,877	43	5,177
S.L.M. (42)	350	8,707	16,055	7,683	1,748	34,543		62	9,930	28,149	35,940	4,304	78,385
L.M. (52)	102	3,471	8,590	5,841	1,545	19,549		-	5,029	16,810	26,402	6,311	54,552
Total	452	12,365	25,162	14,057	3,302	55,338		62	16,382	46,897	64,246	10,658	138,245
Spotted:													
G.M. (13)	-	-	-	-	-	-		-	-	-	-	-	-
S.M. (23)	-	-	-	6	-	6		-	-	11	-	-	11
M. (33)	-	57	24	150	43	274		-	-	64	818	102	984
S.L.M. (43)	14	214	1,144	1,742	624	3,738		-	349	1,038	6,988	2,545	10,920
L.M. (53)	-	497	918	1,177	841	3,433		-	132	1,160	4,902	4,481	10,675
Total	14	768	2,086	3,075	1,508	7,451		-	481	2,273	12,708	7,128	22,590
Tinged:													
All grades	-	-	63	115	233	411		-	-	21	144	196	361
Light Gray:													
All grades	-	29	39	18	-	86		-	-	2,487	617	54	3,158
Gray:													
All grades	-	-	-	6	-	6		-	-	-	7	-	7
Below Grade													
	28	57	468	783	225	1,561		-	368	1,152	4,252	3,109	8,881
All grades	1,322	85,682	150,766	55,178	8,754	301,702 1/		3,824	314,756	452,204	204,743	30,905	1,006,432 1/
Grade index	90.0	90.2	89.4	86.8	83.7	89.0		93.2	91.9	88.7	85.2	79.8	88.7
Staple													
26 and shorter	-	-	-	-	-	-		-	-	-	-	-	-
28	-	-	-	-	9	9		-	-	-	-	-	-
29	-	-	-	-	-	-		-	-	-	-	-	-
30	-	-	-	-	-	-		-	-	-	-	-	-
31	-	-	259	31	21	311		-	-	-	15	-	15
32	-	116	2,150	2,537	385	5,188		-	15	174	436	90	715
33	45	19,534	61,919	21,116	2,369	104,983		-	839	8,033	5,752	4,615	19,239
34	671	55,102	71,664	24,865	3,209	155,511		171	50,597	167,673	118,588	21,919	358,948
35	564	10,437	14,578	6,595	2,752	34,926		2,240	222,282	244,850	77,578	4,263	55,213
36	42	493	196	34	9	774		1,071	39,621	31,130	2,374	18	74,214
37	-	-	-	-	-	-		158	1,402	333	-	-	1,893
38	-	-	-	-	-	-		184	-	11	-	-	195
39	-	-	-	-	-	-		-	-	-	-	-	-
40 and longer	-	-	-	-	-	-		-	-	-	-	-	-
All staples	1,322	85,682	150,766	55,178	8,754	301,702 1/		3,824	314,756	452,204	204,743	30,905	1,006,432 1/
Average staple	34.5	33.9	33.7	33.6	33.9	33.7		35.5	35.0	34.7	34.4	34.0	34.7

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Cont'd.)

TENNESSEE								MISSOURI							
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop		
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales		
White:															
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(21)	6	284	27	-	-	317	7	77	-	-	-	84		
M.	(30)	-	-	-	-	-	-	-	-	-	-	-	-		
M.	(31)	212	8,574	1,120	30	-	9,936	1,829	13,853	397	3	-	16,062		
S.L.M.+	(40)	45	2,628	170	5	-	2,848	190	2,287	95	-	-	2,572		
S.L.M.	(41)	2,222	75,419	23,553	2,159	50	103,403	6,534	73,660	9,306	365	90	89,955		
L.M.+	(50)	134	5,638	1,783	198	-	7,753	380	4,971	359	18	11	5,739		
L.M.	(51)	752	21,516	19,251	4,827	340	46,686	110	13,278	9,542	1,599	423	24,952		
S.G.O.+	(60)	-	185	358	153	-	696	-	188	47	12	-	247		
S.G.O.	(61)	45	975	2,696	1,403	310	5,429	-	630	652	257	202	1,741		
G.O.+	(70)	-	-	-	5	-	5	-	-	-	3	-	3		
G.O.	(71)	-	49	242	183	112	566	-	22	47	27	36	134		
Total		3,416	115,268	49,200	8,763	812	177,659	9,050	108,966	20,445	2,284	764	141,509		
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(22)	-	12	-	-	-	12	-	11	-	-	-	11		
M.	(32)	39	1,209	439	128	-	1,815	732	6,507	473	3	9	7,724		
S.L.M.	(42)	368	10,807	9,146	1,838	117	22,276	1,478	22,558	5,049	377	82	29,544		
L.M.	(52)	67	2,319	5,052	2,164	1,004	10,606	110	3,922	3,177	401	325	7,935		
Total		474	14,347	14,637	4,130	1,121	34,709	2,320	32,998	8,699	781	416	45,214		
Spotted:															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(23)	-	12	-	-	-	12	-	-	-	-	-	-		
M.	(33)	-	49	45	25	-	119	-	77	47	9	-	133		
S.L.M.	(43)	6	370	493	54	83	1,006	22	674	444	9	-	1,149		
L.M.	(53)	-	395	672	178	233	1,478	-	287	312	24	46	669		
Total		6	826	1,210	257	316	2,615	22	1,038	803	42	46	1,951		
Tinged:															
All grades		-	-	-	5	-	5	-	-	37	-	-	37		
Light Gray:															
All grades		-	-	842	129	-	971	-	22	198	24	21	265		
Gray:															
All grades		-	12	-	-	-	12	-	-	-	-	11	11		
Below Grade															
All grades		-	99	546	301	229	1,175	-	122	132	54	125	433		
All grades		3,896	130,552	66,435	13,785	2,478	217,146 ^{1/}	11,392	143,146	30,314	3,185	1,383	169,420 ^{1/}		
Grade index		91.6	91.9	88.2	84.6	78.2	90.1	94.2	92.4	88.0	84.6	80.4	91.6		
Staple															
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-		
28		-	-	-	-	-	-	-	-	-	-	-	-		
29		-	-	-	-	-	-	-	-	-	-	-	-		
30		-	-	-	10	-	10	-	-	-	-	-	-		
31		-	-	-	5	-	5	-	-	-	-	-	-		
32		-	12	252	496	192	952	-	22	-	9	20	51		
33		51	3,010	8,913	5,467	1,231	18,672	14	606	848	390	424	2,262		
34		2,668	92,666	49,672	7,149	1,052	153,207	5,620	56,773	18,094	2,417	847	83,751		
35		1,154	34,199	7,544	638	3	43,538	5,423	82,487	11,023	369	92	99,394		
36		23	665	54	20	-	762	335	3,258	349	-	-	3,942		
37		-	-	-	-	-	-	-	-	-	-	-	-		
38		-	-	-	-	-	-	-	-	-	-	-	-		
39		-	-	-	-	-	-	-	-	-	-	-	-		
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-		
All staples		3,896	130,552	66,435	13,785	2,478	217,146 ^{1/}	11,392	143,146	30,314	3,185	1,383	169,420 ^{1/}		
Average staple		34.3	34.2	34.0	33.6	33.3	34.1	34.5	34.6	34.4	34.0	33.7	34.6		

^{1/} As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Cont'd.)

ARKANSAS								LOUISIANA							
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop		
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales		
White:															
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(21)	-	374	70	5	-	449	13	267	10	-	-	290		
M.+	(30)	-	12	-	-	-	12	-	11	-	-	-	11		
M.	(31)	1,832	56,773	3,916	267	27	62,815	566	24,645	7,343	517	-	33,071		
S.L.M.+	(40)	811	15,264	988	29	-	17,092	33	4,043	562	17	-	4,655		
S.L.M.	(41)	23,940	253,760	82,677	9,955	248	370,580	1,361	70,297	111,857	13,051	143	196,709		
L.M.+	(50)	2,790	20,459	5,773	1,293	58	30,373	46	3,464	6,383	719	-	10,612		
L.M.	(51)	2,737	36,441	50,074	12,098	883	102,233	201	11,235	29,759	6,381	278	49,854		
S.G.O.+	(60)	25	333	430	209	10	1,007	-	-	67	27	-	94		
S.G.O.	(61)	34	991	3,709	1,618	414	6,766	7	661	2,258	698	129	3,753		
G.O.+	(70)	-	12	19	20	-	51	-	-	-	1	-	1		
G.O.	(71)	12	49	241	131	44	477	-	90	221	81	-	392		
Total		32,181	384,468	147,897	25,625	1,684	591,855	2,227	114,713	158,460	23,492	550	299,442		
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(22)	-	25	-	-	-	25	-	13	-	-	-	13		
M.	(32)	537	5,363	2,124	242	-	8,266	40	2,383	1,796	756	13	4,988		
S.L.M.	(42)	2,898	23,923	20,356	3,977	808	51,962	173	6,770	12,932	3,682	290	23,847		
L.M.	(52)	166	3,293	7,166	2,106	816	13,547	26	1,154	2,966	1,221	306	5,673		
Total		3,601	32,604	29,646	6,325	1,624	73,800	239	10,320	17,694	5,694	609	34,521		
Spotted:															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(23)	-	11	-	-	-	11	-	13	-	7	-	20		
M.	(33)	18	89	109	39	10	265	-	129	79	115	21	344		
S.L.M.	(43)	75	625	624	582	174	2,080	13	316	412	562	95	1,398		
L.M.	(53)	12	263	476	245	196	1,192	7	88	164	155	81	495		
Total		105	988	1,209	866	380	3,548	20	546	655	839	197	2,257		
Tinged:															
All grades		25	11	9	5	-	50	-	-	-	24	47	71		
Stained:															
All grades		-	-	-	-	10	10	-	-	-	-	-	-		
Light Gray:															
All grades		76	45	509	112	-	742	-	153	1,447	157	29	1,786		
Gray:															
All grades		-	12	-	-	7	19	-	24	-	-	-	24		
Below Grade															
		-	118	303	92	119	632	7	50	186	73	26	342		
All grades		35,988	418,246	179,573	33,025	3,824	670,656 <u>1/</u>	2,493	125,806	178,442	30,244	1,458	338,443 <u>1/</u>		
Grade Index		92.9	93.5	89.8	87.6	83.0	92.1	94.0	93.9	91.7	89.5	83.7	92.3		
Staple															
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-		
28		-	-	-	-	-	-	-	-	-	-	-	-		
29		-	-	-	-	-	-	-	-	-	-	-	-		
30		-	-	-	-	-	-	-	-	-	-	-	-		
31		-	25	-	-	-	25	-	-	-	-	-	-		
32		-	36	37	5	40	118	-	13	30	34	-	77		
33		108	335	4,102	1,457	411	6,413	21	343	1,290	321	39	2,014		
34		12,137	85,093	78,698	22,791	2,775	201,494	1,067	26,193	58,470	17,259	1,000	104,009		
35		22,060	316,616	95,107	8,749	598	443,130	1,339	94,819	115,399	12,493	419	224,469		
36		1,674	16,141	1,622	23	-	19,460	46	4,425	3,253	130	-	7,854		
37		9	-	7	-	-	16	-	13	-	7	-	20		
38		-	-	-	-	-	-	-	-	-	-	-	-		
39		-	-	-	-	-	-	-	-	-	-	-	-		
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-		
All staples		35,988	418,246	179,573	33,025	3,824	670,656 <u>1/</u>	2,493	125,806	178,442	30,244	1,458	338,443 <u>1/</u>		
Average staple		34.7	34.8	34.5	34.2	34.0	34.7	34.6	34.8	34.7	34.4	34.3	34.7		

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Cont'd.)

OKLAHOMA								TEXAS							
Grade and Staple	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop		Prior to Sept. 1	September	October	November	December	After Dec. 31	Total crop	
Grade Code	Bales	Bales	Bales	Bales	Bales	Bales		Bales	Bales	Bales	Bales	Bales	Bales	Bales	
White:															
G.M. (11)	-	-	-	-	-	-		-	-	23	44	-	-	67	
S.M. (21)	-	38	-	-	-	38		12	210	291	621	93	-	1,227	
M.+ (30)	-	-	-	-	-	-		-	19	36	15	60	-	130	
M. (31)	-	1,316	2,063	652	44	4,075		11,361	13,731	16,958	33,136	21,221	1,324	97,731	
S.L.M.+ (40)	-	88	243	9	-	340		1,840	373	626	2,707	675	29	6,250	
S.L.M. (41)	3	1,767	7,920	5,356	192	15,238		63,916	34,203	33,495	168,515	87,036	11,491	398,656	
L.M.+ (50)	-	113	576	103	7	799		4,259	723	923	3,463	857	114	10,339	
L.M. (51)	-	200	5,656	4,190	389	10,435		33,029	12,198	9,085	84,365	40,769	13,436	192,882	
S.G.O.+ (60)	-	-	-	47	-	47		307	75	8	489	161	9	1,049	
S.G.O. (61)	-	-	525	793	53	1,371		1,950	2,699	1,331	14,650	6,691	2,152	29,473	
G.O.+ (70)	-	-	-	-	-	-		-	4	-	-	54	-	68	
G.O. (71)	-	-	61	66	39	166		280	291	188	1,292	260	522	3,533	
Total	3	3,522	17,044	11,216	724	32,509		116,954	64,526	62,964	309,297	158,587	29,077	741,405	
Light Spotted:															
G.M. (12)	-	-	-	-	-	-		-	-	-	-	-	-	-	
S.M. (22)	-	-	-	28	-	28		-	-	13	488	1,666	458	2,625	
M. (32)	-	113	1,799	13,079	627	15,618		3,048	12,814	9,155	93,479	158,616	40,711	317,823	
S.L.M. (42)	-	342	4,906	40,356	3,937	49,541		32,888	32,956	9,625	219,386	340,967	102,557	738,579	
L.M. (52)	-	26	2,080	18,847	4,388	25,353		9,860	17,301	4,191	64,360	115,921	43,174	254,807	
Total	-	493	8,785	72,310	8,952	90,540		45,796	63,071	23,184	377,713	617,170	186,900	1,313,634	
Spotted:															
G.M. (13)	-	-	-	-	-	-		-	-	-	-	-	-	-	
S.M. (23)	-	-	-	28	8	36		-	-	-	11	1,695	773	2,479	
M. (33)	-	-	30	8,236	1,176	9,442		116	100	190	1,636	56,984	46,323	105,349	
S.L.M. (43)	-	-	121	17,357	5,215	22,693		2,045	973	236	3,888	62,202	61,130	130,474	
L.M. (53)	-	-	455	7,461	4,186	12,102		2,549	1,397	530	1,770	14,951	14,358	35,555	
Total	-	-	606	33,082	10,585	44,273		4,710	2,470	956	7,305	135,832	122,584	273,857	
Tinged:															
All grades	-	13	61	1,965	1,544	3,583		100	27	21	-	8,874	22,375	31,397	
Stained:															
All grades	-	-	-	-	-	-		-	-	-	-	39	1,190	1,229	
Light Gray:															
All grades	-	-	-	-	-	-		75	5	-	16	112	95	263	
Gray:															
All grades	-	-	-	-	-	-		-	-	-	-	24	9	33	
Below Grade															
All grades	-	13	30	1,593	433	2,069		965	671	590	349	964	3,750	7,489	
Grade Index	94.0	94.9	89.8	86.4	81.9	86.6		89.9	90.0	92.6	90.2	89.2	86.7	89.3	
Staple															
26 and shorter	-	-	-	9	-	9		-	26	39	1,483	1,149	595	3,292	
28	-	-	-	18	22	40		-	22	381	38,825	20,624	5,795	65,647	
29	-	-	183	309	133	625		-	72	905	125,625	129,950	29,297	285,849	
30	-	26	2,190	9,633	1,681	13,530		338	2,534	9,489	207,184	272,440	110,749	602,734	
31	-	-	4,304	45,831	9,328	59,463		1,887	29,689	31,452	181,538	252,616	133,163	630,345	
32	-	77	4,975	44,743	9,686	59,481		14,835	57,726	22,716	82,722	184,014	70,741	432,754	
33	-	227	3,858	14,089	1,181	19,355		55,903	18,283	7,231	29,735	43,274	11,870	166,296	
34	2	772	4,633	4,006	167	9,580		77,142	15,171	7,200	14,703	11,281	2,827	128,324	
35	1	800	4,504	1,426	40	6,771		16,954	7,179	5,658	3,834	3,662	706	37,993	
36	-	2,050	1,758	93	-	3,901		1,541	268	1,720	5,833	2,169	177	11,708	
37	-	89	121	9	-	219		-	-	624	2,770	300	13	3,707	
38	-	-	-	-	-	-		-	-	46	110	98	7	261	
39	-	-	-	-	-	-		-	-	23	241	13	-	277	
40 and longer	-	-	-	-	-	-		-	-	231	77	12	-	320	
All staples	3	4,041	26,526	120,166	22,238	172,974		168,600	130,970	87,715	694,680	921,602	365,940	2,369,507	
Average staple	34.3	35.2	32.9	31.7	31.5	31.9		33.6	32.3	32.0	30.5	30.7	30.8	31.0	

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Cont'd.)

NEW MEXICO								ARIZONA					
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	10	-	-	10	-	-	-	-	-	-
S.M.	(21)	-	750	963	18	-	1,731	48	3,507	5,956	219	51	9,781
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	10	7,132	15,070	2,299	9	24,520	261	67,805	158,584	46,765	5,394	278,809
S.L.M.+	(40)	-	496	4,598	963	7	6,064	-	8,231	19,450	8,724	1,278	37,683
S.L.M.	(41)	-	3,358	8,907	5,353	188	17,806	384	21,940	47,157	28,477	9,504	107,462
L.M.+	(50)	-	31	583	1,084	61	1,759	-	107	1,411	1,731	432	3,681
L.M.	(51)	-	47	555	1,014	126	1,742	-	481	2,234	2,680	3,755	9,150
S.G.O.+	(60)	-	-	-	29	-	29	-	-	11	131	51	193
S.G.O.	(61)	-	-	10	255	126	391	-	-	132	646	2,389	3,167
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	42	17	59	-	-	11	251	972	1,234
Total		10	11,814	30,696	11,057	534	54,111	693	102,071	234,946	89,624	23,826	451,160
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	16	43	24	-	83	-	46	665	182	31	944
M.	(32)	-	1,115	904	995	47	3,061	153	9,305	26,175	19,424	2,352	57,409
S.L.M.	(42)	-	389	710	2,882	389	4,370	38	2,906	5,872	8,196	4,105	21,117
L.M.	(52)	-	31	-	1,540	317	1,888	-	262	1,216	3,847	5,901	11,226
Total		-	1,551	1,657	5,441	753	9,402	191	12,519	33,948	31,649	12,389	90,696
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	26	108	-	134
M.	(33)	-	-	-	226	66	292	-	54	249	786	137	1,226
S.L.M.	(43)	-	18	11	517	124	670	-	54	229	368	170	821
L.M.	(53)	-	-	-	400	126	526	-	-	151	554	724	1,429
Total		-	18	11	1,143	316	1,488	-	108	655	1,816	1,031	3,610
Tinged:													
All grades		-	-	-	72	93	165	-	-	-	7	-	7
Light Gray:													
All grades		-	-	-	-	-	-	-	53	105	29	56	243
Gray:													
All grades		-	-	-	-	-	-	-	-	-	-	5	5
Below Grade													
		-	-	-	113	192	305	-	52	260	1,168	7,518	8,998
All grades		10	13,383	32,364	17,826	1,888	65,471 1/	884	14,803	269,914	124,293	44,825	554,719 1/
Grade index		100.0	97.9	97.3	91.0	82.2	95.3	96.6	98.1	97.9	95.4	84.3	96.3
Staple													
26 and shorter		-	-	99	269	32	400	-	-	-	-	32	32
28		-	-	189	1,242	104	1,535	-	-	-	-	95	95
29		-	-	109	2,053	180	2,342	-	-	22	-	116	138
30		-	-	594	1,398	231	2,223	-	-	51	142	1,587	1,780
31		-	16	308	609	164	1,097	-	53	-	417	1,477	1,947
32		-	47	79	711	196	1,033	-	70	695	1,923	8,068	10,756
33		-	63	79	580	170	892	-	610	1,279	4,691	9,525	16,105
34		-	47	708	838	264	1,857	263	20,305	36,187	40,963	16,104	113,822
35		-	327	2,899	2,374	341	5,941	611	86,228	204,174	72,336	7,578	370,927
36		-	6,895	17,306	6,243	163	30,607	10	7,340	26,597	3,244	171	37,362
37		10	5,829	9,829	1,509	43	17,220	-	197	703	369	14	1,283
38		-	141	165	-	-	306	-	-	166	61	14	241
39		-	18	-	-	-	18	-	-	-	21	-	21
40 and longer		-	-	-	-	-	-	-	-	40	126	44	210
All staples		10	13,383	32,364	17,826	1,888	65,471 1/	884	114,803	269,914	124,293	44,825	554,719 1/
Average staple		37.0	36.4	35.9	33.4	32.4	35.2	34.7	34.9	35.0	34.6	33.3	34.7

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Cont'd.)

CALIFORNIA

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	14	-	-	-	14
S.M.	(21)	70	13,444	8,155	2,171	214	24,054
M.+	(30)	-	1,297	436	59	-	1,792
M.	(31)	5,742	469,954	308,353	100,060	16,074	900,183
S.L.M.+	(40)	898	159,180	140,739	23,096	4,622	328,535
S.L.M.	(41)	725	169,440	293,144	64,627	12,402	540,338
L.M.+	(50)	10	4,780	15,038	3,237	558	23,623
L.M.	(51)	20	10,525	40,036	12,713	2,303	65,597
S.G.O.+	(60)	-	57	410	394	81	942
S.G.O.	(61)	-	299	3,536	2,982	770	7,587
G.O.+	(70)	-	-	10	4	-	14
G.O.	(71)	-	29	237	402	48	716
Total		7,465	829,019	810,094	209,745	37,072	1,893,395
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	-	59	259	160	-	478
M.	(32)	117	1,722	3,909	3,545	1,564	10,857
S.L.M.	(42)	103	3,018	7,229	2,407	1,051	13,808
L.M.	(52)	-	431	3,443	1,527	1,349	6,750
Total		220	5,230	14,640	7,639	3,964	31,893
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	20	-	-	20
M.	(33)	-	62	113	88	69	332
S.L.M.	(43)	30	145	345	235	74	829
L.M.	(53)	-	29	439	168	69	705
Total		30	236	917	491	212	1,886
Tinged:							
All grades		-	-	10	37	10	57
Light Gray:							
All grades		-	71	1,146	536	143	1,896
Gray:							
All grades		-	-	30	11	-	41
Below Grade							
All grades		-	-	348	539	270	1,157
All grades		7,715	834,556	827,385	218,998	41,671	1,930,325 1/
Grade index		98.8	98.0	96.1	96.0	95.0	96.9
Staple							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		-	-	-	-	-	-
30		-	-	-	123	59	182
31		-	-	84	247	355	686
32		-	-	175	415	2,238	2,828
33		-	187	1,006	1,174	3,106	5,473
34		417	9,977	40,214	30,268	9,759	90,635
35		6,487	426,520	455,297	144,099	7,177	1,039,580
36		811	397,054	330,356	42,664	18,977	789,862
37		-	818	253	8	-	1,079
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		7,715	834,556	827,385	218,998	41,671	1,930,325 1/
Average staple		35.1	35.5	35.3	35.0	34.9	35.4

1/ As reported by the Bureau of the Census, running bales.

SOUTHEASTERN SMITH-DOXEY CLASSING OFFICE TERRITORIES



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76

		RALEIGH		COLUMBIA		AUGUSTA	
Grade and Staple	Code	Ginned in State		Classing Office total	Ginned in State		Ginned in State Georgia
		North Carolina	Virginia		South Carolina		
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-
M.	(31)	25	-	25	1,297	-	40
S.L.M.+	(40)	50	-	50	152	-	54
S.L.M.	(41)	6,791	39	6,830	22,354	-	4,587
L.M.+	(50)	2,019	-	2,019	4,285	-	2,168
L.M.	(51)	23,991	483	24,474	30,429	-	8,660
S.G.O.+	(60)	477	-	477	785	-	174
S.G.O.	(61)	2,271	51	2,322	2,711	-	1,503
G.O.+	(70)	8	-	8	-	-	8
G.O.	(71)	273	-	273	177	-	178
Total		35,905	573	36,478	62,190		17,372
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-
M.	(32)	92	-	92	598	-	479
S.L.M.	(42)	1,884	50	1,934	11,742	-	6,754
L.M.	(52)	5,716	125	5,841	14,594	-	5,138
Total		7,692	175	7,867	26,924		12,371
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-
M.	(33)	8	-	8	28	-	38
S.L.M.	(43)	189	-	189	608	-	412
L.M.	(53)	606	-	606	1,819	-	364
Total		802	-	802	2,455		814
Tinged:							
All grades		8	-	8	80	-	13
Light Gray:							
All grades		-	-	-	69	-	-
Below Grade							
All grades		365	7	372	578	-	226
All grades							
		44,772	755	45,527	92,296	-	30,796
Grade index							
		85.2	84.1	85.2	86.7	-	86.1
Staple							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		-	-	-	-	-	-
30		-	-	-	-	-	-
31		-	-	-	6	-	9
32		-	12	12	63	-	31
33		904	402	1,306	3,580	-	1,585
34		19,833	329	20,162	36,805	-	17,307
35		21,767	12	21,779	41,812	-	11,638
36		2,229	-	2,229	9,855	-	226
37		39	-	39	175	-	-
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		44,772	755	45,527	92,296		30,796
Average staples		34.6	33.5	34.5	34.6		34.3

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

		ATLANTA		BIRMINGHAM		MONTGOMERY		Classing Office total
Grade and Staple		Ginned in State :: Georgia	::	Ginned in State :: Alabama	::	Ginned in State :: Alabama Florida		
Grade	Code	Bales	::	Bales	::	Bales	Bales	Bales
White:								
G.M.	(11)	-	::	-	::	-	-	-
S.M.	(21)	-	::	27	::	-	-	-
M.+	(30)	-	::	-	::	-	-	-
M.	(31)	465	::	1,986	::	592	7	599
S.L.M.+	(40)	54	::	1,639	::	174	-	174
S.L.M.	(41)	21,447	::	102,049	::	29,331	860	30,191
L.M.+	(50)	1,878	::	7,393	::	3,506	47	3,553
L.M.	(51)	32,316	::	49,749	::	33,729	827	34,556
S.G.O.+	(60)	380	::	396	::	315	7	322
S.G.O.	(61)	3,911	::	3,721	::	1,867	70	1,937
G.O.+	(70)	25	::	-	::	7	-	7
G.O.	(71)	472	::	226	::	142	-	142
Total		60,948	::	167,186	::	69,663	1,818	71,481
Light Spotted:								
G.M.	(12)	-	::	-	::	-	-	-
S.M.	(22)	-	::	-	::	-	-	-
M.	(32)	226	::	969	::	277	7	284
S.L.M.	(42)	19,988	::	17,396	::	17,147	343	17,490
L.M.	(52)	21,918	::	8,031	::	11,518	325	11,843
Total		42,132	::	26,396	::	28,942	675	29,617
Spotted:								
G.M.	(13)	-	::	-	::	-	-	-
S.M.	(23)	-	::	6	::	-	-	-
M.	(33)	49	::	236	::	38	-	38
S.L.M.	(43)	1,128	::	2,092	::	1,646	38	1,684
L.M.	(53)	2,759	::	1,315	::	2,118	30	2,148
Total		3,936	::	3,649	::	3,802	68	3,870
Tinged:								
All grades		90	::	183	::	228	-	228
Light Gray:								
All grades		18	::	86	::	-	-	-
Gray:								
All grades		-	::	6	::	-	-	-
Below Grade		1,170	::	750	::	811	38	849
All grades		108,294	::	198,256	::	103,446	2,599	106,045
Grade index		85.7	::	89.9	::	87.3	87.3	87.3
Staple								
26 and shorter		-	::	-	::	-	-	-
28		-	::	-	::	9	-	9
29		-	::	-	::	-	-	-
30		-	::	-	::	-	-	-
31		16	::	297	::	14	18	32
32		784	::	4,712	::	476	14	490
33		21,632	::	96,053	::	8,930	364	9,294
34		69,335	::	91,721	::	63,790	1,759	65,549
35		15,286	::	5,397	::	29,529	444	29,973
36		1,241	::	76	::	698	-	698
37		-	::	-	::	-	-	-
38		-	::	-	::	-	-	-
39		-	::	-	::	-	-	-
40 and longer		-	::	-	::	-	-	-
All staples		108,294	::	198,256	::	103,446	2,599	106,045
Average staple		33.9	::	33.5	::	34.2	34.0	34.2

SOUTH CENTRAL SMITH-DOXEY CLASSING OFFICE TERRITORIES




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

		GREENWOOD		JACKSON		MEMPHIS			Classing Office total
Grade and Staple		Ginned in State ::		Ginned in State ::		Ginned in State			
		Mississippi	::	Mississippi	::	Tennessee	Arkansas	Mississippi	
Grade	Code	Bales	::	Bales	::	Bales	Bales	Bales	Bales
White:									
G.M.	(11)	26	::	-	::	-	-	-	-
S.M.	(21)	657	::	245	::	317	36	276	629
M.+	(30)	-	::	-	::	-	-	-	-
M.	(31)	28,572	::	2,448	::	9,936	1,799	4,293	16,028
S.L.M.+	(40)	5,997	::	680	::	2,848	379	817	4,044
S.L.M.	(41)	328,348	::	32,074	::	103,403	16,049	40,794	160,246
L.M.+	(50)	24,144	::	1,875	::	7,753	1,314	2,204	11,271
L.M.	(51)	265,608	::	23,260	::	46,686	5,880	23,244	75,810
S.G.O.+	(60)	702	::	247	::	696	39	261	996
S.G.O.	(61)	32,981	::	3,999	::	5,429	715	4,411	10,555
G.O.+	(70)	-	::	-	::	5	-	67	72
G.O.	(71)	3,745	::	481	::	586	35	504	1,125
Total		691,010	::	65,309	::	177,659	26,246	76,871	280,776
Light Spotted:									
G.M.	(12)	-	::	-	::	-	-	-	-
S.M.	(22)	66	::	36	::	12	-	29	41
M.	(32)	3,446	::	732	::	1,815	183	999	2,997
S.L.M.	(42)	64,573	::	5,819	::	22,276	1,786	7,993	32,055
L.N.	(52)	45,201	::	3,250	::	10,606	1,188	6,101	17,895
Total		113,286	::	9,837	::	34,709	3,157	15,122	52,988
Spotted:									
G.M.	(13)	-	::	-	::	-	-	-	-
S.M.	(23)	11	::	-	::	12	11	-	23
M.	(33)	675	::	62	::	119	-	47	166
S.L.M.	(43)	9,775	::	658	::	1,006	70	487	1,563
L.N.	(53)	9,452	::	607	::	1,478	42	616	2,136
Total		20,113	::	1,327	::	2,615	123	1,150	3,888
Tinged:									
All grades		346	::	10	::	5	-	5	10
Light Gray:									
All grades		2,263	::	254	::	971	188	641	1,800
Gray:									
All grades		7	::	-	::	12	-	-	12
Below Grade		7,982	::	187	::	1,175	66	712	1,953
All grades		835,007	::	76,924	::	217,146	29,780	94,501	341,427
Grade index		88.6	::	89.0	::	90.1	91.0	89.3	90.0
Staple									
26 and shorter		-	::	-	::	-	-	-	-
28		-	::	-	::	-	-	-	-
29		-	::	-	::	-	-	-	-
30		-	::	-	::	10	-	-	10
31		-	::	-	::	5	-	15	20
32		396	::	30	::	952	-	299	1,251
33		8,862	::	687	::	18,672	725	9,690	29,087
34		263,534	::	33,050	::	153,207	11,580	62,364	227,151
35		487,332	::	41,871	::	43,538	16,831	22,010	82,379
36		72,805	::	1,286	::	762	637	123	1,522
37		1,893	::	-	::	-	7	-	7
38		195	::	-	::	-	-	-	-
39		-	::	-	::	-	-	-	-
40 and longer		-	::	-	::	-	-	-	-
All staples		835,007	::	76,924	::	217,146	29,780	94,501	341,427
Average staple		34.8	::	34.6	::	34.1	34.6	34.1	34.2

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

		HAYTI	BLYTHEVILLE	LITTLE ROCK	WINNSBORO	ALEXANDRIA
Grade and Staple		Ginned in State :: Missouri	Ginned in State :: Arkansas	Ginned in State :: Arkansas	Ginned in State :: Louisiana	Ginned in State :: Louisiana
Grade	Code	Bales	Bales	Bales	Bales	Bales
White:						
G.M.	(11)	-	-	-	-	-
S.M.	(21)	84	33	380	268	22
M.+	(30)	-	-	12	-	11
M.	(31)	16,082	11,124	49,892	24,818	8,253
S.L.M.+	(40)	2,572	4,127	12,586	4,450	205
S.L.M.	(41)	89,955	135,179	219,352	160,623	36,086
L.M.+	(50)	5,739	13,884	15,175	10,081	531
L.M.	(51)	24,952	21,057	75,296	44,994	4,850
S.G.O.+	(60)	247	95	673	94	-
S.G.O.	(61)	1,741	1,365	4,686	3,438	315
G.O.+	(70)	3	-	51	-	1
G.O.	(71)	134	89	353	379	13
Total		141,509	186,953	378,656	249,145	50,297
Light Spotted:						
G.M.	(12)	-	-	-	-	-
S.M.	(22)	11	-	25	13	-
M.	(32)	7,724	4,618	3,465	4,393	595
S.L.M.	(42)	29,544	21,233	28,943	21,438	2,409
L.M.	(52)	7,935	3,205	9,154	5,059	614
Total		45,214	29,056	41,587	30,903	3,618
Spotted:						
G.M.	(13)	-	-	-	-	-
S.M.	(23)	-	-	-	20	-
M.	(33)	133	148	117	297	47
S.L.M.	(43)	1,149	733	1,277	1,257	141
L.M.	(53)	669	415	735	405	90
Total		1,951	1,296	2,129	1,979	278
Tinged:						
All grades		37	20	30	67	4
Stained:						
All grades		-	-	10	-	-
Light Gray:						
All grades		265	148	406	1,570	216
Gray:						
All grades		11	7	12	13	11
Below Grade		433	182	384	281	61
All grades		189,420	217,662	423,214	283,958	54,485
Grade Index		91.6	92.4	92.1	92.1	93.5
Staple						
26 and shorter		-	-	-	-	-
28		-	-	-	-	-
29		-	-	-	-	-
30		-	-	-	-	-
31		-	-	25	-	-
32		51	-	118	77	-
33		2,282	872	4,816	1,856	158
34		83,751	52,721	137,193	90,349	13,660
35		99,394	161,239	263,060	187,128	37,341
36		3,942	2,821	16,002	4,528	3,326
37		-	9	-	20	-
38		-	-	-	-	-
39		-	-	-	-	-
40 and longer		-	-	-	-	-
All staples		189,420	217,662	423,214	283,958	54,485
Average staple		34.6	34.8	34.7	34.7	34.8

SOUTHWESTERN SMITH-DOXEY CLASSING OFFICE TERRITORIES




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

		ALTUS			DALLAS		
Grade and Staple		Ginned in State		Classing Office total	Ginned in State		Classing Office total
		Oklahoma	Texas		Texas	Oklahoma	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	38	222	260	63	-	63
M.+	(30)	-	37	37	-	-	-
M.	(31)	4,075	9,600	13,675	20,152	-	20,152
S.L.M.+	(40)	340	611	951	194	-	194
S.L.M.	(41)	14,185	29,373	43,558	31,000	1,053	32,053
L.M.+	(50)	789	950	1,739	275	10	285
L.M.	(51)	10,036	9,542	19,578	5,950	399	6,349
S.G.O.+	(60)	47	83	130	21	-	21
S.G.O.	(61)	1,261	688	1,969	320	90	410
G.O.+	(70)	-	64	64	-	-	-
G.O.	(71)	147	9	156	58	19	77
Total		30,938	51,179	82,117	58,033	1,571	59,604
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	28	246	274	-	-	-
M.	(32)	15,504	42,718	58,222	17,388	114	17,502
S.L.M.	(42)	48,633	82,942	131,575	10,468	906	11,376
L.M.	(52)	24,645	18,537	43,182	1,292	708	2,000
Total		68,810	144,443	233,253	29,148	1,730	30,878
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	28	215	243	-	8	8
M.	(33)	9,341	16,303	25,644	236	101	337
S.L.M.	(43)	22,400	25,244	47,644	423	293	716
L.M.	(53)	12,021	5,710	17,731	150	81	231
Total		43,790	47,472	91,262	809	483	1,292
Tinged:							
All grades		3,564	4,305	7,869	23	19	42
Stained:							
All grades		-	60	60	-	-	-
Light Gray:							
All grades		-	9	9	-	-	-
Below Grade							
All grades		2,050	278	2,328	127	19	146
Grade Index							
All grades		86.6	89.7	88.4	94.3	87.3	94.0
Staple							
26 and shorter		9	-	9	35	-	35
28		40	341	381	46	-	46
29		615	5,202	5,817	140	10	150
30		13,426	43,262	56,688	5,275	104	5,379
31		58,326	112,162	170,488	39,056	1,137	40,193
32		58,202	78,932	137,134	39,435	1,279	40,714
33		18,954	6,780	25,734	4,063	401	4,464
34		9,122	1,003	10,125	53	458	511
35		6,338	46	6,384	13	433	446
36		3,901	18	3,919	-	-	-
37		219	-	219	-	-	-
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	24	-	24
All staples		169,152	247,746	416,898	88,140	3,822	91,962
Average staple							
All staples		31.9	31.2	31.5	31.5	32.3	31.5

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

		AUSTIN		CORPUS CHRISTI		HARLINGEN		ABILENE	
Grade and Staple		Ginned in State		Ginned in State		Ginned in State		Ginned in State	
		Texas		Texas		Texas		Texas	
Grade	Code	Bales		Bales		Bales		Bales	
White:									
G.M.	(11)	-	::	-	::	-	::	-	::
S.M.	(21)	261	::	12	::	-	::	88	::
M.+	(30)	55	::	-	::	-	::	-	::
M.	(31)	6,898	::	6,226	::	1,747	::	15,846	::
S.L.M.+	(40)	1,241	::	500	::	460	::	289	::
S.L.M.	(41)	27,735	::	29,529	::	28,208	::	43,185	::
L.M.+	(50)	411	::	3,538	::	900	::	448	::
L.M.	(51)	9,719	::	21,594	::	12,724	::	34,058	::
S.G.O.+	(60)	34	::	313	::	22	::	53	::
S.G.O.	(61)	3,113	::	1,317	::	1,113	::	3,909	::
G.O.+	(70)	-	::	4	::	-	::	-	::
G.O.	(71)	412	::	228	::	154	::	268	::
Total		49,879	::	63,261	::	45,328	::	98,164	::
Light Spotted:									
G.M.	(12)	-	::	-	::	-	::	-	::
S.M.	(22)	-	::	-	::	-	::	1,660	::
M.	(32)	3,913	::	1,873	::	415	::	94,098	::
S.L.M.	(42)	32,400	::	6,559	::	24,992	::	149,733	::
L.M.	(52)	19,711	::	1,900	::	6,532	::	54,721	::
Total		56,024	::	10,332	::	33,939	::	300,212	::
Spotted:									
G.M.	(13)	-	::	-	::	-	::	-	::
S.M.	(23)	-	::	-	::	-	::	2,222	::
M.	(33)	139	::	61	::	35	::	38,702	::
S.L.M.	(43)	898	::	287	::	1,974	::	32,506	::
L.M.	(53)	1,404	::	420	::	2,653	::	6,463	::
Total		2,381	::	768	::	4,662	::	79,893	::
Tinged:									
All grades		-	::	7	::	107	::	10,988	::
Stained:									
All grades		-	::	-	::	-	::	740	::
Light Gray:									
All grades		16	::	4	::	76	::	80	::
Below Grade									
		853	::	352	::	1,153	::	301	::
All grades		109,153	::	74,724	::	85,265	::	490,378	::
Grade index		88.5	::	90.3	::	88.3	::	89.5	::
Staple									
26 and shorter		18	::	-	::	-	::	137	::
28		36	::	-	::	-	::	1,284	::
29		91	::	10	::	-	::	13,554	::
30		1,386	::	434	::	11	::	102,564	::
31		11,616	::	1,959	::	60	::	203,105	::
32		35,155	::	13,887	::	1,289	::	134,519	::
33		15,824	::	40,119	::	18,405	::	28,394	::
34		20,302	::	15,863	::	61,466	::	5,970	::
35		22,946	::	2,399	::	4,012	::	794	::
36		1,779	::	53	::	22	::	57	::
37		-	::	-	::	-	::	-	::
38		-	::	-	::	-	::	-	::
39		-	::	-	::	-	::	-	::
40 and longer		-	::	-	::	-	::	-	::
All staples		109,153	::	74,724	::	85,265	::	490,378	::
Average staple		33.1	::	33.0	::	33.8	::	31.2	::

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

		LUBBOCK			EL PASO			
Grade and Staple		Ginned in State		Classing Office Total	Ginned in State			Classing Office Total
		Texas	New Mexico		Texas	New Mexico	Arizona	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:								
G.M.	(11)	-	-	-	67	-	-	67
S.M.	(21)	92	-	92	365	394	325	1,084
M.+	(30)	36	-	36	-	-	-	-
M.	(31)	27,429	-	27,429	5,201	11,403	6,999	23,603
S.L.M.+	(40)	304	-	304	1,049	2,855	606	4,510
S.L.M.	(41)	202,098	456	202,554	2,863	8,123	1,230	12,216
L.M.+	(50)	3,368	8	3,396	361	1,475	78	1,914
L.M.	(51)	98,074	49	98,123	139	543	21	703
S.G.O.+	(60)	523	-	523	-	29	-	29
S.G.O.	(61)	18,643	-	18,643	62	14	31	107
G.O.+	(70)	-	-	-	-	-	-	-
G.O.	(71)	1,878	-	1,878	16	7	33	56
Total		352,467	513	352,980	10,123	24,843	9,323	44,269
Light Spotted:								
G.M.	(12)	-	-	-	-	-	-	-
S.M.	(22)	222	-	222	-	33	79	112
M.	(32)	149,574	203	149,777	2,127	1,546	1,529	5,202
S.L.M.	(42)	425,520	1,443	426,963	1,816	990	556	3,362
L.M.	(52)	148,905	605	149,510	370	260	192	822
Total		724,221	2,251	726,472	4,313	2,829	2,356	9,498
Spotted:								
G.M.	(13)	-	-	-	-	-	-	-
S.M.	(23)	31	-	31	11	-	15	26
M.	(33)	47,488	115	47,603	407	7	70	484
S.L.M.	(43)	66,384	252	66,636	879	77	62	1,018
L.M.	(53)	17,497	128	17,625	332	63	91	486
Total		131,400	495	131,895	1,629	147	238	2,014
Tinged:								
All grades		15,341	82	15,423	27	-	-	27
Stained:								
All grades		429	-	429	-	-	-	-
Light Gray:								
All grades		78	-	78	-	-	-	-
Gray:								
All grades		33	-	33	-	-	-	-
Below grade								
		1,631	-	1,631	465	103	125	693
All grades		1,225,600	3,341	1,228,941	16,557	27,922	12,042	56,521
Grade Index		88.8	87.4	88.8	93.6	96.2	97.2	95.6
Staple								
26 and shorter		3,084	92	3,176	18	-	-	18
28		63,635	647	64,282	102	-	-	102
29		266,120	1,413	267,533	39	-	-	39
30		446,916	802	447,718	306	-	24	330
31		254,629	265	254,894	343	-	23	366
32		117,495	74	117,569	840	115	285	1,240
33		47,094	24	47,118	1,244	177	434	1,855
34		16,918	24	16,942	1,999	621	2,019	4,639
35		4,899	-	4,899	2,236	2,877	5,964	11,077
36		4,216	-	4,216	5,483	16,086	2,230	23,799
37		578	-	578	3,129	7,951	873	11,953
38		16	-	16	245	77	14	336
39		-	-	-	277	18	21	316
40 and longer		-	-	-	296	-	155	451
All staples		1,225,600	3,341	1,228,941	16,557	27,922	12,042	56,521
Average staple		30.3	29.3	30.3	35.2	36.1	35.1	35.6

**WESTERN
SMITH-DOXEY CLASSING OFFICE TERRITORIES**




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

		CARLSBAD		PHOENIX		PRESNO	
Grade and Staple		Ginned in State		Classing Office total	Ginned in State Arizona	Ginned in State California	
		New Mexico	Texas				
Grade	Code	Bales	Bales	Bales	Bales	Bales	
White:							
G.M.	(11)	10	-	10	-	14	
S.M.	(21)	1,337	124	1,461	8,991	14,018	
M.+	(30)	-	-	-	-	1,750	
M.	(31)	13,117	4,632	17,749	245,592	329,927	
S.L.M.+	(40)	3,209	1,602	4,811	34,364	181,174	
S.L.M.	(41)	9,227	4,665	13,892	83,632	199,436	
L.M.+	(50)	276	68	344	3,434	13,419	
L.M.	(51)	1,150	1,062	2,232	7,922	25,946	
S.G.O.+	(60)	-	-	-	183	674	
S.G.O.	(61)	377	308	685	2,855	2,255	
G.O.+	(70)	-	-	-	-	14	
G.O.	(71)	52	490	542	1,105	197	
Total		28,755	12,971	41,726	388,078	768,824	
Light Spotted:							
G.M.	(12)	-	-	-	-	-	
S.M.	(22)	50	497	547	865	122	
M.	(32)	1,312	5,717	7,029	54,177	1,497	
S.L.M.	(42)	1,937	4,149	6,086	16,434	2,947	
L.M.	(52)	1,023	939	1,962	9,661	869	
Total		4,322	11,202	15,524	81,137	5,455	
Spotted:							
G.M.	(13)	-	-	-	-	-	
S.M.	(23)	-	-	-	119	20	
M.	(33)	170	1,978	2,148	1,132	84	
S.L.M.	(43)	341	1,939	2,280	750	201	
L.M.	(53)	335	926	1,261	1,285	140	
Total		846	4,843	5,689	3,286	445	
Tinged:							
All grades		83	599	682	7	26	
Light Gray:							
All grades		-	-	-	116	562	
Gray:							
All grades		-	-	-	-	30	
Below Grade		202	2,329	2,531	7,688	88	
All grades		34,208	31,944	66,152	480,312	775,430	
Grade Index		95.3	89.7	92.6	96.4	97.0	
Staple							
26 and shorter		308	-	308	32	-	
28		888	203	1,091	95	-	
29		929	693	1,622	138	-	
30		1,421	2,580	4,001	1,669	-	
31		832	7,415	8,247	1,764	30	
32		844	11,202	12,046	9,295	50	
33		691	4,373	5,064	14,515	237	
34		1,212	4,750	5,962	98,251	4,649	
35		3,064	648	3,712	320,247	303,896	
36		14,521	80	14,601	33,614	465,666	
37		9,269	-	9,269	410	900	
38		229	-	229	227	-	
39		-	-	-	-	-	
40 and longer		-	-	-	55	-	
All staples		34,208	31,944	66,152	480,312	775,430	
Average staple		35.1	32.0	33.6	34.7	35.6	

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

		BAKERSFIELD			EL CENTRO		
Grade and Staple	Code	Ginned in State		Classing Office total	Ginned in State		Classing Office total
		California	Nevada		California	Arizona	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	9,260	130	9,390	776	465	1,241
M.+	(30)	42	-	42	-	-	-
M.	(31)	488,589	959	489,548	81,667	26,218	107,885
S.L.M.+	(40)	144,909	53	144,962	2,452	2,713	5,165
S.L.M.	(41)	313,090	48	313,138	27,812	22,600	50,412
L.M.+	(50)	10,031	-	10,031	173	169	342
L.M.	(51)	37,511	-	37,511	2,140	1,207	3,347
S.G.O.+	(60)	259	-	259	9	10	19
S.G.O.	(61)	4,502	-	4,502	630	261	1,111
G.O.+	(70)	-	-	-	-	-	-
G.O.	(71)	388	-	388	131	96	227
Total		1,008,581	1,190	1,009,771	115,990	53,759	169,749
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	356	14	370	-	-	-
M.	(32)	3,552	41	3,593	5,808	1,703	7,511
S.L.M.	(42)	8,616	-	8,616	2,245	4,127	6,372
L.M.	(52)	4,150	-	4,150	1,711	1,373	3,084
Total		16,674	55	16,729	9,764	7,203	16,967
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-
M.	(33)	210	-	210	38	24	62
S.L.M.	(43)	607	-	607	21	9	30
L.M.	(53)	481	-	481	84	53	137
Total		1,298	-	1,298	143	86	229
Tinged:							
All grades		31	-	31	-	-	-
Light Gray:							
All grades		1,004	-	1,004	330	127	457
Gray:							
All grades		11	-	11	-	5	5
Below Grade							
		296	-	296	773	1,185	1,958
All grades		1,027,895	1,245	1,029,140	127,000	62,365	189,365
Grade index		96.8	100.0	96.8	97.3	95.2	96.6
Staple							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		-	-	-	-	-	-
30		-	-	-	182	87	269
31		-	-	-	656	160	816
32		43	-	43	2,735	1,176	3,911
33		929	-	929	4,307	1,156	5,463
34		34,736	-	34,736	51,250	13,552	64,802
35		667,892	50	667,942	67,792	44,716	112,508
36		324,116	1,181	325,297	78	1,518	1,596
37		179	14	193	-	-	-
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		1,027,895	1,245	1,029,140	127,000	62,365	189,365
Average staple		35.3	36.0	35.3	34.4	34.7	34.5

Table 11. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by states, 1975-76 with comparisons

State	2.6 and below		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals		Average					
	1974		1975		1974		1975		1974		1975		1974		1975		1974		1975					
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Rdg.			
Va.	-	-	1.2	-	6.6	-	40.4	-	40.2	30.1	11.6	67.4	-	2.5	-	7.8	-	92.2	97.5	-	2.5	4.0		
N. C.	*	0.1	1.7	0.1	3.2	0.2	31.3	4.6	53.2	44.1	10.1	46.8	0.3	3.8	0.1	0.4	5.0	0.3	94.6	95.5	0.4	4.2		
S. C.	-	*	0.7	0.2	1.7	0.7	18.6	13.0	51.7	56.7	24.6	27.8	2.4	1.6	0.3	*	2.4	0.9	94.9	97.5	2.7	1.6		
Ga.	*	*	0.5	0.6	0.8	0.9	8.9	12.2	39.9	63.4	39.0	22.4	8.5	0.5	2.4	*	1.3	1.5	87.8	98.0	10.9	0.5		
Fla.	-	0.5	0.3	1.3	0.9	2.1	1.8	12.7	22.4	37.4	29.7	36.7	44.4	6.8	0.5	2.5	-	3.9	3.0	86.8	96.5	9.3	0.5	
Ala.	0.1	*	1.1	0.2	2.6	1.2	2.3	14.1	20.8	39.8	52.3	32.9	22.8	6.1	0.4	1.0	*	6.1	3.7	86.8	95.9	7.1	0.4	
Miss.	0.1	0.2	1.2	2.2	4.5	4.7	4.3	3.4	19.8	15.2	37.6	37.2	28.1	32.0	4.1	4.8	0.3	0.3	10.1	10.5	85.5	84.4	4.4	5.1
Ky.	-	1.0	-	2.9	-	7.6	-	24.7	-	34.4	-	28.7	-	0.7	-	-	11.5	-	87.8	-	0.7	-	4.1	
Tenn.	0.3	-	2.1	0.1	6.8	0.4	6.3	0.8	31.4	11.8	39.8	46.5	12.8	36.3	0.5	3.8	*	0.3	15.5	1.3	84.0	94.6	0.5	4.1
Mo.	0.2	*	3.3	*	8.6	1.0	7.1	1.8	24.5	13.7	32.6	35.0	20.0	39.5	3.2	8.4	0.5	0.6	19.2	2.8	77.1	88.2	3.7	9.0
Ark.	0.1	0.1	1.4	0.6	5.1	2.1	4.6	1.8	18.1	8.6	35.5	26.4	29.8	46.3	4.7	11.9	0.7	2.2	11.2	4.6	83.4	81.3	5.4	14.1
La.	*	0.2	0.7	1.1	2.6	1.5	2.9	8.7	10.5	28.3	29.8	46.7	44.5	11.0	8.5	2.5	0.5	2.8	6.2	83.7	84.8	13.5	9.0	
Okla.	1.5	4.5	4.3	10.4	8.8	15.9	7.0	11.3	21.5	31.7	28.6	21.1	21.1	4.6	5.7	0.4	1.5	0.1	21.6	42.1	71.2	57.4	7.2	0.5
Tex.	11.6	9.3	12.8	22.5	12.3	24.3	6.8	10.5	18.1	16.6	18.4	9.4	12.5	5.8	5.7	1.4	1.8	0.2	43.5	66.6	49.0	31.8	7.5	1.6
N. M.	3.2	14.1	10.4	18.0	19.2	20.6	14.0	11.9	37.4	26.6	15.3	8.6	0.5	0.2	-	-	-	46.8	64.6	53.2	35.4	-	-	3.5
Ariz.	0.1	1.8	0.9	2.9	2.6	4.2	2.0	2.9	8.2	11.0	20.1	22.0	40.1	32.4	19.0	16.5	7.0	6.3	5.6	11.8	68.4	65.4	26.0	22.8
Nev.	-	-	-	-	1.7	-	1.1	2.7	26.1	28.1	44.5	45.4	25.8	22.8	0.8	1.0	-	-	2.8	2.7	96.4	96.3	0.8	1.0
Calif.	0.1	0.5	0.8	1.7	1.8	2.8	1.7	3.3	13.3	26.4	45.4	46.1	32.5	16.8	3.5	1.8	0.9	0.6	4.4	8.3	91.2	89.3	4.4	2.4
U. S.	2.6	3.3	3.7	7.9	5.4	9.5	4.0	5.3	16.5	17.5	33.1	29.9	26.9	21.3	6.1	4.3	1.7	1.0	15.7	26.0	76.5	68.7	7.8	5.3

* Less than 0.05 percent.

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1975-76 with comparisons

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals			Average mike					
	1974		1975		1974		1975		1974		1975		1974		1975		1974		1975		1974		1975				
	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.	Pct.	Fct.			
NORTH CAROLINA																											
Prior to Oct. 1	-	-	-	-	2.7	-	-	-	-	-	-	-	-	-	-	-	-	16.8	-	2.7	83.2	97.3	16.8	-	4.6	4.0	
October	-	-	0.1	0.4	0.1	1.2	0.1	22.1	4.7	60.0	51.6	15.8	40.7	0.5	2.4	-	0.3	1.6	0.3	97.9	97.0	0.5	2.7	4.2	4.4		
November	-	0.1	-	1.8	-	3.6	*	36.0	3.0	51.3	36.5	7.1	54.6	0.1	5.3	*	0.6	5.5	*	94.4	94.1	0.1	5.9	4.0	4.5		
December	0.1	-	0.7	-	4.5	0.6	7.3	1.8	42.6	10.5	40.8	41.2	4.0	41.8	-	3.5	*	0.6	12.6	2.4	87.4	93.5	*	4.1	3.9	4.4	
After Dec. 31	0.3	-	1.7	-	9.1	-	13.1	-	35.9	25.6	35.8	66.1	4.1	8.3	-	-	-	-	24.2	-	75.8	100.0	-	-	3.8	4.1	
Total crop	*	-	0.1	*	1.7	0.1	3.2	0.2	31.3	4.6	53.2	44.1	10.1	46.8	0.3	3.8	0.1	0.4	5.0	0.3	94.6	95.5	0.4	4.2	4.0	4.5	
SOUTH CAROLINA																											
Prior to Oct. 1	-	-	-	-	0.6	0.8	3.1	1.6	48.6	31.3	45.1	50.2	2.6	13.8	-	2.3	-	0.8	3.7	83.1	96.3	16.1	-	4.6	3.9		
October	-	-	-	0.1	*	0.6	0.2	12.8	10.8	54.9	61.9	28.9	26.0	2.5	1.1	0.2	*	0.7	0.2	96.6	98.7	2.7	1.1	4.3	4.3		
November	-	0.1	*	1.1	0.2	2.4	0.4	24.8	7.3	51.4	48.5	18.3	40.2	1.7	3.4	0.2	*	3.6	0.6	94.5	96.0	1.9	3.4	4.1	4.4		
December	-	0.3	0.1	3.3	1.4	5.7	1.7	39.3	20.3	39.3	53.7	11.6	21.3	0.5	1.5	*	-	9.3	3.2	90.2	95.3	0.5	1.5	4.0	4.2		
After Dec. 31	-	-	-	4.6	2.6	8.7	5.7	35.9	24.3	41.4	49.6	8.6	16.8	0.4	1.0	0.4	-	13.3	8.3	85.9	90.7	0.8	1.0	3.9	4.1		
Total crop	-	*	0.7	0.2	1.7	0.7	18.6	13.0	51.7	56.7	24.6	27.8	2.4	1.6	0.3	*	2.4	0.9	94.9	97.5	2.7	1.6	4.2	4.2	4.3		
GEORGIA																											
Prior to Oct. 1	-	-	-	0.1	0.4	-	1.8	1.8	13.7	20.1	66.0	48.6	19.1	20.2	-	9.2	-	0.1	2.2	70.5	97.8	29.4	-	4.7	4.2		
October	-	*	-	0.1	0.2	0.3	5.4	13.7	36.1	67.5	44.2	19.0	11.0	0.4	3.1	-	0.2	0.4	85.7	99.2	14.1	0.4	4.5	4.2			
November	*	-	0.4	0.3	0.8	0.4	10.5	6.9	45.7	64.2	35.6	27.4	5.6	0.8	1.4	-	1.2	0.7	91.8	98.5	7.0	0.8	4.4	4.3			
December	0.1	-	0.3	0.1	1.6	0.6	2.1	1.1	17.3	12.9	47.8	61.8	26.9	22.8	3.2	0.7	0.5	4.3	1.8	92.0	97.5	3.7	0.7	4.2	4.2		
After Dec. 31	0.1	*	1.4	-	3.5	3.4	6.1	6.4	24.4	30.1	37.8	46.3	23.1	13.6	2.7	0.2	0.9	11.1	9.8	85.3	90.0	3.6	0.2	4.1	4.0		
Total crop	*	*	0.5	0.6	0.8	0.9	8.9	12.2	39.9	63.4	39.0	22.4	8.5	0.5	2.4	*	1.3	1.5	87.8	98.0	10.9	0.5	4.5	4.2			
FLORIDA																											
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-
October	-	-	-	-	-	-	-	-	3.0	-	31.4	9.0	50.2	91.0	11.3	-	4.1	-	-	84.6	100.0	15.4	-	4.6	4.6		
November	-	-	-	-	-	-	-	-	2.9	6.0	29.8	39.3	49.4	53.7	13.2	1.0	4.7	-	-	95.3	99.0	4.7	1.0	4.4	4.4		
December	-	1.1	0.9	2.0	2.5	6.9	3.4	28.1	49.1	46.4	28.2	14.7	15.9	0.8	-	-	-	10.0	6.8	89.2	93.2	0.8	-	4.0	3.9		
After Dec. 1	-	12.3	-	27.3	2.1	10.1	11.3	13.7	56.0	16.6	12.2	11.8	18.4	8.2	-	-	-	49.7	13.4	42.1	86.6	8.2	-	3.7	3.9		
Total crop	-	0.5	0.3	1.3	0.9	2.1	1.8	12.7	22.4	37.4	29.7	36.7	44.4	6.8	0.5	2.5	-	3.9	3.0	86.8	96.5	9.3	0.5	4.4	4.3		

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1975-76 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals			Average mike				
	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
ARKANSAS																										
Prior to Oct. 1	-	-	3.8	*	-	0.2	-	*	15.3	0.9	46.3	11.8	34.6	47.6	-	28.1	-	11.4	3.8	0.2	96.2	60.3	-	39.5	4.3	4.8
October	-	*	0.4	*	0.5	0.2	7.7	3.3	38.5	23.3	43.9	55.4	7.7	15.2	1.3	2.6	0.9	0.2	90.1	82.0	9.0	17.8	4.5	4.6	4.2	4.2
November	0.3	1.3	5.5	8.0	18.0	19.2	14.0	13.2	35.8	30.2	25.2	20.2	4.0	7.4	0.2	0.5	*	37.8	41.7	62.0	57.8	0.2	0.5	3.6	3.6	3.6
After Dec. 31	0.3	1.7	5.3	7.7	15.3	16.5	14.2	10.5	40.3	26.0	20.7	26.7	3.7	10.4	0.2	0.5	-	35.1	36.4	64.7	63.1	0.2	0.5	3.6	3.7	
Total crop	0.1	0.1	1.4	0.6	5.1	2.1	4.6	1.8	18.1	8.6	35.5	26.4	29.8	46.3	4.7	11.9	0.7	2.2	11.2	4.6	83.4	81.3	5.4	14.1	4.2	4.5
LOUISIANA																										
Prior to Oct. 1	-	-	0.2	-	0.1	-	-	-	0.8	0.6	11.1	12.3	53.6	70.1	22.1	15.9	12.1	1.1	0.3	-	65.5	83.0	34.2	17.0	4.8	4.7
October	-	-	*	-	0.1	-	0.2	*	2.3	0.4	23.6	11.8	56.6	66.1	14.2	20.2	3.0	1.5	0.3	*	82.5	78.3	17.2	21.7	4.7	4.7
November	-	-	0.1	0.4	1.5	2.1	2.4	2.8	13.9	14.1	36.9	43.6	38.4	35.3	6.0	1.7	0.8	*	4.0	5.3	89.2	93.0	6.8	1.7	4.3	4.3
December	-	0.2	0.9	4.6	5.2	16.2	6.4	14.3	30.1	31.8	39.7	26.5	16.0	6.3	1.4	0.1	0.3	-	12.5	35.3	85.8	64.6	1.7	0.1	4.0	3.7
After Dec. 31	0.1	0.4	0.9	6.6	3.2	16.0	8.2	16.4	31.2	29.7	36.7	12.0	17.2	18.9	2.3	-	0.2	-	12.4	39.4	85.1	60.6	2.5	-	4.0	3.7
Total crop	*	*	0.2	0.7	1.1	2.6	1.5	2.9	8.7	10.5	28.3	29.8	46.7	44.5	11.0	8.5	2.5	0.5	2.8	6.2	83.7	84.8	13.5	9.0	4.5	4.4
OKLAHOMA																										
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	100.0	-	-	4.8	4.6
October	-	-	-	-	1.6	-	0.5	1.2	5.7	5.9	25.1	21.1	41.3	57.7	18.2	11.6	7.6	2.5	2.1	1.2	72.1	84.7	25.8	14.1	4.6	4.6
November	0.2	0.1	0.7	0.4	2.4	2.5	2.7	4.7	11.8	29.1	28.0	48.4	37.7	13.8	12.8	0.9	3.7	0.1	6.0	7.7	77.5	91.3	16.5	1.0	4.4	4.1
December	0.7	4.4	2.8	11.2	6.7	18.1	6.1	12.8	22.0	34.9	32.0	17.2	22.7	1.4	5.6	*	1.4	-	16.3	46.5	76.7	53.5	7.0	*	4.1	3.5
After Dec. 31	3.6	11.5	8.0	18.9	15.5	22.4	10.2	12.6	25.4	24.7	23.7	9.0	10.7	0.9	2.4	-	0.5	-	37.3	65.4	59.8	34.6	2.9	*	3.7	3.3
Total crop	1.5	4.5	4.3	10.4	8.8	15.9	7.0	11.3	21.5	31.7	28.6	21.1	21.1	4.6	5.7	0.4	1.5	0.1	21.6	42.1	71.2	57.4	7.2	0.5	4.0	3.6
TEXAS																										
Prior to Sept. 1	*	-	0.5	*	2.9	0.3	3.7	0.6	20.3	15.9	26.3	34.8	23.4	33.9	17.0	12.1	5.9	2.4	7.1	0.9	70.0	84.6	22.9	14.5	4.4	4.4
September	*	0.3	0.5	2.0	2.1	3.5	2.4	20.9	14.2	41.8	36.3	20.9	35.4	7.5	7.6	3.1	1.5	5.8	5.0	83.6	85.9	10.6	9.1	4.2	4.3	
October	*	0.5	0.1	4.3	1.0	9.2	1.3	6.9	10.9	19.9	30.6	30.1	36.3	23.7	15.3	4.6	4.5	0.8	2.4	20.9	77.8	73.7	19.8	5.4	4.5	4.0
November	5.9	5.6	14.7	22.4	17.9	29.7	10.1	13.5	22.7	19.9	17.9	7.4	8.9	1.4	1.5	0.1	0.4	*	48.6	71.2	49.5	28.7	1.9	0.1	3.6	3.2
December	18.7	13.5	19.8	28.6	17.0	27.1	8.2	11.2	16.9	15.4	12.4	3.9	5.8	0.3	1.0	*	0.2	-	63.7	80.4	35.1	19.6	1.2	*	3.3	3.1
After Dec. 31	24.3	15.5	18.6	29.4	14.7	28.2	7.3	11.2	15.3	13.6	11.9	2.0	6.0	0.1	1.4	*	0.5	*	64.9	84.3	33.2	15.7	1.9	*	3.3	3.0
Total crop	11.6	9.3	12.8	22.5	12.3	24.3	6.8	10.5	18.1	16.6	18.4	9.4	12.5	5.8	5.7	1.4	1.8	0.2	43.5	66.6	49.0	31.8	7.5	1.6	3.7	3.3

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1975-76 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals		Average mike										
	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975									
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Rdg.	Rdg.							
NEW MEXICO																															
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	100.0	-	-	4.0	3.9						
October	-	0.3	0.3	1.7	5.7	2.9	8.6	38.8	53.5	54.3	30.7	2.0	1.2	-	-	-	-	-	-	4.9	14.6	95.1	85.4	-	-	4.0	3.8				
November	0.4	3.3	4.8	17.1	16.9	28.7	15.8	17.6	46.0	29.1	15.8	4.2	0.3	-	-	-	-	-	-	37.9	66.7	62.1	33.3	-	-	3.6	3.3				
December	6.8	40.3	20.5	31.7	27.5	17.5	14.2	4.7	25.6	5.1	5.3	0.7	0.1	-	-	-	-	-	-	69.0	94.2	31.0	5.8	-	-	3.2	2.8				
After Dec. 31	14.8	54.1	25.4	26.0	26.2	12.9	13.1	4.5	16.7	2.4	3.5	0.1	0.3	-	-	-	-	-	-	79.5	97.5	20.5	2.5	-	-	3.1	2.7				
Total crop	3.2	14.1	10.4	18.0	19.2	20.6	14.0	11.9	37.4	26.6	15.3	8.6	0.5	0.2	-	-	-	-	-	46.8	64.6	53.2	35.4	-	-	3.5	3.2				
ARIZONA																															
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
October	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
November	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
December	0.1	2.1	1.5	5.4	4.6	9.0	4.1	6.4	12.2	19.9	19.7	25.9	35.8	23.2	16.2	6.7	5.8	1.4	10.3	22.9	67.7	69.0	22.0	8.1	4.4	4.0	4.0	4.0			
After Dec. 31	1.4	15.8	6.3	18.2	12.6	17.4	8.5	9.3	21.5	18.3	22.1	12.8	20.6	6.6	5.2	1.4	1.8	0.2	28.8	60.7	64.2	37.7	7.0	1.6	3.9	3.4	3.4	3.4			
Total crop	0.1	1.8	0.9	2.9	2.6	4.2	2.0	2.9	8.2	11.0	20.1	22.0	40.1	32.4	19.0	16.5	7.0	6.3	5.6	11.8	68.4	65.4	26.0	22.8	4.6	4.4	4.6	4.4			
CALIFORNIA																															
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
October	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
November	0.3	0.8	1.2	2.3	2.4	4.0	2.0	4.3	13.5	27.8	41.4	43.1	32.8	15.3	4.9	1.7	1.5	0.7	5.9	11.4	87.7	86.2	6.4	2.4	4.3	4.0	4.0	4.0	4.0		
December	0.5	1.3	2.0	4.8	4.1	6.3	2.9	3.7	12.3	18.2	34.6	33.3	36.6	23.7	5.6	6.9	1.4	1.8	9.5	16.1	83.5	75.2	7.0	8.7	4.3	4.1	4.1	4.1	4.1		
After Dec. 31	0.8	3.1	3.2	6.0	4.7	5.6	3.9	4.3	16.3	23.9	35.6	38.8	29.2	16.0	5.0	1.8	1.3	0.5	12.6	19.0	81.1	78.7	6.3	2.3	4.2	3.9	3.9	3.9			
Total crop	0.1	0.5	0.8	1.7	1.8	2.8	1.7	3.3	13.3	26.4	45.4	46.1	32.5	16.8	3.5	1.8	0.9	0.6	4.4	8.3	91.2	89.3	4.4	2.4	4.3	4.1	4.3	4.1	4.1		
UNITED STATES																															
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
September	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
October	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
November	0.8	1.5	2.7	6.2	5.4	9.1	4.6	5.4	19.9	19.6	34.8	25.1	19.5	5.2	3.0	1.5	0.9	13.5	22.2	79.8	73.9	6.7	3.9	4.2	4.0	4.0	4.0	4.0	4.0	4.0	
December	8.7	8.1	11.2	17.8	13.0	19.6	7.7	9.7	20.3	20.9	21.0	15.9	14.1	6.3	3.1	1.4	0.9	0.3	46.6	55.2	55.4	43.1	4.0	1.7	3.7	3.5	3.5	3.5	3.5	3.5	
After Dec. 10.4	12.9	10.8	23.8	13.0	23.6	8.3	10.4	21.3	17.4	20.9	8.9	12.1	2.7	2.5	0.3	0.7	-	-	-	42.5	70.7	54.3	29.0	3.2	0.3	3.6	3.2	3.2	3.2		
Total crop	2.6	3.3	3.7	7.9	5.4	9.5	4.0	5.3	16.5	17.5	33.1	29.9	26.9	21.3	6.1	4.3	1.7	1.0	15.7	26.0	76.5	68.7	7.6	5.3	4.1	4.0	4.1	4.0	4.0		

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned in the United States, by states, 1975-76 with comparisons

State	Zero Gage Fiber Strength (Mpsi)														Average strength					
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above			
	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975		
S.C.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	Mpsi	
	0.1	-	0.2	-	6.2	0.3	42.4	16.0	42.5	54.1	8.0	27.3	0.6	2.0	-	0.3	-	-	79.7	82.9
Ga.	-	-	0.2	-	8.9	3.0	41.3	35.1	40.5	49.2	8.7	11.6	0.4	1.1	-	*	-	-	79.5	80.6
Ala.	-	-	-	0.1	2.7	2.2	24.8	32.4	49.7	46.4	20.3	16.4	2.5	2.5	-	*	-	-	81.8	81.2
Miss.	-	-	-	-	0.8	0.5	15.5	15.5	48.2	53.9	30.9	25.6	4.4	4.2	0.2	0.3	-	-	83.1	82.9
Tenn.	-	-	*	-	1.4	0.1	23.4	11.1	51.7	52.7	21.4	31.1	2.1	4.7	-	*	0.3	-	82.0	83.5
Mo.	-	-	*	0.1	1.2	2.9	17.7	28.6	49.1	49.2	27.4	16.9	4.3	2.3	-	*	-	-	82.9	81.3
Ark.	-	-	*	-	1.0	0.5	21.2	11.6	49.6	46.8	23.3	32.7	4.7	7.6	0.2	0.8	-	*	82.5	83.6
Ia.	-	-	*	-	1.0	1.3	17.9	18.7	52.1	50.3	25.7	25.5	3.3	3.9	-	*	0.3	-	82.6	82.6
Oklahoma	-	-	0.1	*	7.3	2.9	29.4	26.1	41.0	44.6	18.3	22.4	3.5	3.7	0.4	0.2	-	*	81.1	82.0
Tex.	*	-	0.2	0.1	3.9	2.5	22.4	17.8	38.5	36.0	23.4	30.4	8.6	10.9	2.3	2.0	0.7	0.3	83.0	83.9
N. Mex.	-	-	*	-	0.5	0.4	4.0	1.8	8.5	7.1	17.3	17.1	34.1	34.1	28.1	27.4	7.5	12.1	91.8	92.7
Ariz.	-	-	*	-	0.6	0.5	9.9	7.1	38.2	34.0	36.4	41.1	12.3	14.9	2.3	2.4	0.3	*	84.9	85.6
Calif.	-	-	-	-	*	*	0.2	0.1	1.7	1.8	7.6	10.2	22.1	33.1	39.6	37.8	28.8	17.0	96.5	94.9
U.S.	*	-	*	-	2.1	1.2	16.0	12.9	33.6	32.9	20.8	24.3	10.1	14.2	10.2	10.2	7.2	4.3	86.0	86.3

* Less than 0.05 percent

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1975-76 with comparisons

Period	Zero Gage Fiber Strength (Mpsi)																		Average strength		
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		1974	1975	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	Mpsi	
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
October	0.1	-	0.1	-	5.8	0.2	39.3	15.7	44.0	53.7	9.8	28.7	0.9	1.2	-	0.5	-	-	-	82.6	83.0
November	-	-	0.1	-	6.4	0.2	45.4	13.3	41.8	52.8	6.1	29.4	0.2	4.3	-	-	-	-	-	79.4	83.2
December	-	-	0.2	-	8.4	3.3	52.6	29.8	36.3	49.7	2.5	15.3	-	1.9	-	-	-	-	-	78.7	81.0
After Dec. 31	-	-	-	-	-	0.5	-	29.2	-	60.6	-	9.2	-	0.5	-	-	-	-	-	-	80.9
Total crop	0.1	-	0.2	-	6.2	0.3	42.4	16.0	42.5	54.1	8.0	27.3	0.6	2.0	-	0.3	-	-	-	79.2	82.9
<u>SOUTH CAROLINA</u>																					
Prior to Oct. 1	-	-	1.0	-	3.4	-	33.4	-	48.3	-	12.9	-	1.0	-	-	-	-	-	-	80.8	-
October	-	-	0.1	-	8.4	2.6	38.1	34.9	42.1	50.2	10.8	11.7	0.5	0.6	-	-	-	-	-	79.9	80.7
November	-	-	0.6	-	9.8	2.6	44.3	32.2	38.1	49.7	7.0	13.5	0.2	2.0	-	-	-	-	-	79.1	81.0
December	-	-	0.2	-	10.2	5.0	46.9	40.3	38.6	45.4	4.0	8.8	0.1	0.5	-	-	-	-	-	78.7	79.9
After Dec. 31	-	-	0.2	-	11.2	2.4	48.4	33.8	36.3	52.5	3.8	11.2	0.1	0.1	-	-	-	-	-	78.6	80.5
Total crop	-	-	0.2	-	8.9	3.0	41.3	35.1	40.5	49.2	8.7	11.6	0.4	1.1	-	-	-	-	-	79.5	80.6
<u>ALABAMA</u>																					
Prior to Oct. 1	-	-	-	-	0.7	1.7	15.4	19.6	64.5	54.6	16.5	20.5	2.6	3.6	0.3	-	-	-	-	82.7	77.2
October	-	-	-	-	0.1	1.7	2.7	18.7	35.4	50.6	49.9	25.8	10.6	3.1	1.3	0.1	-	-	-	82.5	80.6
November	-	-	-	-	0.1	4.2	1.4	32.3	29.8	48.0	45.8	13.5	19.7	2.0	3.2	-	-	-	-	80.8	81.6
December	-	-	-	-	3.3	3.6	34.6	35.1	49.2	44.3	11.6	14.7	1.3	2.2	-	0.1	-	-	-	80.6	80.9
After Dec. 31	-	-	-	-	-	0.6	-	15.1	-	43.6	-	34.9	-	5.5	-	0.3	-	-	-	-	83.5
Total crop	-	-	-	-	0.1	2.7	2.2	24.8	32.4	49.7	46.4	20.3	16.4	2.5	2.5	-	-	-	-	81.8	81.2
<u>MISSISSIPPI</u>																					
Prior to Oct. 1	-	-	-	-	-	0.7	4.5	18.9	42.8	32.3	48.2	43.6	4.5	4.5	-	-	-	-	-	84.8	83.8
October	-	-	-	-	0.4	0.5	9.0	9.6	42.9	50.8	40.2	31.9	7.1	6.8	0.4	0.4	-	-	-	84.2	83.9
November	-	-	-	-	1.1	0.3	21.4	16.7	55.6	55.2	20.5	23.9	1.4	3.6	-	0.3	-	-	-	82.0	82.7
December	-	-	-	-	1.5	1.0	33.6	21.8	53.5	55.8	11.4	19.9	-	1.5	-	-	-	-	-	80.6	82.0
After Dec. 31	-	-	-	-	2.1	0.4	30.8	24.3	60.5	55.6	6.6	19.3	-	0.4	-	-	-	-	-	80.5	81.7
Total crop	-	-	-	-	0.8	0.5	15.5	15.5	48.2	53.9	30.9	25.6	4.4	4.2	0.2	0.3	-	-	-	83.1	82.9
<u>TENNESSEE</u>																					
Prior to Oct. 1	-	-	-	-	-	1.7	-	30.6	-	31.9	-	30.8	-	5.0	-	-	-	-	-	-	82.7
October	-	-	-	-	-	0.1	9.2	9.4	51.3	53.8	35.2	31.2	4.3	5.2	-	0.3	-	-	-	83.7	83.6
November	-	-	-	-	2.6	-	34.2	11.7	50.2	50.5	12.6	32.8	0.4	4.7	-	0.3	-	-	-	80.8	83.7
December	-	-	-	-	2.4	1.7	33.7	20.7	57.4	56.2	6.5	20.6	-	0.8	-	-	-	-	-	80.5	81.9
After Dec. 31	-	-	-	-	2.9	-	39.7	18.4	48.3	56.3	9.1	21.7	-	3.6	-	-	-	-	-	80.1	82.6
Total crop	-	-	-	-	1.4	0.1	23.4	11.1	51.7	52.7	21.4	31.1	2.1	4.7	-	0.3	-	-	-	82.0	83.5

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1975-76 with comparisons (Continued)

Period	Zero Gage Fiber Strength (Mpsl)																		Average strength	
	54 & below		55-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		1974	1975
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsl	Mpsl
<u>MISSOURI</u>																				
Prior to Oct. 1	-	-	-	-	-	1.6	-	47.4	-	44.1	-	6.9	-	-	-	-	-	-	-	79.8
October	-	-	-	0.2	-	3.7	6.9	30.0	48.3	49.5	38.2	14.7	6.2	1.9	0.4	-	-	-	-	84.3
November	-	-	-	-	-	0.9	0.6	27.6	15.6	55.3	49.0	14.4	30.3	1.8	4.3	-	0.2	-	-	81.5
December	-	-	0.2	-	-	7.8	2.1	45.4	23.6	39.5	51.5	6.3	20.0	0.8	2.5	-	0.3	-	-	81.8
After Dec. 31	-	-	0.1	-	-	7.4	-	46.6	-	40.0	-	5.8	-	0.1	-	-	-	-	-	79.2
Total crop	-	-	0.1	-	0.1	1.2	2.9	17.7	28.6	49.1	49.2	27.4	16.9	4.3	2.3	0.3	0.3	-	-	82.9
<u>ARKANSAS</u>																				
Prior to Oct. 1	-	-	-	-	-	0.6	6.7	13.1	63.2	13.4	20.3	6.7	2.8	-	-	-	-	-	-	82.4
October	-	-	-	-	0.3	0.7	12.9	10.2	47.4	44.3	31.7	35.4	7.2	8.5	0.5	0.9	0.9	0.9	0.9	84.1
November	-	-	-	-	1.0	0.7	21.9	12.3	54.0	47.6	19.7	30.9	3.3	7.4	0.1	1.1	-	-	-	83.7
December	-	-	-	-	2.4	0.3	39.5	19.2	47.6	56.8	9.9	21.8	0.6	1.7	-	0.2	-	-	-	82.1
After Dec. 31	-	-	0.1	-	6.2	2.7	42.0	27.5	43.4	45.6	8.0	20.5	0.3	3.5	-	0.2	-	-	-	80.4
Total crop	-	-	0.1	-	1.0	0.5	21.2	11.6	49.6	46.8	23.3	32.7	4.7	7.6	0.2	0.8	0.3	0.3	0.3	82.5
<u>LOUISIANA</u>																				
Prior to Oct. 1	-	-	-	-	0.4	-	25.6	-	47.8	-	24.3	-	1.9	-	-	-	-	-	-	82.0
October	-	-	-	-	0.6	1.6	14.0	23.3	49.8	51.6	30.9	20.9	4.6	2.5	0.1	0.1	-	-	-	83.2
November	-	-	0.1	-	0.7	1.0	18.1	15.2	61.0	50.2	18.8	28.7	1.3	4.5	0.1	0.3	-	-	-	82.1
December	-	-	-	-	3.2	1.9	30.0	19.3	48.0	45.9	17.5	25.6	1.3	6.4	-	0.9	-	-	-	81.3
After Dec. 31	-	-	0.1	-	11.8	2.5	61.4	27.3	25.1	53.4	1.6	15.7	0.8	0.8	-	0.3	-	-	-	78.0
Total crop	-	-	0.1	-	1.0	1.3	17.9	18.7	52.1	50.3	25.7	25.5	3.3	3.9	0.3	0.3	-	-	-	82.6
<u>OKLAHOMA</u>																				
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
October	-	-	-	-	0.6	-	10.8	-	37.6	-	41.2	-	9.2	-	0.6	-	-	-	-	84.4
November	-	-	-	-	1.5	0.3	14.6	14.3	35.8	47.7	36.2	30.8	10.8	6.7	1.1	0.2	-	-	-	84.1
December	-	-	-	-	5.4	3.5	25.7	27.9	47.2	42.8	18.9	21.9	2.4	3.4	0.4	0.3	0.2	0.2	0.2	81.5
After Dec. 31	-	-	0.4	0.6	12.9	2.9	41.9	29.7	34.0	49.8	9.0	15.0	1.6	1.8	0.2	0.2	-	-	-	79.2
Total crop	-	-	0.1	0.1	7.3	2.9	29.4	26.1	41.0	44.6	18.3	22.4	3.5	3.7	0.4	0.2	0.1	0.1	0.1	81.1
<u>TEXAS</u>																				
Prior to Oct. 1	-	-	0.1	0.1	0.7	1.1	17.3	16.7	35.1	41.0	31.0	28.4	12.7	9.1	2.9	1.1	0.3	0.6	0.6	83.6
October	0.1	0.1	0.1	0.1	2.5	2.3	14.8	9.1	39.0	24.7	28.6	36.0	10.9	20.8	3.1	4.9	1.0	2.1	2.1	84.3
November	-	-	0.5	0.2	4.0	1.4	17.7	13.2	38.7	33.3	23.2	35.5	9.9	13.8	4.3	2.3	1.7	0.3	0.3	84.8
December	-	-	0.3	0.3	5.1	2.5	26.6	19.0	40.5	36.6	19.3	29.4	6.2	10.1	1.4	2.1	0.6	0.3	0.3	83.7
After Dec. 31	0.1	0.1	0.5	0.4	7.7	5.7	28.4	25.6	37.7	37.4	19.3	23.1	5.0	6.6	1.1	1.0	0.3	0.2	0.2	82.1
Total crop	0.1	0.2	0.1	0.1	3.9	2.5	22.4	17.8	38.5	36.0	23.4	30.4	8.6	10.9	2.3	2.0	0.7	0.3	0.3	83.0

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1975-76 with comparisons (Continued)

Period	Zero Gage Fiber Strength (Mpsi)														Average strength				
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		
	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	Mpsi
NEW MEXICO																			
Prior to Oct. 1	-	-	-	-	-	-	-	-	6.7	-	29.8	-	23.3	-	20.1	-	20.1	-	93.2
October	-	-	-	-	1.2	1.1	2.8	3.9	13.0	5.8	31.7	24.8	39.7	33.7	11.3	30.7	94.0	96.1	
November	-	-	-	-	0.3	0.2	3.6	0.6	3.7	15.8	37.3	40.0	29.2	30.3	7.2	8.9	92.2	93.2	
December	-	-	-	-	0.6	0.8	4.8	4.0	12.0	14.2	19.4	25.9	31.6	31.5	24.6	18.8	7.0	4.8	90.9
After Dec. 31	-	-	-	-	1.1	0.9	6.3	8.5	17.5	21.2	25.1	31.2	23.2	24.9	18.9	10.6	7.9	2.7	89.6
Total crop	-	-	-	-	0.5	0.4	4.0	1.8	8.5	7.1	17.3	17.1	34.1	34.1	28.1	27.4	7.5	12.1	91.8
ARIZONA																			
Prior to Oct. 1	-	-	-	-	2.4	-	12.0	-	25.9	20.1	43.5	76.5	13.7	3.4	2.2	-	0.3	-	85.2
October	-	-	-	-	0.6	0.8	9.2	7.7	36.6	32.1	38.2	41.1	13.4	16.0	1.6	2.3	0.4	*	85.1
November	-	-	-	-	0.6	0.3	8.2	5.1	39.8	34.9	35.6	41.2	13.1	15.2	2.3	3.1	0.4	0.2	85.1
December	-	-	-	-	0.2	-	0.5	11.1	8.9	36.3	31.2	36.8	43.9	10.9	14.3	3.5	1.2	0.6	85.0
After Dec. 31	-	-	-	-	0.1	-	1.0	1.2	15.0	12.8	44.7	38.7	29.9	33.6	7.8	12.0	1.3	1.7	0.2
Total crop	-	-	-	-	0.6	0.5	9.9	7.1	38.2	34.0	36.4	41.1	12.3	14.9	2.3	2.4	0.3	*	84.9
CALIFORNIA																			
Prior to Oct. 1	-	-	-	-	-	-	-	-	2.3	-	11.9	0.6	34.2	22.0	38.1	44.7	13.3	32.7	94.5
October	-	-	-	-	-	-	-	-	0.8	0.4	3.1	3.7	19.4	27.9	42.7	43.5	34.0	24.5	97.6
November	-	-	-	-	-	-	-	-	0.2	0.2	9.1	12.9	23.1	36.8	38.2	35.3	27.8	12.1	96.2
December	-	-	-	-	-	-	-	-	0.3	0.2	3.5	3.4	15.1	21.8	26.3	38.1	33.4	26.4	94.1
After Dec. 31	-	-	-	-	-	-	-	-	1.1	0.6	8.9	6.3	23.9	26.2	29.0	44.9	25.8	16.9	92.9
Total crop	-	-	-	-	-	-	-	-	0.2	0.1	1.7	1.8	7.6	10.2	22.1	33.1	39.6	37.8	94.9
UNITED STATES																			
Prior to Oct. 1	-	-	-	-	0.8	1.1	15.9	18.8	33.7	42.7	30.5	26.5	13.1	8.2	4.8	1.7	1.2	1.0	85.0
October	-	-	-	-	1.0	0.8	10.5	9.8	32.3	29.6	23.6	20.2	10.1	14.5	12.7	16.1	9.8	9.0	87.5
November	-	-	-	-	1.7	0.6	15.4	10.5	33.2	31.7	17.4	25.8	11.2	16.9	12.6	11.0	8.5	3.5	86.8
December	-	-	-	-	0.1	3.5	1.9	23.8	17.6	37.2	35.9	18.0	26.7	8.2	11.8	5.9	4.7	3.3	84.5
After Dec. 31	-	-	-	-	0.3	0.4	4.4	26.7	23.0	34.5	36.8	18.4	23.5	7.7	9.3	4.4	2.1	1.6	82.7
Total crop	-	-	-	-	2.1	1.2	16.0	12.9	33.6	32.9	20.8	24.3	10.1	14.2	10.2	10.2	7.2	4.3	86.0

* Less than 0.05 percent.

Table 16. -- Percentage distribution of fiber strength for upland cotton ginned in the United States, by classing office territories, 1975-76 with comparisons

Classing Office	Zero Gage Fiber Strength (Mspi)												Average strength							
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above			
	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975		
Columbia	0.1	-	0.2	-	6.2	0.3	42.4	16.0	42.5	54.1	8.0	27.3	0.6	2.0	-	0.3	-	-	79.7	82.9
Augusta	-	-	0.2	-	5.8	0.8	39.0	16.7	44.4	52.7	10.2	27.2	0.4	2.6	-	*	-	-	80.0	82.7
Atlanta	-	-	0.4	-	9.9	3.6	41.9	40.2	39.2	48.3	8.2	7.3	0.4	0.6	-	-	-	-	79.3	80.0
Birmingham	-	-	-	0.1	2.4	2.4	24.2	37.6	52.7	48.8	19.3	10.2	1.4	0.9	-	-	-	-	81.7	80.4
Montgomery	-	-	-	*	2.8	2.0	25.2	22.1	44.7	41.9	22.3	28.3	4.8	5.7	0.2	*	-	-	82.0	82.7
Greenwood	-	-	-	-	0.6	0.5	13.4	14.5	47.1	53.3	33.4	26.7	5.2	4.7	0.3	0.3	-	-	83.5	83.1
Jackson	-	-	-	-	0.9	0.6	16.0	25.0	49.9	61.5	30.3	12.6	2.9	0.3	-	-	-	-	82.9	81.3
Memphis	-	-	*	-	1.5	0.4	24.6	12.2	51.9	51.9	20.2	30.4	1.8	4.5	*	0.6	-	*	81.8	83.4
Hayti	-	-	*	0.1	1.2	2.9	17.7	28.6	49.1	49.2	27.4	16.9	4.3	2.3	0.3	*	-	-	82.9	81.3
Blytheville	-	-	*	-	1.3	1.0	19.4	11.3	50.6	46.0	23.6	32.8	4.8	8.5	0.3	0.4	*	-	82.6	83.9
Little Rock	-	-	-	-	1.0	0.6	22.2	12.3	48.7	47.1	23.0	32.3	4.8	6.8	0.3	0.9	*	-	82.4	83.7
Winnboro	-	-	*	*	0.9	1.1	16.1	17.5	51.3	50.4	28.1	26.5	3.5	4.2	0.1	0.3	-	-	82.9	82.8
Alexandria	-	-	*	0.1	1.9	2.4	25.6	24.7	54.1	50.5	16.6	20.1	1.8	2.1	*	0.1	-	-	81.6	81.7
Altus	-	-	0.1	*	6.0	2.4	26.4	20.1	39.5	37.5	21.4	29.4	5.6	9.2	1.0	1.2	*	0.2	81.8	83.4
Dallas	-	-	*	0.1	0.8	*	6.8	1.2	30.5	14.1	40.9	47.2	17.7	30.7	2.3	4.1	1.0	2.6	85.9	88.6
Austin	*	-	0.1	-	1.0	0.8	8.1	11.8	33.7	41.1	39.4	33.8	14.0	10.7	3.2	1.5	0.5	0.3	85.4	84.3
Corpus Christi	-	-	-	-	1.7	2.3	30.3	33.4	39.8	48.7	17.4	9.7	7.3	4.1	3.1	1.4	0.4	0.4	82.4	81.3
Harlingen	-	-	-	-	0.4	0.9	20.4	23.6	38.8	48.2	27.1	24.9	10.8	2.3	2.3	0.1	0.2	-	83.8	82.1
Ablene	-	-	0.4	0.6	9.8	7.4	28.4	32.9	38.0	37.1	18.7	18.5	3.6	3.2	0.7	0.2	0.4	0.1	81.1	80.8
Lubbock	-	-	0.2	*	3.9	0.9	24.5	12.2	42.1	35.3	19.9	35.4	6.7	13.4	1.9	2.6	0.8	0.2	82.5	84.9
El Paso	-	-	*	-	1.3	1.9	9.7	10.6	12.0	14.7	15.5	18.2	29.3	29.7	24.2	17.8	8.0	7.1	90.4	89.3
Carlsbad	*	-	1.0	-	7.3	1.4	20.9	16.2	21.6	27.0	13.2	13.0	17.3	16.0	15.0	17.1	3.7	9.3	85.5	87.8
Phoenix	-	-	*	-	0.6	0.5	10.2	7.0	39.6	34.8	36.6	40.6	11.7	14.7	1.1	2.4	0.2	*	84.7	85.6
Fresno	-	-	-	-	-	-	0.1	-	0.1	1.1	3.7	9.5	20.2	32.6	40.2	38.4	35.7	18.4	97.7	95.3
Bakersfield	-	-	-	-	-	-	-	0.1	0.3	0.6	2.7	6.2	22.0	33.6	45.4	41.2	29.6	18.3	97.3	95.5
El Centro	-	-	-	-	*	*	2.3	1.5	19.8	20.0	44.5	47.5	26.3	26.6	6.2	4.1	0.9	0.3	87.8	87.6
United States	*	-	*	*	2.1	1.2	16.0	12.9	33.6	32.9	20.8	24.3	10.1	14.2	10.2	10.2	7.2	4.3	86.0	86.3

* Less than 0.05 percent.

Table 17. -- Grade and staple of American Pima cotton ginned, by states and United States, 1975-76

Grade Code	Ginnings						Percentages						
	Staple						Staple						
	40 and shorter	42	44	46	48 and longer	All staples	40 and shorter	42	44	46	48 and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent	
<u>TEXAS</u>													
1	(10)	-	-	-	-	-	-	-	-	-	-	-	
2	(20)	-	-	528	15	-	543	-	-	5.1	1.5	-	4.0
3	(30)	-	-	5,036	554	-	5,590	-	-	48.4	54.4	-	41.0
4	(40)	-	-	3,004	414	-	3,418	-	-	28.8	40.7	-	25.1
5	(50)	-	145	1,557	35	-	1,737	-	7.6	14.9	3.4	-	12.8
6	(60)	-	625	292	-	-	917	-	32.6	2.8	-	-	6.7
7	(70)	18	689	-	-	-	707	6.8	35.9	-	-	-	5.2
8	(80)	81	326	-	-	-	407	30.6	17.0	-	-	-	3.0
9	(90)	97	125	-	-	-	222	36.6	6.5	-	-	-	1.6
10	(00)	69	8	-	-	-	77	26.0	0.4	-	-	-	0.6
All grades		265	1,918	10,417	1,018	-	13,618	100.0	100.0	100.0	100.0	-	100.0
<u>NEW MEXICO</u>													
1	(10)	-	-	-	-	-	-	-	-	-	-	-	
2	(20)	-	-	253	-	-	253	-	-	11.1	-	-	9.8
3	(30)	-	-	1,365	87	-	1,452	-	-	59.6	38.0	-	56.1
4	(40)	-	-	463	127	-	590	-	-	20.3	55.4	-	22.8
5	(50)	-	-	159	15	-	174	-	-	7.0	6.6	-	6.7
6	(60)	-	9	46	-	-	55	-	12.3	2.0	-	-	2.1
7	(70)	-	62	-	-	-	62	-	85.0	-	-	-	2.4
8	(80)	-	2	-	-	-	2	-	2.7	-	-	-	0.1
9	(90)	-	-	-	-	-	-	-	-	-	-	-	-
10	(00)	-	-	-	-	-	-	-	-	-	-	-	-
All grades		-	73	2,286	229	-	2,588	-	100.0	100.0	100.0	-	100.0
<u>ARIZONA</u>													
1	(10)	-	-	-	-	-	-	-	-	-	-	-	
2	(20)	-	-	919	97	-	1,016	-	-	2.9	1.9	-	2.7
3	(30)	-	8	16,292	2,018	-	18,318	-	1.3	51.2	40.1	-	48.8
4	(40)	-	29	11,439	2,643	-	14,111	-	4.7	36.0	52.5	-	37.7
5	(50)	-	14	2,135	268	-	2,417	-	2.3	6.7	5.3	-	6.5
6	(60)	-	25	444	8	-	477	-	4.1	1.4	0.2	-	1.3
7	(70)	-	236	296	-	-	532	-	38.5	0.9	-	-	1.4
8	(80)	-	166	224	-	-	390	-	27.1	0.7	-	-	1.0
9	(90)	-	97	12	-	-	109	-	15.8	*	-	-	0.3
10	(00)	9	38	48	-	-	95	100.0	6.2	0.2	-	-	0.3
All grades		9	613	31,809	5,034	-	37,465	100.0	100.0	100.0	100.0	-	100.0
<u>UNITED STATES</u>													
1	(10)	-	-	-	-	-	-	-	-	-	-	-	
2	(20)	-	-	1,700	112	-	1,812	-	-	3.8	1.8	-	3.4
3	(30)	-	8	22,693	2,659	-	25,360	-	0.3	50.9	42.3	-	47.2
4	(40)	-	29	14,906	3,184	-	18,119	-	1.1	33.5	50.7	-	33.8
5	(50)	-	159	3,851	318	-	4,328	-	6.1	8.7	5.1	-	8.1
6	(60)	-	659	782	8	-	1,449	-	25.3	1.8	0.1	-	2.7
7	(70)	18	987	296	-	-	1,301	6.6	37.9	0.7	-	-	2.4
8	(80)	81	494	224	-	-	799	29.6	19.0	0.5	-	-	1.5
9	(90)	97	222	12	-	-	331	35.3	8.5	*	-	-	0.6
10	(00)	78	46	48	-	-	172	28.5	1.8	0.1	-	-	0.3
All grades		274	2,604	44,512	6,281	-	53,671 ^{1/}	100.0	100.0	100.0	100.0	-	100.0

^{1/} As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Table 18. -- Grade and staple of American Pima cotton ginned in the United States, during specified periods, 1975-76

Grade and staple		Ginnings					Total crop
		Prior to Oct. 1	October	November	December	After Dec. 31	
<u>Grade</u>	<u>Code</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
1	(10)	-	-	-	-	-	-
2	(20)	-	340	1,221	251	-	1,812
3	(30)	-	408	11,520	12,379	1,053	25,360
4	(40)	-	476	4,823	9,241	3,579	18,119
5	(50)	-	-	560	1,904	1,864	4,328
6	(60)	-	-	46	509	894	1,449
7	(70)	-	-	-	266	1,035	1,301
8	(80)	-	-	-	75	724	799
9	(90)	-	-	-	33	298	331
10	(00)	-	-	-	33	139	172
All grades		-	1,224	18,170	24,691	9,586	53,671 ^{1/}
<u>Staple</u>							
40 and shorter		-	-	-	25	249	274
42		-	-	29	799	1,776	2,604
44		-	1,156	16,511	20,365	6,480	44,512
46		-	68	1,630	3,502	1,081	6,281
48 and longer		-	-	-	-	-	-
All staples		-	1,224	18,170	24,691	9,586	53,671 ^{1/}
<u>Grade</u>	<u>Code</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
1	(10)	-	-	-	-	-	-
2	(20)	-	27.8	6.7	1.0	-	3.4
3	(30)	-	33.3	63.4	50.2	11.0	47.2
4	(40)	-	38.9	26.5	37.4	37.3	33.8
5	(50)	-	-	3.1	7.7	19.4	8.1
6	(60)	-	-	0.3	2.1	9.3	2.7
7	(70)	-	-	-	1.1	10.8	2.4
8	(80)	-	-	-	0.3	7.6	1.5
9	(90)	-	-	-	0.1	3.1	0.6
10	(00)	-	-	-	0.1	1.5	0.3
All grades		-	100.0	100.0	100.0	100.0	100.0
<u>Staple</u>							
40 and shorter		-	-	-	0.1	2.6	0.5
42		-	-	0.2	3.2	18.5	4.9
44		-	94.4	90.8	82.5	67.6	82.9
46		-	5.6	9.0	14.2	11.3	11.7
48 and longer		-	-	-	-	-	-
All staples		-	100.0	100.0	100.0	100.0	100.0

^{1/} As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Average grade.... 3.7
 Average staple...44.1

Table 19. -- Percentage distribution of micronaire readings for American Pima cotton ginned in the United States, by states, 1975-76 with comparisons

Readings	State						United States	
	Texas		New Mexico		Arizona		1974	1975
	1974	1975	1974	1975	1974	1975		
	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	
2.4 and below	0.1	0.7	-	0.3	-	*	*	0.2
2.5	0.2	0.9	-	-	-	*	0.1	0.2
2.6	0.4	1.9	0.1	0.6	*	0.3	0.2	0.7
2.7	1.8	4.0	0.3	0.3	*	0.3	0.6	1.2
2.8	2.7	4.8	1.9	3.3	0.1	0.8	1.1	1.9
2.9	3.1	5.3	3.4	4.2	0.2	0.7	1.4	2.0
3.0	5.7	5.9	4.2	6.8	0.5	1.3	2.5	2.8
3.1	5.9	8.0	6.5	6.6	0.9	1.4	3.0	3.4
3.2	9.4	9.5	10.6	7.5	1.3	3.0	4.7	4.9
3.3	9.5	9.0	11.2	11.1	1.8	2.8	5.1	4.8
3.4	11.9	9.7	9.1	6.4	2.4	5.4	6.1	6.6
3.5	11.5	9.7	10.8	8.7	3.3	5.6	6.6	6.8
3.6	12.1	9.9	13.8	10.6	6.4	10.7	8.8	10.5
3.7	9.1	7.4	9.1	7.2	7.9	11.4	8.4	10.2
3.8	6.6	4.8	6.0	7.1	11.3	13.6	9.3	11.0
3.9	4.4	3.7	4.8	7.2	12.9	13.1	9.4	10.4
4.0	3.0	2.1	3.6	4.2	14.7	12.3	10.0	9.3
4.1	1.1	1.1	2.0	3.9	14.3	9.4	9.0	7.0
4.2	0.8	0.8	1.7	3.3	11.2	4.6	7.0	3.5
4.3	0.5	0.7	0.8	-	5.7	2.2	3.6	1.7
4.4	0.2	0.1	-	-	3.4	0.6	2.1	0.5
4.5	*	-	-	-	1.3	0.3	0.8	0.2
4.6	*	-	0.1	0.7	0.3	0.1	0.2	0.1
4.7	-	-	-	-	0.1	0.1	*	0.1
4.8	*	-	-	-	*	-	*	-
4.9	-	-	-	-	-	-	-	-
5.0 and above	-	-	-	-	-	-	-	-
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average mike	3.4	3.3	3.5	3.5	3.9	3.8	3.7	3.6

* Less than 0.05 percent.