

3.1118a

COTTON QUALITY STATISTICS UNITED STATES

1956-57



**UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE**

Washington, D. C.

UNITED STATES DEPARTMENT OF AGRICULTURE
 AGRICULTURAL MARKETING SERVICE

Cotton Division

COTTON QUALITY STATISTICS
 UNITED STATES
 1956-57

CONTENTS

Table No.		Page No.
	Introduction	1
	United States Cotton Production, 1956-56	2
	United States tables:	
1	Grade and staple of upland cotton ginned in the United States, 1956-57	3-4
2	Grade and staple of American-Egyptian cotton ginned, by States and United States, 1956-57.	5
3	Grade and staple of upland cotton ginned in the United States, during specified periods, 1956-57	6
4	Grade and staple of American-Egyptian cotton ginned in the United States, during specified periods, 1956-57.	7
5	Grade of upland cotton ginned in the United States, by States, crops of 1954-56.	8-9
6	Staple of upland cotton ginned in the United States, by States, crops of 1954-56	10-11
7	Grade index and average staple of upland cotton ginned in the United States, by States, crops of 1952-56	12
8	Preparation of upland cotton ginned in the United States, during specified periods, by States, 1956-57	13-14
9	Tenderability of upland cotton ginned, by States, 1956-57.	15
10	Tenderability of upland cotton ginned in the United States, 1944-56.	15
	State tables:	
11	Grade and staple of upland cotton ginned in Alabama, 1956-57	16
12	Grade and staple of upland cotton ginned in Arizona, 1956-57	17
13	Grade and staple of upland cotton ginned in Arkansas, 1956-57.	18
14	Grade and staple of upland cotton ginned in California, 1956-57.	19
15	Grade and staple of upland cotton ginned in Florida, 1956-57	20
16	Grade and staple of upland cotton ginned in Georgia, 1956-57	21
17	Grade and staple of upland cotton ginned in Illinois, 1956-57.	22
18	Grade and staple of upland cotton ginned in Kentucky, 1956-57.	23
19	Grade and staple of upland cotton ginned in Louisiana, 1956-57	24
20	Grade and staple of upland cotton ginned in Mississippi, 1956-57	25
21	Grade and staple of upland cotton ginned in Missouri, 1956-57.	26
22	Grade and staple of upland cotton ginned in New Mexico, 1956-57.	27
23	Grade and staple of upland cotton ginned in North Carolina, 1956-57.	28
24	Grade and staple of upland cotton ginned in Oklahoma, 1956-57.	29
25	Grade and staple of upland cotton ginned in South Carolina, 1956-57.	30
26	Grade and staple of upland cotton ginned in Tennessee, 1956-57	31
27	Grade and staple of upland cotton ginned in Texas, 1956-57	32
28	Grade and staple of upland cotton ginned in Virginia, 1956-57.	33
29	Grade and staple of upland cotton ginned, during specified periods, in Alabama and Arizona, 1956-57.	34
30	Grade and staple of upland cotton ginned, during specified periods, in Arkansas and California, 1956-57.	35
31	Grade and staple of upland cotton ginned, during specified periods, in Florida and Georgia, 1956-57.	36
32	Grade and staple of upland cotton ginned, during specified periods, in Illinois and Kentucky, 1956-57.	37
33	Grade and staple of upland cotton ginned, during specified periods, in Louisiana and Mississippi, 1956-57.	38
34	Grade and staple of upland cotton ginned, during specified periods, in Missouri and New Mexico, 1956-57.	39
35	Grade and staple of upland cotton ginned, during specified periods, in North Carolina and Oklahoma, 1956-57.	40
36	Grade and staple of upland cotton ginned, during specified periods, in South Carolina and Tennessee, 1956-57	41
37	Grade and staple of upland cotton ginned, during specified periods, in Texas and Virginia, 1956-57	42
38	Grade and staple of upland cotton ginned, by districts, in Alabama and Arkansas, 1956-57	43
39	Grade and staple of upland cotton ginned, by districts, in Georgia and Louisiana, 1956-57.	45
40	Grade and staple of upland cotton ginned, by districts, in Mississippi and North Carolina, 1956-57	47
41	Grade and staple of upland cotton ginned, by districts, in Oklahoma, South Carolina and Tennessee, 1956-57	49
42	Grade and staple of upland cotton ginned, by districts, in Texas, 1956-57	51
	Carry-over tables:	
43	Grade and staple of upland cotton in the carry-over, United States, August 1, 1956	53
44	Grade and staple of upland cotton in the carry-over, United States, August 1, 1957	54
45	Tenderability of upland cotton in the carry-over, United States, August 1, 1947-57	55
46	Staple of cotton of foreign growth in the carry-over, August 1, 1948-57.	55
47	Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1956.	56
48	Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1957.	56
49	Grade and staple of upland cotton in the carry-over, by places of storage, United States, August 1, 1954-57.	57
	Supply and disappearance tables:	
50	Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1938-57.	58
51	Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1937-57	59
52	Grade and staple of upland cotton in the supply, United States, 1956-57.	60

Cotton Quality Statistics, United States

1956-57

Introduction

This report contains information on the quality of cotton ginned during the 1956-57 season, and on the quality of cotton on hand in the United States on August 1, 1957. To facilitate comparison certain data contained in the reports for previous years are included. This information should be helpful to cotton growers and breeders and to merchants, consumers, research workers and others interested in the quality of the crop and the carry-over.

Estimates of the quality of the ginnings for most of the States are based on the classification of samples representing approximately 10 percent of the crop of upland cotton. The proportions of the various qualities found in the samples classed were applied to total ginnings as reported by the Bureau of the Census for upland and American-Egyptian cotton. For the purpose of preparing the estimates most cotton-producing States are divided into districts. Samples classed were weighted by ginning periods for all cotton-producing States as well as by districts for most cotton-producing States.


The report for the carry-over includes statistics on the grade and staple of upland and American-Egyptian cotton and on the staple of cotton of foreign growth on hand in the United States on August 1, 1957. Estimates of the grade and staple composition of the 1957 carry-over were obtained in the following manner: the quality of 1956 loan cotton acquired by CCC on July 31, 1957 was based on the grade and staple classification under which this cotton originally entered the government loan program; 1955 and earlier cotton in the CCC inventory on August 1, 1957 was included with "free" stocks in public storage and a representative proportion of such cotton was sampled and classed in the carry-over quality survey; and quality estimates for cotton stored at mills on August 1, 1957 were based largely on the classification reported by individual mills. Sample data for each State and for the principal types of storage were raised to correspond with the number of bales reported by the Bureau of the Census.

Slight changes in official cotton standards for the staple of upland cotton became effective June 1, 1957. The staple designation "below 3/4 inch" and "3/4 inch" were deleted and the shortest staple designation for normal cotton became "below 13/16 inch".

Data presented in this bulletin on the tenderability of cotton on futures contracts indicates the quantities tenderable and untenderable with respect to grade and staple.

Throughout this report the official grade designations are abbreviated as follows: Good Middling, 3-G.M.; Strict Middling, 4-S.M.; Middling, 5-M.; Strict Low Middling, 6-S.L.M.; Low Middling, 7-L.M.; Strict Good Ordinary, 8-S.G.O.; Good Ordinary, 9-G.O.

COTTON PRODUCTION, 1955-56



Each dot represents 5,000 bales.

Table 1. -- Grade and staple of upland cotton ginned in the United States, 1926-57

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-3/32 inches		1-1/8 inches		1-5/32 inches		1-3/16 inches		1-7/32 inches		1-1/4 inches and longer		All staples				
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent			
White:																																	
3-0.M.	90	1,104	1,144	772	297	1,157	2,232	5,787	7,965	95,070	45,128	1,722	499	32	123,080	0.9																	
4-3.M.	6,638	42,185	39,910	56,465	57,180	131,615	356,154	594,521	169,823	169,062	69,327	5,121	1,106	470	1,718,578	13.1																	
5-M.	25,121	116,777	120,909	221,400	239,994	447,245	1,301,592	1,625,592	314,691	61,576	11,121	1,076	900	1,527	4,960,021	34.3																	
6-3.L.M.	11,469	51,625	67,738	134,037	130,437	317,659	1,068,793	1,220,596	178,744	16,430	2,132	404	207	3,200,019	24.4																		
7-L.M.	2,733	12,336	13,565	29,244	35,100	162,541	375,233	256,265	24,703	1,297	93	29	32	913,222	7.0																		
8-0.0.	292	2,354	2,270	7,163	12,306	52,449	69,548	20,639	1,214	94	6	25	25	106,303	1.3																		
9-0.0.	125	934	997	4,430	5,471	12,625	9,655	2,558	198	-	-	-	-	-	37,203	0.3																	
Total	46,491	227,595	246,339	453,306	480,785	1,125,491	3,183,167	3,725,796	697,339	302,529	147,607	9,174	2,626	2,268	10,951,176	81.3																	
Spotted:																																	
3-0.M.	175	719	641	560	524	668	1,073	659	766	504	96	-	-	-	6,391	0.5																	
4-3.M.	25,900	90,511	70,067	80,914	76,952	91,143	121,410	56,981	16,549	4,046	816	150	9	635,348	4.8																		
5-M.	31,362	152,147	122,966	170,440	149,020	157,888	183,720	63,347	7,497	1,424	132	52	6	1,059,868	8.1																		
6-3.L.M.	24,083	59,247	47,465	67,184	47,684	85,964	61,430	12,783	1,164	130	34	-	-	405,214	3.1																		
7-L.M.	5,097	11,752	6,332	15,430	15,577	28,998	18,108	3,571	186	9	-	-	-	105,975	0.8																		
Total	107,437	314,376	247,411	334,434	289,557	362,661	365,741	137,541	26,162	6,113	1,078	202	24	2,212,816	16.8																		
Tinged:																																	
3-0.M.	-	-	11	-	-	-	12	-	-	-	-	-	-	-	23	0.2																	
4-3.M.	230	347	238	136	161	369	267	26	-	-	-	-	-	1,774	0.1																		
5-M.	1,594	2,248	772	962	1,106	2,342	656	82	-	10	-	-	-	9,072	0.1																		
6-3.L.M.	2,627	2,412	507	1,023	1,118	924	141	-	10	-	-	-	-	8,762	0.1																		
7-L.M.	1,239	635	224	766	882	344	41	11	-	-	-	-	-	4,142	0.1																		
Total	5,600	5,642	1,782	2,787	3,267	3,991	1,105	119	10	10	-	-	-	24,373	0.2																		
Yellow Stained:																																	
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																	
4-3.M.	17	9	-	-	-	-	-	-	-	-	-	-	-	-	26	0.2																	
5-M.	354	146	30	31	9	16	9	-	-	-	-	-	-	605	0.5																		
Total	371	157	30	31	9	16	9	-	-	-	-	-	-	631	0.5																		
Gray:																																	
3-0.M.	-	-	-	-	34	60	102	112	32	78	11	-	-	-	429	0.3																	
4-3.M.	40	119	234	401	337	2,117	11,426	16,076	943	253	28	-	-	32,574	0.2																		
5-M.	389	702	465	1,357	3,244	23,757	59,170	32,043	1,048	38	-	-	-	122,213	0.9																		
6-3.L.M.	230	221	197	674	2,808	13,339	19,978	2,424	54	8	-	-	-	39,933	0.3																		
Total	659	1,042	896	2,432	6,423	39,273	90,676	51,255	2,077	377	39	-	-	195,149	1.4																		
Below Grade:	1,262	2,352	647	4,715	1,899	4,627	2,033	431	26	-	-	-	-	17,992	0.1																		
All grades	161,910	551,265	497,203	797,905	781,940	1,536,059	3,662,731	3,915,104	725,614	309,029	140,924	9,376	2,650	2,347	13,102,137	100.0																	
All grades	1.2	4.2	3.8	6.1	6.0	11.7	28.0	29.9	5.5	2.4	1.1	0.1	0.1	0.1	100.0																		

1/2 As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Percentage rough preparation..... 0.4
 Grade index..... 96.0
 Average staple..... 32.7

Table 2. -- Grade and staple of American-Egyptian cotton ginned by States and United States, 1956-57

Grade	Production							Percentages						
	1-9/32 inches and shorter	1-9/16 and 1-11/32 inches	1-3/8 and 1-13/32 inches	1-7/16 and 1-15/32 inches	1-1/2 and 1-17/32 inches	1-9/16 and longer	All lengths	1-9/32 inches and shorter	1-9/16 and 1-11/32 inches	1-3/8 and 1-13/32 inches	1-7/16 and 1-15/32 inches	1-1/2 and 1-17/32 inches	1-9/16 and longer	All lengths
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
ARIZONA														
1	-	-	59	92	-	-	151	-	-	0.4	0.7	-	-	0.6
2	3	4	3,406	5,105	2	-	8,520	3.8	5.2	25.2	39.7	100.0	-	32.1
3	-	6	5,576	5,691	-	-	11,273	-	7.8	41.2	44.3	-	-	42.4
4	1	14	2,871	1,709	-	-	4,595	1.3	18.2	21.2	13.3	-	-	17.3
5	2	6	893	217	-	-	1,118	2.5	7.8	6.6	1.7	-	-	4.2
6	3	7	390	34	-	-	394	3.8	9.1	2.6	.3	-	-	1.5
7	4	9	219	5	-	-	237	5.0	11.7	1.6	*	-	-	.9
8	13	7	89	1	-	-	109	16.2	9.1	.6	*	-	-	.4
9	9	10	56	-	-	-	75	11.3	13.0	.4	-	-	-	.3
10	45	14	24	-	-	-	83	56.1	18.1	.2	-	-	-	.3
All grades	80	77	13,542	12,854	2	-	1/ 26,955	100.0	100.0	100.0	100.0	100.0	-	100.0
NEW MEXICO														
1	-	-	-	5	7	-	12	-	-	-	0.2	13.0	-	0.3
2	-	1	210	990	44	-	1,245	-	50.0	12.9	39.1	81.4	-	29.4
3	-	-	580	1,192	3	-	1,775	-	-	35.6	47.2	5.6	-	41.9
4	-	-	460	318	-	-	778	-	-	28.3	12.6	-	-	18.3
5	1	-	193	20	-	-	214	3.6	-	11.9	.8	-	-	5.0
6	10	1	88	3	-	-	102	35.8	50.0	5.4	.1	-	-	2.4
7	9	-	64	-	-	-	73	32.1	-	3.9	-	-	-	1.7
8	3	-	24	1	-	-	28	10.7	-	1.5	*	-	-	.7
9	2	-	6	-	-	-	8	7.1	-	.4	-	-	-	.2
10	3	-	2	-	-	-	5	10.7	-	.1	-	-	-	.1
All grades	28	2	1,627	2,529	54	-	1/ 4,240	100.0	100.0	100.0	100.0	100.0	-	100.0
TEXAS														
1	-	-	11	536	310	7	864	-	-	0.2	4.3	52.3	87.5	4.7
2	-	-	680	6,358	250	1	7,289	-	-	13.9	50.9	42.2	12.5	39.9
3	3	12	1,676	4,482	31	-	6,204	1.5	15.6	34.0	35.8	5.2	-	33.9
4	9	29	1,161	1,063	2	-	2,264	4.6	37.6	23.7	8.5	.3	-	12.4
5	11	24	618	53	-	-	706	5.6	31.2	12.6	.4	-	-	3.9
6	13	8	322	10	-	-	353	6.6	10.4	6.6	.1	-	-	1.9
7	40	4	298	1	-	-	343	20.3	5.2	6.1	*	-	-	1.9
8	42	-	105	-	-	-	147	21.3	-	2.4	-	-	-	.8
9	24	-	26	-	-	-	50	12.2	-	.5	-	-	-	.3
10	55	-	1	-	-	-	56	27.9	-	*	-	-	-	.3
All grades	197	77	4,898	12,503	593	8	1/ 18,276	100.0	100.0	100.0	100.0	100.0	100.0	100.0
UNITED STATES														
1	-	-	70	633	317	7	1,027	-	-	0.3	2.3	48.9	87.5	2.1
2	3	5	4,296	12,453	296	1	17,054	1.0	3.2	21.4	44.6	45.6	12.5	34.8
3	3	18	7,832	11,365	34	-	19,252	1.0	11.5	39.1	40.8	5.2	-	39.1
4	10	43	4,482	3,090	2	-	7,637	3.3	27.6	22.4	11.1	.3	-	15.6
5	14	30	1,704	290	-	-	2,038	4.6	19.2	8.5	1.0	-	-	4.2
6	26	16	760	47	-	-	849	8.5	10.3	3.8	.2	-	-	1.7
7	53	13	581	6	-	-	653	17.4	8.3	2.9	*	-	-	1.3
8	58	7	217	2	-	-	284	19.0	4.5	1.1	*	-	-	.6
9	35	10	88	-	-	-	133	11.5	6.4	.4	-	-	-	.3
10	103	14	27	-	-	-	144	33.7	9.0	.1	-	-	-	.3
All grades	305	156	20,067	27,886	649	8	1/ 49,071	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Table 3. -- Grade and staple of upland cotton ginned in the United States, during specified periods, 1956-57

Grade and staple	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent
White:												
3-G.M.	3,633	36,195	73,247	7,487	518	123,080	0.2	1.0	1.8	0.3	0.1	0.9
4-S.M.	244,274	787,943	520,036	154,104	12,221	1,718,578	16.2	19.6	12.4	5.8	1.6	13.1
5-M.	762,831	1,715,315	1,390,181	557,919	63,775	4,490,021	50.5	42.8	33.2	21.1	8.4	34.3
6-S.L.M.	269,424	783,601	1,140,505	850,121	137,868	3,200,619	19.1	19.5	27.3	32.2	18.3	24.4
7-L.M.	40,707	136,728	364,256	271,513	100,018	913,222	2.7	3.4	8.7	10.3	13.2	7.0
8-S.O.O.	3,079	8,658	36,019	60,835	59,772	168,363	.2	.2	.9	2.3	7.9	1.3
9-S.O.	356	556	3,025	11,275	22,081	37,293	*	*	.1	.4	2.9	.3
Total	1,343,304	3,470,996	3,527,369	1,913,254	396,253	10,651,176	89.9	86.5	84.4	72.4	52.4	81.3
Spotted:												
3-G.M.	556	2,782	1,604	1,272	177	6,391	*	.1	*	*	*	*
4-S.M.	79,772	241,857	218,539	68,363	26,807	635,348	5.3	6.0	5.2	2.6	3.5	4.8
5-M.	71,398	253,105	290,613	348,728	96,144	1,059,988	4.7	6.3	6.9	13.2	12.7	8.1
6-S.L.M.	10,615	34,293	68,162	173,408	118,736	405,214	.7	.9	1.6	6.6	15.7	3.1
7-L.M.	1,118	3,280	15,450	30,003	56,024	105,875	.1	.1	.4	1.1	7.4	.8
Total	163,459	535,327	594,368	621,774	297,888	2,212,816	10.8	13.4	14.1	23.5	39.3	16.8
Tinged:												
3-G.M.	23	-	-	-	-	23	*	*	*	*	*	*
4-S.M.	-	63	76	303	1,332	1,774	-	*	*	*	.2	*
5-M.	-	142	1,041	1,639	6,850	9,672	-	*	*	.1	.9	.1
6-S.L.M.	-	19	299	863	7,581	8,762	-	*	*	*	1.0	.1
7-L.M.	11	16	30	463	3,622	4,142	*	*	*	*	.5	*
Total	34	240	1,446	3,268	19,385	24,373	*	*	*	.1	2.6	.2
Yellow Stained:												
3-G.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	-	-	-	-	26	26	-	-	-	-	*	*
5-M.	-	-	25	9	571	605	-	-	*	*	.1	*
Total	-	-	25	9	597	631	-	-	*	*	.1	*
Gray:												
3-G.M.	-	101	231	88	9	429	*	*	*	*	*	*
4-S.M.	517	1,677	9,595	18,915	1,910	32,574	*	*	.2	.7	.3	.2
5-M.	2,370	2,636	45,805	57,064	14,338	122,213	.2	.1	1.1	2.2	1.9	.9
6-S.L.M.	593	473	4,247	22,711	11,909	39,933	*	*	.1	.9	1.6	.3
Total	3,480	4,887	59,838	98,778	28,166	195,149	.2	.1	1.4	3.8	3.8	1.4
Below Grade	80	257	1,161	3,275	13,219	17,992	*	*	*	.1	1.7	.1
All grades	1,510,357	4,011,707	4,184,207	2,640,358	795,508	1/13,102,137	100.0	100.0	100.0	100.0	100.0	100.0
Grade Index	98.5	98.4	96.3	93.0	86.7	96.0	-	-	-	-	-	-
Staple (Inches)												
13/16 and shorter	28,021	46,755	36,899	28,766	21,469	161,910	1.9	1.2	.9	1.1	2.8	1.2
7/8	118,747	171,624	113,116	96,954	51,224	593,265	7.9	4.3	2.7	3.7	6.8	4.2
29/32	106,646	124,006	104,996	124,246	36,789	497,283	7.1	3.1	2.5	4.7	4.9	3.8
15/16	137,323	133,151	213,709	257,479	96,243	797,905	9.1	3.3	5.1	9.8	7.4	6.1
31/32	118,165	120,352	256,200	238,978	48,245	781,940	7.8	3.0	6.1	9.1	6.4	6.0
1	193,207	418,497	532,849	279,795	191,711	1,536,059	10.1	10.4	12.7	10.6	20.1	11.7
1-1/32	444,854	1,352,299	1,198,538	498,502	208,938	3,662,731	29.4	33.6	27.7	18.9	27.7	28.0
1-1/16	351,383	1,322,219	1,263,291	832,516	145,695	3,915,104	23.3	33.0	30.2	31.4	19.3	29.9
1-1/8	41,179	198,910	241,318	212,999	31,208	725,614	2.7	5.0	5.8	8.1	4.1	5.5
1-1/4	7,226	66,471	174,116	58,621	2,595	309,029	.5	1.7	4.2	2.2	.3	2.4
1-1/2	2,072	51,679	84,268	10,639	266	148,924	.1	1.3	2.0	.4	*	1.1
1-5/8	1,240	4,106	3,556	316	159	9,376	.1	.1	.1	*	*	.1
1-7/8	242	706	432	488	782	2,650	*	*	*	*	.1	*
1-1/4 and longer	52	332	919	459	585	2,347	*	*	*	*	.1	*
All staples	1,510,357	4,011,707	4,184,207	2,640,358	795,508	1/13,102,137	100.0	100.0	100.0	100.0	100.0	100.0
Average staple (32nd inches)	32.0	32.9	32.9	32.5	32.0	32.7	-	-	-	-	-	-

1/ As reported by the Bureau of the Census, running bales.
* Less than 0.05 percent.

Table 4. -- Grade and staple of American-Egyptian cotton ginned in the United States, during specified periods, 1956-57

Grade and Staple	Ginnings					
	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
<u>Grade</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
1	2	34	728	235	28	1,027
2	46	983	6,966	6,498	2,561	17,054
3	5	480	2,388	10,623	5,756	19,252
4	-	30	295	3,211	4,101	7,637
5	-	3	138	489	1,408	2,038
6	-	1	60	110	678	849
7	-	-	16	26	611	653
8	-	-	-	6	278	284
9	-	-	1	1	131	133
10	-	-	1	-	143	144
<u>All grades 1/</u>	<u>53</u>	<u>1,531</u>	<u>10,593</u>	<u>21,199</u>	<u>15,695</u>	<u>49,071</u>
<u>Staple</u> <u>(inches)</u>						
1-9/32 and shorter. .	3	-	1	-	301	305
1-5/16 and 1-11/32. .	-	1	6	11	138	156
1-3/8 and 1-13/32 . .	41	1,030	3,065	7,192	8,739	20,067
1-7/16 and 1-15/32. .	9	499	7,103	13,785	6,490	27,886
1-1/2 and 1-17/32 . .	-	1	410	211	27	649
1-9/16 and longer . .	-	-	8	-	-	8
<u>All staples 1/</u>	<u>53</u>	<u>1,531</u>	<u>10,593</u>	<u>21,199</u>	<u>15,695</u>	<u>49,071</u>
<u>Grade</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
1	3.8	2.2	6.9	1.1	.2	2.1
2	86.8	64.1	65.7	30.7	16.3	34.8
3	9.4	31.4	22.5	50.2	36.7	39.1
4	-	2.0	2.8	15.1	26.1	15.6
5	-	.2	1.3	2.3	9.0	4.2
6	-	.1	.6	.5	4.3	1.7
7	-	-	.2	.1	3.9	1.3
8	-	-	-	*	1.8	.6
9	-	-	*	*	.8	.3
10	-	-	*	-	.9	.3
<u>All grades.</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Staple</u> <u>(inches)</u>						
1-9/32 and shorter. .	5.7	-	*	-	1.9	.6
1-5/16 and 1-11/32. .	-	.1	.1	.1	.9	.3
1-3/8 and 1-13/32 . .	77.3	67.2	28.9	33.9	55.6	40.9
1-7/16 and 1-15/32. .	17.0	32.6	67.0	65.0	41.4	56.9
1-1/2 and 1-17/32 . .	-	.1	3.9	1.0	.2	1.3
1-9/16 and longer . .	-	-	.1	-	-	*
<u>All staples</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>

1/ Running bales, reported by the Bureau of the Census.

* Less than 0.05 percent.

Table 5. - Grade of upland cotton ginned in the United States, by States, crop of 1954-55

State	Year	WHITE				SPOTTED				TAN				YELLOW STAINED				YELLOW		TOTAL		
		OK	TX	LA	MS	OK	TX	LA	MS	OK	TX	LA	MS	OK	TX	LA	MS	OK	TX	OK	TX	
Alabama	1954	2,143	81,074	352,224	151,020	20,469	15,000	20,469	15,000	2,376	252	11,872	11,872	1,951	10	109	109	147	147	147	147	739,137
	1955	109	85,159	494,328	267,084	98,297	12,321	1,322	1,322	12,321	1,322	6,702	7,376	7,376	31	40	105	923	923	923	923	1,037,678
	1956	109	85,159	494,328	267,084	98,297	12,321	1,322	1,322	12,321	1,322	6,702	7,376	7,376	31	40	105	923	923	923	923	1,037,678
	1955	109	85,159	494,328	267,084	98,297	12,321	1,322	1,322	12,321	1,322	6,702	7,376	7,376	31	40	105	923	923	923	923	1,037,678
Arizona	1954	499	77,443	381,095	301,841	64,878	19,249	9,492	324	3,946	5,777	8,003	7,487	7,487	9	13	34	3,023	3,023	3,023	3,023	875,437
	1955	5,565	84,443	887,791	171,903	25,644	11,061	2,750	814	19,080	31,993	29,339	18,459	18,459	2	100	217	11,046	11,046	11,046	4,730	701,334
	1956	5,565	84,443	887,791	171,903	25,644	11,061	2,750	814	19,080	31,993	29,339	18,459	18,459	2	100	217	11,046	11,046	11,046	4,730	701,334
	1955	5,565	84,443	887,791	171,903	25,644	11,061	2,750	814	19,080	31,993	29,339	18,459	18,459	2	100	217	11,046	11,046	11,046	4,730	701,334
Arkansas	1954	2,149	126,276	494,777	456,082	189,315	46,394	6,213	177	7,812	16,254	18,394	11,140	11,140	17	93	126	18,825	18,825	18,825	18,825	1,347,237
	1955	1,905	76,387	567,600	562,446	261,097	73,899	16,129	124	9,016	16,983	15,296	20,684	20,684	9	84	149	14,944	14,944	14,944	14,944	1,081,456
	1956	1,905	76,387	567,600	562,446	261,097	73,899	16,129	124	9,016	16,983	15,296	20,684	20,684	9	84	149	14,944	14,944	14,944	14,944	1,081,456
	1955	1,905	76,387	567,600	562,446	261,097	73,899	16,129	124	9,016	16,983	15,296	20,684	20,684	9	84	149	14,944	14,944	14,944	14,944	1,081,456
California	1954	6,008	215,943	313,025	546,962	199,253	53,264	40,232	48	1,028	3,821	3,827	10,311	10,311	2	29	873	130,616	130,616	130,616	130,616	1,511,072
	1955	14,054	174,613	346,356	429,414	94,718	33,342	32,074	872	6,111	5,800	4,002	11,037	11,037	13	49	150	30,793	30,793	30,793	30,793	1,679,889
	1956	14,054	174,613	346,356	429,414	94,718	33,342	32,074	872	6,111	5,800	4,002	11,037	11,037	13	49	150	30,793	30,793	30,793	30,793	1,679,889
	1955	14,054	174,613	346,356	429,414	94,718	33,342	32,074	872	6,111	5,800	4,002	11,037	11,037	13	49	150	30,793	30,793	30,793	30,793	1,679,889
Florida	1954	15	1,705	6,132	5,059	995	43	21	0	145	172	45	14	14	-	-	-	77	77	77	77	16,238
	1955	15	1,705	6,132	5,059	995	43	21	0	145	172	45	14	14	-	-	-	77	77	77	77	16,238
	1956	15	1,705	6,132	5,059	995	43	21	0	145	172	45	14	14	-	-	-	77	77	77	77	16,238
	1955	15	1,705	6,132	5,059	995	43	21	0	145	172	45	14	14	-	-	-	77	77	77	77	16,238
Georgia	1954	281	61,298	310,186	189,178	25,284	1,664	103	698	12,343	9,822	2,011	552	552	28	19	46	1,182	1,182	1,182	1,182	614,896
	1955	180	38,373	296,071	262,144	81,871	9,869	1,247	305	6,621	12,817	8,018	6,700	6,700	-	27	116	4,813	4,813	4,813	4,813	2,398,402
	1956	180	38,373	296,071	262,144	81,871	9,869	1,247	305	6,621	12,817	8,018	6,700	6,700	-	27	116	4,813	4,813	4,813	4,813	2,398,402
	1955	180	38,373	296,071	262,144	81,871	9,869	1,247	305	6,621	12,817	8,018	6,700	6,700	-	27	116	4,813	4,813	4,813	4,813	2,398,402
Louisiana	1954	321	51,022	199,120	204,328	63,670	5,522	1,109	189	6,547	15,101	6,624	1,414	1,414	-	-	-	2,821	2,821	2,821	2,821	561,293
	1955	121	25,785	159,130	207,800	121,260	17,211	2,213	7	4,148	19,149	15,939	7,411	7,411	-	13	50	1,108	1,108	1,108	1,108	571,900
	1956	121	25,785	159,130	207,800	121,260	17,211	2,213	7	4,148	19,149	15,939	7,411	7,411	-	13	50	1,108	1,108	1,108	1,108	571,900
	1955	121	25,785	159,130	207,800	121,260	17,211	2,213	7	4,148	19,149	15,939	7,411	7,411	-	13	50	1,108	1,108	1,108	1,108	571,900
Mississippi	1954	1,341	201,249	631,652	477,874	156,129	5,337	1,156	65	6,265	11,909	5,264	2,927	2,927	-	-	-	3,307	3,307	3,307	3,307	569,839
	1955	1,037	66,999	94,226	139,966	96,586	26,478	2,027	12	571	1,892	9,057	10,945	10,945	-	-	-	2,821	2,821	2,821	2,821	561,293
	1956	1,037	66,999	94,226	139,966	96,586	26,478	2,027	12	571	1,892	9,057	10,945	10,945	-	-	-	2,821	2,821	2,821	2,821	561,293
	1955	1,037	66,999	94,226	139,966	96,586	26,478	2,027	12	571	1,892	9,057	10,945	10,945	-	-	-	2,821	2,821	2,821	2,821	561,293
Missouri	1954	30	33,796	93,981	199,845	61,269	20,863	1,652	-	1,418	2,510	6,202	12,386	12,386	-	-	-	2,821	2,821	2,821	2,821	561,293
	1955	739	61,191	141,635	130,732	50,878	14,540	3,730	-	610	832	1,762	4,166	4,166	-	-	-	2,821	2,821	2,821	2,821	561,293
	1956	739	61,191	141,635	130,732	50,878	14,540	3,730	-	610	832	1,762	4,166	4,166	-	-	-	2,821	2,821	2,821	2,821	561,293
	1955	739	61,191	141,635	130,732	50,878	14,540	3,730	-	610	832	1,762	4,166	4,166	-	-	-	2,821	2,821	2,821	2,821	561,293
New Mexico	1954	1,696	50,614	99,660	72,653	22,990	4,397	1,547	294	4,457	10,098	10,038	6,320	6,320	4	63	185	1,025	1,025	1,025	1,025	292,134
	1955	39,803	116,770	33,311	24,269	3,961	1,995	580	164	5,437	16,449	14,124	7,994	7,994	-	-	-	1,025	1,025	1,025	1,025	419,058
	1956	39,803	116,770	33,311	24,269	3,961	1,995	580	164	5,437	16,449	14,124	7,994	7,994	-	-	-	1,025	1,025	1,025	1,025	419,058
	1955	39,803	116,770	33,311	24,269	3,961	1,995	580	164	5,437	16,449	14,124	7,994	7,994	-	-	-	1,025	1,025	1,025	1,025	419,058
North Carolina	1954	141	37,814	116,414	169,449	34,209	8,121	1,361	920	3,346	1,996	962	440	440	9	79	16	9,990	9,990	9,990	9,990	385,086
	1955	2,336	42,992	148,879	94,847	30,439	7,895	28	28	1,116	6,793	4,259	2,648	2,648	-	-	-	15,038	15,038	15,038	15,038	359,838
	1956	2,336	42,992	148,879	94,847	30,439	7,895	28	28	1,116	6,793	4,259	2,648	2,648	-	-	-	15,038	15,038	15,038	15,038	359,838
	1955	2,336	42,992	148,879	94,847	30,439	7,895	28	28	1,116	6,793	4,259	2,648	2,648	-	-	-	15,038	15,038	15,038	15,038	359,838
Oklahoma	1954	321	24,847	61,279	55,757	13,256	1,397	355	233	41,072	46,259	11,300	928	928	371	737	213	61	16	30	398	288,840
	1955	30	4,169	31,420	88,025	34,215	10,972	488	164	17,653	109,211	83,769	10,817	10,817	1,172	7,018	4,659	1,765	135	39	2,137	447,678
	1956	30	4,169	31,420	88,025	34,215	10,972	488	164	17,653	109,211	83,769	10,817	10,817	1,172	7,018	4,659	1,765	135	39	2,137	447,678
	1955	30	4,169	31,420	88,025	34,215	10,972	488	164	17,653	109,211	83,769	10,817	10,817	1,172	7,018	4,659	1,765	135	39	2,137	447,678
South Carolina	1954	432	46,080	221,687	191,267	32,746	14,976	922	18	2,890	9,405	5,703	4,301	4,301	-	-	-	43	43	43	43	520,625
	1955	109	43,044	231,354	190,005	41,303	24,207	11,857														

Table 5. - Grade of upland cotton ginned in the United States, by States, crops of 1954-56 - Continued

State	Year	WHITE												SPOTTED						TINED						TOTAL				
		OK	SIK	K	SLK	LM	LM	500	GO	OK	SIK	K	SLK	LM	LM	OK	SIK	M	N	OK	SIK	M	N	OK	SIK		LM	LM	Percent	Percent
Alabama	1954	0.3	12.3	47.7	25.9	3.6	0.3	*	*	3.8	4.0	1.6	0.7	*	*	*	0.1	*	*	*	*	*	*	*	*	*	*	100.0	100.0	
	1955	6.3	47.6	35.4	5.6	1.2	0.1	-	-	0.8	1.4	0.7	0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1		
	1956	1.1	8.3	38.5	27.7	8.4	1.0	-	-	0.1	4.7	7.9	2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	100.0	
Arkansas	1954	1.1	8.8	41.2	34.5	7.4	2.2	1.1	-	4	7	1.0	0.9	-	-	-	-	-	-	-	-	-	-	-	-	-	4.3	100.0		
	1955	1.8	12.0	40.2	25.4	3.7	0.9	-	-	1	2.7	4.6	4.2	2.6	*	*	0.1	0.1	*	*	*	*	*	*	*	*	1.6	7	100.0	
	1956	1.0	18.6	39.3	19.3	1.4	0.2	-	-	1	3.9	7.6	5.8	1.5	*	*	0.1	0.1	*	*	*	*	*	*	*	*	0.4	100.0	100.0	
Arkansas	1954	2	9.4	36.7	30.1	14.0	3.4	0.5	-	0.6	1.2	1.4	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-	1.4	2	100.0	
	1955	1.1	4.6	34.4	34.1	15.8	4.5	1.0	-	0.5	1.0	1.9	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.4	3	100.0	
	1956	1.1	14.1	42.7	23.0	7.9	2.5	0.6	-	2.0	3.0	1.4	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	100.0	
California	1954	5	14.3	30.7	35.1	10.5	3.5	2.7	*	1.1	2	3	1.2	-	-	-	-	-	-	-	-	-	-	-	-	-	8.7	1.1	100.0	
	1955	1.2	14.2	38.3	35.2	7.1	2.3	2.6	-	7	1.0	3.9	0.9	-	-	-	-	-	-	-	-	-	-	-	-	-	4.2	1.4	100.0	
	1956	1.2	12.2	28.0	42.8	8.8	0.9	0.2	*	7	1.0	0.5	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	3.6	1.1	100.0	
Florida	1954	1	10.3	49.4	34.2	3.6	0.2	-	-	0.5	1.0	0.2	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	10.2	49.2	23.2	5.9	0.3	1.1	1	1	3.5	3.7	2.5	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	0.9	31.2	18.6	6.9	1.6	1.1	-	-	19.4	13.6	3.7	1.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Georgia	1954	10.0	50.4	30.6	4.1	0.3	*	1	1	2.2	1.6	0.3	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	5.5	37.0	37.8	11.6	1.4	2	2	1	3.2	1.9	1.3	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	3.9	35.1	32.7	9.9	1.4	1.1	*	4.8	7.3	3.3	0.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Louisiana	1954	1	9.6	35.5	35.1	11.4	1.0	0.2	*	1.2	2.7	1.2	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	2.7	27.8	35.5	21.2	3.0	0.4	*	7	3.3	2.7	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	6.9	43.2	34.6	6.8	0.9	0.2	*	1.2	2.0	1.0	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Mississippi	1954	6	16.4	36.7	35.9	10.3	1.6	0.3	*	7	0.9	0.6	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	6.0	34.6	34.6	18.0	3.0	0.3	*	0.6	1.1	1.1	0.3	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	12.8	40.0	35.3	9.9	1.2	0.3	*	1.0	1.9	0.8	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Missouri	1954	2	14.7	20.7	30.6	21.6	5.8	0.4	*	1.1	1.4	2.0	2.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	8.0	22.4	38.0	19.4	5.0	0.4	-	3	0.6	1.5	3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	20.4	31.7	29.3	11.8	3.3	0.8	-	1.1	2	1.4	1.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
New Mexico	1954	6	10.0	34.1	34.9	7.9	1.5	0.5	1.1	1.5	3.5	3.4	2.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	2.1	24.5	32.9	13.1	2.1	0.6	0.2	1.1	2.2	6.7	5.8	2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	14.3	41.9	19.1	8.7	1.4	0.3	*	1.1	4.3	5.2	2.8	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
North Carolina	1954	9.8	30.2	44.0	8.9	2.1	0.4	-	1	0.5	0.2	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	5	12.2	41.4	26.4	8.5	2.3	*	3	1.9	1.2	0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	1.4	19.4	27.2	18.2	9.6	2.5	*	0.5	3.6	1.0	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Oklahoma	1954	1	8.6	31.6	19.3	4.6	0.5	1.3	-	14.2	16.0	3.9	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	9	7.0	19.8	16.6	2.2	1.1	*	4.0	24.4	18.7	2.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	5.8	17.5	6.2	2.4	0.4	1.1	-	1	20.7	32.0	11.1	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
South Carolina	1954	1	6.6	45.4	35.2	7.8	1.0	0.1	-	2	1.1	0.5	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	1.9	27.9	43.6	15.3	3.2	1.3	*	3	1.4	0.6	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	1.7	27.9	28.8	17.6	1.5	1.5	0.2	1.1	3.8	5.4	3.9	1.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Tennessee	1954	1	8.5	41.5	26.2	6.1	2.7	0.2	-	0.5	1.9	1.1	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	7.0	37.8	31.2	6.7	4.0	1.9	*	4	2.0	2.7	5.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	28.0	48.2	16.9	2.8	1.0	0.5	-	0.5	1.3	0.2	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Texas	1954	9.9	36.6	29.1	6.2	0.6	0.1	-	1.1	4.2	7.5	4.1	0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	4.3	16.0	23.5	10.5	1.2	1.1	*	3.4	16.7	17.9	3.6	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	1.9	13.6	30.3	14.3	2.7	0.3	1.1	-	10.7	18.5	6.0	0.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Virginia	1954	1.0	26.3	33.6	7.6	3.8	1.1	-	-	2	2.0	3.1	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	1	6.2	34.0	30.2	1.0	0.8	-	-	1.4	0.7	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	3	20.0	33.0	22.5	7.4	1.8	-	-	1	1.4	0.1	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
All other 5/	1954	2.6	32.7	48.2	6.3	0.6	-	-	4	3.4	3.5	2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	7.5	36.4	26.5	5.6	2.8	1.0	-	-	3	3.3	2.4	8.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	20.5	37.6	28.7	4.1	3.8	1.8	-	-	3	1.7	0.6	0.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
All States	1954	3	11.3	34.0	31.5	8.6	1.8	0.5	-	1	2.1	3.4	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1955	3	6.2	28.1	31.2	12.4	2.5	1.7	*	1.6	6.5	6.4	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
	1956	9	13.1	34.3	24.4	7.0	1.3	0.3	*	4.8	8.1	3.1	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0

5/ Includes all grades.

6/ Bales that are lower in grade than the lowest official standard for the corresponding color group.

7/ As reported by the Bureau of the Census, running bales, linters excluded.

8/ Includes Illinois and Kentucky.
9/ Less than 0.05 percent.

Table 6. -- Stages of upland cotton ginned in the United States, by State, crops of 1954-56

State	Year	13/16		7/8		24/32		15/16		1		1-1/32		1-1/16		1-1/8		1-1/4		1-1/2		1-3/4		All stages 2/			
		1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	1000 bales	
Alabama	1954	911	4,712	6,329	50,691	100,919	270,382	222,767	71,300	2,171	35	21	-	-	-	-	-	-	-	-	-	-	-	739,117	1,077,175	1,077,175	
	1955	405	4,438	2,030	14,233	10,469	108,622	383,442	465,394	37,864	37	33	19	-	-	-	-	-	-	-	-	-	-	746,477	875,497	875,497	
	1956	102	1,132	1,474	13,127	41,497	207,334	359,908	110,542	1,301	95	272	40	-	-	-	-	-	-	-	-	-	-	701,234	798,360	798,360	
Arizona	1954	1,906	6,703	8	18,514	28,020	39,638	297,188	629,315	37,362	6,345	661	369	-	-	-	-	-	-	-	-	-	-	1,847,297	1,847,297	1,847,297	
	1955	5,178	9,089	-	17,946	18,278	43,027	136,467	375,119	14,816	16,316	64	82	57	354	288	205	120	-	-	-	-	-	1,051,496	1,051,496	1,051,496	
	1956	78	1,068	-	6,061	18,669	61,103	210,029	425,428	16,841	16,059	7,179	111	130	131	131	131	131	-	-	-	-	-	1,396,216	1,396,216	1,396,216	
Arkansas	1954	6,020	19,133	6,373	43,313	60,029	328,623	535,264	322,064	23,911	1,515	64	82	57	354	288	205	120	-	-	-	-	-	1,513,670	1,513,670	1,513,670	
	1955	742	13,097	10,104	25,069	16,027	175,512	331,662	538,379	294,334	25,247	794	288	205	120	-	-	-	-	-	-	-	-	1,051,496	1,051,496	1,051,496	
	1956	3,549	10,951	9,240	33,517	35,808	175,532	514,452	536,713	74,776	3,481	130	131	131	131	131	131	-	-	-	-	-	-	1,465,013	1,465,013	1,465,013	
California	1954	326	2,891	10	9,042	10	32,425	59,603	131,044	373,569	666,994	45,817	102	22	-	-	-	-	-	-	-	-	-	16,108	16,108	16,108	
	1955	436	2,676	127	8,287	17,342	37,671	109,344	382,109,344	581,081	87,859	302	2	-	-	-	-	-	-	-	-	-	-	14,812	14,812	14,812	
	1956	27	2,298	9	1,329	4,183	17,648	159,456	971,481	293,097	15,646	71	168	741	259	-	-	-	-	-	-	-	-	8,195	8,195	8,195	
Florida	1954	3	92	122	780	1,290	4,866	6,879	2,439	177	90	-	-	-	-	-	-	-	-	-	-	-	-	654,695	654,695	654,695	
	1955	4	44	22	177	94	1,135	5,497	6,272	1,359	23	-	-	-	-	-	-	-	-	-	-	-	-	694,452	694,452	694,452	
	1956	4	6	6	164	159	1,576	5,825	1,424	23	31	11	20	-	-	-	-	-	-	-	-	-	-	576,199	576,199	576,199	
Georgia	1954	695	4,608	7,321	44,437	113,629	269,289	133,665	20,141	471	229	16	-	-	-	-	-	-	-	-	-	-	-	961,093	961,093	961,093	
	1955	208	1,024	360	3,810	7,211	78,090	328,157	297,683	14,212	34	34	-	-	-	-	-	-	-	-	-	-	-	971,900	971,900	971,900	
	1956	118	1,118	342	2,342	10,025	109,852	357,393	95,646	2,428	3,190	329	34	-	-	-	-	-	-	-	-	-	-	969,659	969,659	969,659	
Louisiana	1954	99	4,472	7,080	28,204	25,646	71,156	196,347	199,546	29,139	3,190	329	34	-	-	-	-	-	-	-	-	-	-	1,564,034	1,564,034	1,564,034	
	1955	10	905	2,153	4,911	3,209	41,004	217,093	276,359	24,275	1,013	10	-	-	-	-	-	-	-	-	-	-	-	1,996,489	1,996,489	1,996,489	
	1956	443	3,329	3,623	20,541	32,113	104,431	321,781	640,675	121,196	18,844	1,999	565	152	-	-	-	-	-	-	-	-	-	1,571,274	1,571,274	1,571,274	
Mississippi	1954	317	522	879	3,208	4,514	36,125	276,693	1,094,133	594,799	60,190	5,662	682	305	-	-	-	-	-	-	-	-	-	455,699	455,699	455,699	
	1955	35	793	547	7,925	10,323	114,149	592,044	701,245	118,781	26,494	3,066	79	25	12	-	-	-	-	-	-	-	-	410,699	410,699	410,699	
	1956	19	147	136	41	1,125	4,106	31,033	106,117	191,782	23,169	1,049	-	-	-	-	-	-	-	-	-	-	-	446,568	446,568	446,568	
New Mexico	1954	6,474	12,703	4,119	11,603	5,528	12,678	11,026	31,004	52,189	101,962	46,992	1,100	687	397	-	-	-	-	-	-	-	-	282,134	282,134	282,134	
	1955	571	4,203	2,128	11,603	5,528	12,678	11,026	31,004	52,189	101,962	46,992	1,100	687	397	-	-	-	-	-	-	-	-	242,854	242,854	242,854	
	1956	9	25	106	1,820	11,313	67,547	203,205	60,312	5,265	668	28	59	-	-	-	-	-	-	-	-	-	-	278,742	278,742	278,742	
North Carolina	1954	179	2,204	402	4,033	15,241	67,854	167,372	83,423	7,025	477	64	-	-	-	-	-	-	-	-	-	-	-	385,096	385,096	385,096	
	1955	175	2,204	402	4,033	15,241	67,854	167,372	83,423	7,025	477	64	-	-	-	-	-	-	-	-	-	-	-	394,838	394,838	394,838	
	1956	175	2,204	402	4,033	15,241	67,854	167,372	83,423	7,025	477	64	-	-	-	-	-	-	-	-	-	-	-	366,232	366,232	366,232	
Oklahoma	1954	36,964	69,344	62,607	63,680	20,273	10,909	3,994	1,864	303	102	41	-	-	-	-	-	-	-	-	-	-	-	920,823	920,823	920,823	
	1955	40,805	122,290	97,720	61,679	36,144	27,796	15,460	4,066	702	394	109	-	-	-	-	-	-	-	-	-	-	-	960,826	960,826	960,826	
	1956	20,803	68,799	56,452	57,008	23,474	17,267	10,366	4,066	702	394	109	-	-	-	-	-	-	-	-	-	-	-	522,225	522,225	522,225	
South Carolina	1954	415	3,960	72	3,521	13,166	122,110	166,371	267,464	61,897	1,110	184	-	-	-	-	-	-	-	-	-	-	-	534,031	534,031	534,031	
	1955	415	3,960	72	3,521	13,166	122,110	166,371	267,464	61,897	1,110	184	-	-	-	-	-	-	-	-	-	-	-	633,949	633,949	633,949	
	1956	415	3,960	72	3,521	13,166	122,110	166,371	267,464	61,897	1,110	184	-	-	-	-	-	-	-	-	-	-	-	271,464	271,464	271,464	
Tennessee	1954	515	4,204	2,023	12,150	31,941	139,199	183,032	150,468	14,845	2,023	137	-	-	-	-	-	-	-	-	-	-	-	3,648,015	3,648,015	3,648,015	
	1955	223	2,086	2,334	16,846	17,907	80,696	219,190	125,965	16,346	1,681	43	-	-	-	-	-	-	-	-	-	-	-	3,941,621	3,941,621	3,941,621	
	1956	279	4,303	2,334	16,846	17,907	80,696	219,190	125,965	16,346	1,681	43	-	-	-	-	-	-	-	-	-	-	-	3,326,830	3,326,830	3,326,830	
Texas	1954	211,666	770,036	731,986	669,071	664,572	398,909	318,441	150,629	44,262	86,995	17,341	-	-	-	-	-	-	-	-	-	-	-	9,804	9,804	9,804	
	1955	311,453	668,159	702,258	679,052	379,562	309,446	324,575	209,639	86,115	129,359	97,703	-	-	-	-	-	-	-	-	-	-	-	10,560	10,560	10,560	
	1956	136,299	457,145	429,182	624,826	579,484	463,512	315,512	209,639	86,115	129,359	97,703	-	-	-	-	-	-	-	-	-	-	-	11,009	11,009	11,009	
Virginia	1954	-	-	-	16	31	224	1,628	5,931	1,909	25	-	-	-	-	-	-	-	-	-	-	-	-	-	10,966	10,966	10,966
	1955	-	-	-	40	37	81	262	1,244	4,234	189	-	-	-	-	-	-	-	-	-	-	-	-	-	10,966	10,966	10,966
	1956	-	-	-	37	81	262	1,244	4,234	1,909	25	-	-	-	-	-	-	-	-	-	-	-	-	-	10,966	10,966	10,966
All other 2/	1954	-	-	-	22	134	151	678	2,940	5,360	601	39	-	-	-	-	-	-	-	-	-	-	-	-	10,966	10,966	10,966
	1955	-	-	-	19	112	215	576	1,388	2,705	601	39	-	-	-	-	-	-	-	-	-	-	-	-	10,966	10,966	10,966
	1956	-	-	-	3																						

Table 6. -- Staple of upland cotton ginned in the United States, by States, crops of 1954-56 - Continued

State	Year	13/16 inch and shorter $\frac{1}{2}$		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-1/8 inches		1-1/4 inches		1-1/2 inches		1-3/4 inches and longer		All staples Percent
		Percent	Amount	Percent	Amount	Percent	Amount	Percent	Amount	Percent	Amount	Percent	Amount	Percent	Amount	Percent	Amount	Percent	Amount	Percent	Amount	Percent	Amount	Percent	Amount	
Alabama	1954	0.1	0.9	0.9	7.0	13.7	37.6	30.1	6.7	0.3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	0.1	4.4	3.2	10.3	27.0	46.8	27.0	46.8	2.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	0.1	4.2	3.2	1.6	5.4	27.6	46.1	15.4	1.0	0.1	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
Arizona	1954	2	8	*	2.1	3.0	6.1	33.9	46.7	4.3	1.9	1.0	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	8	1.2	*	2.6	6.1	27.9	53.4	2.1	2.4	1.9	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	0.1	2	*	1.1	2.3	7.7	26.4	57.3	2.1	2.0	0.9	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
Arkansas	1954	5	1.3	7	3.2	4.5	24.3	39.7	23.9	1.6	1.1	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	4	1.8	5	1.3	1.0	5.6	20.2	30.0	17.5	1.5	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	2	4	7	2.4	2.6	12.5	35.0	38.4	5.3	3	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
California	1954	*	2	*	6	1.5	4.0	10.0	37.9	42.8	3.0	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	*	2	*	7	1.4	8.0	47.7	30.5	7.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	*	2	*	1	1.3	3.2	16.1	66.3	20.5	1.1	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
Florida	1954	0	1.6	7	4.5	7.6	29.4	41.4	14.7	1.1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	0	3	7	1.2	1.6	7.6	36.5	42.4	7.8	6	1	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	0	1	1	1.8	1.7	17.2	63.3	15.5	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
Georgia	1954	1	0	1.2	7.2	16.5	43.8	25.0	3.3	1.1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	0	1	1	5	1.0	11.4	47.0	37.1	2.6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	0	0	1	4	1.7	16.9	61.7	16.7	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
Louisiana	1954	0	4	1.5	4.5	4.6	12.7	35.0	35.2	6.2	1.1	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	0	1	1	2	2	5.5	36.1	63.6	4.0	2	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	0	2	2	0	0	7.2	36.1	46.3	4.3	2	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
Mississippi	1954	0	2	2	1.3	2.1	11.0	34.4	41.0	3.7	1.1	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	0	0	0	2	2	1.9	13.9	55.1	25.3	3.0	1	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	0	1	0	5	7	7.2	37.5	44.5	7.5	1.7	2	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
Missouri	1954	0	0	0	1.1	2.4	6.6	33.4	49.3	9.1	1	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	0	0	0	4	1.0	5.3	15.4	45.8	29.1	2.8	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	0	0	0	7	0	5.9	41.7	44.3	5.2	2	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
New Mexico	1954	1.3	2.7	1.6	4.7	1.4	4.4	3.9	10.9	17.9	34.9	4	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	2.7	5.2	1.7	3.7	3.7	4.6	3.9	8.3	12.7	36.1	3	1	1	1	1	1	1	1	1	1	1	1	1	100.0	
	1956	1.2	1.6	0.8	4.2	2.0	4.8	4.0	8.0	18.2	43.0	3	1	1	1	1	1	1	1	1	1	1	1	1	100.0	
North Carolina	1954	0	0	0	5	2.9	14.8	56.7	23.4	1.4	1	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	0	7	1	2.5	3.3	10.2	56.5	16.8	1.6	2	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	0	1	1	1.1	4.2	10.5	51.2	22.8	1.9	1	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
Oklahoma	1954	12.7	30.7	21.7	22.0	7.1	3.7	1.4	6	1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	10.3	27.3	21.8	25.4	6.5	6.2	3.5	1.5	3	1	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	8.1	26.5	21.7	22.0	9.0	6.7	4.0	1.6	3	1	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
South Carolina	1954	0	0	0	6	3.7	32.0	31.4	11.9	2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	0	6	0	1.6	2.5	23.4	46.5	14.3	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	0	0	0	7	2.5	23.4	46.5	14.3	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
Tennessee	1954	1	8	1.2	5.6	6.4	25.9	34.2	22.0	2.8	1	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	0	3	3	2.0	2.3	9.9	29.3	43.4	11.6	1.7	1	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	0	8	4	3.8	3.3	17.2	41.4	29.6	3.1	3	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
Texas	1954	5.5	20.0	19.0	18.2	10.5	9.3	6.3	3.1	1.0	1.8	2.5	0	0	0	0	0	0	0	0	0	0	0	0	100.0	
	1955	7.9	17.5	17.8	20.5	9.5	7.9	6.2	4.1	1.1	2.2	2.7	4	4	4	4	4	4	4	4	4	4	4	4	100.0	
	1956	3.9	12.9	12.0	17.7	16.4	13.1	9.0	5.9	2.4	3.7	2.8	2	2	2	2	2	2	2	2	2	2	2	2	100.0	
Virginia	1954	0	0	0	2	2	16.8	65.3	19.6	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1955	0	4	3	7	2.5	11.9	63.3	23.2	1.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
	1956	0	4	3	7	2.5	11.9	63.3	23.2	1.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	
All other $\frac{1}{2}$	1954	0	0	0	2	1.2	1.5	6.2	26.8	40.5	13.9	1.6	1	1	1	1	1	1	1	1	1	1	1	1	100.0	
	1955	0	2	1	1.2	2.3	6.1	14.7	30.6	28.2	7.2	4	4	4	4	4	4	4	4	4	4	4	4	4	100.0	
	1956	0	0	0	6	7	6.2	31.2	46.9	9.7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	100.0	
All States	1954	1.9	6.7	6.2	7.6	6.5	15.0	24.1	21.4	7.3	1.9	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	
	1955	2.9	9.7	7.7	7.0	5.7	6.8	19.5	34.0	10.9	2.7	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	
	1956	1.9	4.2	3.0	6.1	6.0	11.7	29.0	25.9	5.5	2.4	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	

$\frac{1}{2}$ Includes all bales for which no specific staple is assigned because of shatter loss.
 $\frac{3}{4}$ As reported by the Bureau of the Census, Farming, Value.

$\frac{1}{2}$ Includes Illinois and Kentucky
 $\frac{3}{4}$ Less than 0.05 percent.

Table 7. Grade index and average staple of upland cotton ginned in the United States, by States, crops of 1952-56

State	Grade index ^{1/}					Average staple ^{2/}				
	1952	1953	1954	1955	1956	1952	1953	1954	1955	1956
	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>32d inches</u>	<u>32d inches</u>	<u>32d inches</u>	<u>32d inches</u>	<u>32d inches</u>
Alabama	97.2	96.5	97.6	96.5	95.9	32.1	33.0	32.2	33.3	32.7
Arizona	95.3	97.5	95.3	95.8	97.1	33.5	33.5	33.4	33.4	33.5
Arkansas	96.9	97.3	94.7	93.5	96.1	33.0	33.3	32.7	33.7	33.2
California	92.3	92.4	92.8	94.3	95.5	34.1	33.9	34.2	34.2	34.1
Florida	96.1	94.9	97.6	97.0	95.1	32.1	33.0	32.5	33.5	32.9
Georgia	95.9	94.4	97.6	95.0	94.9	31.9	32.8	31.9	33.3	32.9
Louisiana	99.0	96.0	95.6	92.8	96.0	33.7	33.8	33.0	33.8	33.5
Mississippi	99.2	98.4	96.5	94.2	96.3	33.5	33.9	33.4	34.1	33.6
Missouri	95.2	97.7	92.7	92.5	95.7	33.7	33.3	33.4	34.0	33.4
New Mexico	98.5	97.1	95.9	97.1	100.3	34.5	34.5	34.7	34.2	34.9
North Carolina	93.0	93.7	95.2	89.4	88.9	32.8	32.7	33.0	32.8	33.0
Oklahoma	96.1	91.8	96.2	89.4	94.2	28.4	29.8	28.9	29.2	29.4
South Carolina	93.8	95.1	96.4	92.9	92.6	31.9	33.0	32.7	33.2	32.9
Tennessee	96.8	97.8	96.0	93.6	99.1	33.3	33.1	32.6	33.5	33.0
Texas	95.1	91.9	96.0	91.2	96.5	29.7	30.4	30.3	30.2	31.0
Virginia	91.4	93.1	93.5	92.2	89.3	33.2	32.6	33.0	33.1	33.4
All other ^{3/}	97.3	99.5	94.5	93.2	96.4	33.8	33.8	33.7	34.0	33.6
United States	95.8	95.0	95.6	93.2	96.0	32.3	32.6	32.2	32.6	32.7

^{1/} Computed by weighting the quantity in each grade by the 1937-39 average price per pound for such grade of 15/16 inch staple. Converted to an index with Middling White equaling 100.

^{2/} Averages calculated on numerical equivalents of the staple designations (for example, 29/32" = 29).

^{3/} Includes Illinois and Kentucky.

Table 8. - Preparation of upland cotton ginned in the United States, during specified periods, by States, 1956-57

Ginning Period	Shorter than 1-1/8 inches				1-1/8 inches and longer				All staples			
	Normal	Rough	Gin Out	Total	B	C	Gin Out	Total	Normal and B	Rough and C	Gin Out	Total 1/
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
ALABAMA												
Prior to Sept. 1 . . .	73,452	1,673	11	75,136	244	-	-	244	73,696	1,673	11	75,380
During September . . .	359,582	2,124	19	361,725	77	-	-	77	359,659	2,124	19	361,802
During October . . .	231,892	1,604	44	233,540	121	28	-	149	232,013	1,632	44	233,689
During November . . .	61,711	518	-	62,229	46	18	18	82	61,757	536	18	62,311
After November 30 . . .	13,295	-	-	13,295	-	-	-	-	13,295	-	-	13,295
All periods . . .	739,932	5,919	74	745,925	488	46	18	552	740,420	5,965	92	746,477
ARIZONA												
Prior to Sept. 1 . . .	21,775	122	22	21,919	-	-	-	-	21,775	122	22	21,919
During September . . .	79,717	196	11	79,924	1,314	-	-	1,314	81,031	196	11	81,238
During October . . .	193,364	641	10	194,015	15,108	-	-	15,108	208,472	641	10	209,123
During November . . .	287,694	540	8	288,242	7,067	-	-	7,067	294,761	540	8	295,309
After November 30 . . .	187,975	629	41	188,645	134	-	-	134	188,109	629	41	188,779
All periods . . .	770,525	2,128	92	772,745	23,623	-	-	23,623	794,148	2,128	92	796,368
ARKANSAS												
Prior to Sept. 1 . . .	8,551	5	-	8,556	9	-	-	9	8,560	5	-	8,565
During September . . .	612,247	454	41	612,742	2,490	19	-	2,509	614,737	473	41	615,251
During October . . .	551,303	378	9	551,690	1,593	9	-	1,602	552,896	387	9	553,292
During November . . .	146,073	7	-	146,080	307	-	-	307	146,380	7	-	146,387
After November 30 . . .	75,700	-	-	75,700	21	-	-	21	75,721	-	-	75,721
All periods . . .	1,393,874	844	50	1,394,768	4,420	28	-	4,448	1,398,294	872	50	1,399,216
CALIFORNIA												
Prior to Sept. 1 . . .	6,684	17	-	6,701	86	-	-	86	6,770	17	-	6,787
During September . . .	46,238	-	-	46,238	127	-	-	127	46,365	-	-	46,365
During October . . .	514,204	116	-	514,320	7,982	-	-	7,982	522,186	116	-	522,302
During November . . .	716,175	488	-	716,663	6,915	-	-	6,915	723,090	488	-	723,578
After November 30 . . .	164,374	432	-	164,806	1,775	-	-	1,775	166,149	432	-	166,581
All periods . . .	1,447,675	1,053	-	1,448,728	16,885	-	-	16,885	1,464,560	1,053	-	1,465,613
FLORIDA												
Prior to Sept. 1 . . .	3,318	163	-	3,481	-	-	-	-	3,318	163	-	3,481
During September . . .	4,566	21	-	4,587	-	-	-	-	4,566	21	-	4,587
During October . . .	922	-	-	922	-	-	-	-	922	-	-	922
During November . . .	153	-	-	153	-	-	-	-	153	-	-	153
After November 30 . . .	52	-	-	52	-	-	-	-	52	-	-	52
All periods . . .	9,011	184	-	9,195	-	-	-	-	9,011	184	-	9,195
GEORGIA												
Prior to Sept. 1 . . .	133,209	1,809	19	135,037	22	-	-	22	133,231	1,809	19	135,059
During September . . .	237,956	3,147	26	241,129	16	-	-	16	237,972	3,147	26	241,145
During October . . .	153,315	580	-	153,895	-	-	-	-	153,315	580	-	153,895
During November . . .	38,028	156	7	38,191	-	-	-	-	38,028	156	7	38,191
After November 30 . . .	10,890	9	-	10,899	-	-	-	-	10,890	9	-	10,899
All periods . . .	573,398	5,701	52	579,151	38	-	-	38	573,436	5,701	52	579,189
ILLINOIS												
Prior to Sept. 1 . . .	-	-	-	-	-	-	-	-	-	-	-	-
During September . . .	414	3	-	417	1	-	-	1	415	3	-	418
During October . . .	1,263	-	-	1,263	2	-	-	2	1,265	-	-	1,265
During November . . .	536	-	-	536	-	-	-	-	536	-	-	536
After November 30 . . .	418	-	-	418	-	-	-	-	418	-	-	418
All periods . . .	2,631	3	-	2,634	3	-	-	3	2,634	3	-	2,637
KENTUCKY												
Prior to Sept. 1 . . .	-	-	-	-	-	-	-	-	-	-	-	-
During September . . .	2,612	-	-	2,612	29	-	-	29	2,641	-	-	2,641
During October . . .	3,543	-	-	3,543	36	-	-	36	3,579	-	-	3,579
During November . . .	915	-	-	915	6	-	-	6	921	-	-	921
After November 30 . . .	505	-	-	505	-	-	-	-	505	-	-	505
All periods . . .	7,575	-	-	7,575	71	-	-	71	7,646	-	-	7,646
LOUISIANA												
Prior to Sept. 1 . . .	87,343	768	-	88,111	116	11	-	127	87,459	779	-	88,238
During September . . .	284,976	239	18	285,233	685	-	-	685	285,661	239	18	285,918
During October . . .	151,198	-	-	151,198	211	-	-	211	151,409	-	-	151,409
During November . . .	35,421	-	-	35,421	-	-	-	-	35,421	-	-	35,421
After November 30 . . .	8,853	-	-	8,853	-	-	-	-	8,853	-	-	8,853
All periods . . .	567,791	1,007	18	568,816	1,012	11	-	1,023	568,803	1,018	18	569,839
MISSISSIPPI												
Prior to Sept. 1 . . .	111,628	1,947	96	113,671	2,614	174	-	2,788	114,242	2,121	96	116,459
During September . . .	775,350	4,708	112	780,170	16,375	87	-	16,462	791,725	4,795	112	796,632
During October . . .	503,349	917	-	504,266	11,356	18	-	11,374	514,705	935	-	515,640
During November . . .	124,201	140	-	124,341	1,085	-	-	1,085	125,286	140	-	125,426
After November 30 . . .	23,070	-	-	23,070	47	-	-	47	23,117	-	-	23,117
All periods . . .	1,537,598	7,712	208	1,545,518	31,477	279	-	31,756	1,569,075	7,991	208	1,577,274

1/ See footnote at end of table.

-continued-

Table 9. - Preparation of upland cotton ginned in the United States, during specified periods, by States, 1956-57 - Continued

Ginning period	Shorter than 1-1/8 inches				1-1/8 inches and longer				All staples			
	Normal	Rough	Gin Out	Total	B	C	Gin Out	Total	Normal and B	Rough and C	Gin Out	Total 1/
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
MISSOURI												
Prior to Sept. 1 . . .	-	-	-	-	-	-	-	-	-	-	-	-
During September . . .	222,640	197	-	222,837	954	-	-	954	223,594	197	-	223,791
During October . . .	170,785	-	-	170,785	128	-	-	128	170,913	-	-	170,913
During November . . .	34,738	21	-	34,759	-	-	-	-	34,738	21	-	34,759
After November 30. . .	17,105	-	-	17,105	-	-	-	-	17,105	-	-	17,105
All periods.	445,268	218	-	445,486	1,082	-	-	1,082	446,350	218	-	446,568
NEW MEXICO												
Prior to Sept. 1 . . .	-	-	-	-	-	-	-	-	-	-	-	-
During September . . .	9,375	63	12	9,450	29,825	24	-	29,849	30,200	87	12	30,299
During October . . .	40,010	101	10	40,121	98,124	132	-	98,256	138,134	233	10	138,377
During November . . .	55,665	165	-	55,830	25,995	31	-	26,026	81,660	196	-	81,856
After November 30. . .	19,453	25	-	19,478	732	-	-	732	20,185	25	-	20,210
All periods.	124,503	354	22	124,879	153,676	187	-	153,863	278,179	541	22	278,742
NORTH CAROLINA												
Prior to Sept. 1 . . .	-	-	-	-	-	-	-	-	-	-	-	-
During September . . .	113,592	1,326	49	114,967	447	32	-	479	114,039	1,358	49	115,446
During October . . .	122,182	177	-	122,359	175	-	-	175	122,357	177	-	122,534
During November . . .	92,705	49	-	92,754	19	-	-	19	92,724	49	-	92,773
After November 30. . .	35,479	-	-	35,479	-	-	-	-	35,479	-	-	35,479
All periods.	363,958	1,552	49	365,559	641	32	-	673	364,599	1,584	49	366,232
OKLAHOMA												
Prior to Sept. 1 . . .	-	-	-	-	-	-	-	-	-	-	-	-
During September . . .	77,741	221	-	77,962	68	-	-	68	77,809	221	-	78,030
During October . . .	97,870	438	9	98,317	229	-	-	229	98,099	438	9	98,546
During November . . .	65,422	322	-	65,744	157	-	-	157	65,579	322	-	65,901
After November 30. . .	16,957	36	-	16,993	53	-	-	53	17,010	36	-	17,046
All periods.	257,990	1,017	9	259,016	507	-	-	507	258,497	1,017	9	259,523
SOUTH CAROLINA												
Prior to Sept. 1 . . .	64,173	1,562	129	65,864	97	-	-	97	64,270	1,562	129	65,961
During September . . .	213,698	1,358	-	215,056	169	29	-	198	213,827	1,387	-	215,214
During October . . .	155,139	422	10	155,571	250	-	-	250	155,389	422	10	155,821
During November . . .	69,703	49	-	69,832	72	-	-	72	69,855	49	-	69,904
After November 30. . .	15,327	2	6	15,335	-	-	-	-	15,327	2	6	15,335
All periods.	518,080	3,393	145	521,618	588	29	-	617	518,666	3,422	145	522,235
TENNESSEE												
Prior to Sept. 1 . . .	-	-	-	-	-	-	-	-	-	-	-	-
During September . . .	257,949	41	-	257,990	1,471	-	-	1,471	259,420	41	-	259,461
During October . . .	204,593	26	-	204,619	221	-	-	221	204,814	26	-	204,840
During November . . .	49,485	-	-	49,485	69	-	-	69	49,554	-	-	49,554
After November 30. . .	13,420	8	-	13,428	201	-	-	201	13,621	8	-	13,629
All periods.	525,447	75	-	525,522	1,962	-	-	1,962	527,409	75	-	527,484
TEXAS												
Prior to Sept. 1 . . .	978,988	1,980	81	981,049	7,439	20	-	7,459	986,427	2,000	81	988,508
During September . . .	572,226	843	22	573,091	69,764	159	-	69,923	641,990	1,002	22	643,014
During October . . .	814,374	2,980	114	817,468	127,162	312	10	127,484	941,536	3,292	124	944,952
During November . . .	773,141	7,038	236	780,415	28,706	12	-	28,718	806,847	7,050	236	814,133
After November 30. . .	143,696	1,057	47	144,800	1,423	-	-	1,423	145,119	1,057	47	146,223
All periods.	3,287,425	13,898	500	3,301,823	234,494	503	10	235,007	3,521,919	14,401	510	3,536,830
VIRGINIA												
Prior to Sept. 1 . . .	-	-	-	-	-	-	-	-	-	-	-	-
During September . . .	2,272	51	-	2,323	132	-	-	132	2,404	51	-	2,455
During October . . .	2,956	68	-	3,024	84	-	-	84	3,040	68	-	3,108
During November . . .	3,231	14	-	3,245	-	-	-	-	3,231	14	-	3,245
After November 30. . .	2,261	-	-	2,261	-	-	-	-	2,261	-	-	2,261
All periods.	10,720	133	-	10,853	216	-	-	216	10,906	133	-	11,069
UNITED STATES												
Prior to Sept. 1 . . .	1,489,121	10,046	398	1,499,525	10,627	205	-	10,832	1,499,748	10,251	398	1,510,357
During September . . .	3,873,111	14,992	310	3,888,413	122,944	350	-	123,294	3,996,055	15,342	310	4,011,707
During October . . .	3,912,262	8,448	206	3,920,916	262,782	499	10	263,291	4,175,044	8,947	216	4,184,207
During November . . .	2,560,077	9,507	251	2,569,835	70,444	61	18	70,523	2,630,521	9,568	269	2,640,358
After November 30. . .	748,830	2,198	94	751,122	4,386	-	-	4,386	753,216	2,198	94	755,508
All periods.	12,583,401	45,191	1,219	12,629,811	471,183	1,115	28	472,326	13,094,584	46,306	1,247	13,102,137

1/ As reported by the Bureau of the Census, running bales, linters excluded.

Table 9. Tenderability of upland cotton ginned, by States, 1956-57

State	Tenderable 1/		Untenderable		Total crop 2/	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
Alabama	649,536	87.0	96,941	13.0	746,477	100.0
Arizona	660,514	82.9	135,854	17.1	796,368	100.0
Arkansas	1,241,580	88.7	157,636	11.3	1,399,216	100.0
California	1,341,514	91.4	124,099	8.6	1,465,613	100.0
Florida	6,891	74.9	2,304	25.1	9,195	100.0
Georgia	474,243	81.9	104,946	18.1	579,189	100.0
Illinois	2,411	91.4	226	8.6	2,637	100.0
Kentucky	7,025	91.9	621	8.1	7,646	100.0
Louisiana	535,307	93.9	34,532	6.1	569,839	100.0
Mississippi	1,481,650	93.9	95,624	6.1	1,577,274	100.0
Missouri	417,072	93.4	29,496	6.6	446,568	100.0
New Mexico	253,757	91.0	24,985	9.0	278,742	100.0
North Carolina	242,856	93.6	123,376	6.4	366,232	100.0
Oklahoma	96,855	37.3	162,668	62.7	259,523	100.0
South Carolina	412,538	79.0	109,697	21.0	522,235	100.0
Tennessee	504,850	95.7	22,634	4.3	527,484	100.0
Texas	2,272,929	64.3	1,263,901	35.7	3,536,830	100.0
Virginia	8,402	75.9	2,667	24.1	11,069	100.0
All States	10,609,930	81.0	2,492,207	19.0	13,102,137	100.0

1/ Tenderable with respect to grade and staple in settlement of futures contracts.

2/ As reported by the Bureau of the Census, running bales, linters excluded.

Table 10. Tenderability of upland cotton ginned in the United States, 1944-56

Year	Tenderable 1/		Untenderable		Total crop 2/	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
1944	8,845,658	74.8	2,985,084	25.2	11,830,742	100.0
1945	6,256,298	71.0	2,553,087	29.0	8,809,385	100.0
1946	6,527,089	76.7	1,987,803	23.3	8,514,892	100.0
1947	9,197,081	79.6	2,358,849	20.4	11,555,930	100.0
1948	11,719,213	80.4	2,857,601	19.6	14,576,814	100.0
1949	11,791,158	74.1	4,113,544	25.9	15,904,702	100.0
1950	7,234,459	73.5	2,611,224	26.5	9,845,683	100.0
1951	10,793,023	71.8	4,232,480	28.2	15,025,503	100.0
1952	10,982,423	73.9	3,875,742	26.1	14,858,165	100.0
1953	13,691,670	84.2	2,560,929	15.8	16,252,599	100.0
1954	11,506,960	84.8	2,070,033	15.2	13,576,993	100.0
1955	11,106,760	76.6	3,393,764	23.4	14,500,524	100.0
1956	10,609,930	81.0	2,492,207	19.0	13,102,137	100.0

1/ Tenderable with respect to grade and staple in settlement of futures contracts.

2/ As reported by the Bureau of the Census, running bales, linters excluded.

Table 11. -- Grade and staple of upland cotton ginned in Alabama, 1956-57

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-3/32 inches		1-1/8 inches		1-5/32 inches		1-3/16 inches		1-7/32 inches		1-1/4 inches and longer		All staples		
	Bales	Rate	Bales	Rate	Bales	Rate	Bales	Rate	Bales	Rate	Bales	Rate	Bales	Rate	Bales	Rate	Bales	Rate	Bales	Rate	Bales	Rate	Bales	Rate	Bales	Rate	Bales	Rate	Bales	Rate	
White:																															
3-0.M.	-	-	10	164	119	-	30	60	404	342	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	836	0.1
4-0.M.	-	-	46	514	505	3,963	3,963	11,056	66,042	150,627	30,042	223	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61,616	8.3	
5-M.	-	-	19	214	418	2,974	11,064	62,574	95,823	30,442	224	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	287,578	38.5	
6-S.L.M.	-	-	-	-	-	65	71	1,387	5,493	26,343	4,107	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	207,133	27.7	
7-L.M.	-	-	-	-	-	8	52	338	758	3,296	360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62,705	8.4	
8-S-0.0.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7,367	1.0	
9-0.0.	-	-	-	-	-	-	39	68	405	388	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	921	.1	
Total	75	965	1,225	9,546	32,179	177,512	306,004	93,962	6,175	476	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	628,156	84.1	
Spotted:																															
3-0.M.	-	-	9	46	67	603	1,418	7,223	10,475	7,152	219	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	448	.1
4-0.M.	-	-	10	26	84	802	2,616	12,626	28,831	12,832	927	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35,223	4.7	
5-M.	-	-	8	43	65	1,103	2,567	6,954	5,244	1,019	60	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58,756	7.9	
6-S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17,162	2.3	
7-L.M.	-	-	-	41	33	714	971	1,770	973	77	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,500	.6	
Total	27	156	249	3,361	7,661	28,733	53,663	21,080	1,206	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	116,177	15.6	
Tinged:																															
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-M.	-	-	29	-	-	-	9	45	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	.6
6-S.L.M.	-	-	-	-	-	-	35	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	109	.6
7-L.M.	-	-	-	-	-	-	35	141	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	247	.6
Total	-	-	29	-	-	35	185	160	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	419	.6
Gray:																															
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-0.M.	-	-	-	-	-	-	6	20	63	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	124	.6
5-M.	-	-	-	-	-	82	293	608	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,149	.2
6-S.L.M.	-	-	-	-	-	-	6	19	57	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93	.6
Total	-	-	-	-	-	94	332	728	212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,366	.2
Below Grade:																															
-	-	-	-	-	-	91	50	201	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	359	.6
All grades	102	1,132	1,474	13,127	40,407	207,334	359,906	115,042	7,301	515	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	746,477	100.0	
All grades	.2	.2	.2	1.8	5.4	27.8	48.1	15.4	1.0	.1	.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0		

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Percentage rough preparation..... 0.8
 Grade index..... 95.9
 Average staple..... 32.7

Table 12. --- Grade and staple of upland cotton ginned in Arizona, 1956-57

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-1/8 inches		1-5/32 inches		1-3/16 inches		1-7/32 inches		1-1/4 inches and longer		All staples			
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent		
White:																														
3-G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6-S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7-L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8-S.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9-O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	36	-	425	-	1,033	-	9,923	-	148,674	-	430,343	-	14,847	-	15,831	-	7,134	-	309	-	636,635	-	79.9	-	-	-	-	-	-	
Spotted:																														
3-G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6-S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7-L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	8	-	1,011	-	5,398	-	14,727	-	48,537	-	60,773	-	17,032	-	1,965	-	30	-	149,667	-	18.8	-	-	-	-	-	-	-	-	
Tinged:																														
3-G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6-S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7-L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	20	-	292	-	1,293	-	2,323	-	2,263	-	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Yellow Stained:																														
3-G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6-S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7-L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Grey:																														
3-G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6-S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Below Grade:	48	-	549	-	1,544	-	498	-	216	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All grades:	76	-	1,888	-	8,681	-	18,669	-	61,103	-	210,099	-	455,428	-	16,841	-	16,099	-	7,175	-	389	-	796,368	-	100.0	-	-	-	-	-
All grades:	Percent	0.2	Percent	1.1	Percent	2.3	Percent	7.7	Percent	26.4	Percent	57.3	Percent	2.1	Percent	2.0	Percent	.9	Percent	.9	Percent	100.0	Percent	100.0	Percent	-	Percent	-	Percent	-

As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 † Percentage rough preparation..... 0.3
 Grade Index..... 97.1
 Average staple..... 33.5

Table 14. -- Grade and staple of upland cotton ginned in California, 1956-57

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
3-0.M.	-	-	-	-	-	-	186	1,399	1,267	282	-	-	345	-	3,479	0.2
4-3.M.	-	-	-	-	-	88	16,696	97,276	57,987	5,004	37	25	396	-	179,309	12.2
5-M.	-	-	-	-	-	77	20,701	270,320	121,607	5,718	-	12	-	259	419,694	28.6
6-S.L.M.	-	-	-	18	-	403	47,503	473,599	102,247	3,645	-	10	-	-	627,425	42.8
7-L.M.	-	-	-	62	70	3,186	36,600	80,435	8,305	160	-	-	-	-	129,919	9.0
8-S.O.O.	-	9	-	9	450	4,163	6,943	2,197	113	-	-	-	-	-	13,884	.9
9-0.0.	-	-	-	61	903	1,135	400	163	-	-	-	-	-	-	2,682	.2
Total	-	9	-	150	1,423	9,072	129,029	925,389	291,526	15,609	37	47	741	259	1,373,291	93.7
Spotted:																
3-0.M.	-	-	-	-	-	-	43	153	-	-	-	-	-	-	196	.7
4-3.M.	-	-	-	9	-	123	3,693	5,556	460	17	54	121	-	-	10,013	.7
5-M.	-	44	-	80	71	1,454	6,723	5,435	296	-	-	-	-	-	14,113	1.0
6-S.L.M.	-	-	-	307	424	3,074	3,202	692	11	-	-	-	-	-	7,859	.5
7-L.M.	-	90	9	429	1,636	2,512	597	77	-	-	-	-	-	-	5,956	.4
Total	-	209	9	905	2,331	7,173	14,238	11,913	767	17	34	121	-	-	37,737	2.6
Staged:																
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-3.M.	-	-	-	9	-	47	21	-	-	-	-	-	-	-	77	.7
5-M.	-	27	-	21	9	103	-	-	-	-	-	-	-	-	160	.6
6-S.L.M.	-	9	-	95	52	35	-	-	-	-	-	-	-	-	151	.5
7-L.M.	-	9	9	16	9	-	-	-	-	-	-	-	-	-	43	.4
Total	18	36	-	101	70	185	21	-	-	-	-	-	-	-	431	.4
Yellow Stained:																
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-3.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-M.	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	-
6-S.L.M.	-	-	-	17	27	416	2,019	1,126	8	-	-	-	-	-	-	-
Total	-	9	-	17	36	948	16,127	35,367	804	20	-	-	-	-	53,330	3.6
Gray:																
3-0.M.	-	-	-	-	-	-	25	47	-	-	-	-	-	-	72	.7
4-3.M.	-	-	-	-	-	34	4,015	13,633	487	12	-	-	-	-	19,361	1.3
5-M.	-	-	-	-	11	498	10,068	20,361	309	8	-	-	-	-	31,295	2.1
6-S.L.M.	-	9	-	17	27	416	2,019	1,126	8	-	-	-	-	-	3,622	.2
Total	-	9	-	17	36	948	16,127	35,367	804	20	-	-	-	-	53,330	3.6
Below Grade	9	35	-	156	321	270	12	12	-	-	-	-	-	-	615	.1
All Grades	27	296	9	1,329	4,183	17,646	199,456	972,601	293,097	15,646	71	160	741	259	1,405,613	100.0
All Grades	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	.1	.1	.1	.1	.3	1.2	10.9	66.3	20.0	1.1	.1	.1	.1	.1	100.0	

As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Percentage rough preparation..... 0.1
 Grade index..... 95.5
 Average staple..... 34.1

Table 16. -- Grade and staple of upland cotton ginned in Georgia, 1956-57

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-3/32 inches		1-1/8 inches		1-5/32 inches		1-3/16 inches		1-7/32 inches		1-1/4 inches and longer		All staples			
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent		
White:																																
3-0.N.	-	-	-	-	-	-	6	121	6	121	6	121	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	165	-		
4-5.N.	-	-	-	-	53	100	1,958	13,950	6,389	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	22,623	3.9	
5-N.	23	497	2,262	22,703	46,974	1,201	46,974	1,201	46,974	1,201	46,974	1,201	46,974	1,201	46,974	1,201	46,974	1,201	46,974	1,201	46,974	1,201	46,974	1,201	46,974	1,201	46,974	1,201	46,974	1,201	203,399	35.1
6-8.L.N.	51	50	404	2,449	34,247	120,309	31,186	907	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	189,611	32.7		
7-L.N.	17	318	2,104	19,792	32,116	3,130	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	57,512	9.9		
8-9.0.	-	-	270	429	4,185	3,173	110	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	8,167	1.4		
9-10.0.	-	-	3	78	221	221	221	221	221	221	221	221	221	221	221	221	221	221	221	221	221	221	221	221	221	221	221	221	402	.1		
Total	91	1,973	7,415	83,112	299,330	87,827	2,314	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	481,879	83.1		
Spotted:																																
3-0.N.	-	-	8	6	-	-	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77	-	
4-5.N.	8	115	147	580	4,073	18,246	3,703	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192	27,744	4.8		
5-N.	8	25	167	1,007	10,071	25,908	4,045	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	42,142	7.3		
6-8.L.N.	-	-	6	226	596	7,068	10,599	761	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	19,255	3.3		
7-L.N.	11	177	315	3,022	1,856	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	5,496	.9		
Total	27	154	723	2,489	25,634	56,672	8,704	312	312	312	312	312	312	312	312	312	312	312	312	312	312	312	312	312	312	312	312	312	94,714	16.3		
Tinged:																																
3-0.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-5.N.	-	-	-	-	-	-	50	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	67	-		
5-N.	-	-	-	16	341	270	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	695	.1	
6-8.L.N.	-	-	-	-	105	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	187	-		
7-L.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total	-	-	-	16	446	394	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	949	.1		
Yellow Stained:																																
3-0.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-5.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-N.	-	-	-	9	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	25	-	
Total	-	-	-	9	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	25	-		
Gray:																																
3-0.N.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-5.N.	-	-	-	8	86	173	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	276	-		
5-N.	-	-	-	244	755	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	1,015	.2		
6-8.L.N.	-	-	9	52	32	63	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	163	-			
Total	-	-	9	60	362	991	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	1,454	.2			
Below Grade:																																
3-0.N.	-	-	1	37	42	82	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	168	-		
Total	118	342	2,342	10,030	109,652	357,393	96,648	2,656	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	579,189	100.0		
All grades																																
Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
1.7	18.9	61.7	16.7	.5	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	16.7	

As reported by the Bureau of the Census, running bales.
 1/2 Grade Index..... 1.0
 Average staple..... 32.9
 Less than 0.05 percent.

Table 17. -- Grade and staple of upland cotton ginned in Illinois, 1950-57

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples		
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	
Whites:																	
3-0.M.	-	-	-	-	-	-	2	7	-	-	-	-	-	-	-	9	0.3
4-5.M.	-	-	-	-	-	22	204	393	36	1	-	-	-	-	658	25.0	
5-M.	-	-	-	2	-	124	738	669	38	-	-	-	-	-	1,571	59.5	
6-8.L.M.	-	-	-	-	4	35	46	35	-	-	-	-	-	-	120	4.6	
7-L.M.	-	-	-	12	10	54	47	2	-	-	-	-	-	-	125	4.7	
8-9.O.	-	-	-	-	-	7	-	-	-	-	-	-	-	-	7	.3	
Total	-	-	-	14	16	242	1,037	1,106	74	1	-	-	-	-	2,460	94.4	
Spotted:																	
3-0.M.	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	5	.2
4-5.M.	-	-	-	-	-	4	8	20	4	2	-	-	-	-	38	1.4	
5-M.	-	-	-	-	10	12	18	12	-	-	-	-	-	-	52	2.0	
6-8.L.M.	-	-	-	-	-	6	40	4	-	-	-	-	-	-	50	1.9	
7-L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	-	-	-	-	10	22	66	41	4	2	-	-	-	-	145	5.5	
Gray:																	
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-5.M.	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	.1
5-M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6-8.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	.1	
All grades	-	-	-	14	26	264	1,105	1,147	78	3	-	-	-	-	2,637	100.0	
All grades	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	-	-	-	0.5	1.0	10.0	41.9	43.5	3.0	.1	-	-	-	-	100.0		

1/ As reported by the Bureau of the Census, Farming bales.
 * Less than 0.05 percent.

Percentage rough preparation..... 0.1
 Grade index..... 93.6
 Average staple..... 35.4

Table 21. -- Grade and staple of upland cotton ginned in Missouri, 1956-57

Grade	13/16 inch and shorter	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer	All staples	
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
3-0.M.	-	-	-	-	-	20	236	467	11	-	-	-	-	-	736	0.2
4-5.M.	-	44	22	211	150	2,652	26,669	55,063	6,315	23	-	-	22	-	91,191	20.4
5-M.	-	-	-	170	310	5,480	54,649	69,103	11,199	702	-	-	-	-	141,635	31.7
6-8.L.M.	-	12	-	375	215	6,367	60,779	57,842	4,767	324	-	-	11	-	130,732	29.3
7-2.L.M.	-	20	10	218	278	6,498	31,394	13,649	811	-	-	-	-	-	52,678	11.8
8-3-0.	-	-	-	347	1,055	5,087	7,365	695	11	-	-	-	-	-	14,540	3.3
9-3-0.	-	-	9	691	739	1,412	868	11	-	-	-	-	-	-	3,730	.8
Total	-	98	41	2,012	2,747	27,536	182,002	196,790	23,134	1,049	-	-	33	-	435,442	97.5
Spotted:																
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-5.M.	-	-	-	10	-	42	270	276	12	-	-	-	-	-	-	-
5-M.	-	-	-	12	10	76	403	308	23	-	-	-	-	-	610	.1
6-8.L.M.	-	-	-	54	69	653	824	162	-	-	-	-	-	-	832	.2
7-2.L.M.	-	10	-	532	1,017	1,892	1,254	41	-	-	-	-	-	-	1,762	.4
Total	-	10	-	608	1,096	2,663	2,751	787	35	-	-	-	-	-	4,746	1.1
Tinged:																
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-5.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6-8.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7-2.L.M.	-	-	-	-	31	31	-	-	-	-	-	-	-	-	62	.0
Total	-	-	-	-	31	31	-	-	-	-	-	-	-	-	62	.0
Grey:																
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-5.M.	-	-	-	-	-	11	403	76	-	-	-	-	-	-	490	.1
5-M.	-	-	-	-	-	238	508	139	-	-	-	-	-	-	895	.2
6-8.L.M.	-	-	-	-	-	43	281	-	-	-	-	-	-	-	324	.1
Total	-	-	-	-	-	292	1,192	215	-	-	-	-	-	-	1,699	.4
Below Grade:																
	-	-	-	500	232	511	172	-	-	-	-	-	-	-	1,415	.3
All grades	-	108	41	3,120	4,106	31,033	186,117	197,792	23,169	1,049	-	-	33	-	1/ 446,568	100.0
All grades	-	-	-	0.7	.9	6.9	41.7	44.3	5.2	.2	-	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Percentage rough preparation.....
Grade index.....
Average staple.....

95.7
33.4

Table 22. -- Grade and staple of upland cotton ginned in New Mexico, 1956-57

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-3/32 inches		1-1/8 inches		1-5/32 inches		1-3/16 inches		1-7/32 inches		1-1/4 inches and longer		All staples		
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	
White:																															
3-0.M.	-		-		-		7	10	32	22	315	2,160	23,528	13,733	76	-	-	-	-	-	-	-	-	-	-	-	-	-	39,883	14.3	
4-0.M.	10	30	54	215	277	626	883	4,176	18,780	67,692	23,326	404	195	22	-	-	-	-	-	-	-	-	-	-	-	-	-	116,770	43.9		
5-M.	40	315	434	1,518	1,407	3,172	7,945	17,007	16,003	2,491	134	318	337	80	-	-	-	-	-	-	-	-	-	-	-	-	53,311	19.1			
6-5.L.M.	29	621	510	1,568	1,295	2,488	4,050	4,713	5,385	3,101	409	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24,299	8.7			
7-L.M.	7	129	121	732	340	781	698	127	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,961	1.4			
8-5.0.	-	99	31	223	49	214	85	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	747	.3			
9-2.0.	-	25	10	26	9	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	135	.1			
Total	86	1,219	1,160	4,289	3,447	6,275	8,007	17,894	43,694	110,441	39,969	716	513	466	239,076	85.7															
Spotted:																															
3-0.M.	-		-		-		10	-	-	20	32	196	116	30	-	-	-	-	-	-	-	-	-	-	-	-	-	404	.1		
4-5.M.	98	329	119	578	591	842	1,183	2,609	4,770	814	37	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11,980	4.3			
5-M.	207	1,108	496	2,625	1,073	2,651	2,033	2,366	1,326	395	30	10	6	47	-	-	-	-	-	-	-	-	-	-	-	-	14,373	5.2			
6-5.L.M.	107	944	203	2,712	304	2,492	383	592	79	12	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7,904	2.8			
7-L.M.	38	703	22	1,119	12	688	57	39	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,601	1.0			
Total	450	3,064	920	7,044	1,980	6,643	3,676	5,998	6,378	1,337	121	19	15	65	37,330	13.4															
Tinged:																															
3-0.M.	-		-		-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-5.M.	-		-		-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-M.	9	-	-	17	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6-5.L.M.	-	7	-	15	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7-L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	15	7	-	32	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70	-		
Gray:																															
3-0.M.	-		-		12	32	32	40	20	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	168	.1		
4-5.M.	-	24	36	17	52	90	57	224	298	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	939	.3			
5-M.	7	57	-	154	30	121	53	79	193	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	714	.3			
6-5.L.M.	-	-	-	7	-	-	-	7	12	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34	.1			
Total	7	81	36	178	94	243	142	350	523	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,895	.7			
Below grade	13	162	12	150	7	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	411	.1			
All grades	574	4,553	2,128	11,693	5,528	13,244	12,725	23,842	50,595	111,979	40,090	735	528	531	1/278,742	100.0															
All grades	0.2	1.6	.8	4.2	2.0	4.8	4.6	8.6	18.2	40.0	14.4	.3	.2	.1	100.0																

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Percentage rough preparation..... 0.2
 Grade index..... 100.3
 Average staple..... 34.9

Table 24. -- Grade and staple of upland cotton ginned in Oklahoma, 1956-57

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-1/8 inches		1-5/32 inches		1-3/16 inches		1-7/32 inches		1-1/4 inches and longer		All staples			
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent		
White:																														
3-0.N.	-		18		54		100		27		18		9		18		-		-		-		-		-		244	0.1		
4-3.N.	405	3.098	3,098	23.1	3,685	28.1	3,685	28.1	1,492	11.2	1,234	9.4	1,207	9.2	902	6.9	111	0.8	37	0.3	-		-		-		14,980	5.8		
5-N.	2,593	19.6	9,994	76.3	7,633	58.3	9,330	71.6	5,318	40.7	4,972	37.9	3,773	28.8	3,513	26.9	262	2.0	107	0.8	33	0.2	28		-		45,426	17.5		
6-3.L.N.	646	4.9	2,824	21.7	2,293	17.6	3,425	26.3	2,349	18.1	2,261	17.4	1,678	12.7	1,407	10.8	49	0.4	52	0.4	47	0.4	-		-		16,111	6.2		
7-1.N.	273	2.1	711	5.4	661	5.0	1,549	11.9	867	6.6	1,065	8.1	609	4.6	257	2.0	72	0.6	19	0.1	9	0.1	-		-		6,141	2.4		
8-5.0.0.	53	0.4	190	1.4	114	0.9	175	1.3	108	0.8	176	1.3	127	1.0	120	0.9	15	0.1	-		-		-		-		1,078	0.4		
9-0.0.	-		50	0.4	9	0.1	43	0.3	22	0.2	54	0.4	23	0.2	8	0.1	16	0.1	-		-		-		-		225	0.9		
Total	3,670	27.9	16,895	128.7	13,673	104.3	18,307	140.8	10,183	77.4	9,690	73.8	7,426	56.8	525	4.0	215	1.6	139	1.0	89	0.7	28	0.2	9	0.1	84,205	64.2		
Spotted:																														
3-0.N.	19	0.1	51	0.4	27	0.2	46	0.4	20	0.2	9	0.1	-		-		-		-		-		-		-		-		172	0.6
4-3.N.	4,231	31.9	15,306	116.3	14,264	109.3	12,472	95.3	4,041	30.8	2,237	17.2	860	6.5	231	1.8	77	0.6	34	0.3	9	0.1	-		-		53,762	41.1		
5-N.	9,389	71.1	24,699	188.1	20,041	153.3	17,963	138.0	6,449	49.2	3,680	28.2	1,403	10.7	340	2.6	80	0.6	95	0.7	8	0.1	-		-		83,207	64.2		
6-3.L.N.	2,732	20.7	7,088	53.5	6,725	51.1	6,725	51.1	2,502	19.0	1,325	10.1	486	3.7	166	1.2	10	0.1	10	0.1	-		-		-		28,761	22.4		
7-1.N.	475	3.6	1,294	9.7	779	5.9	895	6.8	142	1.1	238	1.8	112	0.9	26	0.2	-		-		-		-		-		3,911	3.0		
Total	15,046	113.7	49,328	375.1	41,928	321.3	38,061	292.4	13,154	100.0	7,469	57.3	2,621	20.0	763	5.8	167	1.3	139	1.0	17	0.1	9	0.1	-		169,613	130.8		
Tinged:																														
3-0.N.	-		-		-		-		-		-		-		-		-		-		-		-		-		-		-	
4-3.N.	17	0.1	138	1.0	117	0.9	48	0.4	29	0.2	19	0.1	9	0.1	-		-		-		-		-		-		-		377	0.3
5-N.	347	2.6	997	7.5	319	2.4	222	1.7	46	0.3	48	0.4	10	0.1	-		-		10	0.1	-		-		-		1,999	1.5		
6-3.L.N.	439	3.3	831	6.2	257	1.9	127	1.0	36	0.3	28	0.2	-		-		10	0.1	-		-		-		-		1,728	1.3		
7-1.N.	335	2.5	233	1.7	53	0.4	20	0.2	26	0.2	9	0.1	-		-		-		-		-		-		-		676	0.5		
Total	1,138	8.6	2,109	16.0	746	5.7	417	3.2	137	1.0	104	0.8	19	0.1	10	0.1	10	0.1	-		-		-		-		4,780	3.6		
Yellow Stained:																														
3-0.N.	-		-		-		-		-		-		-		-		-		-		-		-		-		-		-	
4-3.N.	9	0.1	-		-		-		-		-		-		-		-		-		-		-		-		-		-	
5-N.	158	1.2	140	1.0	10	0.1	-		-		-		-		-		-		-		-		-		-		-		308	0.2
Total	167	1.2	149	1.1	10	0.1	-		-		-		-		-		-		-		-		-		-		326	0.2		
Gray:																														
3-0.N.	-		-		-		-		-		-		-		-		-		-		-		-		-		-		-	
4-3.N.	-		-		-		-		-		-		-		-		-		-		-		-		-		-		-	
5-N.	27	0.2	19	0.1	-		-		-		-		-		-		-		-		-		-		-		-		46	0.4
6-3.L.N.	-		9	0.1	18	0.1	-		-		-		-		-		-		-		-		-		-		-		27	0.2
Total	27	0.2	28	0.2	18	0.1	-		-		-		-		-		-		-		-		-		-		73	0.6		
Below Grade:																														
3-0.N.	135	1.0	137	1.0	27	0.2	23	0.2	-		4	0.0	-		-		-		-		-		-		-		-		326	0.2
All Grades	20,993	160.3	66,726	508.1	56,402	430.3	57,008	436.1	23,474	180.0	17,267	131.6	10,366	78.4	4,068	31.0	702	5.3	364	2.8	106	0.8	28	0.2	9	0.1	1,259,823	96.8		
All Grades	8.1	0.1	26.5	0.2	21.7	0.2	22.0	0.2	9.0	0.1	6.7	0.1	4.0	0.0	1.6	0.0	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0			

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Percentage rough preparation..... 0.4
 Grade index..... 94.2
 Average staple..... 29.4

Table 26. -- Grade and staple of upland cotton ginned in Tennessee, 1956-57

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-3/32 inches		1-1/8 inches		1-7/32 inches		1-1/4 inches and longer		All staples			
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent		
White:																												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-5.M.	67	902	488	5,199	4,635	24,698	16	18	153	61,013	45,362	493	59	493	17	-	-	-	-	-	-	-	-	-	516	0.1		
5-M.	160	2,326	1,316	9,379	8,860	41,214	101,477	79,378	8,928	102	162	162	162	162	41	8	8	8	8	8	8	8	8	8	147,012	28.0		
6-8.L.M.	21	804	253	3,189	2,861	16,285	39,287	24,111	2,096	161	41	41	41	41	41	41	41	41	41	41	41	41	41	41	254,165	48.2		
7-L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89,127	16.9	
8-9.0.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14,031	2.8	
9-0.0.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5,225	1.0	
	-	-	71	310	76	1,106	547	2,315	802	8	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,426	.5	
Total	248	4,119	2,176	16,785	16,925	87,762	212,650	159,416	16,139	1,601	220	43	-	-	-	-	-	-	-	-	-	-	-	-	-	514,102	97.5	
Spotted:																												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-5.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-M.	92	36	408	357	1,349	2,892	1,525	123	71	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,777	.5	
6-8.L.M.	9	-	81	55	259	548	269	57	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6,853	1.3	
7-L.M.	-	-	20	19	132	93	440	609	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,796	.2	
Total	9	162	91	603	600	2,612	5,340	2,462	199	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,461	.3	
Tinged:																												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-5.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6-8.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7-L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gray:																												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4-5.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-M.	-	-	9	46	28	92	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6-8.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	-	-	23	60	42	177	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Below grade,	-	-	20	44	108	-	139	62	71	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	542	.1
All grades	257	4,301	2,394	19,846	17,567	90,698	218,190	158,983	16,346	1,681	220	43	-	-	-	-	-	-	-	-	-	-	-	-	-	1/327,484	100.0	
All grades	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	0.6	0.6	.4	3.6	3.3	17.2	41.4	29.6	3.1	.3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Percentage rough preparation..... *
 Grade index..... 90.1
 Average staple..... 33.0

Table 27. -- Grade and staple of upland cotton ginned in Texas, 1956-57

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-3/32 inches		1-1/8 inches		1-5/32 inches		1-3/16 inches		1-7/32 inches		1-1/4 inches and longer		All staples			
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent		
White:																																
3-0.M.	90	1.166	1,001	617	149	238	200	626	3,970	27,637	28,913	1,800	145	32	66,463	1.9																
4-3.M.	5,782	36,626	35,490	42,348	41,426	45,094	49,769	44,281	34,351	81,035	61,182	4,227	392	122	482,005	13.6																
5-M.	21,123	98,126	106,453	179,974	192,423	172,005	145,337	105,275	29,031	14,309	6,098	1,109	193	52	1,071,508	30.3																
6-3-L.M.	10,191	45,856	62,330	112,466	98,152	72,176	59,104	37,202	7,410	1,927	566	108	11	25	507,224	14.3																
7-L.M.	2,397	10,990	12,147	20,417	15,604	15,295	12,666	5,960	911	251	55	-	-	-	96,699	2.7																
8-5.0.	242	1,634	1,913	2,760	1,709	2,195	1,080	259	35	32	-	-	-	-	12,119	.3																
9-3.0.	125	691	610	921	279	176	106	12	24	-	-	-	-	-	2,546	.1																
Total	39,920	195,089	220,024	359,103	349,742	307,139	268,354	193,621	75,741	125,191	96,814	6,944	741	231	2,238,654	63.2																
Spotted:																																
3-0.M.	156	650	606	425	375	155	75	93	458	362	66	-	-	-	3,421	.1																
4-3.M.	21,055	73,594	54,526	64,017	66,999	57,895	21,966	7,596	7,152	2,900	726	20	-	-	378,432	10.7																
5-M.	42,236	124,394	100,924	143,908	130,104	78,718	23,378	6,545	2,034	683	69	42	-	-	653,035	18.5																
6-3-L.M.	21,174	49,276	39,821	51,329	28,891	16,236	4,584	1,269	504	60	-	-	-	-	213,442	6.0																
7-L.M.	5,384	9,072	5,192	6,008	2,212	1,831	406	121	59	-	-	-	-	-	30,294	.9																
Total	90,005	296,942	201,069	265,687	228,581	195,125	90,439	15,624	10,207	4,005	861	62	9	8	1,278,624	36.2																
Tinged:																																
3-0.M.	-	-	11	-	-	12	-	-	-	-	-	-	-	-	23	.*																
4-3.M.	213	209	121	50	-	-	-	-	-	-	-	-	-	-	593	.*																
5-M.	1,238	1,162	453	212	86	16	11	-	-	-	-	-	-	-	3,190	.1																
6-3-L.M.	2,159	1,354	242	262	117	29	22	-	-	-	-	-	-	-	4,205	.1																
7-L.M.	889	334	171	131	120	32	-	11	-	-	-	-	-	-	1,700	.*																
Total	4,499	3,079	998	695	323	89	33	11	-	-	-	-	-	-	9,727	.2																
Yellow Stained:																																
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
4-3.M.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	8	.*																
5-M.	190	8	28	10	-	-	-	-	-	-	-	-	-	-	242	.*																
Total	204	8	28	10	-	-	-	-	-	-	-	-	-	-	250	.*																
Gray:																																
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
4-3.M.	40	65	171	251	91	172	219	207	116	78	28	-	-	-	1,438	.*																
5-M.	355	607	384	463	429	607	360	150	39	-	-	-	-	-	3,414	.1																
6-3-L.M.	230	189	127	263	163	278	77	16	-	-	-	-	-	-	1,343	.*																
Total	625	861	682	997	683	1,057	656	373	167	113	28	-	-	-	6,242	.1																
Below Grade:	1,045	1,166	391	444	155	102	30	-	-	-	-	-	-	-	3,333	.1																
All Grades	136,208	457,145	423,192	626,936	579,484	463,512	319,512	209,629	86,115	129,309	97,703	7,006	750	239	1/3 3,536,830	100.0																
All grades	3.9	12.9	12.0	17.7	16.4	13.1	9.0	5.9	2.4	3.7	2.8	.2	.*	.*	100.0																	

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.
 Percentage rough preparation..... 0.4
 Grade index..... 96.5
 Average staple..... 31.0

Table 29. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1956-57

ALABAMA							ARIZONA					
Grade and staple	Prior to Sept. 1	September	October	November	After Nov. 30 ¹	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
3-0.M.	-	817	19	-	-	836	89	700	6,238	1,286	11	8,324
4-0.M.	2,900	49,898	8,460	327	31	61,616	9,315	30,730	70,286	35,577	2,169	148,077
5-M.	35,599	165,516	76,369	8,756	1,338	287,578	11,351	44,959	97,687	139,679	19,923	313,599
6-0.L.M.	16,755	76,924	91,072	19,704	2,678	207,133	787	3,224	29,762	80,304	39,632	153,709
7-L.M.	1,000	9,221	31,541	17,999	3,344	62,705	22	64	807	3,546	6,622	11,061
8-0.G.O.	30	461	3,254	2,976	646	7,367	11	-	-	269	1,093	1,373
9-0.O.	39	-	207	108	567	921	-	-	-	8	484	492
Total	56,323	302,837	210,922	49,470	8,604	628,156	21,575	79,677	204,780	260,669	69,934	636,635
Spotted:												
3-0.M.	11	362	75	-	-	448	-	94	19	214	54	381
4-0.M.	8,532	22,133	3,994	527	37	35,223	233	721	1,778	12,303	15,970	31,005
5-M.	10,035	33,923	9,619	3,799	1,380	58,756	100	661	2,186	15,657	41,593	60,197
6-0.L.M.	457	2,410	6,232	6,067	1,996	17,162	-	41	330	5,304	40,174	45,849
7-L.M.	22	77	1,987	1,612	890	4,588	11	-	-	832	11,392	12,235
Total	19,057	58,905	21,907	12,005	4,303	116,177	344	1,517	4,313	34,310	109,183	149,667
Tinged:												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-0.M.	-	-	-	-	-	-	-	-	-	33	555	588
5-M.	-	20	44	-	-	64	-	-	-	50	2,835	2,885
6-0.L.M.	-	-	16	10	82	108	-	-	-	33	2,044	2,077
7-L.M.	-	-	-	10	237	247	-	-	-	8	1,059	1,067
Total	-	20	60	20	319	419	-	-	-	124	6,493	6,617
Yellow Stained:												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-0.M.	-	-	-	-	-	-	-	-	-	-	-	-
5-M.	-	-	-	-	-	-	-	-	-	-	21	21
Total	-	-	-	-	-	-	-	-	-	-	21	21
Gray:												
3-0.M.	-	-	-	-	-	-	-	22	-	-	-	22
4-0.M.	-	10	89	25	-	124	-	22	10	8	11	51
5-M.	-	20	531	592	6	1,149	-	-	20	66	254	340
6-0.L.M.	-	-	40	42	11	93	-	-	-	8	144	152
Total	-	30	660	659	17	1,366	-	44	30	82	409	565
Below Grade.	-	10	140	157	52	359	-	-	-	124	2,739	2,863
All grades	75,380	361,802	233,689	62,311	13,295	1/746,477	21,919	81,238	209,123	295,309	188,779	1/796,368
Grade Index.	97.4	98.0	94.4	89.7	86.7	95.9	101.4	101.2	100.5	97.9	89.9	97.1
Staple (inches)												
13/16 and shorter. .	-	28	74	-	-	102	-	-	-	25	51	76
7/8	18	264	773	55	42	1,152	-	-	-	136	1,752	1,888
29/32	-	473	773	162	66	1,474	-	-	-	-	-	-
15/16	117	3,440	6,800	2,306	464	13,127	-	-	-	983	7,698	8,681
31/32	279	13,861	17,625	7,617	1,025	40,407	33	20	39	1,871	16,706	18,669
1	5,682	90,941	82,059	23,424	5,228	207,334	154	152	281	8,502	52,014	61,103
1-1/32	38,822	188,189	102,832	24,394	5,669	359,906	8,328	19,095	25,039	79,821	77,776	210,059
1-1/16	27,147	62,151	21,127	3,834	783	115,042	13,193	59,115	162,602	189,950	30,568	455,428
1-3/32	3,071	2,378	1,477	437	18	7,381	211	1,542	6,054	6,954	2,080	16,841
1-1/8	244	49	149	73	-	515	-	877	9,027	6,031	124	16,059
1-5/32	-	28	-	9	-	37	-	437	5,692	1,036	10	7,175
1-3/16	-	-	-	-	-	-	-	-	389	-	-	389
1-7/32	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 and longer . .	-	-	-	-	-	-	-	-	-	-	-	-
All staples.	75,380	361,802	233,689	62,311	13,295	1/746,477	21,919	81,238	209,123	295,309	188,779	1/796,368
Average staple (32nd inches)	33.4	32.8	32.5	32.3	32.4	32.7	33.6	33.8	34.1	33.7	32.6	33.5

^{1/} As reported by the Bureau of the Census, running bales.

Table 30. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1956-57

Grade and staple	ARKANSAS						CALIFORNIA					
	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
3-0.M.	7	801	100	-	-	917	57	899	1,568	538	417	3,479
4-S.M.	1,988	147,721	47,254	595	186	197,744	5,656	30,401	74,573	60,714	6,965	178,309
5-M.	4,622	318,041	256,346	15,826	2,981	597,816	891	13,814	164,089	214,630	25,270	418,694
6-S.L.M.	717	89,181	167,860	58,019	6,153	321,930	12	637	240,284	336,332	49,980	627,425
7-L.M.	10	11,670	45,780	36,983	15,758	110,201	-	59	23,314	67,947	37,498	128,818
8-S.G.O.	-	1,168	7,360	10,850	16,504	35,882	-	10	527	3,598	9,749	13,884
9-0.0.	2	56	699	1,842	5,192	7,791	-	-	39	361	2,282	2,682
Total	7,346	568,638	525,408	124,125	46,774	1,272,291	6,616	45,820	504,394	684,300	132,161	1,373,291
Spotted:												
3-0.M.	-	8	46	-	-	54	12	38	22	28	96	196
4-S.M.	290	19,130	8,241	898	66	28,625	147	410	1,347	3,623	4,486	10,013
5-M.	860	23,593	11,614	4,239	1,761	42,067	12	69	2,255	3,617	8,160	14,113
6-S.L.M.	59	3,255	4,414	5,356	5,993	19,077	-	19	278	807	6,795	7,859
7-L.M.	5	304	985	4,392	12,709	18,395	-	-	51	81	5,424	5,556
Total	1,214	46,290	25,300	14,885	20,529	108,218	171	536	3,953	8,156	24,921	37,737
Tinged:												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	-	21	9	-	-	30	-	-	-	8	69	77
5-M.	-	-	18	-	56	74	-	-	-	8	152	160
6-S.L.M.	-	-	-	6	94	100	-	-	-	-	151	151
7-L.M.	-	-	-	-	275	275	-	-	-	-	43	43
Total	-	21	27	6	425	479	-	-	-	16	415	431
Yellow Stained:												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	-	-	-	-	-	-	-	-	-	-	-	-
5-M.	-	-	-	-	-	-	-	-	-	-	9	9
Total	-	-	-	-	-	-	-	-	-	-	9	9
Gray:												
3-0.M.	-	-	59	-	-	59	-	-	12	51	9	72
4-S.M.	5	145	871	1,551	200	2,772	-	9	3,999	13,578	1,195	18,381
5-M.	-	148	1,295	4,127	3,351	8,921	-	-	10,056	15,791	5,400	31,255
6-S.L.M.	-	9	240	938	1,605	2,792	-	-	288	1,658	1,676	3,622
Total	5	302	2,465	6,616	5,156	14,544	-	9	13,955	31,078	8,280	53,330
Below Grade.	-	-	92	755	2,837	3,684	-	-	-	28	787	815
All grades	8,565	615,251	553,292	146,387	75,721	1/1,399,216	6,787	46,365	522,302	723,578	166,581	1/1,465,613
Grade Index.	99.5	99.4	96.5	89.2	80.5	96.1	103.3	102.6	96.7	95.4	90.2	95.5
Staple (inches)												
13/16 and shorter. .	-	2,508	992	40	9	3,549	-	-	-	-	27	27
1/8	88	5,673	4,311	569	290	10,931	-	-	-	-	290	290
29/32.	86	3,914	3,832	779	629	9,240	-	-	-	-	9	9
15/16.	464	11,101	13,029	4,443	4,480	33,917	-	9	-	25	1,295	1,329
31/32.	362	11,481	11,253	7,276	5,536	35,908	-	-	-	19	4,164	4,183
1	1,440	56,232	62,176	30,252	25,432	175,532	61	19	32	1,648	15,888	17,648
1-1/32	3,319	190,016	226,304	66,573	28,390	514,602	3,022	10,134	28,082	69,906	48,312	159,456
1-1/16	2,528	278,708	212,171	33,210	10,096	536,713	3,269	31,642	368,862	491,844	77,064	972,681
1-3/32	269	53,109	17,622	2,938	838	74,776	349	4,434	117,344	153,221	17,749	293,097
1-1/8.	2	2,316	1,267	275	21	3,881	12	127	7,972	6,915	620	15,646
1-5/32	-	39	81	10	-	130	37	-	-	-	34	71
1-3/16	-	11	100	-	-	111	37	-	10	-	121	168
1-7/32	7	95	82	22	-	206	-	-	-	-	741	741
1-1/4 and longer . .	-	48	72	-	-	120	-	-	-	-	259	259
All staples.	8,565	615,251	553,292	146,387	75,721	1/1,399,216	6,787	46,365	522,302	723,578	166,581	1/1,465,613
Average staple (32nd inches)	32.9	33.4	33.2	32.8	32.4	33.2	33.6	33.9	34.2	34.1	33.5	34.1

1/ As reported by the Bureau of the Census, running bales.

Table 31. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1956-57

Grade and staple	FLORIDA						GEORGIA					
	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
3-G.M.	-	-	-	-	-	-	141	16	8	-	-	165
4-S.M.	19	60	-	-	-	87	11,949	8,958	1,623	87	6	22,623
5-M.	1,739	1,093	24	8	-	2,864	78,713	86,757	31,399	5,638	892	203,399
6-S.L.M.	692	769	186	47	12	1,706	28,903	91,324	50,893	14,214	4,077	189,611
7-L.M.	37	468	96	25	12	638	1,819	14,302	30,449	8,573	2,369	57,512
8-S.G.O.	-	9	129	7	4	149	94	1,276	4,807	1,324	666	8,167
9-G.O.	-	4	8	-	-	12	23	28	168	13	170	402
Total	2,487	2,411	443	87	28	5,456	121,642	202,861	119,347	29,849	8,180	481,879
Spotted:												
3-G.M.	-	-	-	-	-	-	77	-	-	-	-	77
4-S.M.	706	1,020	56	1	-	1,783	9,483	15,522	2,530	194	25	27,744
5-M.	223	974	179	52	3	1,431	3,429	18,807	16,420	2,578	908	42,142
6-S.L.M.	65	158	93	11	9	336	323	3,192	10,977	3,758	1,005	19,255
7-L.M.	-	13	151	2	12	178	41	275	3,174	1,345	661	5,496
Total	994	2,165	479	66	24	3,728	13,353	37,796	33,101	7,865	2,599	94,714
Tinged:												
3-G.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	-	-	-	-	-	-	-	48	67	119	63	695
5-M.	-	-	-	-	-	-	-	-	465	132	36	187
6-S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-
7-L.M.	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	-	-	48	664	155	82	949
Yellow Stained:												
3-G.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	-	-	-	-	-	-	-	-	-	-	-	-
5-M.	-	-	-	-	-	-	-	-	25	-	-	25
Total	-	-	-	-	-	-	-	-	25	-	-	25
Gray:												
3-G.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	-	9	-	-	-	9	40	177	42	17	-	276
5-M.	-	2	-	-	-	2	18	202	546	240	9	1,015
6-S.L.M.	-	-	-	-	-	-	-	47	116	-	-	163
Total	-	11	-	-	-	11	58	426	704	257	9	1,454
Below Grade	-	-	-	-	-	-	6	14	54	65	29	168
All grades	3,481	4,587	922	153	52	1/9,195	135,059	241,145	153,895	38,191	10,899	1/579,189
Grade Index	97.7	95.1	86.4	90.7	84.2	95.1	98.5	96.0	91.6	90.3	88.6	94.9
Staple (inches)												
13/16 and shorter . .	-	-	-	-	-	-	-	-	-	-	-	-
7/8	-	-	-	-	6	6	8	88	22	-	-	118
29/32	-	2	4	-	-	6	103	159	76	-	4	342
15/16	9	8	113	11	23	164	360	804	530	486	162	2,342
31/32	28	52	76	-	3	159	1,374	2,931	4,400	1,012	313	10,030
1	558	704	251	48	17	1,578	14,484	33,182	46,500	11,885	3,601	109,652
1-1/32	2,247	3,094	410	81	3	5,835	88,208	153,302	89,695	20,672	5,516	357,393
1-1/16	620	723	68	13	-	1,424	29,483	49,548	12,245	4,100	1,272	96,648
1-3/32	19	4	-	-	-	23	1,017	1,115	427	36	31	2,626
1-1/8	-	-	-	-	-	-	14	-	-	-	-	14
1-5/32	-	-	-	-	-	-	-	16	-	-	-	16
1-3/16	-	-	-	-	-	-	-	-	-	-	-	-
1-7/32	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 and longer . .	-	-	-	-	-	-	8	-	-	-	-	8
All staples	3,481	4,587	922	153	52	1/9,195	135,059	241,145	153,895	38,191	10,899	1/579,189
Average staple (32nd inches)	33.0	33.0	32.3	32.6	30.7	32.9	33.1	33.0	32.7	32.7	32.7	32.9

1/ As reported by the Bureau of the Census, running bales.

Table 32. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1956-57

ILLINOIS							KENTUCKY					
Grade and staple	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-3.M.	-	9	-	-	-	9	-	1,612	494	-	-	2,096
5-M.	-	248	406	4	-	658	-	822	2,295	98	-	3,215
6-3.L.M.	-	147	831	442	151	1,571	-	150	712	514	5	1,381
7-L.M.	-	3	9	46	62	120	-	11	56	184	55	305
8-S.G.O.	-	-	-	11	114	125	-	3	8	64	186	261
9-0.O.	-	-	-	-	7	7	-	-	-	13	165	178
Total	-	407	1,246	503	334	2,490	-	2,598	3,555	873	411	7,437
Spotted:												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-3.M.	-	5	-	-	-	5	-	15	12	-	-	27
5-M.	-	5	15	11	7	38	-	13	10	9	-	32
6-3.L.M.	-	1	4	16	31	52	-	3	-	2	-	5
7-L.M.	-	-	-	4	46	50	-	12	-	-	31	43
Total	-	11	19	31	84	145	-	43	22	11	31	107
Tinged:												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-3.M.	-	-	-	-	-	-	-	-	-	-	-	-
5-M.	-	-	-	-	-	-	-	-	-	-	-	-
6-3.L.M.	-	-	-	-	-	-	-	-	-	-	-	-
7-L.M.	-	-	-	-	-	-	-	-	-	-	3	3
Total	-	-	-	-	-	-	-	-	-	-	3	3
Gray:												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-3.M.	-	-	-	-	-	-	-	-	2	16	-	18
5-M.	-	-	-	2	-	2	-	-	-	21	-	21
6-3.L.M.	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	2	-	2	-	-	2	37	-	39
Below Grade	-	-	-	-	-	-	-	-	-	-	60	60
All grades	-	418	1,265	536	418	1/2,637	-	2,641	3,579	921	505	1/7,646
Grade index	-	97.7	95.8	92.4	84.4	93.6	-	101.8	99.0	90.9	73.2	97.3
Staple (inches)												
13/16 and shorter	-	-	-	-	-	-	-	-	-	-	-	-
7/8	-	-	-	-	-	-	-	-	-	-	-	-
29/32	-	-	-	-	-	-	-	-	-	-	3	3
15/16	-	-	-	2	12	14	-	3	-	4	40	47
31/32	-	-	-	2	24	26	-	12	39	-	-	51
1	-	7	54	95	108	264	-	55	175	77	268	575
1-1/32	-	116	546	266	177	1,105	-	460	1,081	430	134	2,105
1-1/16	-	268	618	164	97	1,147	-	1,546	1,917	352	57	3,872
1-3/32	-	26	45	7	-	78	-	536	331	52	3	922
1-1/8	-	1	2	-	-	3	-	29	36	6	-	71
1-5/32	-	-	-	-	-	-	-	-	-	-	-	-
1-3/16	-	-	-	-	-	-	-	-	-	-	-	-
1-7/32	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 and longer	-	-	-	-	-	-	-	-	-	-	-	-
All staples	-	418	1,265	536	418	1/2,637	-	2,641	3,579	921	505	1/7,646
Average staple (32nd inches)	-	33.8	33.5	33.1	32.8	33.4	-	34.0	33.7	33.4	32.3	33.7

1/ As reported by the Bureau of the Census, running bales.

Table 33. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1956-57

Grade and staple	LOUISIANA						MISSISSIPPI					
	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
White:												
3-G.M.	85	48	19	-	-	152	214	1,099	28	-	-	1,341
4-S.M.	7,431	25,672	6,320	110	14	39,547	31,002	143,777	25,058	546	182	201,365
5-M.	55,457	131,649	52,911	5,254	259	245,530	58,617	393,265	162,937	16,330	513	631,662
6-S.L.M.	22,163	99,446	57,752	15,550	2,152	197,063	15,330	187,394	209,494	60,867	4,489	477,574
7-L.M.	552	15,439	22,783	9,167	2,413	50,354	1,128	42,452	81,637	24,053	6,925	156,195
8-S.G.O.	10	463	1,977	1,470	1,417	5,337	75	1,692	6,713	6,127	3,623	18,230
9-G.O.	-	-	135	447	524	1,106	-	80	707	1,799	1,805	4,391
Total	85,698	272,717	141,897	31,998	6,779	539,009	106,366	769,759	487,374	109,722	17,537	1,490,758
Spotted:												
3-G.M.	-	45	20	-	-	65	10	473	226	-	-	709
4-S.M.	1,064	4,396	973	123	29	6,585	4,246	12,235	7,323	722	12	24,538
5-M.	290	6,722	3,304	947	246	11,509	5,096	10,841	10,561	3,173	458	30,129
6-S.L.M.	75	1,498	2,350	1,064	597	5,584	650	2,724	5,549	2,743	1,112	12,778
7-L.M.	10	49	1,222	739	907	2,927	14	179	1,908	1,539	1,238	4,678
Total	1,439	12,710	7,869	2,873	1,779	26,670	10,016	26,452	25,567	8,177	2,620	73,032
Tinged:												
3-G.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	-	-	-	-	-	-	-	21	-	-	-	21
5-M.	-	-	-	-	-	-	-	-	-	-	-	-
6-S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-
7-L.M.	-	-	-	-	-	-	-	-	-	-	7	7
Total	-	-	-	-	-	-	-	21	-	-	7	28
Gray:												
3-G.M.	-	-	-	-	-	-	-	9	-	-	-	9
4-S.M.	-	268	258	17	-	543	11	158	723	2,282	268	3,442
5-M.	1,101	184	1,046	142	-	2,473	55	182	1,364	4,322	1,192	7,075
6-S.L.M.	-	10	215	214	52	491	11	41	415	459	197	1,123
Total	1,101	462	1,519	373	52	3,507	77	390	2,502	7,063	1,617	11,649
Below Grade.	-	29	124	177	243	573	10	197	464	1,136	1,807	1,807
All grades	88,238	285,918	151,409	35,421	8,053	1/569,839	116,459	796,632	515,640	125,426	23,117	1/1,577,274
Grade index.	98.5	97.1	94.5	90.5	83.7	96.0	99.7	98.3	94.5	90.8	82.9	96.3
Staple (inches)												
13/16 and shorter. . .	-	-	-	-	-	-	8	18	9	-	-	35
7/8	106	435	340	24	-	905	28	538	179	48	-	793
29/32.	292	445	245	58	14	1,054	46	312	135	34	20	547
15/16.	374	1,673	2,693	122	49	4,911	210	3,883	2,445	705	292	7,535
31/32.	602	1,000	1,353	141	210	3,306	422	4,953	3,908	921	149	10,353
1	8,852	16,194	12,027	2,780	1,151	41,004	4,323	54,050	41,548	11,800	2,464	114,185
1-1/32	42,900	105,406	54,466	12,294	1,947	217,093	34,963	273,285	207,778	63,998	12,060	592,044
1-1/16	33,177	147,008	71,760	19,056	5,307	276,308	62,432	374,291	214,751	42,497	7,274	701,245
1-3/32	1,808	12,992	8,314	946	175	24,235	11,239	68,840	33,513	4,378	811	118,781
1-1/8	127	675	211	-	-	1,013	2,376	14,179	9,304	621	14	26,494
1-5/32	-	10	-	-	-	10	390	1,727	899	102	8	3,086
1-3/16	-	-	-	-	-	-	11	236	363	95	4	709
1-7/32	-	-	-	-	-	-	-	169	84	44	8	305
1-1/4 and longer . . .	-	-	-	-	-	-	11	151	764	223	13	1,162
All staples.	88,238	285,918	151,409	35,421	8,053	1/569,839	116,459	796,632	515,640	125,426	23,117	1/1,577,274
Average staple (32nd inches). . .	33.3	33.5	33.4	33.5	33.4	33.5	33.8	33.6	33.5	33.3	33.2	33.6

1/ As reported by the Bureau of the Census, running bales.

Table 34. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1956-57

Grade and staple	MISSOURI						NEW MEXICO					
	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
3-0.M.	-	578	158	-	-	736	-	8,556	28,934	2,393	-	39,883
4-0.M.	-	74,237	16,943	11	-	91,191	-	23,152	69,579	23,369	670	116,770
5-M.	-	79,208	60,384	2,024	19	141,635	-	5,190	24,003	21,960	2,158	53,311
6-S.L.M.	-	59,454	59,945	11,159	174	130,732	-	499	8,547	13,429	1,794	24,269
7-L.M.	-	9,124	29,494	11,955	2,305	52,878	-	48	955	2,061	877	3,961
8-S.O.O.	-	122	1,921	5,751	6,746	14,540	-	-	51	259	437	747
9-0.O.	-	-	55	911	2,764	3,730	-	-	-	34	101	135
Total	-	222,723	168,900	31,811	12,008	435,442	-	37,445	132,069	63,525	6,037	239,076
Spotted:												
3-0.M.	-	-	-	-	-	-	-	-	132	253	19	404
4-S.M.	-	279	288	43	-	610	-	511	2,901	6,479	2,097	11,988
5-M.	-	516	156	150	10	832	-	235	2,373	8,008	3,757	14,373
6-S.L.M.	-	22	314	809	617	1,762	-	24	173	2,261	5,446	7,904
7-L.M.	-	-	282	1,307	3,157	4,746	-	-	31	276	2,354	2,661
Total	-	817	1,040	2,309	3,784	7,950	-	770	5,610	17,277	13,673	37,330
Tinged:												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	-	-	-	-	-	-	-	-	-	-	-	-
5-M.	-	-	-	-	-	-	-	-	-	14	19	33
6-S.L.M.	-	-	-	-	-	-	-	-	-	22	9	31
7-L.M.	-	-	-	21	41	62	-	-	-	-	6	6
Total	-	-	-	21	41	62	-	-	-	36	34	70
Gray:												
3-0.M.	-	-	-	-	-	-	-	48	120	-	-	168
4-S.M.	-	109	306	75	-	490	-	36	416	477	10	939
5-M.	-	142	378	355	10	885	-	-	162	454	98	714
6-S.L.M.	-	-	198	126	-	324	-	-	-	34	-	34
Total	-	251	882	556	10	1,699	-	84	698	965	108	1,855
Below Grade.	-	-	91	62	1,262	1,415	-	-	-	53	358	411
All grades	-	223,791	170,913	34,759	17,105	1/446,568	-	38,299	138,377	81,856	20,210	1/278,742
Grade index.	-	99.1	95.2	86.4	75.3	95.7	-	103.4	102.4	98.3	88.6	100.3
Staple (inches)												
13/16 and shorter. .	-	-	-	-	-	-	-	15	91	294	171	571
7/8	-	66	42	-	-	108	-	42	274	2,200	2,037	4,553
29/32.	-	22	-	10	9	41	-	159	223	1,265	481	2,128
15/16.	-	431	47	239	1,953	3,120	-	382	1,375	5,511	4,425	11,693
31/32.	-	331	437	343	2,995	4,106	-	417	1,659	3,302	150	5,528
1	-	5,491	12,877	5,671	6,994	31,033	-	880	2,832	5,500	4,032	13,244
1-1/32	-	62,659	95,172	23,183	5,103	186,117	-	781	4,090	6,600	1,254	12,725
1-1/16	-	134,232	98,294	5,215	51	197,792	-	2,122	8,962	9,536	3,222	23,842
1-3/32	-	19,605	3,466	98	-	23,169	-	4,652	20,615	21,622	3,706	50,595
1-1/8.	-	921	128	-	-	1,049	-	17,950	72,602	21,107	320	111,979
1-5/32	-	-	-	-	-	-	-	10,644	25,183	4,205	58	40,090
1-3/16	-	-	-	-	-	-	-	195	431	84	25	735
1-7/32	-	33	-	-	-	33	-	60	40	404	24	528
1-1/4 and longer . .	-	-	-	-	-	-	-	-	-	226	305	531
All staples.	-	223,791	170,913	34,759	17,105	1/446,568	-	38,299	138,377	81,856	20,210	1/278,742
Average staple (32nd inches)	-	33.8	33.3	33.0	31.9	33.4	-	36.0	35.6	34.1	32.2	34.9

1/ As reported by the Bureau of the Census, running bales.

Table 35. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1956-57

Grade and staple	NORTH CAROLINA						OKLAHOMA					
	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
White:												
3-G.M.	-	24	-	-	-	24	-	244	-	-	-	244
4-S.M.	-	4,614	583	45	7	5,249	-	4,850	10,048	74	8	14,980
5-M.	-	55,743	12,376	2,666	287	71,092	-	21,865	21,249	2,239	73	45,426
6-S.L.M.	-	46,881	41,911	8,877	2,075	99,744	-	2,651	4,621	8,156	483	16,111
7-L.M.	-	4,545	32,918	24,695	4,419	66,577	-	839	1,521	3,552	229	6,141
8-S.G.O.	-	580	3,414	20,690	10,342	35,026	-	339	119	460	160	1,078
9-G.O.	-	64	424	4,275	4,217	8,980	-	31	-	80	114	225
Total	-	112,451	91,626	61,268	21,347	286,692	-	30,575	38,002	14,561	1,067	84,205
Spotted:												
3-G.M.	-	24	-	-	-	24	-	58	103	11	-	172
4-S.M.	-	1,169	917	133	12	2,231	-	20,957	28,485	3,848	472	53,762
5-M.	-	873	8,562	2,556	1,217	13,208	-	23,465	26,742	29,090	3,910	83,207
6-S.L.M.	-	293	979	998	1,954	3,824	-	2,770	4,664	15,605	5,722	28,761
7-L.M.	-	57	227	706	1,180	2,170	-	189	466	1,967	1,289	3,911
Total	-	2,416	10,685	4,393	3,963	21,457	-	47,439	60,460	50,521	11,393	169,813
Tinged:												
3-G.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	-	-	-	-	-	-	-	-	85	292	377	-
5-M.	-	-	395	18	-	413	-	-	19	422	1,558	1,999
6-S.L.M.	-	-	-	-	39	39	-	-	19	152	1,557	1,728
7-L.M.	-	-	-	-	8	8	-	16	-	29	631	676
Total	-	-	395	18	47	460	-	16	38	688	4,038	4,780
Yellow Stained:												
3-G.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	-	-	-	-	-	-	-	-	-	-	18	18
5-M.	-	-	-	-	-	-	-	-	9	299	308	-
Total	-	-	-	-	-	-	-	-	9	317	326	-
Gray:												
3-G.M.	-	22	30	-	-	52	-	-	-	-	-	-
4-S.M.	-	262	2,042	129	6	2,439	-	-	-	-	-	-
5-M.	-	160	15,688	11,603	2,029	29,480	-	-	-	36	10	46
6-S.L.M.	-	41	1,905	14,964	7,342	24,342	-	-	9	18	-	27
Total	-	485	19,755	26,696	9,377	56,313	-	-	9	54	10	73
Below Grade.	-	94	73	398	745	1,310	-	-	37	68	221	326
All grades	-	115,446	122,534	92,773	35,479	1/366,232	-	78,030	98,546	65,901	17,046	1/259,523
Grade Index.	-	96.8	89.8	81.9	78.4	88.9	-	96.7	96.7	90.1	83.7	94.2
Staple (inches)												
13/16 and shorter.	-	-	-	-	-	-	-	7,571	7,406	3,397	2,609	20,983
7/8	-	21	-	68	115	204	-	23,738	25,234	13,326	6,428	68,726
29/32	-	47	8	34	313	402	-	15,710	22,312	14,617	3,763	56,402
15/16	-	240	273	820	2,700	4,033	-	15,199	20,769	18,599	2,441	57,008
31/32	-	2,278	2,259	4,651	6,053	15,241	-	6,497	8,307	7,945	725	23,474
1	-	10,949	15,198	26,981	14,726	67,854	-	5,230	6,526	4,836	695	17,287
1-1/32	-	54,073	69,265	53,314	10,720	187,372	-	2,617	5,201	2,348	200	10,366
1-1/16	-	42,461	33,530	6,620	812	83,423	-	1,155	2,249	552	112	4,068
1-3/32	-	4,898	1,626	266	40	7,030	-	245	313	124	20	702
1-1/8	-	341	152	19	-	512	-	16	146	149	53	364
1-5/32	-	129	23	-	-	152	-	24	74	8	-	106
1-3/16	-	9	-	-	-	9	-	28	-	-	-	28
1-7/32	-	-	-	-	-	-	-	-	9	-	-	9
1-1/4 and longer	-	-	-	-	-	-	-	-	-	-	-	-
All staples.	-	115,446	122,534	92,773	35,479	1/366,232	-	78,030	98,546	65,901	17,046	1/259,523
Average staple (32nd inches)	-	33.3	33.1	32.7	32.0	33.0	-	29.2	29.5	29.6	28.6	29.4

1/ As reported by the Bureau of the Census, running bales.

Table 36. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1956-57

SOUTH CAROLINA							TENNESSEE					
Grade and staple	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
3-0.M.	-	-	-	-	-	-	-	333	183	-	-	516
4-3.M.	3,553	5,303	56	66	-	8,978	-	113,597	33,596	547	72	147,812
5-M.	38,738	99,075	6,416	1,071	287	145,587	-	126,520	113,005	13,192	1,448	254,165
6-S.L.M.	20,437	68,912	55,432	5,089	771	150,641	-	14,165	50,042	22,970	1,950	89,127
7-L.M.	1,378	12,233	47,523	24,345	6,216	91,695	-	808	2,814	8,162	3,047	14,831
8-S-0.0.	55	560	3,494	1,603	2,310	8,022	-	98	362	2,075	2,690	5,225
9-0.0.	21	48	298	98	609	1,074	-	-	51	539	1,836	2,426
Total	64,182	186,131	113,219	32,272	10,193	405,997	-	255,521	200,053	47,485	11,043	514,102
Spotted:												
3-0.M.	96	314	19	11	-	440	-	-	-	-	-	-
4-3.M.	478	16,319	2,985	192	17	19,991	-	1,073	1,545	78	81	2,777
5-M.	895	9,755	12,751	3,970	646	28,017	-	2,687	2,697	831	638	6,853
6-S.L.M.	266	1,174	8,217	8,219	2,381	20,257	-	141	426	479	250	1,296
7-L.M.	32	135	2,345	3,107	615	6,234	-	29	17	339	1,076	1,461
Total	1,767	27,697	26,317	15,499	3,659	74,939	-	3,930	4,685	1,727	2,045	12,387
Tinged:												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-3.M.	-	21	-	-	-	21	-	-	-	-	-	-
5-M.	-	38	41	50	-	129	-	-	8	-	14	22
6-S.L.M.	-	10	86	40	-	136	-	-	-	-	-	-
7-L.M.	-	-	20	20	-	40	-	-	-	-	-	-
Total	-	69	147	110	-	326	-	-	8	-	14	22
Gray:												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-3.M.	-	364	895	154	-	1,403	-	10	18	221	-	349
5-M.	12	906	14,417	18,097	1,284	34,716	-	-	34	82	16	132
6-S.L.M.	-	37	700	3,707	158	4,602	-	-	-	-	50	50
Total	12	1,307	16,002	21,958	1,442	40,721	-	10	52	303	66	431
Below Grade.	-	10	136	65	41	252	-	-	42	39	461	542
All grades	65,961	215,214	155,821	69,904	15,335	1/522,235	-	259,461	204,840	49,554	13,629	1/527,484
Grade index.	97.8	96.7	89.1	84.7	83.2	92.6	-	101.3	98.8	92.9	82.9	99.1
Staple (inches)												
13/16 and shorter.	-	-	-	-	12	12	-	169	88	-	-	257
7/8	-	-	-	9	82	91	-	2,216	1,909	80	96	4,301
29/32.	-	-	53	11	8	72	-	1,459	564	146	165	2,334
15/16.	10	384	988	1,101	1,038	3,521	-	10,744	6,900	989	1,213	19,846
31/32.	47	1,052	5,012	5,071	1,984	13,166	-	10,367	5,741	1,063	396	17,567
1	3,594	29,302	44,353	36,595	8,466	122,310	-	43,605	34,630	8,431	4,032	90,698
1-1/32	36,363	146,177	92,681	25,891	3,505	304,617	-	97,799	91,142	24,921	4,328	218,190
1-1/16	25,517	36,978	12,078	1,011	234	75,818	-	80,218	59,674	13,228	2,863	155,983
1-3/32	333	1,123	406	143	6	2,011	-	11,413	3,971	627	335	16,346
1-1/8	43	178	20	9	-	250	-	1,257	205	38	181	1,661
1-5/32	-	10	80	18	-	108	-	179	-	21	20	220
1-3/16	54	10	80	27	-	171	-	35	8	-	-	43
1-7/32	-	-	60	18	-	78	-	-	-	-	-	-
1-1/4 and longer	-	-	10	-	-	10	-	-	8	10	-	18
All staples.	65,961	215,214	155,821	69,904	15,335	1/522,235	-	259,461	204,840	49,554	13,629	1/527,484
Average staple (32nd inches)	33.3	33.0	32.7	32.3	32.0	32.9	-	33.0	32.9	33.0	32.6	33.0

1/ As reported by the Bureau of the Census, running bales.

Table 37. -- Grade and staple of upland cotton ginned, during specified periods, by States, 1956-57

Grade and Staple	TEXAS						VIRGINIA					
	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
3-0.M.	3,040	24,324	35,739	3,270	90	66,463	-	-	-	-	-	-
4-S.M.	170,461	123,318	154,373	32,036	1,907	482,095	-	26	-	-	4	30
5-N.	477,104	170,099	307,495	108,504	8,306	1,071,508	-	1,451	790	20	21	2,282
6-S.L.M.	182,628	40,678	69,056	193,679	21,183	507,224	-	965	2,005	589	109	3,668
7-L.M.	34,761	15,429	12,288	27,129	7,092	96,699	-	13	271	1,471	775	2,530
8-S.G.O.	2,804	1,877	1,883	2,941	2,614	12,119	-	-	-	350	471	821
9-G.O.	271	245	234	664	1,132	2,546	-	-	-	83	112	195
Total	871,069	375,970	581,068	368,223	42,324	2,238,654	-	2,455	3,066	2,513	1,492	9,526
Spotted:												
3-0.M.	350	1,366	942	755	8	3,421	-	-	-	-	-	-
4-S.M.	54,593	125,972	155,155	39,209	3,503	378,432	-	-	9	-	-	9
5-N.	50,458	119,966	181,161	270,041	31,409	653,035	-	-	8	-	41	49
6-S.L.M.	8,720	16,568	23,162	119,909	45,003	213,442	-	-	-	-	11	11
7-L.M.	983	1,961	2,604	11,743	13,003	30,294	-	-	-	12	40	52
Total	115,104	265,833	363,024	441,657	93,006	1,278,624	-	-	17	12	92	121
Tinged:												
3-0.M.	23	-	-	-	-	23	-	-	-	-	-	-
4-S.M.	-	-	-	177	416	593	-	-	-	-	-	-
5-N.	-	36	51	958	2,153	3,198	-	-	-	-	-	-
6-S.L.M.	-	9	46	564	3,586	4,205	-	-	-	-	-	-
7-L.M.	11	-	10	375	1,312	1,708	-	-	-	-	-	-
Total	34	45	107	2,074	7,467	9,727	-	-	-	-	-	-
Yellow Stained:												
3-0.M.	-	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	-	-	-	-	8	8	-	-	-	-	-	-
5-N.	-	-	-	-	242	242	-	-	-	-	-	-
Total	-	-	-	-	250	250	-	-	-	-	-	-
Gray:												
3-0.M.	-	-	10	37	-	47	-	-	-	-	-	-
4-S.M.	461	98	294	365	220	1,438	-	-	-	-	-	-
5-N.	1,184	690	243	739	558	3,414	-	-	25	395	153	573
6-S.L.M.	582	288	31	218	224	1,343	-	-	-	325	450	775
Total	2,227	1,076	578	1,359	1,002	6,242	-	-	25	720	603	1,348
Below Grade.	74	90	175	820	2,174	3,333	-	-	-	-	74	74
All grades	988,508	643,014	944,952	814,133	146,223	3,536,830	-	2,455	3,108	3,245	2,261	11,069
Grade Index.	98.4	98.1	98.1	92.8	86.9	96.5	-	97.6	94.7	84.2	80.1	89.3
Staple (inches)												
13/16 and shorter. .	28,013	36,446	28,239	25,010	18,590	136,298	-	-	-	-	-	-
7/8	118,499	138,543	80,032	80,039	40,032	457,145	-	-	-	-	46	46
29/32.	106,119	101,904	76,771	107,130	31,268	423,192	-	-	-	-	37	37
15/16.	135,779	84,850	157,297	221,121	27,889	626,936	-	-	-	12	69	81
31/32.	115,018	65,100	194,092	197,680	7,594	579,484	-	-	-	64	217	282
1	114,059	71,504	171,261	100,865	5,823	463,512	-	-	69	405	772	1,246
1-1/32	186,682	44,794	64,012	21,651	2,373	319,512	-	222	742	2,199	1,072	4,234
1-1/16	154,017	18,467	20,541	10,769	5,835	209,629	-	1,986	1,842	565	48	4,041
1-3/32	22,863	11,483	25,223	21,150	5,396	86,115	-	515	371	-	-	886
1-1/8.	4,408	27,450	72,811	23,378	1,262	129,309	-	105	84	-	-	189
1-5/32	1,645	38,416	52,276	5,230	136	97,703	-	20	-	-	-	20
1-3/16	1,138	3,575	2,175	110	8	7,006	-	7	-	-	-	7
1-7/32	235	349	157	-	9	750	-	-	-	-	-	-
1-1/4 and longer . .	33	133	65	-	8	239	-	-	-	-	-	-
All staples.	988,508	643,014	944,952	814,133	146,223	3,536,830	-	2,455	3,108	3,245	2,261	11,069
Average staple (32nd inches)	31.2	30.6	31.5	30.5	29.3	31.0	-	34.2	33.9	33.0	32.2	33.4

/ As reported by the Bureau of the Census, running bales.

Table 38. -- Grade and staple of upland cotton ginned, by States and districts, 1956-57

Grade and staple	ALABAMA				ARKANSAS				
	Ginned in District			Ginned in the State	Ginned in District				Ginned in the State
	1	2	3		1	2	3	4	
<u>Grade</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
White:									
3-0.M.	818	18	-	836	8	847	8	54	917
4-3.M.	53,277	4,914	3,425	61,616	2,869	143,198	5,723	45,954	197,744
5-M.	164,756	75,475	47,347	287,578	16,007	368,482	38,172	175,155	597,816
6-3.L.M.	95,288	80,910	30,935	207,133	10,360	167,986	24,026	119,558	321,930
7-L.M.	20,599	22,725	19,381	62,705	2,887	46,394	5,452	95,468	110,201
8-3.0.0.	3,236	1,668	2,463	7,367	628	16,074	1,388	17,802	35,892
9-0.0.	610	175	136	921	162	4,482	231	2,916	7,791
Total	338,584	185,885	103,687	628,156	32,921	747,463	75,000	416,907	1,272,291
Spotted:									
3-0.M.	437	-	11	448	26	28	-	-	54
4-3.M.	10,463	12,142	12,618	35,223	3,716	16,922	4,017	3,970	28,625
5-M.	16,922	24,655	17,179	58,756	7,268	16,493	8,264	10,042	42,067
6-3.L.M.	7,932	5,539	3,691	17,162	2,993	6,142	1,993	7,949	19,077
7-L.M.	1,618	1,055	1,915	4,588	991	8,474	601	8,329	18,395
Total	37,372	43,391	35,414	116,177	14,994	48,059	14,875	30,290	108,218
Tinged:									
3-0.M.	-	-	-	-	-	-	-	-	-
4-3.M.	-	-	-	-	-	30	-	-	30
5-M.	10	25	29	64	-	46	-	28	74
6-3.L.M.	63	16	29	108	9	10	6	75	100
7-L.M.	205	25	17	247	-	96	-	179	275
Total	278	66	75	419	9	182	6	262	479
Gray:									
3-0.M.	-	-	-	-	-	9	50	-	59
4-3.M.	19	60	45	124	-	1,180	294	1,298	2,772
5-M.	146	454	549	1,149	16	2,379	972	5,554	8,921
6-3.L.M.	11	18	64	93	15	692	240	1,845	2,792
Total	176	532	658	1,366	31	4,260	1,556	8,697	14,544
Below Grade.	55	153	151	359	13	2,121	111	1,439	3,684
All grades	376,465	230,027	139,985	1/ 746,477	47,968	802,085	91,548	457,615	1/ 1,399,216
Grade index.	97.1	94.9	94.4	95.9	94.9	97.2	95.8	94.5	96.1
<u>Staple (inches)</u>									
13/16 and shorter. . .	56	17	29	102	3,092	234	186	37	3,549
7/8	933	155	64	1,152	8,002	1,315	1,279	335	10,931
29/32.	920	377	177	1,474	4,458	2,299	1,814	659	9,240
15/16.	7,128	3,471	2,528	13,127	8,510	13,163	7,045	4,799	33,517
31/32.	22,385	12,623	5,399	40,407	4,400	16,729	6,668	8,111	35,908
1	110,224	65,819	31,291	207,334	8,847	89,833	22,687	54,165	175,532
1-1/32	179,288	105,695	74,923	359,906	8,711	271,867	35,341	198,683	514,602
1-1/16	52,613	37,853	24,576	115,042	1,892	348,971	15,374	170,476	536,713
1-3/32	2,769	3,679	933	7,381	40	54,424	1,049	19,263	74,776
1-1/8.	149	301	65	515	8	3,091	105	677	3,881
1-5/32	-	37	-	37	-	65	-	65	130
1-3/16	-	-	-	-	8	76	-	27	111
1-7/32	-	-	-	-	-	-	-	206	206
1-1/4 and longer . . .	-	-	-	-	-	18	-	102	120
All staples.	376,465	230,027	139,985	1/ 746,477	47,968	802,085	91,548	457,615	1/ 1,399,216
Average staple (32nd inches)	32.7	32.7	32.8	32.7	30.5	33.4	32.4	33.3	33.2


1/ As reported by the Bureau of the Census, running bales.

COTTON PRODUCTION BY DISTRICTS, 1955-56



ALABAMA

ARKANSAS




Each dot represents 1,000 bales.

Table 39. -- Grade and staple of upland cotton ginned, by States and districts, 1956-57

Grade and staple	GEORGIA				LOUISIANA				
	Ginned in District			Ginned in the State	Ginned in District				Ginned in the State
	1	2	3		1	2	3	4	
White:	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
3-0.M.	8	157	-	165	-	-	152	-	152
4-5.M.	9,186	10,612	2,825	22,623	4,042	562	29,332	5,611	39,547
5-M.	81,646	72,742	49,011	203,399	40,165	8,822	115,351	81,192	245,530
6-S.L.M.	52,356	79,459	57,796	189,611	36,282	3,473	94,138	63,170	197,063
7-L.M.	7,984	27,208	22,320	57,512	8,041	286	34,187	7,840	50,354
8-S.G.O.	421	4,791	2,955	8,167	1,501	59	3,145	632	5,337
9-0.O.	25	261	116	402	383	31	692	-	1,106
Total	151,626	195,230	135,023	481,879	90,414	13,233	276,997	158,445	539,089
Spotted:									
3-0.M.	18	59	-	77	65	-	-	-	65
4-5.M.	10,373	12,622	4,749	27,744	3,226	617	960	1,782	6,585
5-M.	24,488	12,473	5,181	42,142	3,404	845	4,212	3,048	11,509
6-S.L.M.	10,381	7,062	1,812	19,255	2,721	97	1,992	774	5,584
7-L.M.	1,466	2,437	1,593	5,496	1,589	31	885	422	2,927
Total	46,726	34,653	13,335	94,714	11,005	1,590	8,049	6,026	26,670
Tinged:									
3-0.M.	-	-	-	-	-	-	-	-	-
4-5.M.	67	-	-	67	-	-	-	-	-
5-M.	541	23	131	695	-	-	-	-	-
6-S.L.M.	180	7	-	187	-	-	-	-	-
7-L.M.	-	-	-	-	-	-	-	-	-
Total	788	30	131	949	-	-	-	-	-
Yellow Stained:									
3-0.M.	-	-	-	-	-	-	-	-	-
4-5.M.	-	-	-	-	-	-	-	-	-
5-M.	25	-	-	25	-	-	-	-	-
Total	25	-	-	25	-	-	-	-	-
Gray:									
3-0.M.	-	-	-	-	-	-	-	-	-
4-5.M.	-	178	98	276	99	-	85	359	543
5-M.	34	591	390	1,015	805	-	405	1,263	2,473
6-S.L.M.	-	93	70	163	197	-	258	36	491
Total	34	862	558	1,454	1,101	-	748	1,658	3,507
Below Grade.	39	112	17	168	322	-	196	55	573
All grades	199,238	230,887	149,064	1/ 579,189	102,842	14,823	285,990	166,184	1/ 569,839
Grade Index.	95.9	94.5	94.2	94.9	95.0	97.7	95.9	96.6	96.0
Staple (inches)									
13/16 and shorter. . .	-	-	-	-	-	-	-	-	-
7/8	7	54	57	118	293	538	-	74	905
29/32.	31	132	179	342	209	735	33	77	1,054
15/16.	213	741	1,388	2,342	1,858	2,076	697	280	4,911
31/32.	1,768	2,324	5,938	10,030	915	1,134	1,027	230	3,306
1	33,085	33,427	43,140	109,652	12,035	4,795	13,673	10,501	41,004
1-1/32	123,657	163,815	69,921	357,393	57,029	4,549	88,750	66,765	217,093
1-1/16	39,176	29,681	27,791	96,648	30,014	966	160,577	84,751	276,308
1-3/32	1,295	681	650	2,626	489	30	20,389	3,327	24,235
1-1/8.	6	8	-	14	-	-	834	179	1,013
1-5/32	-	16	-	16	-	-	10	-	10
1-3/16	-	-	-	-	-	-	-	-	-
1-7/32	-	-	-	-	-	-	-	-	-
1-1/4 and longer . . .	-	8	-	8	-	-	-	-	-
All staples.	199,238	230,887	149,064	1/ 579,189	102,842	14,823	285,990	166,184	1/ 569,839
Average staple (32nd inches) . .	33.0	33.0	32.8	32.9	33.1	31.8	33.7	33.5	33.5

1/ As reported by the Bureau of the Census, running bales.

COTTON PRODUCTION BY DISTRICTS, 1955-56



Each dot represents 1,000 bales.

Table 40. -- Grade and staple of upland cotton ginned, by States and districts, 1956-57

Grade and staple	MISSISSIPPI					NORTH CAROLINA			
	Ginned in District				Ginned in the State	Ginned in District			Ginned in the State
	1	2	3	4		1	2	3	
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:									
3-G.M.	410	408	523	-	1,341	24	-	-	24
4-S.M.	102,656	71,462	24,838	2,389	201,365	3,370	780	1,099	5,249
5-M.	327,571	160,591	88,719	54,781	631,662	27,586	22,748	20,758	71,092
6-S.L.M.	269,663	105,231	57,298	45,382	477,574	21,004	39,611	39,129	99,744
7-L.M.	130,546	14,650	4,954	6,045	156,195	5,031	28,430	33,116	66,577
8-S.G.O.	15,239	2,135	597	259	18,230	435	17,969	16,622	35,026
9-G.O.	3,907	459	25	-	4,391	32	6,125	2,623	8,980
Total	849,922	354,956	176,954	108,856	1,490,758	57,482	115,663	113,547	286,692
Spotted:									
3-G.M.	-	-	648	61	709	24	-	-	24
4-S.M.	8,664	3,998	9,497	2,379	24,538	2,134	60	37	2,231
5-M.	11,647	7,349	6,387	4,746	30,129	12,237	744	227	13,208
6-S.L.M.	7,940	2,053	1,654	1,131	12,778	2,862	530	432	3,824
7-L.M.	4,416	198	212	52	4,878	281	411	1,478	2,170
Total	32,667	13,598	18,398	8,369	73,032	17,538	1,745	2,174	21,457
Tinged:									
3-G.M.	-	-	-	-	-	-	-	-	-
4-S.M.	21	-	-	-	21	-	-	-	-
5-M.	-	-	-	-	-	413	-	-	413
6-S.L.M.	-	-	-	-	-	-	39	-	39
7-L.M.	7	-	-	-	7	8	-	-	8
Total	28	-	-	-	28	421	39	-	460
Gray:									
3-G.M.	-	9	-	-	9	-	-	52	52
4-S.M.	2,717	550	165	10	3,442	40	1,359	1,040	2,439
5-M.	6,436	386	244	9	7,075	383	20,636	8,461	29,480
6-S.L.M.	1,123	-	-	-	1,123	66	16,773	7,503	24,342
Total	10,276	945	409	19	11,649	489	38,768	17,056	56,313
Below Grade.	1,753	45	-	9	1,807	77	756	477	1,310
All grades	894,716	369,544	195,761	117,253	1/ 1,577,274	76,007	156,971	133,254	1/ 366,232
Grade index.	95.3	98.0	97.8	96.4	96.3	95.2	86.7	87.9	89.9
Staple (inches)									
13/16 and shorter.	-	18	-	17	35	-	-	-	-
7/8	74	373	251	95	793	38	96	70	204
29/32	31	176	263	77	547	62	284	56	402
15/16	916	4,756	1,201	662	7,535	848	1,850	1,335	4,033
31/32	1,833	4,968	2,642	910	10,353	4,683	4,773	5,785	15,241
1	42,188	35,338	26,629	10,030	114,185	18,054	21,552	28,248	67,854
1-1/32	303,887	146,947	96,849	44,361	592,044	35,957	77,272	74,143	187,372
1-1/16	427,350	159,118	62,721	32,056	701,245	14,815	45,564	23,044	83,423
1-3/32	92,222	14,081	4,343	8,135	118,781	1,445	5,012	573	7,030
1-1/8	23,553	1,700	500	741	26,494	105	407	-	512
1-5/32	2,390	540	64	92	3,086	-	152	-	152
1-3/16	85	419	137	68	709	-	9	-	9
1-7/32	82	194	29	-	305	-	-	-	-
1-1/4 and longer	105	916	132	9	1,162	-	-	-	-
All staples.	894,716	369,544	195,761	117,253	1/ 1,577,274	76,007	156,971	133,254	1/ 366,232
Average staple (32nd inches)	33.7	33.4	33.2	33.5	33.6	32.8	33.1	32.8	33.0


1/ As reported by the Bureau of the Census, running bales.

COTTON PRODUCTION BY DISTRICTS, 1955-56



MISSISSIPPI

NORTH CAROLINA




Each dot represents 1,000 bales.

Table 41. -- Grade and staple of upland cotton ginned, by States and districts, 1956-57

Grade and staple	OKLAHOMA				SOUTH CAROLINA				TENNESSEE		
	Ginned in District			Ginned in the State	Ginned in District			Ginned in the State	Ginned in District		Ginned in the State
	1	2	3		1	2	3		1	2	
White:	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
3-0.M.	244	-	-	244	-	-	-	-	508	8	516
4-S.M.	13,403	233	1,344	14,980	714	4,084	4,180	8,978	138,990	8,822	147,812
5-M.	39,794	1,818	3,814	45,426	27,324	69,088	49,175	145,587	231,498	22,667	254,165
6-S.L.M.	13,249	1,640	1,222	16,111	23,443	78,597	48,601	150,641	77,205	11,922	89,127
7-L.M.	4,146	1,584	411	6,141	10,311	58,191	23,193	91,695	13,611	1,220	14,831
8-S.G.O.	303	724	51	1,078	465	5,138	2,419	8,022	4,869	356	5,225
9-G.O.	28	197	-	225	102	619	353	1,074	2,355	71	2,426
Total	71,167	6,196	6,842	84,205	62,359	215,717	127,921	405,997	469,036	45,066	514,102
Spotted:											
3-0.M.	100	45	27	172	86	212	142	440	-	-	-
4-S.M.	40,983	6,245	6,534	53,762	10,817	6,732	2,442	19,991	2,139	638	2,777
5-M.	58,980	14,015	10,212	83,207	15,072	9,708	3,237	28,017	4,492	2,361	6,853
6-S.L.M.	23,010	3,508	2,243	28,761	8,337	10,394	1,526	20,257	954	342	1,296
7-L.M.	2,952	648	311	3,911	1,593	4,148	493	6,234	1,382	79	1,461
Total	126,025	24,461	19,327	169,813	35,905	31,194	7,840	74,939	8,967	3,420	12,387
Tinged:											
3-0.M.	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	377	-	-	377	21	-	-	21	-	-	-
5-M.	1,991	-	8	1,999	129	-	-	129	22	-	22
6-S.L.M.	1,728	-	-	1,728	126	10	-	136	-	-	-
7-L.M.	663	-	13	676	40	-	-	40	-	-	-
Total	4,759	-	21	4,780	316	10	-	326	22	-	22
Yellow Stained:											
3-0.M.	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	18	-	-	18	-	-	-	-	-	-	-
5-M.	308	-	-	308	-	-	-	-	-	-	-
Total	326	-	-	326	-	-	-	-	-	-	-
Gray:											
3-0.M.	-	-	-	-	-	-	-	-	-	-	-
4-S.M.	-	-	-	-	10	1,073	320	1,403	249	-	249
5-M.	46	-	-	46	1,209	28,593	4,954	34,716	132	-	132
6-S.L.M.	27	-	-	27	1,117	3,027	458	4,602	50	-	50
Total	73	-	-	73	2,336	32,653	5,732	40,721	431	-	431
Below Grade. . . .	277	49	-	326	-	178	74	252	542	-	542
All grades	202,627	30,706	26,190	1/ 259,523	100,916	279,752	141,567	1/ 522,235	478,998	48,486	1/ 527,484
Grade index. . . .	94.4	92.2	94.9	94.2	93.5	91.5	94.0	92.6	99.1	98.1	99.1
Staple (inches)											
13/16 and shorter.	14,128	2,724	4,131	20,983	-	12	-	12	163	94	257
7/8	50,619	10,159	7,948	68,726	-	62	29	91	3,783	518	4,301
29/32	43,357	5,980	7,065	56,402	9	18	45	72	2,015	319	2,334
15/16	47,050	5,242	4,716	57,008	1,386	1,402	733	3,521	18,226	1,620	19,846
31/32	19,916	2,333	1,225	23,474	5,138	5,569	2,459	13,166	16,467	1,100	17,567
1	14,936	1,837	514	17,287	32,131	61,599	28,580	122,310	82,395	8,303	90,698
1-1/32	9,092	1,055	219	10,366	50,077	170,524	84,016	304,617	199,664	18,526	218,190
1-1/16	2,951	961	156	4,068	11,227	39,068	25,523	75,818	139,468	16,515	155,983
1-3/32	349	277	76	702	850	979	182	2,011	15,079	1,267	16,346
1-1/8	94	138	132	364	98	152	-	250	1,477	204	1,681
1-5/32	98	-	8	106	-	108	-	108	200	20	220
1-3/16	28	-	-	28	-	171	-	171	43	-	43
1-7/32	9	-	-	9	-	78	-	78	-	-	-
1-1/4 and longer .	-	-	-	-	-	10	-	10	18	-	18
All staples. . . .	202,627	30,706	26,190	1/ 259,523	100,916	279,752	141,567	1/ 522,235	478,998	48,486	1/ 527,484
Average staple (32nd inches)	29.5	29.3	28.7	29.4	32.7	32.9	32.9	32.9	33.0	33.0	33.0

1/ As reported by the Bureau of the Census, running bales.

COTTON PRODUCTION BY DISTRICTS, 1955-56



Each dot represents 1,000 bales.

Table 42. -- Grade and staple of upland cotton ginned in Texas, by districts, 1956-57

Grade and staple	Ginned in District										Ginned in the State	
	1	2	3	4	5	6	7	8	9	10		
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
White:												
3-0.M.	2,669	108	-	335	58	60,373	12	2,200	122	586		66,463
4-0.M.	108,436	22,846	194	44,576	13,821	161,989	214	30,647	14,674	84,698		482,095
5-M.	422,187	82,389	1,120	93,276	42,669	27,994	603	107,478	59,194	234,598		1,071,508
6-0.L.M.	252,689	27,609	510	21,113	20,597	5,325	918	36,341	48,994	84,128		507,224
7-L.M.	38,118	3,266	85	2,878	15,360	936	191	4,682	15,236	15,947		96,699
8-0.0.	5,271	247	40	651	2,187	212	-	485	1,244	1,762		12,119
9-0.0.	1,543	16	7	264	259	17	8	11	187	234		2,546
Total	830,913	136,481	1,956	163,093	103,951	256,846	1,946	181,844	139,651	421,973		2,238,654
Spotted:												
3-0.M.	1,012	865	48	191	32	930	-	301	34	8		3,421
4-0.M.	212,883	38,587	2,587	77,238	14,040	10,768	827	11,409	4,639	5,454		378,432
5-M.	431,858	59,043	3,325	96,538	27,894	5,080	2,657	13,505	5,690	7,445		653,035
6-0.L.M.	151,551	26,215	860	11,941	8,048	4,479	1,202	3,453	1,834	3,859		213,442
7-L.M.	18,713	4,885	199	616	1,148	1,992	248	710	503	1,280		30,294
Total	816,017	129,595	7,019	186,524	51,162	23,249	4,934	29,378	12,700	18,046		1,278,624
Tinged:												
3-0.M.	-	-	-	-	-	-	-	-	11	12		23
4-0.M.	276	317	-	-	-	-	-	-	-	-		593
5-M.	1,355	1,761	-	-	59	23	-	-	-	-		3,198
6-0.L.M.	1,875	2,179	8	-	45	98	-	-	-	-		4,205
7-L.M.	800	829	8	-	-	60	-	-	11	-		1,708
Total	4,306	5,086	16	-	104	181	-	-	22	12		9,727
Yellow Stained:												
3-0.M.	-	-	-	-	-	-	-	-	-	-		-
4-0.M.	-	8	-	-	-	-	-	-	-	-		8
5-M.	68	174	-	-	-	-	-	-	-	-		242
Total	68	182	-	-	-	-	-	-	-	-		250
Gray:												
3-0.M.	-	-	-	-	-	47	-	-	-	-		47
4-0.M.	422	62	-	22	-	440	-	49	13	430		1,438
5-M.	962	437	-	147	77	175	-	108	238	1,270		3,414
6-0.L.M.	266	174	-	57	-	33	-	76	196	541		1,343
Total	1,650	673	-	226	77	695	-	233	447	2,241		6,242
Below Grade.	1,950	530	16	369	44	231	-	58	53	82		3,333
All grades	1,654,904	272,547	9,007	350,212	155,338	281,202	6,880	211,513	152,873	442,354		1/ 3,536,830
Grade index.	95.0	95.2	94.3	97.1	94.9	102.5	92.2	98.3	96.1	98.5		96.5
Staple (inches)												
13/16 and shorter.	35,049	38,362	2,344	39,139	6,929	275	1,496	10,684	1,386	634		136,298
7/8	122,887	87,726	4,718	160,637	33,498	1,747	2,229	28,933	11,439	3,331		457,145
29/32.	182,413	48,233	1,515	105,989	32,861	18	1,400	26,450	19,878	4,435		423,192
15/16.	403,412	43,705	223	35,319	29,903	2,779	620	55,529	42,642	12,804		626,936
31/32.	428,899	21,046	113	3,895	15,188	253	207	50,307	39,227	20,349		579,484
1	313,669	16,395	76	1,498	15,828	4,003	238	28,245	23,926	59,634		463,512
1-1/32	106,966	8,062	-	2,321	15,106	2,595	132	9,328	12,053	162,949		319,512
1-1/16	31,757	5,190	18	1,380	5,670	13,086	110	1,797	2,122	148,499		209,629
1-3/32	20,187	1,734	-	34	355	40,826	152	221	200	22,406		86,115
1-1/8.	8,205	1,118	-	-	-	115,526	92	19	-	4,349		129,309
1-5/32	1,110	624	-	-	-	94,239	93	-	-	1,637		97,703
1-3/16	190	298	-	-	-	5,384	52	-	-	1,082		7,006
1-7/32	43	54	-	-	-	380	59	-	-	212		750
1-1/4.	115	-	-	-	-	91	-	-	-	33		239
All staples.	1,654,904	272,547	9,007	350,212	155,338	281,202	6,880	211,513	152,873	442,354		1/ 3,536,830
Average staple (32nd inches)	30.7	29.1	27.8	28.4	29.9	35.9	28.9	30.1	30.6	33.1		31.0

1/ As reported by the Bureau of the Census, running bales.

COTTON PRODUCTION BY DISTRICTS, 1955-56




Table 43. -- Grade and staple of upland cotton in the carry-over, United States, August 1, 1956 1/

Grade	13/16 inch and shorter		7/8 inch		29/32 inch		15/16 inch		31/32 inch		1 inch		1-1/32 inches		1-1/16 inches		1-1/8 inches		1-1/4 inches		1-1/2 inches		1-3/4 inches		All staples		
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	
White:																											
3-0-N.	74	380	517	764	37,849	1,471	4,475	7,303	4,682	4,200	16,306	4,254	401	118	46,511	0.3											
4-0-N.	6,011	20,474	23,947	37,249	37,843	57,052	181,498	360,395	200,216	95,032	171,603	28,884	3,709	3,981	1,228,386	8.5											
5-N.	27,261	131,826	177,784	283,245	246,428	395,997	973,784	1,474,665	517,980	189,291	113,571	21,889	3,747	5,100	4,502,031	31.3											
6-0-L-N.	40,247	197,889	281,400	345,941	277,484	451,080	981,957	1,331,035	335,288	76,453	22,337	4,120	665	1,685	4,150,790	28.9											
7-1-N.	17,674	95,303	148,688	188,210	136,502	229,740	371,976	432,142	77,865	6,844	1,764	398	110	194	1,071,570	7.6											
8-0-L-O.	3,184	15,576	16,011	36,483	24,723	70,150	92,849	71,355	8,812	370	42	33	8	35	339,649	2.4											
9-0-L-O.	1,179	4,598	1,939	8,404	6,278	21,226	18,994	9,645	509	31	6	1	5	74,010	.5												
Total	95,630	430,205	690,296	870,296	730,783	1,230,254	2,026,443	3,487,340	1,145,321	342,251	325,689	95,044	8,665	10,720	12,012,947	83.5											
Spotted:																											
3-0-N.	299	984	1,012	978	1,036	730	807	902	598	262	112	14	-	-	7,674	.1											
4-0-N.	18,333	33,433	49,542	45,245	20,675	17,580	24,513	20,722	6,890	3,448	140	14	14	13	261,756	1.8											
5-N.	66,233	230,262	175,685	131,938	43,669	38,785	44,878	31,104	6,545	80	28	5	5	5	761,354	5.3											
6-0-L-N.	159,821	321,717	187,561	113,988	32,073	38,240	33,035	17,910	3,039	564	136	56	28	15	908,179	6.3											
7-1-N.	62,052	36,950	17,190	25,017	11,985	24,333	23,683	8,725	1,158	184	10	6	-	12	231,315	1.6											
Total	306,878	633,366	430,990	317,166	109,438	119,644	126,916	79,363	18,220	6,209	1,671	302	70	45	2,170,278	15.1											
Tinged:																											
3-0-N.	107	124	98	7	8	14	1	5	2	-	-	-	-	-	326	.*											
4-0-N.	1,338	3,875	1,629	965	232	100	89	90	6	-	-	-	-	-	8,335	.1											
5-N.	14,190	10,741	3,492	2,297	451	536	423	287	-	-	-	-	-	-	32,417	.2											
6-0-L-N.	20,224	8,004	1,598	1,633	012	919	496	107	-	-	2	-	-	-	33,965	.2											
7-1-N.	6,315	2,322	456	459	253	424	118	32	10	-	-	-	-	-	10,399	.1											
Total	42,374	25,066	7,242	5,361	1,556	1,999	1,127	527	18	-	2	-	-	-	85,272	.6											
Yellow Stained:																											
3-0-N.	-	-	-	-	-	10	-	-	-	-	-	-	-	-	10	.*											
4-0-N.	88	123	15	-	-	14	149	37	1	-	-	-	-	-	251	.*											
5-N.	1,806	909	199	317	14	149	37	1	-	-	-	-	-	-	3,512	.*											
Total	1,974	1,032	214	317	14	159	62	1	-	-	-	-	-	-	3,773	.*											
Gray:																											
3-0-N.	1	2	2	9	82	333	582	296	48	16	29	4	-	2	1,402	.*											
4-0-N.	46	159	120	395	990	3,672	4,317	637	300	135	8	-	-	18,023	.1												
5-N.	164	465	232	1,143	2,338	11,014	20,297	15,482	2,362	159	38	2	7	4	53,905	.4											
6-0-L-N.	446	780	351	1,417	2,016	6,262	10,021	4,406	1,056	33	24	-	-	-	26,812	.2											
Total	657	1,405	745	2,924	5,574	21,281	37,775	24,701	4,303	508	222	14	6	100,172	.7												
Below Grade,	1,470	1,163	363	1,805	626	1,295	1,149	1,320	86	10	-	18	-	-	9,305												
All grades	448,903	1,112,237	1,099,950	1,197,869	847,991	1,374,642	2,793,472	3,593,252	1,167,948	349,028	327,564	99,378	9,742	10,771 2/	14,361,747	100.0											
All grades	3.1	7.7	7.6	8.3	5.9	9.6	19.4	25.0	8.1	2.4	2.3	.4	.1	.1	100.0												
1/ Revised.																											
2/ As reported by the Bureau of the Census, Panning bales.																											
* Less than 0.05 percent																											
Grade index																											
Average staple																											

Grade index 94.0
Average staple 32.2

Table 45. - Tenderability of upland cotton in the carry-over, United States, August 1, 1947-57

Year	Tenderable 1/		Untenderable		Total 2/	
	Bales	Percent	Bales	Percent	Bales	Percent
1947	1,854,707	77.5	537,342	22.5	2,392,049	100.0
1948	2,421,756	81.1	566,201	18.9	2,987,957	100.0
1949	4,587,827	88.0	627,817	12.0	5,215,644	100.0
1950	5,933,043	88.0	812,208	12.0	6,745,251	100.0
1951	1,834,990	85.6	308,690	14.4	2,143,680	100.0
1952	1,653,356	61.0	1,055,279	39.0	2,708,635	100.0
1953	4,355,511	79.5	1,122,636	20.5	5,478,147	100.0
1954	8,397,006	87.9	1,152,990	12.1	9,549,996	100.0
1955	9,845,421	89.5	1,153,872	10.5	10,999,293	100.0
1956	11,758,679	81.8	2,623,068	18.2	14,381,747	100.0
1957	6,590,995	59.1	4,567,247	40.9	11,158,242	100.0

1/ Qualities tenderable with respect to grade and staple in settlement of cotton futures.
 2/ As reported by the Bureau of the Census, 1957 data preliminary.

Table 46. - Staple of cotton of foreign growth in the carry-over, August 1, 1948-57

Growth and staple (inches)	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
Egyptian:										
1-3/32" and shorter	-	-	-	-	-	2	-	-	38	-
1-1/8" and 1-5/32"	180	-	-	-	-	8	92	139	-	81
1-3/16" and 1-7/32"	-	353	346	400	1,397	105	90	224	226	523
1-1/4" to 1-11/32"	-	5,495	11,080	2,650	-	4,986	704	1,259	1,580	11
1-3/8" to 1-15/32"	719	35,418	34,257	32,876	26,069	38,489	42,052	13,461	7,618	8,030
1-1/2" to 1-19/32"	12,055	912	11,779	20,189	5,591	14,499	9,970	14,470	4,437	6,223
1-5/8" to 1-23/32"	19,187	-	1,035	-	-	-	-	1,394	310	427
1-3/4" and longer	1,430	-	-	-	-	-	-	-	-	-
All staples 1/	33,571	42,178	58,497	56,115	33,057	58,089	52,877	30,947	14,209	15,295
Peruvian:										
1-3/32" and shorter	171	147	-	-	-	-	-	-	-	-
1-1/8" and 1-5/32"	-	16	-	-	-	4	-	-	2	3
1-3/16" and 1-7/32"	122	23	-	217	102	201	45	46	256	255
1-1/4" to 1-11/32"	7,128 2/	863 2/	3,161 2/	3,989 2/	68	469	-	-	-	8
1-3/8" to 1-15/32"	-	-	-	-	1,035	380	67	143	2,543	3
1-1/2" to 1-19/32"	-	-	-	-	582	733	485	3,456	1,080	2,894
1-5/8" to 1-23/32"	-	-	-	-	2,216	1,570	1,595	1,644	2,179	1,133
1-3/4" and longer	-	-	-	-	-	-	-	-	1,070	-
All staples 1/	7,421	1,049	3,161	4,206	3,983	3,357	2,192	5,289	7,130	4,296
Indian: 1/										
13/16" and shorter	46,425	23,699	32,985	51,408	29,918	27,168	19,197	21,796	16,970	13,705
Other Foreign: 2/										
13/16" and shorter	534	531	50	109	53	2,724	23	4	-	9
7/8" and 29/32"	29	-	-	-	-	-	-	2,843	42	-
15/16" and 31/32"	42	-	-	-	-	-	-	2,950	59	-
1" and 1-1/32"	98	-	1,924	-	-	660	-	1	84	182
1-1/16" and 1-3/32"	-	-	957	-	-	355	-	618	40	103
1-1/8" and 1-5/32"	-	10	-	-	1,748	-	-	-	-	14
1-3/16" and 1-7/32"	-	-	-	-	469	-	251	-	-	361
1-1/4" and longer	1,629	2,166	552	1,086	966	1,973	622	943	36	569
All staples 1/	2,312	2,707	3,483	1,195	3,236	5,712	896	7,369	261	1,248
All Foreign 1/	89,729	69,633	98,126	112,924	70,194	94,326	75,162	65,401	38,570	34,544

1/ As reported by the Bureau of the Census, 1957 data preliminary.
 2/ Includes those staples longer than 1-1/4" prior to 1952.
 3/ Includes American Sea Island cotton in most recent years.

Table 47. -- Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1956 1/

Grade	1-3/8" and shorter	1-7/16" and 1-15/32"	1-1/2" and 1-17/32"	1-9/16" and longer	Total
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
1	193	266	4,751	267	5,477
2	2,471	11,649	10,145	2,186	26,451
3	2,803	23,523	4,480	1,406	32,212
4	1,901	9,115	7,559	163	18,738
5	1,078	7,805	1,618	3	10,504
6	2,698	4,815	353	-	7,866
7	1,874	4,184	29	-	6,087
8	1,036	22	2	-	1,060
9	78	13	6	-	97
10	14	-	-	-	14
Total	14,146	61,392	28,943	4,025	2/ 108,506
Percent	13.0	56.6	26.7	3.7	100.0
	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
1	1.4	.4	16.4	6.6	5.0
2	17.5	19.0	35.1	54.3	24.4
3	19.8	38.5	15.5	34.9	29.7
4	13.4	14.8	26.1	4.1	17.3
5	7.6	12.7	5.6	.1	9.7
6	19.1	7.8	1.2	-	7.2
7	13.2	6.8	.1	-	5.6
8	7.3	*	*	-	1.0
96	*	*	-	.1
101	-	-	-	*
Total	100.0	100.0	100.0	100.0	100.0

1/ Revised

2/ As reported by the Bureau of the Census. Includes 1,603 bales Sealand and Sea Island.

* Less than 0.05 percent.

Table 48. -- Grade and staple of American-Egyptian cotton in the carry-over, United States, August 1, 1957 1/

Grade	1-3/8" and shorter	1-7/16" and 1-15/32"	1-1/2" and 1-17/32"	1-9/16" and longer	Total
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
1	785	5,204	311	432	6,732
2	476	4,758	543	369	6,146
3	1,054	4,756	818	104	6,732
4	1,372	2,191	238	9	3,810
5	2,109	1,728	21	-	3,858
6	1,555	839	91	345	2,830
7	846	83	-	-	929
8	62	-	-	-	62
9	-	-	-	-	-
10	-	-	-	-	-
Total	8,259	19,559	2,022	1,259	2/ 31,099
Percent	26.6	62.9	6.5	4.0	100.0
	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
1	9.5	26.7	15.4	34.3	21.6
2	5.8	24.3	26.9	29.3	19.8
3	12.8	24.3	40.4	8.3	21.6
4	16.6	11.2	11.8	.7	12.3
5	25.5	8.8	1.0	-	12.4
6	18.8	4.3	4.5	27.4	9.1
7	10.2	.4	-	-	3.0
88	-	-	-	.2
9	-	-	-	-	-
10	-	-	-	-	-
Total	100.0	100.0	100.0	100.0	100.0

1/ Preliminary

2/ As reported by the Bureau of the Census. Includes 800 bales Sealand and Sea Island.

* Less than 0.05 percent.

Table 49. Grade and staple of upland cotton in the carry-over, by places of storage, United States, August 1, 1954-57

Grade and staple	Consuming establishments				Public warehouses, compresses, and elsewhere 1/				All places of storage			
	1954	1955	1956	1957	1954	1955	1956	1957	1954	1955	1956	1957
Grade	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:												
3-0.M.	28,436	21,640	10,012	11,748	41,329	44,402	36,499	35,689	69,765	66,042	46,511	47,437
4-S.M.	191,966	212,550	129,026	202,198	1,135,013	1,156,959	1,099,360	538,325	1,326,979	1,369,509	1,228,386	740,523
5-M.	339,057	418,646	276,702	313,113	3,162,837	3,688,367	4,225,329	1,985,950	3,501,894	4,107,013	4,502,031	2,298,663
6-S.L.M.	305,263	389,486	242,398	359,598	1,943,458	2,728,166	3,908,392	1,920,076	2,248,721	3,117,652	4,150,790	2,279,674
7-L.M.	142,526	127,166	86,882	95,432	1,047,319	952,620	1,584,688	843,260	1,189,845	1,079,986	1,671,570	938,692
8-S.G.O.	37,929	39,820	25,203	37,345	190,241	144,394	314,446	243,640	228,170	184,214	339,649	280,985
9-0.0.	5,012	5,837	2,265	1,507	19,907	19,456	71,745	63,834	24,919	25,293	74,010	65,341
Total	1,050,189	1,215,145	772,488	1,020,941	7,540,104	8,734,564	11,240,459	5,630,374	8,590,293	9,949,709	12,012,947	6,651,315
Spotted:												
3-0.M.	187	560	433	642	6,696	9,118	7,241	7,984	6,883	9,678	7,674	8,626
4-S.M.	13,661	20,707	10,714	12,755	145,972	224,953	251,042	600,256	159,633	245,660	261,756	613,011
5-M.	42,105	51,238	28,357	32,933	248,865	285,014	732,997	1,643,935	290,970	336,252	761,354	1,676,868
6-S.L.M.	35,992	32,551	18,710	17,789	267,364	234,911	809,469	1,197,651	302,956	267,462	908,179	1,215,440
7-L.M.	9,087	13,444	7,886	2,046	66,075	41,660	223,429	400,157	75,162	55,104	231,315	402,203
Total	100,632	118,500	66,100	66,165	734,972	795,656	2,104,178	3,849,983	835,604	914,156	2,170,278	3,916,148
Tinged:												
3-0.M.	-	-	-	-	318	250	326	571	318	250	326	571
4-S.M.	1,035	523	332	1,005	7,755	5,804	8,203	24,414	8,790	6,327	8,535	25,419
5-M.	5,096	3,137	1,733	3,655	17,224	8,411	30,684	166,768	22,320	11,548	32,417	170,423
6-S.L.M.	2,153	4,387	-	8,925	15,406	6,474	33,595	145,621	17,559	10,861	33,595	154,546
7-L.M.	1,915	2,390	-	369	10,665	3,484	10,399	44,561	12,580	5,874	10,399	44,930
Total	10,199	10,437	2,065	13,954	51,368	24,423	83,207	381,935	61,567	34,860	85,272	395,889
Yellow Stained:												
3-0.M.	-	-	-	-	71	-	10	-	71	-	10	-
4-S.M.	38	129	42	-	667	278	209	2,936	705	407	251	2,936
5-M.	514	461	130	36	3,197	1,665	3,382	27,315	3,711	2,126	3,512	27,351
Total	552	590	172	36	3,935	1,943	3,601	30,251	4,487	2,533	3,773	30,287
Gray:												
3-0.M.	-	-	-	-	1,258	2,390	1,402	97	1,258	2,390	1,402	97
4-S.M.	942	1,699	945	224	12,307	21,499	17,078	8,889	13,249	23,198	18,023	9,113
5-M.	3,633	8,097	5,406	3,810	18,706	37,311	48,529	61,594	22,339	45,408	53,935	65,404
6-S.L.M.	3,695	3,153	2,216	400	8,086	14,911	24,596	40,852	11,781	18,064	26,812	41,252
Total	8,270	12,949	8,567	4,434	40,357	76,111	91,605	111,432	48,627	89,060	100,172	115,866
Below Grade. . .	1,872	1,750	836	1,768	7,546	7,225	8,469	46,969	9,418	8,975	9,305	48,737
All Grades 2/ . .	1,171,714	1,359,371	850,228	1,107,298	8,378,282	9,639,922	13,531,519	10,050,944	9,549,996	10,999,293	14,381,747	11,158,242
Grade Index. . .	96.3	95.4	95.5	95.7	95.5	95.9	93.9	91.5	95.5	95.9	94.0	91.9
Staple (32nd inches)												
13/16" and shorter	3,185	3,753	1,545	1,013	183,483	216,399	447,438	246,068	186,668	220,152	448,983	247,081
7/8"	39,002	53,891	27,384	33,466	596,114	780,324	1,084,853	770,988	635,116	834,215	1,112,237	804,454
29/32"	29,748	35,402	18,891	15,540	661,360	889,806	1,070,959	687,651	691,108	925,208	1,089,850	703,191
15/16"	56,580	48,044	27,621	71,598	811,155	1,061,730	1,170,248	1,097,950	867,735	1,109,774	1,197,869	1,169,548
31/32"	41,314	59,062	32,425	18,055	466,962	574,453	815,566	797,831	508,276	633,515	847,991	815,886
1"	180,137	187,698	130,725	164,569	883,015	1,012,179	1,243,917	1,624,559	1,063,152	1,199,877	1,374,642	1,789,128
1-1/32"	246,182	318,097	199,868	212,167	1,794,351	1,900,670	2,593,604	2,677,225	2,040,533	2,218,767	2,793,472	2,889,392
1-1/16"	353,785	370,987	225,126	380,329	1,999,466	2,025,279	3,368,126	1,710,204	2,353,251	2,396,266	3,592,252	2,090,533
1-3/32"	121,105	181,997	119,758	110,934	683,549	687,839	1,048,190	226,905	804,654	869,836	1,167,948	337,839
1-1/8"	62,681	67,177	45,589	59,914	190,283	223,210	303,439	113,909	212,964	290,387	349,028	173,823
1-5/32"	21,351	21,036	13,309	24,983	119,290	214,280	314,275	79,129	140,641	235,316	327,564	104,112
1-3/16"	9,102	6,316	3,996	9,512	21,276	40,671	55,382	13,060	30,378	46,987	59,378	22,572
1-7/32"	2,591	1,953	1,285	1,530	3,318	6,402	7,457	1,539	5,909	8,355	8,742	3,069
1-1/4" and longer	4,951	3,958	2,706	3,688	4,660	6,680	8,065	3,926	9,611	10,638	10,771	7,614
All staples 2/	1,171,714	1,359,371	850,228	1,107,298	8,378,282	9,639,922	13,531,519	10,050,944	9,549,996	10,999,293	14,381,747	11,158,242
Ave. staple	33.2	33.2	33.2	33.3	32.2	32.1	32.2	31.8	32.3	32.2	32.2	32.0

1/ The "elsewhere" cotton, as reported by the Bureau of the Census, amounted to 255,000 for 1954, 220,000 for 1955, 309,000 for 1956 and 297,000 for 1957.

2/ As reported by the Bureau of the Census, 1957 data preliminary.

Table 50. Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1938-57

Year beginning August 1	White 1/						Spotted			Other Colored 2/	All grades 3/
	Good Middling	Strict Middling	Middling	Strict Low Middling	Low Middling	Strict Good Ordinary & Good Ordinary	Strict Middling and higher	Middling	Strict Low Middling		
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
CARRY-OVER											
1938	133	1,208	3,439	2,685	1,165	435	714	899	282	396	11,436
1939	105	2,005	4,697	3,073	1,052	131	605	814	148	219	12,943
1940	179	1,428	3,324	2,858	734	89	702	851	118	190	10,453
1941	198	1,601	4,177	3,225	731	163	806	677	147	286	12,011
1942	77	966	2,761	2,852	1,174	428	622	775	371	449	10,475
1943	70	710	2,589	2,861	1,524	627	494	793	387	375	10,530
1944	90	1,043	2,770	2,970	1,397	564	489	702	276	258	10,559
1945	64	784	2,695	2,954	1,469	1,005	574	774	269	417	11,006
1946	36	594	1,943	1,720	760	934	261	356	187	374	7,165
1947	52	419	646	489	242	313	27	48	56	100	2,392
1948	57	530	1,005	520	295	214	49	75	87	156	2,998
1949	40	656	1,999	1,420	437	120	115	190	108	161	5,216
1950	44	718	2,376	2,108	562	68	266	383	80	140	6,745
1951	25	319	809	538	116	90	48	78	46	115	2,144
1952	14	200	595	502	348	186	47	151	289	377	2,709
1953	51	761	1,906	1,186	389	144	169	306	266	300	5,478
1954	70	1,327	3,501	2,249	1,190	253	167	291	303	199	9,550
1955	66	1,370	4,106	3,118	1,080	210	295	335	267	191	10,999
1956	47	1,228	4,502	4,151	1,672	414	269	761	908	430	14,382
1957	47	741	2,296	2,280	939	346	622	1,677	1,215	993	11,158
CROP											
1938	315	2,344	3,779	2,161	346	57	1,432	975	102	87	11,598
1939	188	1,925	3,830	2,940	559	121	776	874	144	95	11,452
1940	69	1,468	5,290	3,459	589	377	335	214	140	320	12,261
1941	29	773	3,446	3,133	1,086	519	449	404	286	309	10,434
1942	40	855	4,302	3,916	1,243	475	605	538	196	193	12,363
1943	163	1,475	3,584	3,745	1,009	238	413	294	64	84	11,069
1944	11	486	3,702	4,333	1,484	646	270	380	130	389	11,831
1945	10	364	2,328	2,924	1,196	813	273	399	161	341	8,809
1946	34	655	2,652	2,866	781	440	381	451	122	133	8,515
1947	365	2,452	4,080	1,780	620	365	698	378	263	355	11,556
1948	111	1,762	5,579	3,578	1,031	445	692	493	306	580	14,577
1949	50	924	4,311	5,218	1,763	331	864	1,333	475	636	15,905
1950	26	713	3,055	2,933	660	161	698	824	262	564	9,846
1951	41	1,040	4,840	4,141	1,443	371	651	951	769	779	15,026
1952	92	1,591	5,600	3,876	1,171	281	511	1,013	420	323	14,658
1953	63	2,099	5,716	4,175	2,154	604	281	338	436	387	16,253
1954	43	1,531	4,899	4,276	1,173	314	296	458	295	342	13,577
1955	42	905	4,078	4,504	1,804	469	235	940	624	600	14,503
1956	123	1,719	4,489	3,201	913	206	642	1,060	405	344	13,102
SUPPLY 4/											
1938	448	3,642	7,218	4,846	1,511	492	2,146	1,864	384	483	23,034
1939	383	3,930	8,527	6,033	1,611	252	1,385	1,608	292	314	24,395
1940	248	2,896	8,814	6,317	1,323	446	1,037	865	258	510	22,714
1941	227	2,374	7,623	6,358	1,817	682	1,255	1,081	433	595	22,445
1942	117	1,821	7,063	6,768	2,417	903	1,227	1,313	567	642	22,838
1943	233	2,185	6,273	6,606	2,533	865	907	1,087	453	459	21,599
1944	105	1,529	6,472	7,393	2,881	1,210	759	1,082	406	547	22,390
1945	74	1,148	5,024	5,878	2,665	1,018	847	1,173	430	750	19,815
1946	70	1,249	4,595	4,586	1,541	1,374	642	807	309	507	15,680
1947	417	2,871	4,726	2,269	1,062	678	725	426	319	455	13,948
1948	168	2,292	6,594	4,958	1,325	659	741	568	393	736	17,565
1949	90	1,590	6,310	6,638	2,200	451	979	1,483	583	797	21,121
1950	70	1,431	5,381	5,041	1,222	229	964	1,207	342	704	16,591
1951	66	1,359	5,649	4,679	1,559	421	699	1,029	815	894	17,170
1952	106	1,791	6,195	4,378	1,519	447	558	1,164	709	700	17,567
1953	114	2,860	7,622	5,361	2,543	748	450	644	702	687	21,731
1954	113	2,898	8,390	6,525	2,363	567	463	749	558	541	23,127
1955	108	2,275	8,184	7,622	2,884	679	490	1,276	1,191	791	25,500
1956	170	2,947	8,991	7,352	2,585	620	911	1,821	1,313	774	27,484
DISAPPEARANCE 5/											
1938	253	1,637	2,521	1,773	459	361	1,537	1,050	236	264	10,091
1939	204	2,502	5,003	3,155	877	183	683	1,037	174	124	13,942
1940	90	1,295	4,637	3,052	592	283	231	188	111	224	10,703
1941	150	1,408	4,862	3,506	643	254	633	306	62	146	11,970
1942	47	1,111	4,374	3,907	893	276	733	520	180	267	12,308
1943	143	1,142	3,503	3,636	1,136	301	418	385	175	201	11,040
1944	37	745	3,776	4,349	1,412	205	185	308	137	230	11,384
1945	38	554	3,081	4,158	1,905	894	586	817	243	384	12,650
1946	18	830	3,949	4,097	1,299	1,061	615	759	293	407	13,288
1947	360	2,341	3,721	1,749	767	464	676	351	232	299	10,960
1948	128	1,626	4,585	2,678	889	539	626	418	285	575	12,349
1949	46	872	3,934	4,530	1,638	383	713	1,100	503	657	14,376
1950	45	1,112	4,572	4,503	1,106	179	916	1,129	296	589	14,447
1951	92	1,159	5,055	4,177	1,211	235	651	878	525	517	14,461
1952	95	1,030	4,289	3,182	1,130	303	389	898	443	400	12,089
1953	44	1,533	4,121	3,112	1,353	495	283	353	398	489	12,181
1954	47	1,486	4,284	3,407	1,283	357	208	413	291	350	12,128
1955	61	1,047	3,682	3,471	1,212	265	221	515	283	361	11,118
1956	123	2,206	6,693	5,072	1,646	274	289	144	98	219	16,326

1/ Official standards for Extra White cotton abolished effective August 15, 1953. White and Extra White combined in 1952 and earlier years and Good Middling includes higher grades.

2/ Other Colored includes Low Middling Spotted; all grades of Tinged, Light Yellow Stained, Yellow Stained, Gray and Blue Stained prior to 1936; Low Middling Spotted, and all grades of Tinged, Yellow Stained, and Gray from 1936 to date. Below Grade is included with Other Colored.

3/ As reported by the Bureau of the Census, 1957 carry-over and 1956 disappearance preliminary.

4/ Carry-over at the beginning of the season plus crop.

5/ Supply minus carry-over at the end of the season. Negative disappearance for 1956 in "Other Colored" reflected in total.

Table 51. Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1937-57

Season beginning August 1	13/16" and shorter	7/8" and 29/32"	15/16" and 31/32"	1" and 1-1/32"	1-1/16" and 1-3/32"	1-1/8" and 1-5/32"	1-3/16" and 1-7/32"	1-1/4" and longer	All lengths 1/
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
CARRY-OVER									
1937	606	1,000	899	644	296	265	90	22	4,362
1938	1,326	3,742	2,814	1,957	1,094	370	114	19	11,436
1939	1,248	3,481	3,069	2,745	1,631	671	76	22	12,943
1940	781	2,827	2,583	2,149	1,443	578	54	38	10,453
1941	705	2,853	3,254	2,780	1,688	598	84	49	12,011
1942	876	2,751	2,335	2,570	1,301	472	107	63	10,475
1943	1,075	2,711	2,040	2,246	1,723	521	136	78	10,330
1944	1,327	2,825	2,208	2,631	1,288	366	137	57	10,559
1945	1,166	2,693	2,010	2,784	1,833	385	104	51	11,006
1946	562	1,172	1,228	2,103	1,562	385	105	48	7,165
1947	25	144	343	1,022	544	213	52	29	2,982
1948	53	242	398	1,219	795	238	29	14	2,088
1949	23	122	356	2,139	2,293	255	18	10	5,216
1950	54	512	704	2,351	2,751	297	50	26	6,745
1951	14	105	191	668	849	247	48	22	2,144
1952	72	453	384	955	691	102	30	22	2,709
1953	207	867	681	1,730	1,802	150	30	11	5,478
1954	187	1,326	1,376	3,104	3,157	354	36	10	9,550
1955	220	1,759	1,743	3,419	3,266	526	95	11	10,999
1956	449	2,202	2,046	4,168	4,761	677	68	11	14,382
1957	247	1,506	1,985	4,678	2,428	278	26	8	11,158
CROP									
1937	1,835	5,235	5,038	3,542	1,639	842	90	16	18,237
1938	510	2,006	3,124	2,964	2,024	764	155	51	11,598
1939	627	2,397	2,780	3,351	1,762	425	76	33	11,452
1940	334	1,591	2,999	4,185	2,506	534	67	45	12,261
1941	441	1,224	2,265	3,821	1,968	496	139	80	10,434
1942	531	1,668	2,566	4,331	2,518	521	110	98	12,363
1943	858	1,257	2,593	4,230	1,631	302	142	56	11,069
1944	550	1,330	2,188	4,884	2,539	254	65	21	11,831
1945	234	677	1,697	3,699	2,262	183	40	19	8,809
1946	168	620	1,108	3,494	2,879	201	30	15	8,515
1947	813	1,263	1,774	4,988	2,581	128	7	2	11,586
1948	569	1,230	1,663	5,724	5,095	279	12	5	14,577
1949	615	2,493	2,376	4,956	5,069	314	68	10	15,905
1950	176	1,074	1,092	3,002	4,212	206	67	17	9,846
1951	288	2,080	1,625	5,264	5,446	258	59	6	15,026
1952	499	1,889	1,714	5,292	5,135	293	34	2	14,898
1953	81	1,698	2,172	5,814	6,100	364	23	1	16,253
1954	254	1,756	1,918	5,298	3,890	415	32	4	13,577
1955	372	1,683	1,561	3,807	6,506	547	32	3	14,501
1956	162	1,049	1,590	5,198	4,641	458	12	2	13,102
SUPPLY 2/									
1937	2,441	6,835	5,897	4,186	1,935	1,107	180	38	22,619
1938	1,836	5,748	5,938	4,921	3,118	1,134	269	70	23,034
1939	1,875	5,878	5,849	6,096	3,393	1,097	152	95	24,395
1940	1,115	4,418	5,582	6,334	3,949	1,112	121	83	22,714
1941	1,146	4,077	5,319	6,601	3,656	1,094	223	129	22,445
1942	1,407	4,419	4,921	6,901	3,619	993	217	161	22,638
1943	1,933	3,968	4,633	6,476	3,354	823	278	184	21,599
1944	1,877	3,855	4,396	7,515	3,827	640	202	78	22,390
1945	1,400	3,370	3,707	6,463	4,095	566	144	70	19,815
1946	730	1,782	2,336	5,997	4,441	586	135	63	15,680
1947	838	1,427	2,117	6,010	3,125	341	59	31	13,940
1948	622	1,472	2,061	6,943	5,890	517	41	19	17,565
1949	638	2,615	2,732	7,095	6,963	569	82	28	21,121
1950	230	1,586	1,796	5,355	6,295	503	117	43	16,591
1951	302	2,185	1,816	5,932	6,295	503	107	28	17,170
1952	571	2,342	2,098	6,247	5,826	395	64	24	17,567
1953	288	2,565	2,853	7,544	7,902	514	53	12	21,731
1954	451	3,082	3,294	8,402	7,047	769	68	14	23,127
1955	592	3,442	3,304	7,226	9,772	1,073	77	14	25,500
1956	611	3,251	3,626	9,366	9,402	1,135	80	13	27,484
DISAPPEARANCE 3/									
1937	1,115	3,093	3,083	2,229	941	737	66	19	11,183
1938	588	2,267	2,869	2,176	1,487	463	193	48	10,091
1939	1,094	3,051	3,266	3,947	1,950	519	98	17	13,942
1940	410	1,565	2,328	3,554	2,261	514	37	34	10,703
1941	270	1,326	3,184	4,031	2,355	622	116	86	11,970
1942	332	1,708	2,881	4,655	2,096	472	81	83	12,308
1943	606	1,443	2,425	3,845	2,066	437	141	77	11,040
1944	711	1,162	2,386	4,751	1,994	255	98	27	11,384
1945	838	2,198	2,479	4,360	2,533	181	39	22	12,650
1946	705	1,628	1,993	4,575	3,897	373	83	34	13,288
1947	785	1,185	1,719	4,791	2,330	103	30	17	10,960
1948	599	1,350	1,705	4,804	3,957	262	23	9	12,349
1949	584	2,103	2,028	4,744	4,611	272	32	2	14,376
1950	216	1,481	1,605	4,685	6,114	256	69	21	14,447
1951	230	1,732	1,432	4,977	5,604	403	77	6	14,441
1952	364	1,475	1,417	4,537	4,024	245	34	13	12,089
1953	101	1,239	1,477	4,440	4,745	160	17	2	12,181
1954	231	1,323	1,551	4,983	3,781	243	13	3	12,128
1955	143	1,240	1,258	3,058	5,011	396	9	3	11,118
1956	364	1,743	1,641	4,688	6,974	657	54	5	16,326

1/ As reported by the Bureau of the Census, 1957 carry-over and 1956 disappearance preliminary.

2/ Carry-over at the beginning of the season plus crop.

3/ Supply minus carry-over at the end of the season.

