

3.1118

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

GRADE, STAPLE LENGTH, AND TENDERABILITY
OF COTTON IN THE UNITED STATES

1938-39

Washington, D. C.
January 1940

Statement of Cooperation

In assembling the information on which this report is based, the following agencies cooperated during each of the years in the period covered by the data:

Arizona Agricultural Experiment Station
California State Department of Agriculture
Georgia Experiment Station of the University System
North Carolina Agricultural Experiment Station
Oklahoma Agricultural Experiment Station
South Carolina Agricultural Experiment Station
Tennessee Agricultural Experiment Station

In addition, the following agencies cooperated during some part of the period:

Alabama Agricultural Experiment Station
Arkansas Agricultural Experiment Station
Florida Agricultural Experiment Station
Louisiana Agricultural Experiment Station
Mississippi Agricultural Experiment Station
Missouri Agricultural Experiment Station
New Mexico Agricultural Experiment Station
Texas Agricultural Experiment Station

Credit is due cotton ginners, warehousemen, dealers, manufacturers, and owners of cotton whose cooperation has made this report possible.

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

GRADE, STAPLE LENGTH, AND TENDERABILITY OF COTTON IN THE
UNITED STATES, 1938-39

CONTENTS

	<u>Page</u>
Introduction	1
Table 1.- Official color groups and grades for American upland cotton effective Aug. 20, 1936	1
Table 2.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1938	2
Table 3.- Grade and staple length of American-Egyptian cotton ginned in the United States, crop of 1938	16
Table 4.- Grade and staple length of Sea-Island cotton ginned in the United States, crop of 1938	16
Table 5.- Staple length of American upland cotton ginned in the United States, by States, crop of 1938	17
Table 6.- Average staple length of American upland cotton ginned in the United States, by States and districts thereof, crop of 1938	18
Table 7.- Average staple length of American upland cotton ginned in the United States, by States, crops of 1928-38	19
Table 8.- Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1938	20
Table 9.- Grade of American-Egyptian cotton ginned in the United States during specified periods, crop of 1938	30
Table 10.- Grade of Sea-Island cotton ginned in the United States during specified periods, crop of 1938	30
Table 11.- Staple length of American upland cotton ginned in the United States during specified periods, by States, crop of 1938	31
Table 12.- Staple length of American-Egyptian cotton ginned in the United States, during specified periods, crop of 1938	37

GRADE, STAPLE LENGTH, AND TENDERABILITY OF COTTON IN THE
UNITED STATES, 1938-39 - Continued

	<u>Page</u>
Table 13.- Staple length of Sea-Island cotton ginned in the United States during specified periods, crop of 1938	37
Table 14.- Staple length of American upland cotton ginned in designated districts of Alabama, crop of 1938	38
Table 15.- Staple length of American upland cotton ginned in designated districts of Arkansas, crop of 1938	38
Table 16.- Staple length of American upland cotton ginned in designated districts of Georgia, crop of 1938	38
Table 17.- Staple length of American upland cotton ginned in designated districts of Louisiana, crop of 1938	42
Table 18.- Staple length of American upland cotton ginned in designated districts of Mississippi, crop of 1938	42
Table 19.- Staple length of American upland cotton ginned in designated districts of North Carolina, crop of 1938	42
Table 20.- Staple length of American upland cotton ginned in designated districts of Oklahoma, crop of 1938	46
Table 21.- Staple length of American upland cotton ginned in designated districts of South Carolina, crop of 1938	46
Table 22.- Staple length of American upland cotton ginned in designated districts of Tennessee, crop of 1938	46
Table 23.- Staple length of American upland cotton ginned in designated districts of Texas, crop of 1938	50
Table 24.- Tenderability of American upland cotton ginned in the United States, by States, crops of 1929-38	52
Table 25.- Preparation of American upland cotton ginned in the United States during specified periods, by States, crops of 1933-38	55
Table 26.- Grade and staple length of American upland cotton on hand in the United States, Aug. 1, 1938	64
Table 27.- Grade and staple length of American upland cotton on hand in the United States, Aug. 1, 1939	65
Table 28.- Grade and staple length of American-Egyptian cotton on hand in the United States, Aug. 1, 1938-39	66
Table 29.- Grade and staple length of American Sea-Island cotton on hand in the United States, Aug. 1, 1938-39	66
Table 30.- Staple length of American upland cotton on hand in the United States, by places of storage, Aug. 1, 1938-39	67
Table 31.- Tenderability of American upland cotton on hand in the United States, Aug. 1, 1930-39	68
Table 32.- Average staple length of American upland cotton on hand in the United States, by places of storage, Aug. 1, 1938-39 ...	68
Table 33.- Staple length of Egyptian cotton on hand in the United States, Aug. 1, 1930-39	69
Table 34.- Staple length of foreign cotton other than Egyptian on hand in the United States, Aug. 1, 1930-39	70

Introduction

This report covers the 1938-39 season, the eleventh consecutive season for which the Department has assembled and disseminated information on grade, staple length, and tenderability of the annual cotton crop and of the cotton carry-over as of August 1 in this country. In addition, it carries forward certain information contained in earlier publications and contains information on the grade, staple length, and tenderability of the cotton crop of 1938 and carry-overs of 1938 and 1939. Figures are included for the first time on the preparation of ginnings, the 1933 crop being the first one for which complete preparation statistics have been assembled.

The 1937 crop was the first for which grade and staple statistics were prepared separately for Sea-Island cotton. Figures on total ginnings of upland cotton from the crops of earlier years included the Sea-Island cotton ginned from the crops of the years specified. The 1938 carry-over was the first for which grade and staple statistics were prepared separately for Sea-Island cotton of United States growth.

Assembling of statistics on staple length of upland cotton in thirty-seconds of an inch was inaugurated with the 1938 carry-over and the 1938 crop.

Grade, staple-length, and tenderability figures on the crop are based on the classification of samples of ginnings; corresponding figures on the carry-over of cotton as of August 1 are based on the classification of samples representing cotton in consuming establishments, public warehouses and compresses, and other places of storage.

Throughout this report the names of the grades have been abbreviated as follows: 1-M.F., Middling Fair; 2-S.G.M., Strict Good Middling; 3-G.M., Good Middling; 4-S.M., Strict Middling; 5-M., Middling; 6-S.L.M., Strict Low Middling; 7-L.M., Low Middling; 8-S.G.O., Strict Good Ordinary; 9-G.O., Good Ordinary.

Table 1.- Official color groups and grades for American upland cotton that became effective August 20, 1936 ^{1/}

Extra White	White	Spotted	Tinged	Yellow Stained	Gray
	M.F.*				
	S.G.M.				
G.M.*	G.M.	G.M.*	G.M.	G.M.*	G.M.*
S.M.*	S.M.	S.M.*	S.M.	S.M.*	S.M.*
M.*	M.	M.*	M.	M.*	M.*
S.L.M.*	S.L.M.	S.L.M.*	S.L.M.		
L.M.*	L.M.	L.M.*	L.M.		
S.G.O.*	S.G.O.				
G.O.*	G.O.				

^{1/} The grades shown above the double lines are tenderable on futures contracts made in accordance with sec. 5 of the United States Cotton Futures Act. Those below the lines are not tenderable on such contracts.

*Descriptive only--not represented by physical forms.

Table 2.- Grade and staple length of American upland cotton ginned in the United States, by State, crop of 1930
(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Grade	All staple lengths		Shorter than 7/8 inch	7/8 inch		82/32 inch		19/16 inch		1-1/32 inch		1-1/16 inch		1-3/32 inch		1-1/8 inch		1-5/32 inch		1-3/16 inch		1-7/32 inch		1-1/4 inch and longer		
	Bales	Percent		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
All grades ...	2,111,999,418	100.0	510,450	1,025,954	949,933	1,497,750	1,656,705	1,698,760	1,825,693	1,149,258	874,569	520,068	244,102	107,617	47,248	50,450										
Extra White	408,777	3.5	136	1,013	3,278	2,890	3,003	8,084	54,256	60,058	115,159	114,869	63,979	14,313	799	26										
3-0-M.	69,230	.6	---	---	---	15	34	352	3,142	11,945	19,271	11,460	2,071	121	13											
4-0-M.	240,377	2.1	6	18	181	150	379	2,635	12,445	33,264	70,152	43,443	9,775	404	---											
5-0-M.	70,707	.7	4	10	417	674	930	2,947	6,484	12,784	23,242	17,774	6,507	194	---											
6-0-M.	14,621	.1	---	---	---	---	---	1,088	1,751	1,878	2,550	2,444	749	---	---											
7-0-M.	2,426	.0	---	---	---	---	---	370	525	519	525	544	117	---	---											
8-0-M.	1,429	.0	---	---	---	---	---	178	131	37	34	---	---	---	---											
9-0-M.	332	.0	---	---	---	---	---	92	61	17	---	---	---	---	---											
White	8,592,778	74.1	335,423	756,492	701,061	1,130,865	1,276,237	1,309,410	1,597,407	831,566	612,979	351,339	164,080	86,131	43,031	46,448										
1-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---											
2-0-M.	256	.0	19	12	---	---	69	60	27,143	17,718	25,980	7,132	2,936	1,809	---											
3-0-M.	245,240	2.1	15,303	12,156	15,267	27,143	36,400	51,313	171,718	183,438	186,425	156,570	102,241	56,567	18,399	12,248										
4-0-M.	2,098,488	18.1	111,849	176,607	180,166	300,302	254,425	297,347	1,054,438	1,170,443	1,207,304	1,113,175	877,463	527,555	37,654	19,791										
5-0-M.	3,702,879	31.9	159,849	390,679	381,399	533,762	540,547	574,399	2,000,480	2,111,111	2,177,038	2,040,141	1,501,868	982,335	67,468	31,664										
6-0-M.	2,146,979	18.3	56,866	138,111	131,690	242,106	240,106	240,106	864,453	864,453	864,453	864,453	48,038	42,863	22,409	10,311										
7-0-M.	343,766	3.0	7,655	23,888	19,276	38,255	40,035	46,453	1,658	1,658	1,658	1,658	1,658	1,658	1,658	1,658										
8-0-M.	39,400	.3	2,749	6,166	5,147	6,856	6,244	6,244	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160										
9-0-M.	15,660	.1	1,263	4,113	3,614	4,800	5,249	5,249	1,177	1,177	1,177	1,177	1,177	1,177	1,177	1,177										
Spotted	2,844,480	21.9	185,056	280,622	245,409	340,049	354,490	378,691	299,627	258,696	145,639	54,063	15,082	7,132	5,518	3,974										
3-0-M.	67,250	.6	4,456	5,823	6,402	4,676	6,402	10,066	10,217	11,811	8,289	3,058	1,074	586	1,898	---										
4-0-M.	1,854,206	11.7	81,249	149,678	124,651	176,631	195,491	209,375	169,080	141,953	79,261	25,297	7,437	3,126	1,274	---										
5-0-M.	874,703	8.4	48,713	113,300	101,061	137,770	130,387	147,164	109,763	92,094	52,043	20,391	6,430	2,599	1,094	---										
6-0-M.	108,314	.9	13,994	16,241	9,680	12,754	10,650	12,497	9,496	6,613	5,213	1,863	532	235	207	---										
7-0-M.	35,372	.3	4,654	6,500	5,237	6,258	5,141	5,269	1,099	1,413	213	246	21	21	---											
Tinged	35,052	.3	16,415	6,370	2,941	2,255	1,654	1,611	1,375	983	305	132	---	---	---											
3-0-M.	1,261	.0	321	193	109	69	173	165	131	96	62	---	---	---	---											
4-0-M.	13,364	.1	5,055	2,952	1,308	1,043	740	965	728	432	197	---	---	---	---											
5-0-M.	12,961	.1	6,466	712	708	708	263	293	283	245	75	---	---	---	---											
6-0-M.	3,045	.0	1,759	9	138	245	138	66	66	100	---	---	---	---	---											
7-0-M.	4,311	.0	814	994	626	1,070	266	282	160	100	---	---	---	---	---											
Yellow Steamed	1,192	.0	795	101	77	99	34	11	41	11	21	21	21	21	21	21										
3-0-M.	69	.0	25	---	---	---	---	---	---	---	---	---	---	---	---	---										
4-0-M.	279	.0	297	65	31	40	15	11	41	11	21	21	21	21	21	21										
5-0-M.	544	.0	473	20	21	---	---	---	---	---	---	---	---	---	---	---										
Gray	3,099	.0	67	144	135	353	405	408	443	564	333	179	---	---	---											
3-0-M.	396	.0	---	---	---	---	45	65	135	104	23	23	---	---	---											
4-0-M.	1,810	.0	51	---	---	---	313	313	121	235	144	94	---	---	---											
5-0-M.	1,193	.0	16	108	111	100	95	109	107	254	166	72	---	---	---											
No grade 1/4	13,040	.1	4,328	2,928	1,025	2,912	833	250	154	274	152	95	---	---	---											

See footnotes at end of table.

Table 2.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1930-Continued

ALABAMA

Grade	All staple lengths		Shorter than 7/8 inch $\frac{1}{2}$	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-1/4 inches	1-3/8 inches	1-1/2 inches	1-3/4 inches and longer
	Bales	Percent														
All grades ...	2/ 1,054,397	100.0	49,683	214,377	126,473	850,644	196,097	191,061	59,096	15,430	2,350	1,524	1,637	3,630	1,637	476
Extra White	192	3/	---	16	23	69	59	23	---	---	---	---	---	---	---	---
3-0.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-M.	36	3/	---	16	---	16	---	---	---	---	---	---	---	---	---	---
6-0.L.M.	156	3/	---	23	23	61	59	23	---	---	---	---	---	---	---	---
7-2.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-0.O. $\frac{1}{2}$	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-0.O. $\frac{1}{4}$	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
White	869,598	81.7	41,660	167,853	101,135	144,733	153,315	163,599	47,568	15,619	1,862	1,298	1,611	3,545	1,611	455
1-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-0.M.	21	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-0.M.	4,280	4	---	561	351	440	727	977	377	115	43	130	111	173	23	108
4-0.M.	159,721	15.0	13,777	53,719	17,372	25,138	26,440	28,172	9,015	2,990	442	418	860	730	198	182
5-M.	528,395	49.3	22,922	100,687	61,194	96,466	97,567	103,293	29,505	8,126	860	601	567	624	558	207
6-0.L.M.	145,090	13.6	4,353	29,481	20,822	37,345	35,302	27,542	7,791	2,171	450	228	73	16	80	46
7-2.M.	11,274	1.1	821	2,027	1,075	2,364	2,079	1,864	798	211	47	---	---	---	---	---
8-0.O. $\frac{1}{2}$	1,449	1.1	53	2,588	148	298	332	177	53	---	---	---	---	---	---	---
9-0.O. $\frac{1}{4}$	1,005	1.2	---	640	171	652	168	134	30	---	---	---	---	---	---	---
Spotted	191,477	18.0	7,900	46,187	23,628	35,435	34,753	28,118	10,135	2,690	407	126	16	77	16	21
3-0.M.	897	1.1	90	228	129	109	84	163	34	16	---	---	---	---	---	---
4-0.M.	96,996	9.1	5,280	22,870	12,564	16,411	17,451	14,191	5,910	1,964	237	53	45	45	---	---
5-M.	80,395	6.3	2,383	21,353	12,015	17,792	16,593	13,172	3,824	914	170	53	34	34	---	---
6-0.L.M.	4,751	4	---	1,182	651	884	941	562	356	153	---	---	---	---	---	---
7-2.M. $\frac{1}{2}$	467	3/	32	123	---	139	89	30	11	25	---	---	---	---	---	---
Tinged	2,027	2	107	408	194	555	450	670	354	110	51	---	---	---	---	---
3-0.M.	61	3/	---	25	---	---	11	27	---	---	---	---	---	---	---	---
4-0.M.	1,895	2	46	282	130	297	260	303	280	77	31	---	---	---	---	---
5-M.	792	1.1	16	103	46	203	130	140	94	23	30	---	---	---	---	---
6-0.L.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-2.M. $\frac{1}{2}$	87	3/	43	---	---	23	21	---	---	---	---	---	---	---	---	---
Yellow Stained ...	55	3/	---	---	21	---	---	11	23	11	---	---	---	---	---	---
3-0.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0.M.	46	3/	---	---	---	---	---	11	23	11	---	---	---	---	---	---
5-M.	21	3/	---	---	21	---	---	---	---	---	---	---	---	---	---	---
No grade $\frac{1}{2}$	167	3/	16	61	---	54	---	---	16	---	---	---	---	---	---	---

See footnotes at end of table.

Table 2.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1958-Continued

Grade	All staple lengths		Shorter than 7/8 inch $\frac{1}{2}$	7/8 inch	8 1/2 inch	15/16 inch	31/32 inch	1 inch		1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-1/2 inches	1-3/4 inches	1-7/8 inches	1-1/4 inches and longer
	Bales	Express						Bales	Bales								
All grades ..	37,305	100.0	5,100	1,374	2,378	5,090	4,150	2,007	5,845	42,209	49,411	54,283	61,131	67,447	70,108	72,800	75,487
Arizona	69,015	40.2	36	368	609	1,450	2,007	5,845	17,000	25,031	27,459	31,998	39,999	43,102	45,102	47,102	49,102
Ark. White	19,145	11.2	---	---	---	13	13	13	330	3,092	5,702	1,113	137	137	137	137	137
4-0-M.	50,081	30.0	---	---	---	149	149	149	1,862	2,124	2,124	2,124	2,124	2,124	2,124	2,124	2,124
4-1-M.	10,000	6.0	---	---	---	149	149	149	1,862	2,124	2,124	2,124	2,124	2,124	2,124	2,124	2,124
5-0-M.	10,000	6.0	---	---	---	149	149	149	1,862	2,124	2,124	2,124	2,124	2,124	2,124	2,124	2,124
5-1-M.	10,000	6.0	---	---	---	149	149	149	1,862	2,124	2,124	2,124	2,124	2,124	2,124	2,124	2,124
6-0-M.	10,000	6.0	---	---	---	149	149	149	1,862	2,124	2,124	2,124	2,124	2,124	2,124	2,124	2,124
6-1-M.	10,000	6.0	---	---	---	149	149	149	1,862	2,124	2,124	2,124	2,124	2,124	2,124	2,124	2,124
7-0-M.	10,000	6.0	---	---	---	149	149	149	1,862	2,124	2,124	2,124	2,124	2,124	2,124	2,124	2,124
7-1-M.	10,000	6.0	---	---	---	149	149	149	1,862	2,124	2,124	2,124	2,124	2,124	2,124	2,124	2,124
8-0-M.	10,000	6.0	---	---	---	149	149	149	1,862	2,124	2,124	2,124	2,124	2,124	2,124	2,124	2,124
8-1-M.	10,000	6.0	---	---	---	149	149	149	1,862	2,124	2,124	2,124	2,124	2,124	2,124	2,124	2,124
9-0-M.	10,000	6.0	---	---	---	149	149	149	1,862	2,124	2,124	2,124	2,124	2,124	2,124	2,124	2,124
9-1-M.	10,000	6.0	---	---	---	149	149	149	1,862	2,124	2,124	2,124	2,124	2,124	2,124	2,124	2,124
White	75,265	44.0	7	43	125	615	1,698	7,445	13,000	20,005	21,640	24,125	26,610	29,095	31,580	34,065	36,550
1-8-T.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-0-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-1-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-0-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-1-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-1-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-0-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-1-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6-0-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6-1-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-0-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-1-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-0-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-1-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-0-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-1-M.	10	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Spotted	25,097	15.3	1,041	801	1,107	5,441	2,411	5,097	5,294	2,654	444	7	---	---	---	---	---
2-0-M.	2,380	1.5	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-M.	10,872	6.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-1-M.	1,480	0.9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-0-M.	1,480	0.9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-1-M.	2,176	1.4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6-1-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-1-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-1-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-1-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
No grade $\frac{1}{2}$ / 3 / 4 / 5 / 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 20 / 21 / 22 / 23 / 24 / 25 / 26 / 27 / 28 / 29 / 30 / 31 / 32 / 33 / 34 / 35 / 36 / 37 / 38 / 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48 / 49 / 50 / 51 / 52 / 53 / 54 / 55 / 56 / 57 / 58 / 59 / 60 / 61 / 62 / 63 / 64 / 65 / 66 / 67 / 68 / 69 / 70 / 71 / 72 / 73 / 74 / 75 / 76 / 77 / 78 / 79 / 80 / 81 / 82 / 83 / 84 / 85 / 86 / 87 / 88 / 89 / 90 / 91 / 92 / 93 / 94 / 95 / 96 / 97 / 98 / 99 / 100	3,344	1.9	1,996	84	154	1,074	36	---	---	---	---	---	---	---	---	---	---

See footnotes at end of table.

Table 2.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1938--Continued

Grade	All staple lengths		Shorter than 7/8 inch $\frac{1}{2}$	7/8 inch	8 1/2 inch	15/16 inch	51/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-1/8 inches	1-3/32 inches	1-1/4 inches and longer			
	Bales	Percents														
All grades ..	8/ 413,465	100.0	898	5,086	5,132	7,549	6,431	6,114	8,011	32,744	114,063	144,980	70,819	14,090	793	56
Extra White ..	894,899	66.6	---	---	85	302	465	614	1,800	23,541	84,258	99,332	59,495	13,686	793	56
3-0-M.	39,414	9.5	---	---	---	---	7	---	13	1,301	8,458	10,708	10,708	2,047	111	15
4-0-M.	185,019	48.8	---	---	---	---	54	136	888	14,198	22,856	65,349	40,385	7,143	48	---
5-M.	56,820	13.5	---	---	---	---	10	193	430	4,894	20,074	18,482	7,582	2,143	168	15
6-0-L-M.	6,197	1.5	---	---	---	---	17	133	136	641	1,942	2,463	782	30	---	---
7-2-M.	380	.1	---	---	---	---	5	35	180	---	30	156	---	---	---	---
8-0-0-0. $\frac{1}{2}$	277	.1	---	---	---	---	6	35	---	---	---	---	---	---	---	---
9-0-0. $\frac{1}{2}$	59	.0	---	---	---	---	65	17	---	---	---	---	---	---	---	---
White ..	80,403	19.5	---	---	45	74	303	688	2,056	2,940	32,650	43,352	9,913	337	---	---
1-M-7.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-0-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-0-M.	11,444	2.7	---	---	---	---	---	15	87	112	2,999	6,071	1,973	80	---	---
4-0-M.	54,376	13.1	---	---	---	---	93	443	1,436	1,825	13,667	30,207	6,478	182	---	---
5-M.	13,139	3.1	---	---	---	---	59	133	310	502	1,145	3,266	1,329	135	---	---
6-0-L-M.	1,428	.3	---	---	---	---	17	87	91	150	440	445	133	---	---	---
7-2-M.	56	.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-0-0-0. $\frac{1}{2}$	75	.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-0-0. $\frac{1}{2}$	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Spotted ..	48,970	12.3	114	2,821	3,719	5,250	4,778	4,108	3,943	6,056	7,210	3,273	911	67	---	---
3-0-M.	2,702	.7	---	---	---	---	30	113	254	264	1,182	1,316	888	---	---	---
4-0-M.	10,476	2.6	---	---	---	---	47	345	1,054	1,437	10,991	1,897	1,000	---	---	---
5-M.	9,170	2.0	---	---	---	---	142	1,024	1,237	1,643	11,443	1,443	877	---	---	---
6-0-L-M.	2,821	.7	---	---	---	---	58	455	1,322	643	4,497	513	33	---	---	---
7-2-M.	18,071	4.3	114	2,821	3,674	4,785	3,567	1,453	678	1,032	83	166	---	---	---	---
Tinged ..	3,881	.8	26	885	966	664	245	256	192	197	45	88	---	---	---	---
3-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-M.	802	.2	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6-0-L-M.	90	.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-2-M.	3,089	.7	30	885	969	664	245	256	145	100	---	---	---	---	---	---
No grade $\frac{1}{2}$ $\frac{1}{2}$	4,614	1.1	286	1,740	697	1,139	639	63	---	50	---	---	---	---	---	---

CALIFORNIA

FLORIDA

All grades ..	8/ 20,078	100.0	1,376	9,949	3,564	2,718	1,300	724	297	69	11	---	---	---	---	---
White ..	10,891	51.2	732	5,202	1,916	1,211	702	374	139	15	---	---	---	---	---	---
1-M-7.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-0-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-0-M.	2,720	13.6	690	1,923	441	236	138	45	---	4	---	---	---	---	---	---
4-0-M.	3,896	19.6	615	2,931	1,120	201	303	262	94	---	---	---	---	---	---	---
5-M.	1,370	6.8	43	569	222	65	174	65	43	11	---	---	---	---	---	---
6-0-L-M.	1,370	6.8	22	119	62	54	9	4	---	---	---	---	---	---	---	---
7-2-M.	22	.1	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-0-0-0. $\frac{1}{2}$	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-0-0. $\frac{1}{2}$	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Spotted ..	9,776	48.7	644	4,747	1,648	1,496	678	350	148	54	11	---	---	---	---	---
3-0-M.	4	.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-M.	2,131	10.6	370	2,769	987	710	289	112	118	22	---	---	---	---	---	---
5-M.	4,404	21.9	874	1,924	642	782	395	236	36	32	11	---	---	---	---	---
6-0-L-M.	226	1.1	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-2-M.	11	.1	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Tinged ..	11	.1	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-M.	11	.1	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6-0-L-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-2-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

See footnotes at end of table.

Table 2.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1938--Continued

Grade	All staple lengths		Shorter than 7/8 inch $\frac{1}{8}$	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer
	Bales	Percent														
All grades ...	5/640,310	100.0	19,193	152,153	92,446	135,123	145,656	169,366	69,473	35,815	5,562	2,971	945	452	75	19
Extra White	1,056	.1	18	464	159	167	106	110	---	---	---	---	---	---	---	---
3-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-M.	29	$\frac{3}{2}$	15	444	154	167	106	81	---	---	---	---	---	---	---	---
6-5-L-M.	974	$\frac{1}{1}$	18	18	---	---	---	---	---	---	---	---	---	---	---	---
7-L-M.	38	$\frac{3}{2}$	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-5-0-0. $\frac{1}{2}$	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-0-0. $\frac{1}{2}$	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
White	585,983	80.6	14,760	121,369	75,975	111,660	118,994	137,784	69,870	25,217	5,295	2,091	811	503	56	---
1-M.F.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-5-0-M.	80	$\frac{3}{2}$	---	---	---	---	---	40	---	---	---	---	---	---	---	---
3-0-M.	16,927	2.2	362	1,575	1,442	2,345	4,602	5,532	1,646	370	37	25	---	---	---	---
4-5-M.	127,710	18.6	4,599	20,870	16,715	25,341	39,498	31,535	15,503	5,388	1,452	115	130	---	---	---
5-M.	346,283	40.8	6,124	61,797	39,080	69,071	99,262	69,653	35,834	14,300	2,731	1,439	304	355	56	---
6-5-L-M.	141,173	16.6	2,322	25,266	16,176	25,015	34,472	29,050	14,831	4,996	1,016	253	92	---	---	---
7-L-M.	16,371	2.2	695	5,803	1,917	3,048	2,525	2,974	967	263	57	---	---	---	---	---
8-5-0-0. $\frac{1}{2}$	1,249	.1	---	109	111	87	84	80	89	---	---	---	---	---	---	---
9-0-0. $\frac{1}{2}$	180	$\frac{3}{2}$	---	---	---	71	---	---	---	---	---	---	---	---	---	---
Spotted	151,444	19.0	4,337	29,818	17,368	23,177	26,395	31,177	18,545	9,420	1,267	437	254	149	19	---
3-0-M.	1,392	.1	20	154	98	217	351	226	167	102	18	---	---	---	---	---
4-5-M.	85,518	10.1	2,172	15,256	9,094	12,163	14,533	16,218	10,128	4,891	321	246	113	99	---	---
5-M.	70,269	8.3	1,026	13,256	7,622	10,142	10,929	14,095	7,698	3,119	433	178	122	80	19	---
6-5-L-M. $\frac{1}{2}$	4,011	.5	532	1,067	375	615	572	637	368	---	---	---	---	---	---	---
7-L-M. $\frac{1}{2}$	254	$\frac{3}{2}$	15	85	35	39	---	---	60	---	---	---	---	---	---	---
Tinged	1,676	.2	66	351	176	166	160	304	258	196	---	---	---	---	---	---
3-0-M.	19	$\frac{3}{2}$	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-5-M.	817	.1	28	89	86	37	113	216	280	135	---	---	---	---	---	---
5-M.	509	$\frac{1}{2}$	---	174	59	76	28	25	---	---	---	---	---	---	---	---
6-5-L-M. $\frac{1}{2}$	160	$\frac{3}{2}$	---	---	15	27	15	15	---	---	---	---	---	---	---	---
7-L-M. $\frac{1}{2}$	41	$\frac{3}{2}$	---	---	15	26	---	---	---	---	---	---	---	---	---	---
Yellow Stained	49	$\frac{3}{2}$	---	15	---	15	19	---	---	---	---	---	---	---	---	---
3-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-M. $\frac{1}{2}$	49	$\frac{3}{2}$	---	16	---	15	19	---	---	---	---	---	---	---	---	---
5-M. $\frac{1}{2}$	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
No grade $\frac{1}{2}$ $\frac{1}{2}$	122	$\frac{3}{2}$	---	66	---	10	---	---	---	---	---	---	---	---	18	---

See footnotes at end of table.

Table 2.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1938--Continued

Grade	All staple lengths		Shorter than 7/8 inch ^{1/2}	7/8 inch	29/32 inch	15/16 inch	31/32 inch		1-1/32 inch	1-1/16 inch	1-3/32 inch	1-1/8 inch	1-5/32 inch	1-3/16 inch	1-7/32 inch	1-1/4 inches and longer
	Bales	Percent					Bales	Bales								
All grades ...	2/ 621,207	100.0	4,205	10,559	9,209	25,754	60,367	111,507	126,021	150,254	96,489	34,802	12,201	2,130	2,097	935
White	255,638	54.6	1,490	2,452	3,111	9,325	24,600	55,262	65,279	86,175	60,095	22,272	10,109	4,705	1,278	909
1-M.F.
2-S.O.M.
3-O.M.	2,546	.4
4-S.M.	54,606	8.4	393	587	483	1,821	3,117	7,902	11,106	15,242	10,212	5,541	2,328	171	40	40
5-M.	127,632	19.6	714	1,405	1,252	2,973	9,298	19,823	22,254	32,554	21,618	8,005	4,020	1,847	900	541
6-S.L.M.	134,469	20.6	516	1,427	1,130	4,177	10,945	21,856	25,140	29,517	21,222	9,259	4,728	2,394	745	275
7-L.M.	33,990	5.2	67	136	122	947	2,721	9,164	9,267	7,488	6,172	2,177	678	324	92	53
8-S.O.O. ^{1/2}	2,209	.3
9-O.O. ^{1/2}	114	.0
Spotted	294,977	45.3	2,605	7,032	6,088	16,110	33,642	56,039	59,278	83,906	26,185	11,406	2,022	420	219	26
3-O.M.	9,272	1.4	65	196	100	376	994	1,918	1,938	2,153	1,134	292	26
4-S.M.	144,248	22.2	1,615	4,262	2,512	9,005	17,507	27,513	27,513	29,895	17,150	5,259	922	211	106	13
5-M.	121,509	18.7	861	2,255	2,315	5,856	13,180	22,988	25,042	27,501	15,653	4,265	946	211	13	13
6-S.L.M. ^{1/2}	19,114	2.9	64	139	147	756	1,690	4,100	4,610	4,231	2,186	692	168	15
7-L.M. ^{1/2}	734	.1
Tinged	655	.1	12	12	12	68	63	106	148	115	97	24
2-O.M.	509	.0
4-S.M.	271	.0
5-M. ^{1/2}	149	.0
6-S.L.M. ^{1/2}	55	.0
7-L.M. ^{1/2}
Grey	26	.0
3-O.M.
4-S.M.	25	.0
5-M. ^{1/2}	12	.0
No grade ^{1/2}	231	.0

See footnotes at end of table.

Table 2.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1956--Continued

Grade	All staple lengths		Shorter than 7/8 inch	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer
	Bales	Percent													
All grades ...	1,179,254	100.0	5,295	12,245	15,490	39,291	52,266	159,690	236,334	335,702	541,766	109,946	65,724	56,504	40,771
White	1,179,254	71.2	2,143	4,083	5,921	16,039	47,473	90,616	140,290	229,872	341,766	99,922	60,212	53,300	37,641
1-1/8	105	3/	18	16	20	114	416	943	3,700	8,893	11,611	21	21	21	21
2-0-M	44,268	2/	16	16	20	114	416	943	3,700	8,893	11,611	21	21	21	21
3-0-M	236,082	14.3	698	2,354	2,426	6,708	17,298	35,774	52,807	81,051	120,420	20,552	15,078	6,810	1,456
4-0-M	404,856	24.4	1,002	3,354	2,451	6,708	17,298	35,774	52,807	81,051	120,420	20,552	15,078	6,810	1,456
5-0-M	96,970	5.2	37	125	194	658	1,071	3,507	9,969	17,951	24,377	8,159	3,084	1,347	639
6-0-M	1,051	1.1	3	11	18	58	119	75	277	504	877	283	103	48	23
7-0-M	20	3/	1	4	7	23	41	20	75	139	259	103	48	23	11
Spotted	474,180	28.6	3,152	7,296	7,499	21,079	45,736	77,327	89,532	104,983	169,451	25,903	10,003	2,954	3,130
3-0-M	27,636	1.7	204	659	503	768	2,423	3,661	4,702	6,263	8,199	1,500	674	841	859
4-0-M	292,143	17.6	2,019	5,414	4,961	14,309	29,114	49,126	57,286	68,110	107,230	4,800	2,371	973	1,593
5-M	146,116	8.6	345	1,012	1,012	3,087	6,065	11,480	14,504	18,550	27,856	4,272	2,451	1,033	1,153
6-0-M	7,217	1.0	35	104	125	387	600	1,044	1,313	1,660	2,334	408	173	187	125
7-0-M	288	3/	11	36	59	189	323	506	648	812	1,102	211	81	21	21
Tinged	598	3/	1	64	19	19	30	106	194	166	19	19	19	19	19
3-0-M	256	3/	1	19	19	19	30	106	194	166	19	19	19	19	19
4-0-M	190	3/	1	15	15	15	15	30	64	66	19	19	19	19	19
5-M	131	3/	1	30	30	30	30	30	30	30	30	30	30	30	30
6-0-M	19	3/	1	19	19	19	19	19	19	19	19	19	19	19	19
7-0-M	1	3/	1	1	1	1	1	1	1	1	1	1	1	1	1
Yellow Stained	81	3/	1	1	1	1	1	1	1	1	1	1	1	1	1
3-0-M	81	3/	1	1	1	1	1	1	1	1	1	1	1	1	1
4-0-M	81	3/	1	1	1	1	1	1	1	1	1	1	1	1	1
5-M	81	3/	1	1	1	1	1	1	1	1	1	1	1	1	1
Grey	1,347	1.1	1	1	1	1	1	1	1	1	1	1	1	1	1
3-0-M	304	3/	1	1	1	1	1	1	1	1	1	1	1	1	1
4-0-M	824	3/	1	1	1	1	1	1	1	1	1	1	1	1	1
5-M	419	3/	1	1	1	1	1	1	1	1	1	1	1	1	1
No grade 1/4	348	3/	1	1	1	1	1	1	1	1	1	1	1	1	1

See footnotes at end of table.

Table 2.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1933-Continued

Grade	All staple lengths		Shorter than 7/8 inch $\frac{1}{2}$	7/8 inch	89/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-5/32 inches	1-1/8 inches	1-5/32 inches	1-5/16 inches	1-7/32 inches	1-1/4 inches longer
	Bales	Percent														
All grades ...	2,287,401	100.0	2,280	6,296	6,084	21,311	42,854	66,007	72,072	67,617	31,942	9,685	1,232	227	76	---
White	254,450	77.2	1,251	4,800	4,245	16,243	32,502	50,802	54,206	53,515	25,905	8,500	1,118	227	76	---
1-M.F.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-0-M.	116	3/	---	---	---	19	---	20	---	---	---	---	---	---	---	---
4-0-M.	8,102	3/	---	---	---	175	360	1,071	1,849	1,974	1,974	811	167	---	---	---
5-0-M.	61,203	2.6	---	---	---	2,042	6,569	11,007	10,833	14,661	9,943	3,868	359	170	---	---
6-0-M.	136,457	41.4	---	---	---	7,397	16,551	29,868	34,487	29,965	11,022	2,768	419	132	---	---
7-0-M.	54,634	15.5	---	---	---	2,267	5,285	7,319	7,632	6,853	2,445	613	175	---	---	---
8-0-M.	9,801	2.8	---	---	---	2,313	2,450	1,152	297	---	---	---	---	---	---	---
9-0-M.	5,237	1.5	---	---	---	2,032	1,067	467	37	---	---	---	---	---	---	---
Spotted	74,219	22.5	844	1,247	1,130	4,561	9,754	17,151	17,650	14,245	6,018	1,447	114	---	---	---
2-0-M.	899	.3	---	---	---	39	59	254	252	115	---	---	---	---	---	---
3-0-M.	37,095	11.2	---	---	---	2,231	4,213	8,745	8,501	6,867	3,125	571	76	---	---	---
4-0-M.	29,076	10.2	---	---	---	2,074	4,468	7,669	8,420	6,747	2,556	762	36	---	---	---
5-0-M.	2,147	.7	---	---	---	85	285	526	420	496	210	56	---	---	---	---
6-0-M.	317	.1	---	---	---	19	---	147	37	---	---	---	---	---	---	---
7-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Tinged	149	3/	37	19	---	---	---	36	36	19	---	---	---	---	---	---
3-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-0-M.	19	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6-0-M.	36	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-0-M.	56	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Yellow stained	19	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-0-M.	19	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Gray	75	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-M.	56	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-0-M.	19	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---
No grade $\frac{1}{2}$ $\frac{3}{4}$	469	.1	56	150	---	131	36	---	19	36	19	36	---	---	---	---

See footnotes at end of table.

Table 2.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1936--Continued

Grade	All staple lengths		Shorter than 7/8 inch $\frac{1}{2}$	7/8 inch	59/32 inch	15/16 inch	NEW MEXICO		1-1/32 inch	1-1/16 inches	1-3/32 inches	1-1/8 inches	1-5/32 inches	1-3/16 inches	1-7/32 inches	1-1/4 inches and longer
	Bales	Percent					Bales	Bales								
All grades ...	2/ 29,373	100.0	3,623	2,077	333	1,345	2,037	5,122	21,975	31,572	4,753	15,517	4,753	642	6	---
Extra White	35,010	39.9	47	130	34	111	199	634	7,407	13,390	3,307	8,311	3,307	525	6	---
3-0.M.	20,865	23.1	6	19	---	6	6	75	1,370	4,085	7,325	5,122	2,035	11	---	---
4-0.M.	5,722	6.3	7	13	6	14	64	221	4,607	8,039	862	5,122	2,035	264	---	---
5-0.M.	681	0.7	7	7	7	43	64	227	1,283	3,097	616	1,097	632	250	6	---
6-0.M.	170	0.2	7	15	7	14	29	31	105	79	17	---	---	---	---	---
7-0.M.	249	0.3	7	7	14	27	20	62	45	7	---	---	---	---	---	---
8-0.O. $\frac{1}{2}$	28	0.03	---	---	---	7	7	14	---	---	---	---	---	---	---	---
9-0.O. $\frac{1}{2}$	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
White	40,280	45.7	60	90	---	75	7	271	12,777	16,630	6,459	1,223	1,223	136	---	---
1-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-0.M.	6,947	7.5	---	---	---	---	---	---	373	2,363	3,048	1,100	69	---	---	---
3-0.M.	27,184	29.5	36	19	---	---	---	---	1,252	8,429	11,889	4,432	864	62	---	---
4-0.M.	5,795	6.3	29	29	---	30	7	206	853	1,716	1,633	927	300	54	---	---
5-0.M.	271	0.3	---	---	---	30	---	44	66	69	54	---	---	---	---	---
6-0.M.	54	0.1	---	---	---	7	---	---	---	---	---	---	---	---	---	---
7-0.M.	22	0.02	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-0.O. $\frac{1}{2}$	7	0.008	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-0.O. $\frac{1}{2}$	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Spotted	13,444	14.5	1,908	1,314	225	1,018	728	1,120	2,791	1,639	647	133	133	11	---	---
3-0.M.	1,166	1.3	19	19	---	---	---	6	84	421	813	256	80	11	---	---
4-0.M.	1,704	1.8	29	29	6	21	53	304	1,802	1,196	432	83	83	---	---	---
5-0.M.	1,013	1.1	118	238	65	76	61	370	309	130	19	---	---	---	---	---
6-0.M.	494	0.5	518	494	59	193	187	225	101	55	---	---	---	---	---	---
7-0.M. $\frac{1}{2}$	3,178	3.4	1,294	472	95	722	420	145	30	---	---	---	---	---	---	---
Traged	305	0.3	197	48	38	26	32	14	---	---	---	---	---	---	---	---
3-0.M.	12	0.01	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0.M.	26	0.03	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-0.M.	120	0.1	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6-0.M.	122	0.1	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-0.M. $\frac{1}{2}$	113	0.1	---	---	---	---	---	---	---	---	---	---	---	---	---	---
No grade $\frac{1}{2}$	2,326	2.5	1,671	495	48	121	7	---	---	---	---	---	---	---	---	---

See Footnotes at end of table.

Table 2. - Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1936--Continued

Grade	All staple lengths		Shorter than 7/8 inch 1/2	7/8 inch	59/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-1/8 inches	1-1/4 inches	1-3/8 inches	1-1/2 inches	1-5/8 inches	1-3/4 inches	1-7/8 inches	1-1/2 inches and longer
	Bales	Percent																
NORTH CAROLINA																		
All grades	3/ 296,467	100.00	2,306	20,970	20,735	39,645	46,764	87,266	79,400	95,216	21,079	12,628	2,906	2,939	1,195	1,230		
Extra White	18	3/					18											
3-0-L																		
4-0-L																		
5-0-L																		
6-0-L																		
7-0-L																		
8-0-L																		
9-0-L																		
White	380,779	85.5	2,650	17,274	15,672	35,015	40,125	73,041	69,891	49,028	16,970	11,247	2,628	2,675	1,107	1,212		
1-0-L																		
2-0-L																		
3-0-L																		
4-0-L																		
5-0-L																		
6-0-L																		
7-0-L																		
8-0-L																		
9-0-L																		
Spotted	27,434	14.5	248	2,695	3,663	5,622	6,722	14,212	9,453	6,670	2,077	1,201	356	244	88	25		
3-0-S																		
4-0-S																		
5-0-S																		
6-0-S																		
7-0-S																		
8-0-S																		
9-0-S																		
Traged	105	3/																
3-0-M																		
4-0-M																		
5-0-M																		
6-0-M																		
7-0-M																		
8-0-M																		
9-0-M																		
No grade 3/	51	3/																

See footnotes at end of table.

Table 2. - Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1938--Continued

Grade	All staple lengths		Shorter than 7/8 inch $\frac{1}{2}$	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-5/32 inches	1-1/8 inches	1-5/32 inches	1-7/32 inches	1-1/4 inches and longer
	Bales	Percent													
All grades ...	2/ 545,196	100.0	73,300	108,655	108,760	129,427	75,354	40,002	10,018	2,323	262	15	---	---	---
White	478,789	87.6	61,176	91,625	95,129	115,550	69,679	35,792	9,178	2,105	247	---	---	---	---
1-4/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-0-0	13	2/	3,808	3,038	1,277	3,173	2,133	1,443	330	65	13	---	---	---	---
3-0-0	146,032	27.0	25,050	37,038	31,277	45,213	25,213	15,803	3,807	68	9	---	---	---	---
4-0-0	146,702	27.0	25,050	37,038	31,277	45,213	25,213	15,803	3,807	68	9	---	---	---	---
5-0-0	254,384	46.8	45,054	65,953	49,553	57,555	33,114	15,673	3,977	1,003	90	---	---	---	---
6-0-0	47,073	8.6	4,654	10,741	9,773	11,107	4,099	2,345	529	340	73	---	---	---	---
7-1-0	11,518	2.1	1,035	2,305	2,826	2,593	1,491	699	155	27	---	---	---	---	---
8-0-0	2,835	0.5	163	709	715	825	332	78	13	---	---	---	---	---	---
9-0-0	142	3/	---	19	71	32	---	---	---	---	---	---	---	---	---
Spotted	54,692	11.9	11,620	16,224	12,299	12,555	6,506	4,136	640	205	---	15	---	---	---
3-0-0	730	0.2	359	142	83	59	37	55	15	---	---	---	---	---	---
4-0-0	38,159	7.0	6,570	9,359	6,810	7,064	3,521	2,055	323	132	---	15	---	---	---
5-0-0	21,402	3.9	2,691	5,321	4,262	4,447	2,569	1,722	297	73	---	---	---	---	---
6-0-0	3,857	0.7	208	1,394	893	821	333	294	15	---	---	---	---	---	---
7-1-0	541	0.1	30	99	830	144	87	12	---	---	---	---	---	---	---
Tinged	1,569	0.3	232	473	245	342	154	72	---	15	15	---	---	---	---
3-0-0	12	2/	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-0	831	1.2	110	250	171	194	91	15	---	15	15	---	---	---	---
5-0-0	587	1.1	142	133	42	110	105	97	---	---	---	---	---	---	---
6-0-0	101	2/	---	69	10	13	---	---	---	---	---	---	---	---	---
7-1-0	38	2/	---	---	13	23	---	---	---	---	---	---	---	---	---
Yellow Stained	36	3/	---	---	---	---	---	---	---	---	---	---	---	---	---
3-0-0	21	2/	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-0	15	2/	---	---	---	---	---	---	---	---	---	---	---	---	---
5-0-0	42	3/	---	---	---	---	---	---	---	---	---	---	---	---	---
3-0-0	21	2/	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-0	21	2/	---	---	---	---	---	---	---	---	---	---	---	---	---
5-0-0	71	2/	24	12	30	---	---	---	---	---	---	---	---	---	---

See footnotes at end of table.

Table 2. - Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1928-Continued

Grade	All staple lengths		Shorter than 7/8 inch	7/8 inch	29/32 inch	15/16 inch	1 inch	1-1/32 inches	1-1/16 inches	1-1/8 inches	1-1/4 inches	1-1/2 inches	1-3/4 inches	1-7/8 inches	1-1/4 inches	
	Bales	Percent														Bales
SOUTH CAROLINA																
All grades ...	541,675	100.00	815	9,480	19,073	63,315	174,624	268,458	68,650	18,873	7,853	6,135	2,703	3,138		
Extra White	46	1/100														
3-0-M.																
4-0-M.																
5-M.																
6-0-L-M.																
7-L-M.																
8-0-S-O.																
9-0-O.																
White	531,028	85.9	605	6,311	13,558	52,431	133,981	211,150	60,246	16,022	7,000	5,745	2,530	2,975		
1-M.F.																
2-0-O-M.																
3-0-M.																
4-0-M.																
5-M.																
6-0-L-M.																
7-L-M.																
8-0-S-O.																
9-0-O.																
Spotted	90,277	14.1	210	2,119	3,165	10,456	17,000	22,899	17,257	8,595	4,448	389	171	163		
1-M.F.																
2-0-O-M.																
3-0-M.																
4-0-M.																
5-M.																
6-0-L-M.																
7-L-M.																
8-0-S-O.																
9-0-O.																
Tinged	196	3/100														
3-0-M.																
4-0-M.																
5-M.																
6-0-L-M.																
7-L-M.																
No grade 3/4	18	3/100														
TENNESSEE																
All grades ...	473,761	100.0	17,903	21,013	19,203	47,080	87,259	94,594	80,797	65,951	27,453	1,914	8,563	7,046	1,710	53
White	351,257	69.2	9,750	12,659	12,444	29,754	59,355	67,413	57,808	39,129	22,256	7,046	3,046	2,556	53	
1-M.F.																
2-0-O-M.																
3-0-M.																
4-0-M.																
5-M.																
6-0-L-M.																
7-L-M.																
8-0-S-O.																
9-0-O.																
Spotted	140,224	29.2	7,691	8,653	17,115	39,320	59,122	55,401	15,140	5,607	1,517	354	18			
1-M.F.																
2-0-O-M.																
3-0-M.																
4-0-M.																
5-M.																
6-0-L-M.																
7-L-M.																
8-0-S-O.																
9-0-O.																
Tinged	1,126	1/100														
3-0-M.																
4-0-M.																
5-M.																
6-0-L-M.																
7-L-M.																
No grade 3/4	372	1/100	134	78	9	36	9	18	53	35						

See footnotes at end of table.

Table 2. - Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1950--Continued

Grade	All staple lengths		Shorter than 7/8 inch $\frac{1}{2}$	7/8 inch	29/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-1/8 inches	1-1/4 inches	1-3/16 inches	1-1/2 inches	1-5/8 inches	1-3/4 inches	1-7/8 inches	1-1/2 inches
	Bales	Percent																
All grades ...	2,964,536	100.0	286,750	423,391	469,868	641,908	541,064	338,997	130,455	65,958	19,082	3,266	91	25	---	---	---	---
Extra White	17,681	.6	35	58	78	90	156	668	3,637	3,053	4,438	598	---	---	---	---	---	---
2-0-M.	2,067	.1	---	---	---	---	---	147	1,888	1,108	763	110	---	---	---	---	---	---
3-0-M.	11,628	.4	---	---	---	---	---	372	1,497	2,105	3,297	431	---	---	---	---	---	---
4-0-M.	3,512	.1	35	58	58	35	100	372	1,497	780	378	57	---	---	---	---	---	---
5-0-M.	512	2/3	---	---	---	---	---	149	350	43	---	---	---	---	---	---	---	---
6-0-M.	43	3/3	---	---	---	---	---	---	15	---	---	---	---	---	---	---	---	---
7-0-M.	28	3/3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-0-M.	5	3/3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
White	2,247,056	75.8	100,500	295,114	339,012	492,740	446,425	285,353	112,382	59,654	14,502	998	78	25	---	---	---	---
1-M.F.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-0-M.	80	3/3	19	15	---	---	---	---	17	16	---	---	---	---	---	---	---	---
3-0-M.	87,212	3.0	10,646	6,268	8,170	18,097	27,278	15,365	3,157	2,097	1,036	124	11	---	---	---	---	
4-0-M.	777,893	26.2	57,900	74,399	100,784	174,897	183,604	107,398	32,685	19,004	7,879	535	34	---	---	---	---	
5-M.	975,141	32.9	86,661	144,538	152,604	213,694	165,930	106,978	49,849	25,054	11,824	3,425	33	13	---	---	---	
6-0-M.	329,368	11.4	16,021	47,186	50,573	75,271	56,866	47,805	24,180	11,409	3,756	1,298	12	---	---	---	---	
7-0-M.	49,394	1.7	4,869	9,214	9,117	7,727	7,193	5,569	2,059	1,972	412	52	---	---	---	---	---	
8-0-M.	7,596	.3	1,228	3,280	1,224	1,043	436	238	105	42	---	---	---	---	---	---	---	---
9-0-M.	482	2/3	---	197	40	21	70	---	---	---	---	---	---	---	---	---	---	---
Spotted	675,540	22.8	91,856	134,179	135,631	149,122	94,222	51,740	14,334	4,227	1,077	132	13	---	---	---	---	---
2-0-M.	6,796	.2	1,057	1,957	561	1,394	1,314	843	1,099	201	60	---	---	---	---	---	---	---
3-0-M.	237,261	8.0	40,299	64,338	66,608	72,054	47,780	25,915	7,089	2,430	680	96	---	---	---	---	---	---
4-0-M.	293,778	9.9	36,050	56,180	61,201	67,639	41,684	22,805	6,435	1,509	359	43	---	---	---	---	---	---
5-0-M.	40,074	1.4	12,279	10,361	6,523	6,001	3,032	2,027	656	86	---	---	---	---	---	---	---	---
6-0-M.	6,631	.2	2,121	2,350	708	1,154	312	94	11	11	---	---	---	---	---	---	---	---
7-0-M.	51,441	1.7	15,388	3,782	3,413	609	144	106	9	---	---	---	---	---	---	---	---	---
8-0-M.	1,024	3/3	138	127	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-0-M.	6,184	.2	4,297	2,227	715	323	45	60	---	---	---	---	---	---	---	---	---	---
10-0-M.	10,145	.3	8,159	1,167	504	870	35	13	---	---	---	---	---	---	---	---	---	---
11-0-M.	2,122	.1	1,470	343	86	128	23	33	---	---	---	---	---	---	---	---	---	---
12-0-M.	656	2/3	---	28	12	12	---	---	---	---	---	---	---	---	---	---	---	---
Yellow Stained	941	3/3	795	86	35	25	---	---	---	---	---	---	---	---	---	---	---	---
3-0-M.	50	3/3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-M.	363	2/3	297	51	10	25	---	---	---	---	---	---	---	---	---	---	---	---
5-M.	508	3/3	473	35	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Gray	742	2/3	67	123	111	58	95	130	113	64	---	---	---	---	---	---	---	---
3-0-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-0-M.	149	3/3	51	41	---	---	---	44	---	---	---	---	---	---	---	---	---	---
5-M.	613	3/3	16	62	111	58	65	86	113	64	---	---	---	---	---	---	---	---
No grade $\frac{1}{2}$	407	2/3	129	65	98	104	11	---	---	---	---	---	---	---	---	---	---	---

See footnotes at end of table.

Table 2. - Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1930--Continued

Grade	All staple lengths		Shorter than 7/8 inch $\frac{1}{2}$	7/8 inch	39/32 inch	15/16 inch	31/32 inch	1 inch	1-1/32 inches	1-1/16 inches	1-5/32 inches	1-1/8 inches	1-5/16 inches	1-7/32 inches	1-1/4 inches and longer
	Bales	Percent													
All grades ...	11,003	100.0	---	294	631	2,547	2,216	2,746	1,232	368	27	---	---	---	---
White	5,945	62.7	---	190	399	1,694	2,014	1,637	785	217	9	---	---	---	---
1-4/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-6/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-8/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-10/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-12/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6-14/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-16/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-18/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-20/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Spotted	4,078	36.8	---	104	232	817	1,180	1,109	447	151	18	---	---	---	---
1-4/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-6/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-8/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-10/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-12/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6-14/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-16/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-18/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-20/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Flagged	60	.5	---	---	---	---	---	---	---	---	---	---	---	---	---
1-4/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-6/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-8/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-10/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-12/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6-14/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-16/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-18/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-20/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
All grades ...	13,926	100.0	60	661	155	609	699	2,075	2,977	4,263	2,037	580	---	---	---
White	10,893	78.2	60	632	117	675	807	1,635	1,656	3,258	1,850	416	---	---	---
1-4/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-6/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-8/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-10/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-12/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6-14/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-16/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-18/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-20/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Spotted	3,007	21.6	---	22	38	124	252	438	441	993	495	104	---	---	---
1-4/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-6/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-8/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-10/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-12/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6-14/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7-16/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8-18/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9-20/8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
No grade $\frac{1}{2}$	36	.2	---	---	---	---	---	---	---	---	---	---	---	---	---

$\frac{1}{2}$ Unseparable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture to the same.
 as reported by the Bureau of the Census.
 $\frac{3}{4}$ Less than 0.05 percent.
 $\frac{5}{8}$ Includes bales not otherwise classified.
 $\frac{7}{8}$ Includes Illinois and Kentucky.

ALL OTHER STATES $\frac{1}{2}$

Table 3.- Grade and staple length of American-Egyptian cotton ginned in the United States, crop of 1939

(Quantities are given in running bales)

Grade	All staple lengths		Shorter than 1-1/2 inches	1-1/2 and 1-17/32 inches	1-9/16 and 1-19/32 inches	1-5/8 and 1-21/32 inches	1-11/16 and 1-23/32 inches	1-3/4 inches and longer
	Bales	Percent	Bales	Bales	Bales	Bales	Bales	Bales
All grades	^{1/} 20,503	100.0	284	4,887	9,985	4,901	391	55
1 and 1-1/2 ..	14,866	72.5	172	2,861	7,284	4,189	317	43
2 and 2-1/2 ..	5,089	24.8	81	1,790	2,461	678	67	12
3 and 3-1/2 ..	476	2.3	10	195	230	34	7	---
4 and 4-1/2 ..	62	.3	21	31	10	---	---	---
5	10	^{2/}	---	10	---	---	---	---
Below 5	---	---	---	---	---	---	---	---

^{1/} As reported by the Bureau of the Census.^{2/} Less than 0.05 percent.Table 4.- Grade and staple length of Sea-Island cotton ginned in the United States, crop of 1938 ^{1/}

(Quantities are given in running bales)

Grade	All staple lengths		Shorter than 1-1/2 inches	1-1/2 and 1-17/32 inches	1-9/16 and 1-19/32 inches	1-5/8 and 1-21/32 inches	1-11/16 and 1-23/32 inches	1-3/4 inches and longer
	Bales	Percent	Bales	Bales	Bales	Bales	Bales	Bales
All grades	^{2/} 4,300	100.0	70	414	1,120	1,558	814	324
1 and 1-1/2 ..	1,600	37.2	2	77	329	643	378	171
2 and 2-1/2 ..	2,141	49.8	38	190	633	784	356	140
3 and 3-1/2 ..	470	10.9	29	95	125	129	79	13
4 and 4-1/2 ..	87	2.0	---	52	33	2	---	---
5 and 5-1/2 ..	2	^{3/}	1	---	---	---	1	---
6	---	---	---	---	---	---	---	---
Below 6	---	---	---	---	---	---	---	---

^{1/} The 1938 crop was classed according to standards promulgated Aug. 10, 1938, effective Aug. 10, 1939.^{2/} As reported by the Bureau of the Census.^{3/} Less than 0.05 percent.

Table 5.- Staple length of American upland cotton ginned in the United States, by States, crop of 1938
 [Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included]

State	All staple lengths $\frac{1}{2}$		Shorter than $\frac{7}{8}$ inch $\frac{2}{3}$		$\frac{7}{8}$ inch		$\frac{29}{32}$ inch		$\frac{15}{16}$ inch		$\frac{31}{32}$ inch		1 inch	
	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent
All States	11,596,418	100.0	510,350	4.4	1,055,934	9.1	249,923	2.2	1,487,720	12.8	1,635,706	14.1	1,628,760	14.1
Alabama.....	1,064,397	100.0	49,683	4.7	214,277	20.1	126,973	11.9	200,844	18.9	198,587	18.7	191,081	18.0
Arizona.....	171,385	100.0	3,100	1.8	1,294	.7	2,375	1.4	5,988	3.5	6,155	3.6	19,403	11.3
Arkansas.....	1,301,275	100.0	36,545	2.8	58,316	4.5	54,099	4.2	126,128	9.7	208,116	16.0	219,230	16.8
California.....	415,466	100.0	398	.1	5,086	1.2	5,122	1.2	7,549	1.8	6,451	1.5	6,114	1.5
Florida.....	20,078	100.0	1,375	6.9	9,949	49.6	3,564	17.7	2,728	13.5	1,380	6.9	724	3.6
Georgia.....	848,310	100.0	19,193	2.3	152,123	17.9	93,648	11.0	135,123	15.9	145,636	17.2	169,355	20.0
Louisiana.....	651,537	100.0	4,305	.7	10,559	1.6	9,209	1.4	25,724	3.9	60,367	9.3	111,507	17.1
Mississippi.....	1,655,938	100.0	5,295	.3	12,843	.7	13,490	.8	29,291	1.8	93,368	5.6	168,698	10.2
Missouri.....	329,401	100.0	2,288	.7	6,396	1.9	6,084	1.8	21,311	6.5	42,264	12.8	68,007	20.6
New Mexico.....	92,275	100.0	3,923	4.2	2,077	2.3	333	.4	1,345	1.5	955	1.0	2,037	2.2
North Carolina.....	398,467	100.0	3,206	.8	20,970	5.3	20,735	5.2	39,643	9.9	46,964	11.8	87,266	21.9
Oklahoma.....	545,196	100.0	73,380	13.5	106,655	19.6	106,760	20.0	126,427	23.2	75,354	13.8	40,002	7.3
South Carolina.....	641,675	100.0	815	.1	8,430	1.3	15,673	2.4	63,315	9.9	116,611	18.2	174,924	27.3
Tennessee.....	473,761	100.0	17,903	3.8	21,013	4.4	19,302	4.1	47,080	9.9	87,359	18.4	96,294	20.4
Texas.....	2,954,238	100.0	288,790	9.7	423,391	14.3	469,668	15.9	641,908	21.7	541,064	18.3	338,997	11.4
Virginia.....	11,083	100.0	---	---	294	2.7	651	5.7	2,547	23.0	3,218	29.0	2,746	24.8
All other $\frac{2}{3}$	13,936	100.0	60	.4	861	6.2	155	1.1	809	5.8	679	4.9	2,075	14.9

State	1-1/32 inches		1-1/16 inches		1-3/32 inches		1-1/8 inches		1-5/32 inches		1-3/16 inches		1-7/32 inches		1-1/4 inches and longer $\frac{4}{5}$	
	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent
All States	1,325,623	10.9	1,149,238	9.9	874,569	7.6	520,088	4.5	244,102	2.1	107,617	0.9	47,346	0.4	50,450	0.4
Alabama.....	58,096	5.5	16,430	1.5	2,330	.2	1,584	.1	1,620	.2	1,627	.2	859	$\frac{2}{3}$	476	$\frac{5}{8}$
Arizona.....	42,209	24.6	49,621	28.9	34,563	20.2	6,131	3.6	447	.3	108	.1	---	---	---	---
Arkansas.....	191,251	14.7	177,522	13.6	126,900	9.7	59,643	4.6	27,308	2.1	10,153	.8	3,217	.2	3,647	.3
California.....	8,011	1.9	32,744	7.9	114,063	27.5	144,580	34.8	70,519	17.0	14,090	3.4	793	.2	26	$\frac{2}{3}$
Florida.....	387	1.4	69	.3	11	.1	---	---	---	---	---	---	---	---	---	---
Georgia.....	88,673	10.4	33,815	4.0	6,662	.8	2,071	.3	765	.1	652	.1	75	$\frac{2}{3}$	19	$\frac{5}{8}$
Louisiana.....	128,021	19.7	150,234	23.1	96,428	14.8	34,902	5.3	12,201	1.9	5,138	.8	2,097	.3	935	.1
Mississippi.....	230,324	14.4	335,702	20.3	310,768	18.8	186,014	11.2	109,246	6.6	65,724	4.0	24,304	1.5	40,771	2.5
Missouri.....	72,072	21.9	67,817	20.6	31,942	9.7	9,685	2.9	1,232	.4	227	.1	76	$\frac{2}{3}$	---	---
New Mexico.....	6,122	6.6	22,975	24.9	31,572	34.2	15,517	16.8	4,733	5.2	662	.7	6	$\frac{2}{3}$	---	---
North Carolina.....	79,400	19.9	55,216	13.9	21,079	5.3	12,628	3.2	3,988	1.0	2,939	.7	1,195	.3	1,238	.3
Oklahoma.....	10,018	1.8	2,323	.4	262	$\frac{2}{3}$	15	$\frac{2}{3}$	---	---	---	---	---	---	---	---
South Carolina.....	128,458	20.0	68,822	10.7	25,959	4.1	18,973	2.9	7,823	1.2	6,135	1.0	2,701	.4	3,138	.5
Tennessee.....	80,727	17.0	65,351	13.8	27,903	5.9	8,563	1.8	1,214	.4	71	$\frac{2}{3}$	---	---	---	---
Texas.....	130,455	4.4	65,956	2.2	43,033	1.4	19,082	.6	1,586	.1	91	$\frac{2}{3}$	25	$\frac{2}{3}$	---	---
Virginia.....	1,252	11.3	368	3.3	27	.2	---	---	---	---	---	---	---	---	---	---
All other $\frac{2}{3}$	2,277	16.4	4,263	30.6	2,037	14.6	580	3.7	---	---	---	---	---	---	---	---

$\frac{1}{2}$ As reported by the Bureau of the Census.

$\frac{2}{3}$ Unreliable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder. Of the 310,250 bales shorter than $\frac{7}{8}$ -inch cotton, 21,182 or 6.8 percent, were shorter than $\frac{13}{16}$ inch.

$\frac{3}{4}$ Includes Illinois and Kentucky.

$\frac{4}{5}$ Of the 50,450 bales of cotton $\frac{1}{4}$ inches and longer, 25,676, or 51 percent, were longer than 1-9/32 inches.

$\frac{5}{8}$ Less than 0.05 percent.

Table 6.- Average staple length ^{1/} of American upland cotton ginned in the United States, by States and districts ^{2/} thereof, crop of 1938

State and district ^{2/}	Thirty-second inches	State and district ^{2/}	Thirty-second inches
United States.....	32.19	New Mexico.....	34.69
Alabama.....	30.64	North Carolina.....	32.67
District 1.....	31.08	District 1.....	32.02
District 2.....	31.31	District 2.....	33.50
District 3.....	30.79	District 3.....	33.24
District 4.....	30.10	District 4.....	32.53
District 5.....	31.05		
District 6.....	30.03	Oklahoma.....	29.79
Arizona.....	33.81	District 1.....	29.46
Arkansas.....	32.78	District 2.....	30.17
District 1.....	27.75	District 3.....	30.42
District 2.....	30.70	District 4.....	30.87
District 3.....	31.50	District 5.....	28.79
District 4.....	33.34	South Carolina.....	32.83
District 5.....	32.80	District 1.....	32.53
California.....	35.81	District 2.....	32.99
Florida.....	29.29	District 3.....	33.27
Georgia.....	31.07	District 4.....	32.46
District 1.....	31.77	Tennessee.....	32.33
District 2.....	31.99	District 1.....	32.65
District 3.....	30.17	District 2.....	29.55
District 4.....	30.12	District 3.....	31.15
Louisiana.....	33.68	Texas.....	30.46
District 1.....	32.30	District 1-N....	29.76
District 2.....	33.11	District 1-S....	28.83
District 3.....	34.27	District 2.....	29.27
District 4.....	32.73	District 3.....	28.71
Mississippi.....	34.82	District 4.....	30.71
District 1.....	36.08	District 5.....	30.65
District 2.....	33.77	District 6.....	34.93
District 3.....	33.34	District 7.....	30.82
Missouri.....	33.13	District 8.....	31.26
		District 9.....	32.01
		District 10....	31.61
		Virginia.....	31.66
		All other ^{3/}	33.38

^{1/} Average calculated by multiplying the number of bales in each length group by the midpoint of the group expressed in thirty-seconds of an inch (for example, $15/16 = 30.5$), summing, and dividing by the total number of bales. In making the calculations, the midpoints of the groups "shorter than $7/8$ inch" and " $1-1/4$ inches and longer" were considered to be 27.0 and 41.0, respectively. Averages can be converted to inches by dividing by 32.

Regulations provide that fractions of less than a thirty-second of an inch are to be disregarded by Government classers in their staple-length designations. (United States Department of Agriculture, Bureau of Agricultural Economics. Service and Regulatory Announcements No. 92, page 9 and Handbook for Licensed Classers, September 1936).

^{2/} Boundaries of districts are shown in figures 1 - 10.

^{3/} Includes Illinois and Kentucky.

Table 7.- Average staple length of American upland cotton ginned in the United States, by States, crops of 1928-36

State	1928 $\frac{1}{2}$	1929 $\frac{1}{2}$	1930 $\frac{1}{2}$	1931 $\frac{1}{2}$	1932 $\frac{1}{2}$	1933 $\frac{1}{2}$	1934 $\frac{1}{2}$	1935 $\frac{1}{2}$	1936 $\frac{1}{2}$	1937 $\frac{1}{2}$	1938 $\frac{1}{2}$
	Thirty-second inches	Thirty-second inches	Thirty-second inches	Thirty-second inches	Thirty-second inches	Thirty-second inches	Thirty-second inches	Thirty-second inches	Thirty-second inches	Thirty-second inches	Thirty-second inches
All States.....	30.36	30.22	30.44	30.88	30.90	31.10	31.16	30.94	31.04	31.10	32.19
Alabama.....	28.60	28.15	28.38	29.15	29.08	29.30	29.06	28.68	29.06	29.58	30.64
Arizona.....	33.02	32.74	32.72	33.28	33.80	33.76	34.10	33.82	34.18	34.54	35.61
Arkansas.....	31.24	30.92	31.34	32.16	32.48	32.86	32.34	31.98	31.88	31.54	32.78
California.....	33.04	33.70	34.74	34.68	35.32	34.82	35.60	35.08	35.22	36.00	35.81
Florida.....	29.20	28.38	28.86	29.20	28.82	29.16	29.18	28.66	29.50	29.34	29.29
Georgia.....	29.18	28.82	29.10	29.45	29.60	29.64	30.25	30.36	30.84	30.60	31.07
Louisiana.....	30.92	30.96	31.22	31.92	31.42	32.20	31.48	32.26	32.86	31.76	32.68
Mississippi.....	32.90	33.02	32.54	33.84	33.88	34.58	34.56	33.64	34.06	33.30	34.82
Missouri.....	31.36	31.24	30.50	30.88	31.66	31.58	31.38	31.14	30.74	30.78	33.13
New Mexico.....	33.28	33.26	33.98	33.22	33.94	33.76	35.00	34.60	34.06	34.58	34.69
North Carolina.....	29.38	29.50	30.15	30.58	31.16	30.62	31.52	31.30	32.14	31.62	32.67
Oklahoma.....	30.18	29.20	29.84	29.88	29.78	30.48	28.98	29.38	28.86	29.26	29.79
South Carolina.....	30.32	30.04	30.98	31.10	31.96	31.40	32.20	32.08	32.72	31.68	32.83
Tennessee.....	29.68	30.08	30.06	30.40	31.24	30.90	30.38	30.04	30.70	30.60	32.33
Texas.....	29.98	29.72	30.28	30.16	29.96	30.32	29.54	29.74	29.58	29.42	30.45
Virginia.....	29.10	29.34	29.30	29.84	29.70	29.38	29.68	30.58	30.80	30.26	31.66
All other $\frac{3}{2}$	34.16	34.74	32.10	31.92	32.38	32.04	32.32	31.36	32.18	32.02	33.38

$\frac{1}{2}$ Averages expressed in sixteenths of an inch are published in table 9 of a multilithed report entitled "Grade, Staple Length, and Tenderability of Cotton in the United States, 1928-29 to 1937-38", issued in October, 1938. For purposes of comparison, these averages have been converted to thirty-seconds of an inch by multiplying them by 2.

$\frac{3}{2}$ See footnote 1, table 6.

$\frac{3}{2}$ Includes Illinois, Kansas, and Kentucky.

Table 8.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1938

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

UNITED STATES

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	Bales	Bales	Bales	Bales	Bales	Bales
All grades <u>2/</u>	11,598,418	6,570,109	3,540,283	1,100,837	318,635	68,554
Extra White	408,777	1,451	109,978	235,730	55,774	5,844
3-G.M.	69,233	41	30,929	37,425	836	---
4-S.M.	245,377	125	71,719	159,520	13,946	67
5-M.	75,707	305	7,147	38,040	29,303	912
6-S.L.M.	14,031	29	104	497	10,319	3,082
7-L.M.	2,668	918	79	214	855	602
8-S.G.O. <u>3/</u>	1,429	33	---	34	404	958
9-G.O. <u>3/</u>	332	---	---	---	109	223
White	8,592,778	5,273,078	2,534,016	631,775	136,380	17,529
1-M.F.	---	---	---	---	---	---
2-S.G.M.	356	255	101	---	---	---
3-C.M.	245,340	187,730	55,751	1,670	171	18
4-S.M.	2,098,488	1,588,893	463,667	39,283	6,022	623
5-M.	3,702,809	2,349,408	1,095,860	221,797	32,172	3,572
6-S.L.M.	2,146,979	1,031,515	778,878	283,166	47,242	6,178
7-L.M.	343,746	109,937	135,237	71,105	23,688	3,779
8-S.C.O. <u>3/</u>	39,400	5,190	4,395	12,930	14,851	2,034
9-C.C. <u>3/</u>	15,660	150	127	1,824	12,234	1,325
Spotted	2,544,450	1,288,122	892,919	226,175	105,148	32,086
3-G.M.	67,555	38,699	20,553	6,478	1,813	12
4-S.M.	1,364,506	759,453	515,519	71,631	16,635	1,268
5-M.	974,703	457,594	331,436	128,131	48,633	8,909
6-S.L.M. <u>3/</u>	102,314	30,869	23,816	17,492	25,653	4,484
7-L.M. <u>3/</u>	35,372	1,507	1,595	2,443	12,414	17,413
Tinged	35,082	5,050	1,952	6,390	16,665	5,025
3-G.M.	1,381	333	523	339	177	9
4-S.M.	13,364	2,785	802	4,045	5,546	186
5-M. <u>3/</u>	12,981	1,301	392	1,793	8,637	858
6-S.L.M. <u>3/</u>	3,045	536	191	138	1,479	701
7-L.M. <u>3/</u>	4,311	95	44	75	826	3,271
Yellow Stained	1,192	194	---	68	752	178
3-G.M.	69	19	---	---	48	2
4-S.M. <u>3/</u>	579	175	---	53	336	15
5-M. <u>3/</u>	544	---	---	15	366	161
Gray	3,099	1,120	1,236	530	207	6
3-C.M.	396	166	203	27	---	---
4-S.M.	1,510	425	618	294	168	5
5-M. <u>3/</u>	1,193	529	415	209	39	1
No grade <u>3/ 4/</u>	13,040	1,094	182	169	3,709	7,886

See footnotes at end of table.

Table 6.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1938 - Continued

ALABAMA						
Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	Sales	Sales	Sales	Sales	Sales	Sales
All grades 3/	1,064,397	612,867	364,588	71,504	13,451	1,997
Extra White	192	28	75	89	---	---
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---
5-M.	---	---	---	---	---	---
6-S.L.M.	36	---	36	---	---	---
7-L.M.	156	28	39	89	---	---
8-S.G.O. 3/	---	---	---	---	---	---
9-G.O. 3/	---	---	---	---	---	---
White	869,598	489,329	316,782	52,942	9,258	1,287
1-M.F.	---	---	---	---	---	---
2-S.G.M.	21	---	21	---	---	---
3-G.M.	4,280	1,184	2,913	183	---	---
4-S.M.	159,721	98,981	57,270	3,344	126	30
5-M.	525,358	309,055	192,671	21,473	1,780	379
6-S.L.M.	165,690	75,687	62,068	24,353	3,155	437
7-L.M.	11,274	4,372	1,788	3,017	1,890	207
8-S.G.O. 3/	1,449	80	61	390	632	86
9-G.O. 3/	1,805	---	---	182	1,475	146
Spotted	191,477	121,071	47,571	16,342	3,622	671
3-G.M.	857	567	265	22	2	1
4-S.M.	96,996	64,259	26,801	5,442	368	126
5-M.	89,396	54,349	20,212	11,660	1,810	365
6-S.L.M. 3/	4,761	1,837	293	1,106	1,374	151
7-L.M. 3/	467	59	---	112	268	28
Tinged	2,897	2,304	160	131	273	29
3-G.M.	61	45	16	---	---	---
4-S.M.	1,895	1,647	128	48	65	7
5-M. 3/	792	580	16	60	123	13
6-S.L.M. 3/	62	32	---	---	27	3
7-L.M. 3/	87	---	---	23	58	6
Yellow Stained	56	45	---	---	19	2
3-G.M.	---	---	---	---	---	---
4-S.M. 3/	45	45	---	---	---	---
5-M. 3/	21	---	---	---	19	2
No grade 3/ 4/	167	80	---	---	79	8

ARIZONA						
	Total crop	Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	Sales	Sales	Sales	Sales	Sales	Sales
All grades 3/	171,355	42,665	40,396	40,945	33,844	13,535
Extra White	68,816	121	13,040	31,543	19,548	4,504
3-G.M.	19,145	34	7,475	10,632	804	---
4-S.M.	30,881	79	5,386	19,697	5,718	1
5-M.	10,328	8	142	1,003	8,486	689
6-S.L.M.	6,569	---	37	11	3,918	2,603
7-L.M.	954	---	---	---	405	549
8-S.G.O. 3/	844	---	---	---	203	641
9-G.O. 3/	95	---	---	---	14	81
White	75,366	41,729	24,516	1,999	6,653	469
1-M.F.	---	---	---	---	---	---
2-S.G.M.	10	10	---	---	---	---
3-G.M.	16,097	7,669	8,291	126	11	---
4-S.M.	45,441	27,787	15,018	1,862	1,104	---
5-M.	12,048	5,783	1,160	298	4,521	289
6-S.L.M.	1,807	504	13	---	810	180
7-L.M.	158	6	34	16	102	---
8-S.G.O. 3/	105	---	---	---	105	---
9-G.O. 3/	---	---	---	---	---	---
Spotted	23,837	815	2,840	7,364	7,501	5,317
3-G.M.	2,520	8	396	2,046	73	---
4-S.M.	10,272	588	2,145	4,895	2,498	146
5-M.	6,433	222	175	293	3,242	2,501
6-S.L.M. 3/	1,836	---	124	40	1,164	518
7-L.M. 3/	2,776	---	---	90	534	2,152
Tinged	22	---	---	---	22	---
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---
5-M. 3/	22	---	---	---	22	---
6-S.L.M. 3/	---	---	---	---	---	---
7-L.M. 3/	---	---	---	---	---	---
No grade 3/ 4/	3,344	---	---	39	120	3,185

See footnotes at end of table.

Table 8.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1938 - Continued

ARKANSAS

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	Bales	Bales	Bales	Bales	Bales	Bales
All grades 2/	1,301,275	787,759	416,442	78,046	17,588	1,440
White	1,076,720	678,192	313,640	69,018	14,499	1,371
1-M.F.	---	---	---	---	---	---
2-S.G.M.	20	20	---	---	---	---
3-G.M.	13,768	11,945	1,685	230	---	---
4-S.M.	164,788	137,880	25,929	2,890	90	9
5-M.	434,020	321,318	98,453	13,620	502	127
6-S.L.M.	396,656	196,619	162,962	34,331	2,686	86
7-L.M.	54,522	10,190	26,008	14,317	3,868	139
8-S.G.O. 3/	8,174	204	705	3,424	3,559	282
9-G.O. 3/	4,782	16	---	216	3,824	726
Spotted	222,767	109,247	102,215	8,798	2,443	64
3-G.M.	8,332	3,596	4,451	265	---	---
4-S.M.	145,005	75,083	68,503	3,177	232	10
5-M.	65,023	31,182	28,262	4,567	1,000	42
6-S.L.M. 3/	3,887	1,340	1,009	742	786	11
7-L.M. 3/	520	66	---	27	426	1
Tinged	719	271	208	41	194	5
3-G.M.	223	146	77	---	---	---
4-S.M.	286	73	100	41	68	4
5-M. 3/	81	52	16	---	12	1
6-S.L.M. 3/	129	---	15	---	114	---
7-L.M. 3/	---	---	---	---	---	---
Gray	635	29	379	189	38	---
3-G.M.	92	---	65	27	---	---
4-S.M.	434	29	205	162	38	---
5-M. 3/	109	---	109	---	---	---
No grade 3/ 4/	434	20	---	---	414	---

CALIFORNIA

All grades 2/	415,466	10,769	135,527	177,053	62,662	26,655
Extra White	284,898	46	79,463	171,295	32,949	1,143
3-G.M.	39,616	7	19,922	19,753	34	---
4-S.M.	182,019	41	55,318	118,712	7,882	66
5-M.	56,230	---	4,323	32,509	19,175	223
6-S.L.M.	6,197	---	---	308	5,410	479
7-L.M.	350	---	---	13	331	6
8-S.G.O. 3/	277	---	---	---	50	227
9-G.O. 3/	209	---	---	---	67	142
White	80,403	10,441	57,879	852	10,930	301
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	11,444	1,651	9,776	---	17	---
4-S.M.	54,275	8,009	44,145	391	1,700	30
5-M.	13,129	781	3,916	461	7,633	138
6-S.L.M.	1,426	---	29	---	1,323	74
7-L.M.	56	---	13	---	40	3
8-S.G.O. 3/	---	---	---	---	---	---
9-G.O. 3/	73	---	---	---	17	56
Spotted	42,270	280	985	4,906	17,667	18,412
3-G.M.	2,702	---	152	1,026	1,521	3
4-S.M.	10,476	280	812	3,754	5,468	172
5-M.	8,170	---	21	119	4,605	3,425
6-S.L.M. 3/	2,851	---	---	7	1,665	1,179
7-L.M. 3/	18,071	---	---	---	4,438	13,633
Tinged	3,281	---	---	---	351	2,930
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---
5-M. 3/	202	---	---	---	117	85
6-S.L.M. 3/	50	---	---	---	50	---
7-L.M. 3/	3,029	---	---	---	184	2,845
No grade 3/ 4/	4,614	---	---	---	745	3,869

See footnotes at end of table.

Table 8.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1938 - Continued

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
		Bales	Bales	Bales	Bales	Bales
All grades 2/	20,078	18,918	930	210	13	10
White	10,291	10,063	199	28	1	---
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M.	2,735	2,713	22	---	---	---
5-M.	5,896	5,821	58	16	1	---
6-S.L.M.	1,368	1,290	80	8	---	---
7-L.M.	270	227	39	4	---	---
8-S.G.O. 3/	22	22	---	---	---	---
9-G.O. 3/	---	---	---	---	---	---
Spotted	9,776	8,841	731	182	12	10
3-G.M.	4	---	4	---	---	---
4-S.M.	5,131	4,911	212	8	---	---
5-M.	4,404	3,746	460	168	11	9
6-S.L.M. 3/	226	173	36	16	1	1
7-L.M. 3/	11	11	---	---	---	---
Tinged	11	11	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---
5-M. 3/	---	---	---	---	---	---
6-S.L.M. 3/	11	11	---	---	---	---
7-L.M. 3/	---	---	---	---	---	---

GEORGIA

All grades 2/	848,810	569,270	213,427	60,016	12,790	2,807
Extra White	1,036	952	40	44	---	---
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---
5-M.	29	29	---	---	---	---
6-S.L.M.	974	890	40	44	---	---
7-L.M.	33	33	---	---	---	---
8-S.G.O. 3/	---	---	---	---	---	---
9-G.O. 3/	---	---	---	---	---	---
White	683,983	455,430	177,119	39,608	9,650	2,276
1-M.F.	80	---	80	---	---	---
2-S.G.M.	18,937	6,080	12,281	469	100	17
3-G.M.	187,710	108,001	43,461	5,908	304	49
4-S.M.	346,283	246,642	80,420	15,717	2,869	645
5-M.	141,173	83,715	35,626	15,499	5,164	1,169
6-S.L.M.	18,371	10,126	4,969	1,904	995	377
7-L.M.	1,249	614	234	106	83	13
8-S.G.O. 3/	180	52	58	19	46	6
9-G.O. 3/	---	---	---	---	---	---
Spotted	161,444	111,606	36,969	10,276	3,172	522
3-G.M.	1,392	723	609	60	---	---
4-S.M.	86,518	62,962	18,227	3,782	609	76
5-M.	70,289	46,614	15,984	6,064	2,092	345
6-S.L.M. 3/	4,011	1,928	1,029	410	548	96
7-L.M. 3/	234	86	120	---	23	3
Tinged	1,676	1,261	260	88	68	9
3-G.M.	19	19	---	---	---	---
4-S.M.	947	658	160	88	45	6
5-M. 3/	509	436	73	---	---	---
6-S.L.M. 3/	160	133	27	---	---	---
7-L.M. 3/	41	15	---	---	23	3
Yellow Stained	49	49	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M. 3/	49	49	---	---	---	---
5-M. 3/	---	---	---	---	---	---
No grade 3/ 4/	122	73	49	---	---	---

See footnotes at end of table.

Table 8.- Grade of American upland cotton ginned in the United States during specified periods, $\frac{3}{4}$ by States, crop of 1938 - Continued

LOUISIANA						
Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
All grades $\frac{2}{4}$	661,637	514,553	129,127	6,781	756	340
White	355,636	306,699	45,986	2,367	400	184
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	2,546	2,511	24	11	---	---
4-S.M.	54,606	53,208	1,285	104	8	1
5-M.	127,662	122,988	4,228	339	74	23
6-S.L.M.	134,469	106,421	26,950	921	104	73
7-L.M.	33,990	20,267	12,679	902	97	45
8-S.G.O. $\frac{3}{4}$	2,259	1,279	771	90	88	31
9-G.O. $\frac{3}{4}$	114	25	49	---	29	11
Spotted	294,977	207,231	82,631	4,403	366	156
3-G.M.	9,272	7,092	1,946	234	1	---
4-S.M.	144,348	103,818	38,326	2,073	88	43
5-M.	121,509	82,648	37,068	1,698	58	37
6-S.L.M. $\frac{3}{4}$	19,114	13,103	5,411	354	180	66
7-L.M. $\frac{3}{4}$	734	570	81	44	29	10
Tinged	655	334	310	11	---	---
3-G.M.	209	67	142	---	---	---
4-S.M.	271	140	120	11	---	---
5-M. $\frac{3}{4}$	149	113	36	---	---	---
6-S.L.M. $\frac{3}{4}$	26	14	12	---	---	---
7-L.M. $\frac{3}{4}$	---	---	---	---	---	---
Gray	38	38	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M.	26	26	---	---	---	---
5-M. $\frac{3}{4}$	12	12	---	---	---	---
No grade $\frac{3}{4}$ /	231	231	---	---	---	---

MISSISSIPPI						
All grades $\frac{2}{4}$	1,655,938	1,073,164	513,266	63,996	4,433	1,079
White	1,179,234	804,906	319,749	50,109	3,648	822
1-M.F.	---	---	---	---	---	---
2-S.G.M.	106	105	---	---	---	---
3-G.M.	44,368	43,499	665	204	---	---
4-S.M.	236,082	217,761	15,809	1,970	413	109
5-M.	406,342	309,266	84,077	11,761	976	243
6-S.L.M.	404,296	210,566	167,564	24,362	1,468	336
7-L.M.	86,970	23,499	51,132	11,476	736	128
8-S.G.O. $\frac{3}{4}$	1,051	170	502	316	57	6
9-G.O. $\frac{3}{4}$	20	---	---	20	---	---
Spotted	474,130	267,204	192,283	13,601	766	257
3-G.M.	27,626	18,818	8,196	591	19	2
4-S.M.	292,143	169,772	114,792	7,216	265	98
5-M.	146,118	74,351	66,934	5,368	348	107
6-S.L.M. $\frac{3}{4}$	7,917	3,971	3,346	397	153	50
7-L.M. $\frac{3}{4}$	326	262	15	29	---	---
Tinged	598	84	514	---	---	---
3-G.M.	258	---	258	---	---	---
4-S.M.	190	36	154	---	---	---
5-M. $\frac{3}{4}$	131	48	83	---	---	---
6-S.L.M. $\frac{3}{4}$	19	---	19	---	---	---
7-L.M. $\frac{3}{4}$	---	---	---	---	---	---
Yellow Stained	81	81	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M. $\frac{3}{4}$	81	81	---	---	---	---
5-M. $\frac{3}{4}$	---	---	---	---	---	---
Gray	1,547	541	720	286	---	---
3-G.M.	304	166	136	---	---	---
4-S.M.	824	312	398	114	---	---
5-M. $\frac{3}{4}$	419	63	184	172	---	---
No grade $\frac{3}{4}$ /	348	348	---	---	---	---

See footnotes at end of table.

Table 8.- Grade of American upland cotton ginned in the United States during specified periods, $\frac{1}{2}$ by States, crop of 1938 - Continued

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
		Sales	Sales	Sales	Sales	Sales
All grades $\frac{2}{2}$	329,401	168,072	124,219	25,067	11,472	581
White	254,460	133,671	87,048	22,330	10,620	581
1-M.F.	---	---	---	---	---	---
2-S.O.M.	---	---	---	---	---	---
3-G.M.	116	57	59	---	---	---
4-S.M.	8,102	5,470	2,010	622	---	---
5-M.	61,303	43,181	16,289	1,757	76	---
6-S.L.M.	136,467	70,047	57,000	8,976	454	---
7-L.M.	34,634	18,021	11,396	6,796	1,432	---
8-S.O.O. $\frac{3}{2}$	8,501	95	---	3,221	4,480	410
9-C.O. $\frac{3}{2}$	5,337	---	---	968	4,198	171
Spotted	74,219	34,030	37,171	2,544	474	---
3-G.M.	989	286	686	18	---	---
4-S.M.	37,068	17,376	19,198	494	---	---
5-M.	33,678	18,164	16,779	1,675	170	---
6-S.L.M. $\frac{3}{2}$	2,167	1,196	508	292	171	---
7-L.M. $\frac{3}{2}$	317	19	---	166	133	---
Tinged	149	57	---	54	38	---
3-G.M.	38	38	---	---	---	---
4-S.M.	---	---	---	---	---	---
5-M. $\frac{3}{2}$	19	19	---	---	---	---
6-S.L.M. $\frac{3}{2}$	36	---	---	36	---	---
7-L.M. $\frac{3}{2}$	56	---	---	18	38	---
Yellow Stained	19	19	---	---	---	---
3-G.M.	19	19	---	---	---	---
4-S.M. $\frac{3}{2}$	---	---	---	---	---	---
5-M. $\frac{3}{2}$	---	---	---	---	---	---
Gray	75	---	---	18	57	---
3-G.M.	---	---	---	---	---	---
4-S.M.	56	---	---	18	38	---
5-M. $\frac{3}{2}$	19	---	---	---	19	---
No grade $\frac{3}{2}$ / $\frac{4}{2}$	489	95	---	111	283	---

NEW MEXICO

All grades $\frac{2}{2}$	92,275	11,066	41,365	27,663	11,116	1,076
Extra White	35,910	5	13,441	20,566	1,813	86
3-G.M.	8,405	---	2,983	5,422	---	---
4-S.M.	20,825	5	8,082	12,544	194	---
5-M.	5,572	---	2,345	2,427	800	---
6-S.L.M.	661	---	31	94	536	---
7-L.M.	170	---	---	45	104	21
8-S.O.O. $\frac{3}{2}$	249	---	---	34	151	64
9-C.O. $\frac{3}{2}$	28	---	---	---	28	---
White	40,280	10,806	24,996	3,206	1,175	---
1-M.F.	---	---	---	---	---	---
2-S.O.M.	---	---	---	---	---	---
3-G.M.	6,947	879	6,066	12	---	---
4-S.M.	27,184	8,651	16,376	2,085	73	---
5-M.	6,795	1,317	2,506	1,041	931	---
6-S.L.M.	271	58	58	67	88	---
7-L.M.	54	---	---	---	54	---
8-S.O.O. $\frac{3}{2}$	22	---	---	---	22	---
9-C.O. $\frac{3}{2}$	7	---	---	---	7	---
Spotted	13,444	166	2,919	3,829	6,117	423
3-G.M.	1,166	---	330	789	47	---
4-S.M.	5,594	148	2,282	2,148	988	21
5-M.	1,704	8	301	591	755	49
6-S.L.M. $\frac{3}{2}$	1,812	---	6	246	1,533	28
7-L.M. $\frac{3}{2}$	3,178	---	---	56	2,797	325
Tinged	305	---	---	63	235	7
3-G.M.	12	---	---	12	---	---
4-S.M.	28	---	---	28	---	---
5-M. $\frac{3}{2}$	50	---	---	6	44	---
6-S.L.M. $\frac{3}{2}$	102	---	---	17	85	---
7-L.M. $\frac{3}{2}$	113	---	---	---	106	7
No grade $\frac{3}{2}$ / $\frac{4}{2}$	2,336	---	---	---	1,775	561

See footnotes at end of table.

Table 8.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1938 - Continued

NORTH CAROLINA

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	Sales	Sales	Sales	Sales	Sales	Sales
All grades 2/	398,467	74,377	179,068	103,846	35,821	5,355
Extra White	18	---	---	---	18	---
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---
5-M.	18	---	---	---	18	---
6-S.L.M.	---	---	---	---	---	---
7-L.M.	---	---	---	---	---	---
8-S.G.O. 3/	---	---	---	---	---	---
9-G.O. 3/	---	---	---	---	---	---
White	340,799	67,574	159,302	84,226	25,759	3,958
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	4,252	1,446	2,612	150	43	1
4-S.M.	59,590	20,684	32,966	4,643	1,093	204
5-M.	130,560	32,442	63,998	27,231	6,266	623
6-S.L.M.	126,681	12,000	52,506	46,393	14,463	1,299
7-L.M.	18,718	910	7,045	5,716	3,636	1,411
8-S.G.O. 3/	998	92	175	93	238	400
9-G.O. 3/	---	---	---	---	---	---
Spotted	57,494	6,764	19,754	19,606	9,964	1,417
3-G.M.	137	36	91	11	---	---
4-S.M.	16,269	3,233	6,680	4,237	1,002	117
5-M.	37,949	3,399	12,693	14,832	6,523	502
6-S.L.M. 3/	3,578	57	290	525	2,083	623
7-L.M. 3/	561	40	---	---	346	175
Tinged	105	---	---	15	90	---
3-G.M.	---	---	---	---	---	---
4-S.M.	36	---	---	---	36	---
5-M. 3/	69	---	---	15	54	---
6-S.L.M. 3/	---	---	---	---	---	---
7-L.M. 3/	---	---	---	---	---	---
No grade 3/ 4/	51	39	12	---	---	---

OKLAHOMA

All grades 2/	545,196	244,329	243,726	47,351	9,162	628
White	478,789	223,206	219,334	33,267	2,644	239
1-M.F.	---	---	---	---	---	---
2-S.G.M.	13	13	---	---	---	---
3-G.M.	16,022	14,252	1,692	78	---	---
4-S.M.	166,702	103,941	60,417	2,242	94	8
5-M.	234,384	89,697	129,695	14,713	242	37
6-S.L.M.	47,073	11,121	23,562	11,146	1,183	61
7-L.M.	11,618	3,339	3,528	3,883	806	62
8-S.G.O. 3/	2,835	617	428	1,228	291	71
9-G.O. 3/	142	25	12	77	28	---
Spotted	64,689	20,950	24,321	13,423	5,649	346
3-G.M.	730	467	156	87	---	---
4-S.M.	38,159	16,382	17,914	4,191	639	33
5-M.	21,402	4,832	5,796	6,969	3,614	189
6-S.L.M. 3/	3,867	211	406	1,832	1,286	122
7-L.M. 3/	541	38	47	344	110	2
Tinged	1,569	150	24	546	809	40
3-G.M.	12	---	12	---	---	---
4-S.M.	831	37	---	273	496	26
5-M. 3/	597	24	12	258	279	14
6-S.L.M. 3/	101	61	---	15	35	---
7-L.M. 3/	38	38	---	---	---	---
Yellow Stained	36	---	---	15	20	1
3-G.M.	---	---	---	---	---	---
4-S.M. 3/	21	---	---	---	20	1
5-M. 3/	15	---	---	15	---	---
Gray	42	---	---	---	40	2
3-G.M.	---	---	---	---	---	---
4-S.M.	21	---	---	---	20	1
5-M. 3/	21	---	---	---	20	1
No grade 3/ 4/	71	24	47	---	---	---

See footnotes at end of table.

Table 8.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1938 - Continued

SOUTH CAROLINA						
Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	Bales	Bales	Bales	Bales	Bales	Bales
All grades 2/.....	641,675	358,693	214,407	49,028	15,622	3,925
Extra White	46	---	---	46	---	---
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---
5-M.	---	---	---	---	---	---
6-S.L.M.	23	---	---	23	---	---
7-L.M.	23	---	---	23	---	---
8-S.G.O. 3/.....	---	---	---	---	---	---
9-G.O. 3/.....	---	---	---	---	---	---
White	551,038	309,682	188,624	37,688	11,932	3,112
1-M.F.	---	---	---	---	---	---
2-S.G.M.	27	27	---	---	---	---
3-G.M.	7,215	4,607	2,581	27	---	---
4-S.M.	150,230	112,283	34,779	2,388	623	157
5-M.	275,653	155,264	101,533	18,869	2,421	566
6-S.L.M.	107,212	36,597	45,718	17,171	6,210	1,516
7-L.M.	9,551	904	3,945	2,196	1,966	540
8-S.G.O. 3/.....	1,160	---	68	37	712	333
9-G.O. 3/.....	---	---	---	---	---	---
Spotted	90,377	48,851	25,729	11,294	3,690	813
3-G.M.	1,100	935	165	---	---	---
4-S.M.	56,257	35,814	15,270	4,031	901	241
5-M.	31,579	11,888	9,944	6,991	2,280	476
6-S.L.M. 3/.....	1,365	214	350	272	445	84
7-L.M. 3/.....	76	---	---	---	64	12
Tinged	196	142	54	---	---	---
3-G.M.	36	18	18	---	---	---
4-S.M.	160	124	36	---	---	---
5-M. 3/.....	---	---	---	---	---	---
6-S.L.M. 3/.....	---	---	---	---	---	---
7-L.M. 3/.....	---	---	---	---	---	---
No grade 3/ 4/.....	18	18	---	---	---	---

TENNESSEE						
Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	Bales	Bales	Bales	Bales	Bales	Bales
All grades 2/.....	473,761	169,174	226,221	59,144	18,067	1,155
White	331,287	121,111	154,724	45,319	9,575	558
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	2,146	1,908	168	70	---	---
4-S.M.	33,064	18,523	12,210	2,289	38	4
5-M.	146,001	62,630	68,220	14,374	726	51
6-S.L.M.	132,315	36,881	70,391	22,695	2,199	149
7-L.M.	12,001	1,153	3,721	5,080	1,940	107
8-S.G.O. 3/.....	3,396	16	14	728	2,506	132
9-G.O. 3/.....	2,364	---	---	83	2,166	115
Spotted	140,924	47,856	71,377	13,542	7,622	527
3-G.M.	3,932	1,745	1,931	256	---	---
4-S.M.	93,754	32,809	55,719	4,546	629	51
5-M.	39,201	12,596	13,283	7,790	5,187	346
6-S.L.M. 3/.....	3,403	653	428	876	1,349	97
7-L.M. 3/.....	634	54	16	74	457	33
Tinged	1,178	101	120	283	619	55
3-G.M.	29	---	---	29	---	---
4-S.M.	536	70	100	230	125	11
5-M. 3/.....	225	---	20	16	173	16
6-S.L.M. 3/.....	97	13	---	---	76	8
7-L.M. 3/.....	291	18	---	8	245	20
No grade 3/ 4/.....	372	106	---	---	251	15

See footnotes at end of table.

Table 8.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1938 - Continued

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
		Bales	Bales	Bales	Bales	Bales
All grades 2/	2,964,236	1,909,113	684,744	293,855	69,050	7,476
Extra White	17,861	297	3,919	12,147	1,446	52
3-G.M.	2,067	---	649	1,418	---	---
4-S.M.	11,652	---	2,933	8,667	182	---
5-M.	3,889	297	337	2,101	624	---
6-S.L.M.	516	---	---	61	456	---
7-L.M.	41	---	---	---	15	26
8-S.G.O. 3/	26	---	---	---	---	26
9-G.O. 3/	---	---	---	---	---	---
White	2,247,066	1,605,897	437,092	164,124	17,692	2,061
1-M.F.	---	---	---	---	---	---
2-S.G.M.	80	80	---	---	---	---
3-G.M.	97,212	90,042	7,060	120	---	---
4-S.M.	777,893	654,913	103,798	8,819	344	22
5-M.	975,141	642,397	247,459	82,167	2,786	333
6-S.L.M.	339,368	187,276	69,711	74,679	7,070	630
7-L.M.	49,294	19,554	7,927	15,106	5,896	731
8-S.G.O. 3/	7,596	1,601	1,142	2,966	1,625	262
9-G.O. 3/	482	32	8	187	172	63
Spotted	678,540	302,048	243,210	92,317	34,931	3,034
3-G.M.	6,796	4,411	1,176	1,063	150	6
4-S.M.	327,261	174,760	127,916	21,464	2,989	132
5-M.	293,778	116,616	102,497	57,944	16,306	516
6-S.L.M. 3/	40,674	6,093	10,306	10,354	12,734	1,368
7-L.M. 3/	6,831	268	1,316	1,602	2,763	992
Tinged	21,661	335	312	5,158	13,954	1,902
3-G.M.	484	---	---	298	177	9
4-S.M.	8,184	---	14	3,326	4,712	132
5-M. 3/	10,145	29	136	1,438	7,813	729
6-S.L.M. 3/	2,192	262	118	70	1,080	642
7-L.M. 3/	656	24	44	26	172	390
Yellow Stained	941	---	---	53	713	176
3-G.M.	50	---	---	---	48	2
4-S.M. 3/	353	---	---	53	316	14
5-M. 3/	508	---	---	---	349	159
Gray	762	512	137	37	72	4
3-G.M.	---	---	---	---	---	---
4-S.M.	149	58	15	---	72	4
5-M. 3/	613	454	122	37	---	---
No grade 3/ 4/	407	24	74	19	42	248

VIRGINIA						
Grade	Total crop	Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
All grades 2/	11,083	33	3,569	4,680	2,128	473
White	6,946	22	2,253	3,179	1,183	308
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M.	238	1	186	39	12	---
5-M.	2,162	8	909	947	180	118
6-S.L.M.	4,254	13	1,104	2,076	895	166
7-L.M.	275	---	54	101	96	24
8-S.G.O. 3/	8	---	---	8	---	---
9-G.O. 3/	8	---	---	8	---	---
Spotted	4,078	11	1,316	1,701	933	117
3-G.M.	---	---	---	---	---	---
4-S.M.	648	2	387	187	72	---
5-M.	3,058	9	920	1,506	633	---
6-S.L.M. 3/	279	---	9	8	192	70
7-L.M. 3/	83	---	---	---	36	47
Tinged	60	---	---	---	12	48
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---
5-M. 3/	---	---	---	---	---	---
6-S.L.M. 3/	60	---	---	---	12	48
7-L.M. 3/	---	---	---	---	---	---

See footnotes at end of table.

Table 8.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1938 - ContinuedALL OTHER STATES 5/

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
All grades <u>2/</u>	13,936	5,320	6,471	1,462	661	22
White	10,893	4,022	4,774	1,414	661	22
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M.	127	127	---	---	---	---
5-M.	1,062	798	268	16	---	---
6-S.L.M.	6,763	2,728	3,546	489	---	---
7-L.M.	1,990	369	960	521	135	5
8-S.G.O. <u>3/</u>	585	---	---	324	253	8
9-G.O. <u>3/</u>	346	---	---	64	273	9
Spotted	3,007	1,262	1,697	48	---	---
3-G.M.	---	---	---	---	---	---
4-S.M.	617	266	335	16	---	---
5-M.	2,002	891	1,095	16	---	---
6-S.L.M. <u>3/</u>	376	93	267	16	---	---
7-L.M. <u>3/</u>	12	12	---	---	---	---
No grade <u>3/ 4/</u>	36	36	---	---	---	---

1/ Periods adapted from those used by the Bureau of the Census.2/ As reported by the Bureau of the Census.3/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.4/ Includes bales not otherwise classified.5/ Includes Illinois and Kentucky.

Table 14.- Staple length of American upland cotton ginned in designated districts of Alabama, crop of 1936 (fig. 1)

(Quantities are given in running bales. Linters are not included)

Staple length (inches)	All districts		District 1		District 2		District 3		District 4		District 5		District 6	
	^{1/} Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent
All lengths	1,064,397	100.0	224,152	100.0	217,575	100.0	77,364	100.0	456,106	100.0	41,411	100.0	47,789	100.0
Shorter than 7/8 ^{2/} ..	49,683	4.7	4,437	2.0	1,803	.8	1,289	1.7	40,730	8.9	123	.3	1,301	2.7
7/8	214,277	20.1	25,085	11.5	17,448	8.0	11,176	14.4	140,156	30.7	4,601	11.1	15,011	31.4
29/32	126,973	11.9	24,045	10.7	20,732	9.5	10,444	13.5	57,030	12.5	5,662	13.7	9,060	19.0
15/16	200,844	18.9	49,028	21.9	51,172	23.5	19,005	24.6	61,742	13.5	10,135	24.5	9,762	20.4
31/32	198,567	18.7	47,383	21.1	60,619	27.9	16,617	21.5	58,659	12.9	8,821	21.3	6,488	13.6
1	191,081	17.9	53,177	23.7	48,206	22.2	14,139	18.3	62,830	13.8	8,333	20.1	4,396	9.2
1-1/32	58,096	5.5	14,298	6.4	9,371	4.3	3,903	5.0	26,358	5.8	2,702	6.5	1,454	3.1
1-1/16	16,430	1.5	4,935	2.2	2,380	1.1	888	.9	7,401	1.6	751	1.8	275	.6
1-3/32	2,280	.2	660	.3	616	.3	92	.1	754	.2	186	.4	12	^{3/}
1-1/8	1,584	.1	254	.1	819	.4	11	^{3/}	344	.1	86	.2	10	^{3/}
1-5/32	1,620	.2	34	^{3/}	1,505	.7	---	---	70	^{3/}	11	^{3/}	---	---
1-3/16	1,627	.2	16	^{3/}	1,585	.7	---	---	16	^{3/}	---	---	10	^{3/}
1-7/32	859	.1	---	---	859	.4	---	---	---	---	---	---	---	---
1-1/4 and longer	476	^{3/}	---	---	460	.2	---	---	16	^{3/}	---	---	---	---

^{1/} As reported by the Bureau of the Census.
^{2/} Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
^{3/} Less than 0.05 percent.

Table 15.- Staple length of American upland cotton ginned in designated districts of Arkansas, crop of 1936 (fig. 2)

(Quantities are given in running bales. Linters are not included)

Staple length (inches)	All districts		District 1		District 2		District 3		District 4		District 5	
	^{1/} Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent
All lengths	1,301,275	100.0	15,303	100.0	142,278	100.0	126,456	100.0	224,359	100.0	24,977	100.0
Shorter than 7/8 ^{2/} ..	36,545	2.8	9,130	68.6	14,403	10.1	3,313	2.6	9,354	1.0	145	.1
7/8	58,316	4.5	2,487	18.7	21,397	15.0	10,781	8.5	21,913	2.4	1,738	1.8
29/32	54,099	4.2	516	3.9	15,482	10.9	11,186	8.8	24,460	2.7	2,455	2.6
15/16	126,123	9.7	562	4.2	22,553	15.9	21,408	16.9	75,004	7.9	8,501	9.1
31/32	209,116	16.0	412	3.1	29,253	20.3	28,070	22.6	132,794	14.4	17,417	18.4
1	219,220	16.8	149	1.1	20,218	14.2	26,256	20.8	151,867	16.4	20,740	21.9
1-1/32	191,221	14.7	28	.2	11,221	8.4	14,124	11.2	147,129	15.9	18,049	19.0
1-1/16	177,522	13.6	---	---	5,618	3.9	7,634	6.0	145,824	15.8	18,446	19.4
1-3/32	125,900	9.7	19	.2	1,235	.9	2,413	1.9	115,980	12.6	6,253	6.6
1-1/8	59,643	4.6	---	---	216	.2	745	.6	57,731	6.2	951	1.0
1-5/32	27,368	2.1	---	---	206	.1	28	^{3/}	27,008	2.9	66	.1
1-3/16	10,153	.8	---	---	67	^{3/}	---	---	10,070	1.1	16	^{3/}
1-7/32	3,217	.2	---	---	39	^{3/}	---	---	3,178	.3	---	---
1-1/4 and longer	3,847	.3	---	---	---	---	---	---	3,847	.4	---	---

^{1/} As reported by the Bureau of the Census.
^{2/} Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
^{3/} Less than 0.05 percent.

Table 16.- Staple length of American upland cotton ginned in designated districts of Georgia, crop of 1936 (fig. 3)

(Quantities are given in running bales. Linters are not included)

Staple length (inches)	All districts		District 1		District 2		District 3		District 4	
	^{1/} Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent
All lengths	848,310	100.0	76,642	100.0	359,948	100.0	76,078	100.0	335,622	100.0
Shorter than 7/8 ^{2/} ..	19,193	2.3	893	1.2	5,240	1.5	3,689	4.8	9,371	2.8
7/8	152,123	17.9	4,360	5.7	18,303	5.1	22,883	30.1	106,577	31.8
29/32	93,648	11.0	4,706	6.1	17,182	4.8	11,202	14.7	60,556	18.0
15/16	135,123	15.9	12,152	15.9	47,668	13.2	15,735	18.1	61,556	18.2
31/32	145,636	17.2	17,569	22.9	70,801	19.7	11,146	14.6	46,120	13.7
1	169,356	20.0	22,269	29.0	105,078	29.4	8,949	11.8	32,259	9.6
1-1/32	88,673	10.4	9,625	12.6	62,990	17.5	3,154	4.1	12,904	3.8
1-1/16	33,815	4.0	3,789	4.9	25,005	6.9	746	1.0	4,275	1.3
1-3/32	6,662	.8	522	.7	4,554	1.3	323	.4	1,253	.4
1-1/8	2,571	.3	542	.7	1,423	.4	127	.2	479	.1
1-5/32	765	.1	125	.2	482	.1	84	.1	74	^{3/}
1-3/16	652	.1	100	.1	328	.1	40	.1	184	.1
1-7/32	75	^{3/}	---	---	75	^{3/}	---	---	---	---
1-1/4 and longer	19	^{3/}	---	---	19	^{3/}	---	---	---	---

^{1/} As reported by the Bureau of the Census.
^{2/} Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
^{3/} Less than 0.05 percent.





FIGURE 1



U. S. DEPARTMENT OF AGRICULTURE

NEG. 94

AGRICULTURAL MARKETING SERVICE

FIGURE 2




FIGURE 3

Table 17.- Staple length of American upland cotton ginned in designated districts of Louisiana, crop of 1938 (fig. 4)

(Quantities are given in running bales. Linters are not included)

Staple length (inches)	All districts		District 1		District 2		District 3		District 4	
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent
All lengths.....	1/ 691,537	100.0	189,182	100.0	75,172	100.0	416,217	100.0	30,966	100.0
Shorter than 7/8 & 2/2.....	4,305	.7	3,106	2.4	12	1/	964	.2	223	.7
7/8.....	10,599	1.6	7,634	5.9	200	.3	2,287	.6	438	1.4
29/32.....	9,209	1.4	5,744	4.4	414	.6	2,272	.5	779	2.6
15/16.....	29,724	3.9	13,479	10.7	2,119	2.8	7,133	1.7	2,993	8.5
31/32.....	60,367	9.3	22,736	17.6	10,606	14.1	21,544	5.2	5,461	18.0
1.....	111,507	17.1	26,170	20.3	22,784	30.3	55,468	15.3	7,095	21.3
1-1/32.....	128,031	19.7	21,438	16.6	20,309	27.0	79,676	19.1	6,608	21.8
1-1/16.....	150,234	23.1	19,397	15.0	14,472	19.2	111,226	26.7	5,239	17.3
1-1/8.....	96,428	14.8	7,393	5.7	3,891	5.2	83,919	20.0	1,725	5.7
1-1/4.....	34,802	5.3	1,442	1.1	317	.4	32,671	7.9	172	.6
1-5/32.....	12,201	1.9	189	.1	46	.1	11,941	2.9	23	.1
1-3/16.....	5,138	.8	54	1/	-	-	5,084	1.2	-	-
1-7/32.....	2,097	.3	-	-	-	-	2,097	.5	-	-
1-1/4 and longer.....	935	.1	-	-	-	-	935	.2	-	-

1/ As reported by the Bureau of the Census.

2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

3/ Less than 0.05 percent.

Table 18.- Staple length of American upland cotton ginned in designated districts of Mississippi, crop of 1938 (fig. 5)

(Quantities are given in running bales. Linters are not included)

Staple length (inches)	All districts		District 1		District 2		District 3	
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent
All lengths.....	1/ 1,695,938	100.0	647,532	100.0	290,577	100.0	517,829	100.0
Shorter than 7/8 & 2/2.....	5,295	.3	175	1/	907	.3	4,213	.8
7/8.....	12,243	.7	113	1/	2,607	.9	9,523	1.8
29/32.....	13,490	.8	342	1/	3,126	1.1	10,022	1.9
15/16.....	39,291	2.4	1,557	.2	10,702	3.7	27,032	5.2
31/32.....	93,368	5.6	7,195	.8	27,990	9.6	58,183	11.2
1.....	168,698	10.2	26,314	3.1	47,786	16.4	94,698	18.3
1-1/32.....	238,324	14.4	84,264	9.9	54,155	18.6	99,905	19.3
1-1/16.....	335,702	20.3	138,930	16.4	70,290	24.2	126,582	24.4
1-1/8.....	310,768	18.4	102,553	22.7	51,139	17.6	67,076	13.0
1-1/4.....	185,014	11.2	168,329	17.5	18,503	6.3	19,182	3.7
1-5/32.....	109,946	6.6	106,161	12.8	2,832	1.0	952	.2
1-3/16.....	65,724	4.0	65,001	7.7	597	.2	326	1/
1-7/32.....	36,304	2.2	35,984	4.2	286	.1	54	1/
1-1/4 and longer.....	40,771	2.5	40,614	4.8	157	.1	-	-

1/ As reported by the Bureau of the Census.

2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

3/ Less than 0.05 percent.


Table 19.- Staple length of American upland cotton ginned in designated districts of North Carolina, crop of 1938 (fig. 6)

(Quantities are given in running bales. Linters are not included)

Staple length (inches)	All districts		District 1		District 2		District 3		District 4	
	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent
All lengths.....	1/ 398,467	100.0	182,156	100.0	41,695	100.0	152,700	100.0	21,914	100.0
Shorter than 7/8 & 2/2.....	3,206	.8	2,859	1.6	73	.2	185	.1	89	.4
7/8.....	20,070	5.3	19,699	8.6	1,157	2.8	2,841	1.9	1,273	5.8
29/32.....	20,735	5.2	14,069	7.7	1,194	2.9	3,952	2.6	1,520	6.9
15/16.....	39,643	9.9	25,463	14.0	2,838	6.8	9,131	6.0	2,211	10.1
31/32.....	48,964	12.3	27,794	15.2	3,667	8.8	15,066	9.9	2,437	11.1
1.....	87,266	21.9	39,318	21.6	7,977	19.1	39,140	23.0	4,831	22.0
1-1/32.....	79,400	19.9	29,625	16.3	9,150	22.0	36,240	23.7	4,375	20.0
1-1/16.....	59,216	13.9	16,085	8.8	7,067	17.0	28,938	18.9	3,126	14.3
1-1/8.....	21,079	5.3	4,354	2.4	3,520	8.4	11,792	7.7	1,406	6.4
1-1/4.....	12,628	3.2	2,933	1.6	2,441	5.8	6,796	4.4	468	2.1
1-5/32.....	3,958	1.0	1,201	.6	899	2.1	1,786	1.2	142	.7
1-3/16.....	2,939	.7	1,392	.8	958	2.3	543	.4	46	.2
1-7/32.....	1,195	.3	676	.4	344	.8	175	.1	-	-
1-1/4 and longer.....	1,238	.3	690	.4	440	1.0	108	.1	-	-

1/ As reported by the Bureau of the Census.

2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.







FIGURE 5



COTTON GRADE AND STAPLE DISTRICTS OF NORTH CAROLINA

FIGURE 6

Table 20.- Staple length of American upland cotton ginned in designated districts of Oklahoma, crop of 1938 (fig. 7)

(Quantities are given in running bales. Linters are not included)

Staple length (inches)	All districts		District 1		District 2		District 3		District 4		District 5	
	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent
All lengths	545,126	100.0	270,221	100.0	219,500	100.0	24,056	100.0	10,256	100.0	19,864	100.0
Shorter than 7/8 ^{3/} ..	73,380	13.5	57,579	21.3	8,433	3.8	450	1.9	221	2.0	6,597	33.2
7/8	106,655	19.9	60,538	22.3	37,345	17.0	3,714	15.4	1,608	14.8	5,450	27.5
29/32	108,760	20.0	45,800	16.9	55,062	24.2	5,228	21.7	1,707	15.7	2,963	14.9
15/16	126,427	23.2	51,000	18.6	63,983	29.2	6,616	27.5	2,066	19.0	2,762	13.9
31/32	75,354	13.8	31,975	11.8	35,003	15.9	4,920	20.5	2,068	19.1	1,388	7.0
1	40,002	7.3	18,674	6.9	16,324	7.4	2,326	9.7	2,139	19.7	539	2.7
1-1/32	10,018	1.8	4,010	1.5	4,518	2.1	565	2.3	822	7.6	103	.5
1-1/16	2,323	.4	1,115	.4	756	.3	237	1.0	174	1.6	41	.2
1-3/32	262	3/	115	3/	76	3/	---	---	50	.5	21	.1
1-1/8	15	3/	15	3/	---	---	---	---	---	---	---	---
1-5/32	---	---	---	---	---	---	---	---	---	---	---	---
1-3/16	---	---	---	---	---	---	---	---	---	---	---	---
1-7/32	---	---	---	---	---	---	---	---	---	---	---	---
1-1/4 and longer ..	---	---	---	---	---	---	---	---	---	---	---	---

^{1/} As reported by the Bureau of the Census.^{2/} Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.^{3/} Less than 0.05 percent.

Table 21.- Staple length of American upland cotton ginned in designated districts of South Carolina, crop of 1938 (fig. 8)

(Quantities are given in running bales. Linters are not included)

Staple length (inches)	All districts		District 1		District 2		District 3		District 4	
	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent
All lengths	641,675	100.0	320,268	100.0	59,051	100.0	232,441	100.0	33,915	100.0
Shorter than 7/8 ^{3/} ..	615	.1	798	.2	---	---	---	---	27	.1
7/8	8,430	1.3	6,059	1.9	24	3/	1,912	.8	435	1.3
29/32	15,573	2.4	10,875	3.4	253	.5	3,420	1.5	1,115	3.3
15/16	63,315	9.9	38,685	12.1	2,478	4.5	17,985	7.8	4,167	12.3
31/32	116,611	18.2	65,568	20.5	9,971	17.4	34,947	15.0	6,306	19.2
1	174,924	27.3	86,316	27.0	17,039	31.0	61,648	26.5	9,921	29.2
1-1/32	129,458	20.0	56,009	17.5	15,996	29.0	49,370	21.3	7,083	20.9
1-1/16	68,820	10.7	31,055	9.7	6,614	12.0	27,948	12.0	3,203	9.4
1-3/32	25,929	4.1	12,307	3.8	1,463	2.7	11,199	4.8	970	2.6
1-1/8	18,873	2.9	8,075	2.5	770	1.4	9,688	4.2	340	1.0
1-5/32	7,823	1.2	2,676	.8	116	.2	4,929	2.1	102	.3
1-3/16	6,135	1.0	1,337	.4	392	.7	4,389	1.9	17	.1
1-7/32	2,701	.4	191	.1	148	.3	2,352	1.0	---	---
1-1/4 and longer ..	3,138	.5	310	.1	167	.3	2,654	1.1	27	.1


^{1/} As reported by the Bureau of the Census.^{2/} Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.^{3/} Less than 0.05 percent.

Table 22.- Staple length of American upland cotton ginned in designated districts of Tennessee, crop of 1938 (fig. 9)

(Quantities are given in running bales. Linters are not included)

Staple length (inches)	All districts		District 1		District 2		District 3	
	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent
All lengths	473,761	100.0	396,163	100.0	23,261	100.0	54,337	100.0
Shorter than 7/8 ^{3/} ..	17,903	3.8	6,218	1.6	8,566	36.8	3,119	5.7
7/8	21,013	4.4	11,851	3.0	2,988	12.8	6,174	11.4
29/32	19,203	4.1	13,297	3.4	1,210	6.5	4,296	8.1
15/16	47,020	9.9	36,389	9.2	2,361	10.2	8,330	15.3
31/32	87,359	18.4	71,446	18.0	3,110	13.4	12,803	23.6
1	96,594	20.4	82,825	20.9	2,545	10.9	11,224	20.7
1-1/32	80,727	17.0	73,486	18.5	1,556	6.7	5,715	10.5
1-1/16	45,351	9.6	42,456	10.7	534	2.3	2,361	4.3
1-3/32	27,923	5.9	27,695	7.0	91	.4	167	.3
1-1/8	8,563	1.8	8,523	2.1	---	---	40	.1
1-5/32	1,914	.4	1,906	.5	---	---	8	3/
1-3/16	71	3/	71	3/	---	---	---	---
1-7/32	---	---	---	---	---	---	---	---
1-1/4 and longer ..	---	---	---	---	---	---	---	---

^{1/} As reported by the Bureau of the Census.^{2/} Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.^{3/} Less than 0.05 percent.




**COTTON GRADE AND
STAPLE DISTRICTS OF
SOUTH CAROLINA**

FIGURE 8

U. S. DEPARTMENT OF AGRICULTURE

NEG. 100 AGRICULTURAL MARKETING SERVICE



COTTON GRADE AND STAPLE DISTRICTS OF TENNESSEE

U. S. DEPARTMENT OF AGRICULTURE
NEG. 101

FIGURE 9

Table 23.- Staple length of American upland cotton ginned in designated districts of Texas, crop of 1938 (fig. 10)
 (Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	All districts		District 1-N		District 1-S		District 2		District 3		District 4	
	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent
All lengths	2,264,239	100.0	58,525	100.0	345,636	100.0	474,384	100.0	31,668	100.0	852,331	100.0
Shorter than 7/8 ^{2/} ..	299,790	9.7	11,127	19.0	117,148	33.9	107,044	22.6	9,554	30.1	22,053	2.6
7/8	423,391	14.3	12,037	20.5	89,119	25.8	109,474	23.1	9,422	29.8	100,756	11.8
29/32	469,868	15.8	9,411	16.1	56,316	16.3	103,091	21.7	6,473	20.4	127,864	15.0
15/16	641,908	21.7	9,597	16.4	43,306	12.5	83,414	17.6	4,761	15.0	219,805	25.8
31/32	541,064	18.3	7,539	12.9	21,021	6.1	41,839	8.8	1,157	3.7	227,949	26.7
1	338,997	11.4	5,953	10.2	12,616	3.7	21,662	4.6	233	.7	120,707	14.2
1-1/32	130,455	4.4	2,302	3.9	4,399	1.2	5,769	1.2	59	.2	23,893	2.8
1-1/16	65,958	2.3	561	.9	1,466	.4	1,542	.3	29	.1	5,816	.7
1-3/32	45,033	1.5	69	.1	253	.1	359	.1	---	---	2,433	.3
1-1/8	19,082	.6	9	^{3/}	103	^{3/}	190	^{3/}	---	---	711	.1
1-5/32	1,586	.1	---	---	---	---	---	---	---	---	129	^{3/}
1-3/16	91	^{3/}	---	---	---	---	---	---	---	---	16	^{3/}
1-7/32	25	^{3/}	---	---	---	---	---	---	---	---	---	---
1-1/4 and longer ...	---	---	---	---	---	---	---	---	---	---	---	---

Staple length (inches)	District 5		District 6		District 7		District 8		District 9		District 10	
	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent
All lengths	451,750	100.0	59,850	100.0	30,116	100.0	401,656	100.0	112,086	100.0	147,184	100.0
Shorter than 7/8 ^{2/} ..	15,454	3.4	259	.4	862	2.9	2,718	.7	854	.5	2,047	1.4
7/8	56,845	12.6	193	.3	2,479	8.2	24,175	6.0	3,790	3.4	15,101	10.3
29/32	74,682	16.6	108	.2	5,355	17.8	58,852	14.7	8,310	7.4	19,306	13.0
15/16	120,435	26.7	1,495	2.5	7,481	24.8	107,827	26.8	17,962	16.0	25,835	17.5
31/32	99,977	22.1	636	1.1	7,300	24.2	88,946	22.1	22,348	19.9	22,358	15.2
1	56,300	12.5	2,172	3.7	4,951	16.4	62,278	15.5	22,715	20.6	23,410	15.9
1-1/32	18,760	4.1	7,811	13.3	1,103	3.7	30,597	7.6	18,228	16.3	17,655	12.0
1-1/16	6,313	1.4	11,309	19.2	484	1.6	17,125	4.3	8,690	7.8	12,623	8.6
1-3/32	2,222	.5	21,584	36.7	49	.2	5,563	1.7	2,715	2.4	6,485	4.4
1-1/8	480	.1	12,240	20.8	53	.2	2,216	.5	750	.7	2,330	1.6
1-5/32	63	^{3/}	1,012	1.7	---	---	255	.1	23	^{3/}	104	.1
1-3/16	13	^{3/}	11	^{3/}	---	---	16	^{3/}	---	---	35	^{3/}
1-7/32	25	^{3/}	---	---	---	---	---	---	---	---	---	---
1-1/4 and longer ...	---	---	---	---	---	---	---	---	---	---	---	---

^{1/} As reported by the Bureau of the Census.

^{2/} Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

^{3/} Less than 0.05 percent.

Table 24.- Tensibility of American upland cotton ginned in the United States, by States, crops of 1929-36
(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

State	Crop of	Total crop 1/2		Tensible 2/								Untensible							
				Total tensible		Staple lengths 7/8 to 1-1/32 inches		Staple lengths 1-1/16 inches and longer		Total untensible		In grade only		In staple only		In both grade and staple			
				Bales	Perc-ent	Bales	Perc-ent	Bales	Perc-ent	Bales	Perc-ent	Bales	Perc-ent	Bales	Perc-ent	Bales	Perc-ent	Bales	Perc-ent
All States..	1929	14,519,000	100.0	10,992,500	75.7	9,433,500	65.0	1,999,000	10.7	3,926,500	24.3	605,000	4.2	2,639,700	18.2	281,800	1.9		
	1930	13,738,200	100.0	11,823,800	86.6	10,207,200	74.3	1,416,000	10.3	2,109,000	15.4	279,800	2.0	1,737,700	12.7	91,500	.7		
	1931	16,615,200	100.0	14,833,900	89.3	12,989,400	78.2	1,894,500	11.1	1,781,300	10.7	761,800	4.6	899,900	5.2	159,600	.9		
	1932	12,701,300	100.0	11,489,100	90.5	9,929,400	78.2	1,999,700	12.3	1,212,200	9.5	374,500	2.9	683,800	5.4	153,900	1.2		
	1933	12,694,300	100.0	11,782,800	93.1	10,177,900	80.4	1,664,900	12.0	871,500	6.9	332,400	2.6	485,200	3.9	53,900	.4		
	1934	9,454,000	100.0	8,514,700	90.1	6,822,300	72.1	1,696,500	18.0	939,300	9.9	156,300	1.6	743,600	7.9	79,400	.8		
	1935	10,402,700	100.0	8,333,900	80.1	6,816,900	65.5	1,217,000	14.6	2,068,800	19.9	748,700	7.2	1,072,000	10.3	246,100	2.4		
	1936	12,123,800	100.0	10,539,700	86.9	8,103,300	66.8	2,438,400	20.1	1,254,100	13.1	432,500	3.6	928,700	7.7	222,900	1.8		
1937	14,237,100	100.0	15,099,900	106.2	12,566,900	88.0	2,468,000	13.6	3,186,200	17.5	1,393,600	7.4	1,990,100	14.0	284,500	2.0			
1938	11,998,818	100.0	10,896,818	91.0	7,826,386	65.4	2,070,532	17.3	701,500	5.8	131,250	1.1	471,300	3.9	38,950	.3			
Alabama.....	1929	1,307,700	100.0	709,900	54.0	704,400	53.9	1,500	.1	601,800	46.0	16,200	1.2	547,100	41.8	38,900	3.0		
	1930	1,444,900	100.0	873,000	60.4	859,900	60.2	3,100	.2	571,900	39.6	18,600	1.3	528,800	36.6	24,500	1.7		
	1931	1,385,000	100.0	1,247,600	90.1	1,240,500	89.6	7,100	.5	137,400	9.9	900	.1	136,200	9.8	300	.2		
	1932	933,700	100.0	792,000	84.8	788,300	84.4	3,700	.4	141,700	15.2	4,400	.5	136,800	14.6	500	.1		
	1933	953,100	100.0	866,000	91.1	859,600	90.4	6,400	.7	85,100	8.9	2,600	.3	82,400	8.6	100	.1		
	1934	936,100	100.0	736,500	78.7	730,100	78.0	6,400	.7	199,600	21.3	3,400	.4	195,800	20.9	400	.3		
	1935	1,033,500	100.0	969,900	94.0	962,600	94.1	7,300	.7	384,200	39.2	6,400	.6	359,900	34.3	3,900	.4		
	1936	1,131,000	100.0	1,069,000	94.5	1,047,000	92.2	17,000	1.5	71,000	6.3	12,000	1.1	58,300	5.1	700	.1		
1937	1,566,600	100.0	1,246,200	79.5	1,239,100	79.1	7,100	.4	320,400	20.5	50,500	3.3	265,600	16.3	14,300	.9			
1938	1,064,397	100.0	1,005,363	94.5	960,767	92.2	24,596	2.3	99,034	5.5	9,391	.8	49,378	4.6	309	.1			
Arizona.....	1929	120,700	100.0	114,800	95.1	92,600	76.7	22,200	18.4	5,900	4.9	4,400	3.6	100	.1	1,400	1.2		
	1930	127,200	100.0	119,800	94.2	87,400	68.7	32,400	25.5	7,400	5.8	7,100	5.6	---	---	300	.2		
	1931	97,300	100.0	92,900	95.5	57,800	59.4	35,100	36.1	4,400	4.5	1,100	1.1	---	---	3,300	3.4		
	1932	58,800	100.0	57,900	98.5	31,000	52.7	26,900	45.8	900	1.5	800	1.3	---	---	100	.2		
	1933	83,200	100.0	82,400	99.0	44,200	53.1	38,200	45.9	800	1.0	800	1.0	---	---	---	---		
	1934	99,100	100.0	95,900	96.4	37,500	37.9	54,000	54.5	3,600	3.6	3,500	3.5	---	---	100	.1		
	1935	113,900	100.0	109,600	96.2	59,000	52.3	24,600	21.6	8,300	7.3	8,000	7.0	---	---	300	.3		
	1936	170,300	100.0	162,000	95.2	82,800	48.6	98,200	58.3	6,200	3.6	8,100	4.8	---	---	100	.1		
1937	299,200	100.0	285,400	95.7	68,800	23.0	217,600	72.7	12,800	4.3	---	---	---	---	---	---			
1938	171,385	100.0	162,305	94.7	71,961	41.8	90,344	52.9	9,080	5.3	5,980	3.5	58	.1	3,042	1.8			
Arkansas.....	1929	1,399,500	100.0	1,150,300	82.4	978,300	70.1	172,000	12.3	246,600	17.6	67,700	4.9	176,300	12.6	1,600	.1		
	1930	863,900	100.0	773,500	89.6	643,800	74.6	129,700	15.0	90,000	10.4	13,100	1.5	75,300	8.7	1,600	.2		
	1931	1,836,100	100.0	1,616,600	88.0	1,298,400	70.7	316,200	17.3	219,500	12.0	198,600	10.8	19,900	1.1	1,000	.1		
	1932	1,283,400	100.0	1,187,900	92.5	894,900	69.7	322,600	25.1	95,900	7.5	70,100	5.5	25,400	2.0	400	.1		
	1933	1,014,600	100.0	967,500	95.4	699,600	69.0	267,900	26.4	47,100	4.6	39,300	3.9	6,200	.6	1,600	.1		
	1934	849,000	100.0	794,900	93.6	566,300	66.7	236,600	28.0	94,100	6.4	11,900	1.4	42,000	5.0	200	.1		
	1935	841,500	100.0	733,700	87.2	567,500	67.4	166,200	19.8	107,800	12.8	75,900	8.7	28,900	3.4	6,000	.7		
	1936	1,265,800	100.0	1,126,100	88.8	899,600	67.1	278,500	21.7	147,500	11.2	13,700	4.2	79,400	6.3	8,400	.7		
1937	1,808,900	100.0	1,469,600	81.2	1,273,600	70.4	196,000	10.8	339,300	18.8	235,500	13.0	91,800	5.1	12,000	.7			
1938	1,301,275	100.0	1,247,785	95.9	841,991	64.7	409,794	31.2	53,490	4.1	16,945	1.3	35,374	2.7	1,171	.1			
California.....	1929	294,100	100.0	246,400	83.8	135,100	46.0	111,300	37.8	7,700	2.6	6,900	2.3	500	.2	300	.1		
	1930	296,300	100.0	249,600	84.3	146,100	49.3	199,500	67.4	10,700	3.6	10,700	3.6	---	---	---	---		
	1931	171,200	100.0	161,400	94.3	27,800	16.2	133,600	78.1	9,800	5.7	900	.5	100	.1	8,800	5.1		
	1932	124,400	100.0	120,900	97.2	15,200	13.0	104,700	84.2	3,500	2.8	3,500	2.8	---	---	---	---		
	1933	210,700	100.0	205,400	97.5	46,600	22.1	158,800	75.4	5,300	2.5	5,300	2.5	---	---	---	---		
	1934	251,500	100.0	246,300	97.9	11,600	4.6	234,700	93.3	5,200	2.1	5,100	2.0	---	---	100	.1		
	1935	236,700	100.0	206,800	87.4	16,800	7.1	188,000	80.8	25,900	11.1	25,900	11.1	---	---	---	---		
	1936	436,300	100.0	404,900	92.8	49,000	11.2	355,900	81.6	31,400	7.2	31,200	7.2	---	---	200	.1		
1937	751,200	100.0	697,400	92.8	15,400	2.0	682,000	94.3	25,600	3.4	25,600	3.4	---	---	---	---			
1938	415,466	100.0	386,090	92.9	12,280	2.9	373,810	90.0	29,378	7.1	28,978	7.0	---	---	398	.1			
Florida.....	1929	29,800	100.0	18,600	62.4	18,500	62.1	100	.3	11,200	37.6	100	.3	11,100	37.3	---	---		
	1930	51,100	100.0	40,700	79.6	40,700	79.6	---	---	10,400	20.4	300	.6	9,800	19.2	300	.6		
	1931	43,400	100.0	40,200	92.6	40,100	92.4	100	.2	3,200	7.4	300	.7	2,600	6.0	300	.7		
	1932	15,600	100.0	13,200	84.6	13,200	84.6	---	---	2,400	15.4	100	.6	2,300	14.8	---	---		
	1933	24,100	100.0	22,700	94.2	22,600	93.8	100	.4	1,400	5.8	---	---	1,400	5.8	---	---		
	1934	24,300	100.0	22,600	93.0	22,500	92.6	100	.4	1,700	7.0	100	.4	1,600	6.6	---	---		
	1935	26,700	100.0	19,100	71.5	19,000	71.1	100	.4	7,600	28.5	1,900	7.1	4,400	16.5	1,300	4.9		
	1936	27,700	100.0	28,700	103.6	28,600	103.3	100	.4	1,000	3.6	200	.7	800	2.9	---	---		
1937	32,300	100.0	29,700	92.0	28,700	88.9	---	---	5,600	17.3	3,300	10.2	2,000	6.2	300	.9			
1938	20,078	100.0	18,432	91.8	18,352	91.4	80	.4	1,646	8.2	270	1.3	1,376	6.9	---	---			
Georgia.....	1929	1,339,800	100.0	996,700	74.4	992,900	74.1	3,800	.3	343,100	25.6	60,900	4.5	224,400	16.8	57,800	4.3		
	1930	1,997,500	100.0	1,317,800	66.0	1,309,000	65.5	8,800	.6	279,700	13.9	40,600	2.0	224,100	11.2	13,000	.6		
	1931	1,393,700	100.0	1,322,000	94.9	1,310,200	94.0	11,800	.9	71,700	5.1	2,300	.1	69,400	5.0	---	---		
	1932	861,800	100.0	809,300															

Table 24.—Tenderability of American upland cotton ginned in the United States, by States, crops of 1929-38 — Continued

State	Crop of	Total crop 1/		Tenderable 2/								Untenderable							
				Total tenderable		Staple lengths 7/8 to 1-1/32 inches		Staple lengths 1-1/16 inches and longer		Total untenderable		In grade only		In staple only		In both grade and staple			
				Bales	Per cent	Bales	Per cent	Bales	Per cent	Bales	Per cent	Bales	Per cent	Bales	Per cent	Bales	Per cent	Bales	Per cent
Louisiana.....	1929	797,700	100.0	674,400	84.5	577,500	72.4	96,900	12.1	123,300	15.5	12,700	1.6	110,200	13.8	400	.1		
	1930	794,800	100.0	598,200	75.3	500,500	63.0	97,600	12.3	106,600	13.4	15,300	1.9	89,100	11.2	2,200	.3		
	1931	876,600	100.0	795,400	90.7	623,200	71.1	172,200	19.6	81,200	9.3	22,600	2.6	57,700	6.6	900	.1		
	1932	599,500	100.0	535,800	89.4	438,800	73.2	97,000	16.2	63,700	10.6	1,600	.3	61,400	10.2	700	.1		
	1933	469,300	100.0	490,600	104.6	338,900	72.2	111,700	23.8	18,700	4.0	6,500	1.4	12,000	2.6	200	.0		
	1934	473,300	100.0	480,100	101.4	328,100	69.3	92,000	19.5	53,200	11.2	3,100	.7	49,900	10.5	200	.0		
	1935	541,400	100.0	522,600	96.5	391,000	72.2	131,600	24.3	18,800	3.5	2,300	.4	16,500	3.1	—	—		
	1936	742,600	100.0	691,200	93.1	434,200	58.5	257,000	34.6	51,400	6.9	6,100	.8	45,100	6.1	200	.0		
	1937	1,050,600	100.0	902,200	85.9	767,700	73.1	134,500	12.8	148,400	14.1	66,700	6.3	79,400	7.6	2,300	.2		
	1938	651,537	100.0	624,657	95.9	331,273	50.9	293,385	45.0	28,880	4.1	22,575	3.5	4,201	.6	64	.0		
Mississippi....	1929	1,876,000	100.0	1,625,100	86.6	762,200	40.6	862,900	46.0	250,900	13.4	61,200	3.3	188,000	10.0	1,700	.1		
	1930	1,498,500	100.0	1,322,900	88.3	759,300	50.7	563,600	37.6	139,600	9.3	20,700	1.4	112,100	7.7	2,800	.2		
	1931	1,719,400	100.0	1,561,800	90.8	728,200	42.2	835,600	48.6	157,600	9.2	92,200	5.4	65,300	3.8	100	.0		
	1932	1,161,200	100.0	1,114,000	95.9	473,800	40.8	640,200	55.1	47,200	4.1	15,000	1.3	31,900	2.8	300	.0		
	1933	1,132,200	100.0	1,117,600	98.7	434,300	38.4	683,300	60.3	14,600	1.3	3,000	.2	12,600	1.1	—	—		
	1934	1,121,300	100.0	1,090,900	97.3	410,300	36.6	680,000	60.7	30,400	2.7	3,100	.3	27,300	2.4	—	—		
	1935	1,226,300	100.0	1,135,800	92.6	503,200	41.0	632,600	51.6	90,500	7.4	8,500	.7	81,300	6.6	700	.1		
	1936	1,852,500	100.0	1,759,700	94.9	767,200	41.2	992,500	53.5	102,800	5.5	27,700	1.5	74,500	4.0	600	.0		
	1937	2,561,800	100.0	2,252,200	87.9	1,363,600	53.2	1,888,600	74.7	309,690	12.1	295,100	10.0	52,400	2.0	2,100	.0		
	1938	1,655,938	100.0	1,640,384	99.1	561,385	33.9	1,078,999	65.2	15,554	.9	10,259	.6	5,296	.3	53	.0		
Missouri.....	1929	220,900	100.0	152,500	69.0	140,300	63.5	12,200	5.5	68,400	31.0	65,300	29.6	2,100	.9	1,000	.5		
	1930	153,300	100.0	133,900	87.3	126,300	82.3	7,600	5.0	19,400	12.7	8,200	5.4	9,100	5.9	2,100	1.4		
	1931	280,400	100.0	204,500	73.0	194,500	69.3	10,000	3.6	75,900	27.1	73,300	26.1	1,900	.7	700	.3		
	1932	300,700	100.0	243,100	80.8	219,700	73.0	23,400	7.8	57,600	19.2	55,600	18.5	2,000	.7	—	—		
	1933	237,900	100.0	195,600	82.2	185,200	77.8	10,400	4.4	42,300	17.8	39,200	16.5	200	.1	2,900	1.2		
	1934	230,400	100.0	197,800	85.9	174,200	75.6	23,600	10.3	32,600	14.1	24,400	10.6	7,400	3.2	800	.3		
	1935	162,800	100.0	122,600	75.3	106,800	65.1	15,800	9.7	60,200	36.9	47,900	29.5	2,700	1.5	9,600	5.9		
	1936	301,300	100.0	239,000	79.3	216,000	71.7	23,000	7.6	62,300	20.7	23,700	7.9	36,500	12.1	2,100	.7		
	1937	395,200	100.0	230,200	58.2	220,300	55.8	9,900	2.5	160,000	41.0	127,100	32.6	19,500	5.1	13,000	3.3		
	1938	329,401	100.0	311,094	94.4	201,184	61.0	109,320	33.4	18,307	5.6	16,019	4.9	1,386	.4	922	.3		
New Mexico.....	1929	86,300	100.0	75,400	87.4	43,200	50.1	32,200	37.3	10,900	12.6	6,100	7.0	100	.1	4,700	5.4		
	1930	95,800	100.0	90,000	93.9	39,400	41.1	50,600	52.8	5,800	6.1	5,300	5.6	—	—	500	.5		
	1931	213,800	100.0	186,100	87.1	112,000	52.4	36,900	17.3	5,700	2.7	600	.3	—	—	5,100	2.4		
	1932	67,500	100.0	60,100	89.0	24,300	36.0	35,800	53.0	7,400	11.0	5,300	7.9	—	—	2,100	3.1		
	1933	86,100	100.0	83,200	96.6	43,000	49.9	40,200	46.7	2,900	3.4	2,900	3.4	—	—	—	—		
	1934	83,700	100.0	83,300	99.5	17,000	20.3	66,300	79.2	400	.5	100	.1	—	—	300	.4		
	1935	70,200	100.0	63,000	89.7	6,400	9.1	56,600	80.6	7,200	10.3	6,200	8.9	100	.1	900	1.3		
	1936	105,000	100.0	96,300	91.7	36,800	35.0	59,500	56.7	6,700	6.3	7,300	7.0	—	—	1,400	1.3		
	1937	155,800	100.0	138,800	90.2	21,000	13.5	117,800	76.6	15,000	9.8	13,600	8.9	500	.3	900	.6		
	1938	92,275	100.0	84,136	91.2	8,991	9.4	75,145	81.8	8,139	8.8	4,216	4.6	282	.2	3,681	4.0		
North Carolina..	1929	767,000	100.0	673,100	87.8	568,300	74.1	8,800	1.2	93,900	12.2	12,000	1.6	74,800	9.7	7,100	.9		
	1930	800,600	100.0	747,000	93.3	715,300	89.3	31,700	4.0	53,600	6.7	13,200	1.6	39,700	5.0	700	.1		
	1931	771,200	100.0	761,700	98.8	729,000	94.5	32,700	4.3	9,900	1.2	1,700	.2	7,800	1.0	—	—		
	1932	680,300	100.0	668,300	98.2	607,800	89.3	60,900	8.9	12,000	1.8	4,200	.6	7,700	1.2	100	.0		
	1933	690,500	100.0	663,900	96.1	637,900	92.4	26,000	3.7	26,600	3.9	4,800	.7	21,700	3.2	100	.0		
	1934	640,900	100.0	628,400	98.0	561,700	87.6	66,700	10.4	12,500	2.0	4,700	.8	7,200	1.1	600	.1		
	1935	579,300	100.0	545,200	94.1	507,600	87.6	37,600	6.5	34,100	5.9	8,000	1.4	25,800	4.4	300	.1		
	1936	606,700	100.0	573,700	94.6	509,100	83.9	64,600	10.7	33,000	5.4	29,200	4.8	1,000	.2	2,800	.4		
	1937	780,600	100.0	757,300	97.0	721,400	92.4	35,900	4.6	23,300	3.0	13,200	1.7	9,400	1.2	700	.1		
	1938	394,467	100.0	390,016	97.9	352,244	73.4	97,764	24.5	8,451	2.1	5,245	1.3	3,194	.8	12	.0		
Oklahoma.....	1929	1,125,600	100.0	704,300	62.6	579,500	51.5	28,800	2.5	417,300	37.1	95,600	8.5	272,000	24.2	49,500	4.4		
	1930	856,800	100.0	700,200	81.7	685,200	80.0	14,700	1.7	156,600	18.3	29,900	3.5	115,000	13.4	13,700	1.6		
	1931	1,235,900	100.0	964,100	78.0	944,500	76.8	19,200	1.2	271,800	22.0	133,900	10.9	91,700	7.4	46,200	3.7		
	1932	1,072,000	100.0	999,600	93.2	953,800	89.0	5,800	.5	112,400	10.5	20,500	1.9	72,400	6.8	19,500	1.8		
	1933	1,235,800	100.0	1,065,000	86.2	1,032,800	83.6	32,200	2.6	170,800	13.8	97,300	7.9	63,500	5.1	10,000	.8		
	1934	329,900	100.0	223,300	67.7	223,200	67.7	100	.0	106,600	32.3	44,200	13.4	49,100	14.9	13,300	4.0		
	1935	562,700	100.0	299,400	53.2	294,400	52.3	5,000	.9	263,300	46.6	155,400	27.6	61,400	10.9	46,500	8.3		
	1936	289,700	100.0	171,900	59.3	169,300	58.4	2,200	.8	118,200	40.8	32,400	11.2	59,400	20.5	26,400	9.1		
	1937	756,400	100.0	479,700	63.4	473,600	62.6	6,100	.8	276,700	36.6	112,700	14.9	121,300	16.0	46,700	6.2		
	1938	555,196	100.0	484,194	87.2	461,994	83.2	2,600	.5	81,042	14.9	7,662	1.4	72,813	13.4	567	.1		
South Carolina..	1929	833,100	100.0	711,400	85.4	560,500	78.1	60,900	7.3	121,700	14.6	28,600	3.4	80,800	9.7	12,300	1.5		
	1930	1,015,300	100.0	975,200	96.0	842,400	83.0	132,800	13.1	40,100	3.9	13,200	1.3	26,500	2.6	400	.0		
	1931	1,010,200	100.0	997,100	98.7	879,500	87.1	879,500	87.1	117,600	11.6	13,100	1.3	12,000					

Table 24.- Tensibility of American upland cotton ginned in the United States, by State, crops of 1929-38 - Continued

State	Crop of	Total crop ^{1/}		Tensible ^{2/}						Untensurable							
				Total tensurable		Staple lengths 7/8 to 1-1/32 inches		Staple lengths 1-1/16 inches and longer		Total untensurable		In grade only		In staple only		In both grade and staple	
				Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent	Bales	Per-cent
Tennessee.....	1929	504,300	100.0	381,400	75.6	370,100	73.4	11,300	2.2	122,900	24.4	42,900	8.5	75,800	15.1	4,200	.8
	1930	371,400	100.0	301,600	81.2	289,800	78.0	11,800	3.2	69,800	18.8	10,100	2.7	58,100	15.7	1,600	.4
	1931	578,000	100.0	508,800	88.0	494,100	85.5	14,700	2.5	69,200	12.0	29,300	5.1	38,700	6.7	1,200	.2
	1932	467,500	100.0	423,400	90.6	395,100	84.5	28,300	6.1	44,100	9.4	31,700	6.8	12,100	2.6	300	.1
	1933	428,900	100.0	404,200	94.2	387,600	90.3	16,600	3.9	29,700	6.9	11,800	2.8	12,700	3.0	200	.1
	1934	396,700	100.0	358,300	90.3	324,900	81.9	13,400	3.4	58,400	14.7	6,700	1.7	51,700	13.0	---	---
	1935	315,600	100.0	188,600	59.8	174,200	55.2	14,400	4.6	127,000	40.2	50,800	16.1	63,400	20.1	12,800	4.0
	1936	422,200	100.0	339,300	79.4	233,600	55.3	41,700	9.9	86,900	20.6	6,900	1.6	79,800	18.9	---	---
	1937	633,300	100.0	399,200	63.0	387,000	61.1	12,200	1.9	238,100	37.0	136,500	21.6	90,700	14.3	6,900	1.1
	1938	473,761	100.0	446,987	94.1	382,697	72.3	103,290	21.8	27,774	5.9	9,871	2.1	16,992	3.6	911	.2
Texas.....	1929	3,803,200	100.0	2,708,500	71.2	2,578,800	67.8	129,700	3.4	1,094,700	28.8	120,500	3.2	873,100	23.0	101,100	2.6
	1930	3,886,100	100.0	3,340,100	85.9	3,209,700	82.5	130,400	3.4	946,000	24.1	70,500	1.8	449,900	11.5	29,600	.8
	1931	5,068,800	100.0	4,422,800	87.3	4,321,700	85.3	101,100	2.0	646,000	12.7	199,500	3.9	394,800	7.0	91,700	1.8
	1932	4,307,400	100.0	3,788,600	87.0	3,691,600	85.7	97,000	2.3	598,800	13.0	144,500	3.4	286,500	6.6	127,600	3.0
	1933	4,220,300	100.0	3,885,100	92.1	3,801,300	90.1	83,800	2.0	335,200	7.9	94,800	2.2	202,900	4.8	37,500	.9
	1934	2,314,900	100.0	1,982,000	85.6	1,926,500	83.2	55,500	2.4	332,900	14.4	37,900	1.6	272,200	11.8	22,800	1.0
	1935	2,499,700	100.0	2,069,600	82.8	2,016,600	80.8	53,000	2.1	780,100	31.2	297,800	10.5	333,100	11.7	149,200	5.2
	1936	2,825,400	100.0	2,030,400	71.9	1,955,000	69.2	75,400	2.7	795,000	28.1	151,400	5.4	464,700	16.4	178,900	6.3
	1937	4,952,400	100.0	3,802,800	76.8	3,684,700	74.4	118,100	2.4	1,149,600	23.2	205,300	4.1	769,500	15.5	178,800	3.6
	1938	2,964,238	100.0	2,631,935	88.8	2,502,382	84.4	129,553	4.4	332,303	11.2	43,583	1.5	261,990	8.8	27,190	.9
Virginia.....	1929	48,000	100.0	44,400	92.5	44,300	92.3	100	.2	3,600	7.5	300	.6	3,300	6.9	---	---
	1930	42,700	100.0	38,500	90.2	38,400	90.0	100	.2	4,200	9.8	300	.7	3,900	9.1	---	---
	1931	42,500	100.0	40,800	96.0	40,800	96.0	---	---	1,700	4.0	---	---	1,700	4.0	---	---
	1932	31,300	100.0	29,700	94.9	29,500	94.3	200	.6	1,600	5.1	100	.3	1,500	4.8	---	---
	1933	34,400	100.0	32,400	94.2	32,400	94.2	---	---	2,000	5.8	300	.9	1,700	4.9	---	---
	1934	33,000	100.0	32,200	97.6	32,000	97.0	200	.6	800	2.4	300	.9	500	1.5	---	---
	1935	27,600	100.0	26,700	96.7	26,500	96.0	200	.7	900	3.3	700	2.6	200	.7	---	---
	1936	30,500	100.0	29,000	95.1	28,800	94.4	200	.7	1,500	4.9	1,500	4.9	---	---	---	---
	1937	40,200	100.0	38,700	96.3	38,600	96.1	100	.2	1,500	3.7	1,300	3.3	200	.2	100	.2
	1938	11,063	100.0	10,545	96.0	10,250	92.5	395	3.5	438	4.0	---	---	---	---	---	---
All other ^{3/} ...	1929	8,900	100.0	5,300	59.6	1,000	11.2	4,300	48.4	3,600	40.4	3,400	38.2	---	---	200	2.2
	1930	6,400	100.0	5,200	81.3	3,600	56.3	1,600	25.0	1,200	18.7	700	10.9	300	4.7	200	3.1
	1931	11,700	100.0	8,100	69.2	5,500	47.0	2,600	22.2	3,600	30.8	3,500	29.9	100	.9	---	---
	1932	14,000	100.0	10,900	77.9	8,600	61.5	2,300	16.4	3,100	22.1	3,100	22.1	---	---	---	---
	1933	13,800	100.0	12,000	87.0	10,800	78.3	1,200	8.7	1,800	13.0	1,800	13.0	---	---	---	---
	1934	14,400	100.0	12,600	87.5	11,700	81.2	900	6.3	1,800	12.5	1,800	12.5	---	---	---	---
	1935	7,400	100.0	3,700	50.0	3,000	40.5	700	9.5	3,700	50.0	3,200	43.2	---	---	500	6.8
	1936	12,400	100.0	11,700	94.4	10,000	80.7	1,700	13.7	700	5.6	700	5.6	---	---	---	---
	1937	18,500	100.0	12,800	69.2	12,000	64.9	800	4.3	5,700	30.8	5,500	29.8	100	.5	100	.5
	1938	13,936	100.0	12,561	90.1	5,912	42.4	6,649	47.7	1,375	9.9	1,315	9.4	20	.2	40	.3

^{1/} As reported by the Bureau of the Census. Number of bales for 1929-37 are rounded figures.

^{2/} Tensurable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

^{3/} Less than 0.05 percent.

^{4/} Includes Illinois, Kansas, and Kentucky.

Table 25.- Preparation of American upland cotton ginned in the United States during specified periods, by States, crops of 1933-38

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

		UNITED STATES														Total crop bales
Ginning Period	Crop of	Shorter than 1-1/8 inches							1-1/8 inches and longer							
		Total, shorter than 1-1/8 inches		Smooth	Normal	Rough	Gin out	Per- centage of total crop	Total, 1-1/8 inches and longer		A	B	C	Gin out	Per- centage of total crop	
		Bales	Percent						Bales	Percent						
All periods	1933	11,868,100	100.0	0.1	91.2	8.7	h/	91.8	790,200	100.0	0.2	86.9	12.6	0.3	6.2	12,658,300
	1934	8,535,000	100.0	.1	93.6	6.3	h/	91.3	823,000	100.0	.2	95.6	4.0	h/	8.7	9,408,000
	1935	9,732,000	100.0	h/	88.9	11.0	h/	91.6	670,700	100.0	h/	89.4	10.5	h/	6.4	10,402,700
	1936	11,215,400	100.0	h/	95.6	4.4	h/	92.5	908,400	100.0	.1	94.6	5.2	h/	7.5	12,123,800
	1937	17,289,200	100.0	h/	95.2	4.7	h/	94.8	947,900	100.0	-	96.0	4.0	-	5.2	18,237,100
	1938	10,628,813	100.0	.2	96.3	3.5	h/	91.6	999,605	100.0	h/	95.6	4.4	h/	6.4	11,598,418
Prior to Oct. 1.....	1933	5,515,800	100.0	.2	68.1	11.6	.1	93.4	391,700	100.0	.3	79.7	19.4	.6	6.6	5,907,500
	1934	4,475,100	100.0	.1	91.0	8.3	h/	90.2	483,500	100.0	.1	94.0	5.3	h/	9.8	4,958,600
	1935	5,696,500	100.0	h/	80.0	19.9	h/	91.4	563,600	100.0	-	89.5	15.4	h/	8.6	6,259,900
	1936	5,942,400	100.0	h/	94.2	5.8	h/	90.3	587,400	100.0	-	98.2	1.8	-	9.7	6,529,800
	1937	7,901,900	100.0	h/	92.2	7.8	h/	95.7	353,300	100.0	-	91.3	8.7	-	4.3	8,255,200
	1938	5,598,112	100.0	h/	95.5	4.5	h/	91.3	574,997	100.0	h/	94.3	5.7	h/	8.7	6,173,109
During October.....	1933	4,163,700	100.0	h/	92.5	7.5	h/	93.7	281,400	100.0	h/	91.3	6.6	h/	6.3	4,445,100
	1934	2,671,100	100.0	h/	94.4	5.6	h/	90.5	280,200	100.0	.2	97.3	2.5	-	9.5	2,951,300
	1935	3,279,100	100.0	h/	95.0	4.9	h/	93.5	327,300	100.0	-	95.6	4.4	-	6.5	3,596,400
	1936	3,499,600	100.0	h/	96.8	3.2	h/	96.1	150,400	100.0	.1	94.8	5.1	-	3.9	3,647,000
	1937	4,564,800	100.0	-	96.8	3.2	h/	93.3	325,900	100.0	-	98.4	1.6	-	6.7	4,894,700
	1938	3,282,185	100.0	h/	97.9	2.1	h/	98.7	258,098	100.0	-	98.5	1.5	-	7.3	3,540,283
During November.....	1933	1,699,100	100.0	h/	96.4	3.6	h/	94.9	89,000	100.0	.1	95.5	4.4	-	5.1	1,788,100
	1934	1,099,800	100.0	-	98.3	1.7	h/	95.4	50,100	100.0	.2	98.2	1.6	-	4.6	1,099,900
	1935	1,537,300	100.0	h/	95.5	4.4	-	95.6	71,300	100.0	-	94.0	6.0	-	4.4	1,608,600
	1936	1,476,000	100.0	-	97.4	2.6	h/	91.9	129,700	100.0	.6	79.4	20.0	-	8.1	1,605,700
	1937	2,419,500	100.0	-	98.6	1.4	h/	93.6	192,400	100.0	-	99.5	.5	-	5.4	3,011,900
	1938	988,081	100.0	2.0	95.6	2.4	h/	89.8	112,756	100.0	h/	98.5	1.5	-	10.2	1,100,837
Dec. 1- Jan. 15.....	1933	422,600	100.0	.1	97.2	2.7	-	94.4	29,200	100.0	-	96.0	4.0	-	5.6	447,800
	1934	347,400	100.0	.1	98.1	1.8	-	97.9	7,400	100.0	-	98.6	1.4	-	2.1	354,800
	1935	879,400	100.0	-	92.6	7.2	.2	99.1	7,600	100.0	-	94.7	5.3	-	.9	887,000
	1936	419,400	100.0	-	97.2	2.8	h/	91.3	39,800	100.0	-	98.2	7.5	.3	8.7	459,200
	1937	1,397,800	100.0	-	98.9	.9	.2	95.3	69,000	100.0	-	99.3	.7	-	4.7	1,466,800
	1938	292,257	100.0	-	99.8	4.1	.1	91.7	26,378	100.0	-	93.5	16.5	-	8.3	318,635
After Jan. 15.....	1933	102,900	100.0	.1	92.8	7.1	-	97.3	2,900	100.0	-	96.6	3.4	-	2.7	105,800
	1934	91,600	100.0	.1	97.7	2.1	.1	98.1	1,800	100.0	-	100.0	-	-	1.9	93,400
	1935	159,900	100.0	-	94.5	5.5	-	99.5	2,200	100.0	-	98.9	11.1	-	.5	170,800
	1936	161,000	100.0	-	96.6	3.3	.1	99.4	1,100	100.0	-	81.8	18.2	-	.6	182,100
	1937	599,200	100.0	h/	99.7	.3	-	98.8	7,300	100.0	-	100.0	-	-	1.2	606,500
	1938	68,178	100.0	-	98.6	1.2	-	99.5	376	100.0	-	97.1	2.9	-	.5	68,554
ALABAMA																
All periods	1933	949,600	100.0	h/	86.4	13.6	h/	99.8	1,500	100.0	6.7	66.6	26.7	-	0.2	951,100
	1934	934,700	100.0	h/	88.6	11.4	h/	99.9	1,400	100.0	-	65.7	14.3	-	.1	936,100
	1935	1,031,900	100.0	-	81.0	19.0	h/	99.8	1,600	100.0	-	61.2	18.6	-	.2	1,033,500
	1936	1,131,400	100.0	-	91.0	9.0	h/	99.7	3,600	100.0	-	75.0	25.0	-	.3	1,135,000
	1937	1,565,100	100.0	h/	91.0	8.9	h/	99.9	1,500	100.0	-	80.0	20.0	-	.1	1,566,600
	1938	1,058,291	100.0	-	96.2	3.8	h/	99.4	6,106	100.0	-	99.9	4.1	-	.6	1,064,397
Prior to Oct. 1.....	1933	582,400	100.0	h/	78.3	21.6	.1	99.9	600	100.0	16.7	50.0	33.3	-	.1	583,000
	1934	508,000	100.0	-	83.3	16.7	-	99.9	500	100.0	-	80.0	20.0	-	.1	508,500
	1935	689,700	100.0	-	73.0	26.9	.1	99.8	1,200	100.0	-	91.7	8.3	-	.2	690,900
	1936	718,900	100.0	-	87.8	12.2	h/	99.8	1,100	100.0	-	81.8	18.2	-	.2	719,800
	1937	886,400	100.0	-	86.5	13.4	.1	99.9	600	100.0	-	66.7	33.3	-	.1	887,000
	1938	612,288	100.0	h/	94.3	5.7	h/	99.9	609	100.0	-	80.8	19.2	-	.1	612,897
During October.....	1933	337,600	100.0	-	95.6	4.4	-	99.8	700	100.0	-	85.7	14.3	-	.2	338,300
	1934	335,500	100.0	-	93.7	6.3	h/	99.7	900	100.0	-	66.9	11.1	-	.3	336,400
	1935	278,200	100.0	-	96.6	3.4	-	99.9	300	100.0	-	66.7	33.3	-	.1	278,500
	1936	334,100	100.0	-	95.8	4.2	-	99.3	2,400	100.0	-	75.0	25.0	-	.7	336,500
	1937	475,400	100.0	-	95.6	4.4	-	99.8	800	100.0	-	87.5	12.5	-	.2	476,200
	1938	360,086	100.0	-	99.1	.9	-	98.6	4,502	100.0	-	99.5	.5	-	1.2	364,588
During November.....	1933	79,200	100.0	-	98.2	1.8	-	99.7	200	100.0	-	50.0	50.0	-	.3	79,400
	1934	82,400	100.0	-	99.2	.8	-	100.0	-	100.0	-	-	-	-	-	82,400
	1935	52,700	100.0	-	99.4	.6	-	99.8	100	100.0	-	-	100.0	-	.2	52,800
	1936	68,600	100.0	-	99.4	.6	-	100.0	-	100.0	-	-	-	-	-	68,600
	1937	178,800	100.0	-	98.8	1.2	-	99.9	100	100.0	-	100.0	-	-	.1	178,900
	1938	70,689	100.0	-	97.3	2.7	-	98.9	815	100.0	-	97.5	2.5	-	1.1	71,504
Dec. 1- Jan. 15.....	1933	9,000	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	9,000
	1934	7,000	100.0	2.9	97.1	-	-	100.0	-	-	-	-	-	-	-	7,000
	1935	6,100	100.0	-	96.7	3.3	-	100.0	-	-	-	-	-	-	-	6,100
	1936	12,100	100.0	-	100.0	-	-	99.2	100	100.0	-	-	100.0	-	.8	12,200
	1937	38,300	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	38,300
	1938	13,288	100.0	-	97.5	2.5	-	98.8	163	100.0	-	49.7	50.3	-	1.2	13,451
After Jan. 15.....	1933	1,400	100.0	-	92.9	7.1	-	100.0	-	-	-	-	-	-	-	1,400
	1934	1,800	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	1,800
	1935	5,200	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	5,200
	1936	2,100	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	2,100
	1937	6,200	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	6,200
	1938	1,980	100.0	-	98.2	1.8	-	99.1	17	100.0	-	47.1	52.9	-	.9	1,997

See footnotes at end of table.

Table 25.- Preparation of American upland cotton ginned in the United States during specified periods, by States, crops of 1933-36-Continued

Ginning Period	Crop of	ARIZONA										Total crop 1/3					
		Shorter than 1-1/8 inches						1-1/8 inches and longer									
		Total, shorter than 1-1/8 inches		Smooth	Normal	Rough	Gin out	Percentage of total crop	Total, 1-1/8 inches and longer		A		B	C	Gin out	Percentage of total crop	
Bales	Percent	Percent	Percent	Percent	Percent	Percent	Bales	Percent	Percent	Percent	Percent	Percent	Percent	Bales			
All periods	1933	79,700	100.0	-	95.4	4.6	-	95.8	3,500	100.0	-	91.4	8.6	-	4.2	83,200	
	1934	93,400	100.0	-	96.7	3.3	-	94.2	5,700	100.0	-	96.5	3.5	-	99,100		
	1935	111,100	100.0	-	97.2	2.8	-	97.5	2,800	100.0	-	92.9	7.1	-	113,900		
	1936	160,300	100.0	-	97.9	2.1	-	94.2	9,900	100.0	-	96.0	4.0	-	170,200		
	1937	288,600	100.0	-	99.7	.3	1/2	96.5	10,600	100.0	-	100.0	-	-	299,200		
	1938	164,699	100.0	-	97.2	2.6	0.2	96.1	6,686	100.0	-	93.0	7.0	-	171,385		
Prior to Oct. 1.....	1933	6,900	100.0	-	97.1	2.9	-	90.8	700	100.0	-	100.0	-	-	7,600		
	1934	19,100	100.0	-	95.8	4.2	-	87.2	2,800	100.0	-	92.9	7.1	-	21,900		
	1935	14,900	100.0	-	86.1	13.9	-	96.6	200	100.0	-	50.0	50.0	-	15,100		
	1936	28,600	100.0	-	99.0	1.0	-	96.9	900	100.0	-	100.0	-	-	29,500		
	1937	32,100	100.0	-	99.4	.6	-	97.9	700	100.0	-	100.0	-	-	32,800		
	1938	39,697	100.0	-	97.9	2.1	-	93.0	2,968	100.0	-	89.9	10.1	-	42,665		
During October.....	1933	20,400	100.0	-	95.1	4.9	-	95.8	900	100.0	-	88.9	11.1	-	21,300		
	1934	23,900	100.0	-	95.4	4.6	-	90.2	2,600	100.0	-	100.0	-	-	26,500		
	1935	28,300	100.0	-	97.7	2.3	-	92.6	2,100	100.0	-	100.0	-	-	30,400		
	1936	43,000	100.0	-	98.1	1.9	-	99.3	300	100.0	-	100.0	-	-	43,300		
	1937	49,800	100.0	-	98.6	1.2	.2	97.4	7,200	100.0	-	100.0	-	-	57,000		
	1938	38,035	100.0	-	98.8	1.2	-	94.2	2,361	100.0	-	94.8	5.2	-	40,396		
During November.....	1933	24,100	100.0	-	97.9	2.1	-	97.6	600	100.0	-	100.0	-	-	24,700		
	1934	21,500	100.0	-	97.2	2.8	-	99.1	200	100.0	-	100.0	-	-	21,700		
	1935	31,900	100.0	-	99.7	.3	-	98.8	400	100.0	-	100.0	-	-	32,300		
	1936	42,200	100.0	-	98.2	3.8	-	92.5	3,400	100.0	-	91.2	8.8	-	45,600		
	1937	67,700	100.0	-	100.0	-	-	97.8	1,500	100.0	-	100.0	-	-	69,200		
	1938	39,765	100.0	-	99.6	1/2	.3	97.1	1,180	100.0	-	96.3	3.7	-	40,945		
Dec. 1- Jan. 15.....	1933	23,100	100.0	-	93.9	6.1	-	94.7	1,300	100.0	-	84.6	15.4	-	24,400		
	1934	17,500	100.0	-	96.6	3.4	-	99.4	100	100.0	-	100.0	-	-	17,600		
	1935	33,300	100.0	-	98.8	1.2	-	99.7	100	100.0	-	-	100.0	-	33,400		
	1936	33,600	100.0	-	98.2	1.8	-	86.4	5,300	100.0	-	98.1	1.9	-	38,900		
	1937	98,400	100.0	-	100.0	-	-	98.9	1,100	100.0	-	100.0	-	-	99,500		
	1938	33,667	100.0	-	90.9	8.7	.4	99.5	177	100.0	-	100.0	-	-	33,844		
After Jan. 15.....	1933	5,200	100.0	-	88.5	11.5	-	100.0	-	-	-	-	-	-	5,200		
	1934	11,400	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	11,400		
	1935	5,200	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	5,200		
	1936	12,900	100.0	-	99.2	.8	-	100.0	-	-	-	-	-	-	12,900		
	1937	42,600	100.0	-	100.0	-	-	99.8	100	100.0	-	100.0	-	-	42,700		
	1938	13,535	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	13,535		
All periods	ARIZONA																
	1933	917,400	100.0	-	92.2	7.7	1/2	90.4	97,200	100.0	-	81.9	17.6	0.5	9.6	1,014,600	
	1934	745,500	100.0	-	98.3	1.6	1/2	87.8	103,500	100.0	.2	95.3	4.5	-	12.2	849,000	
	1935	770,300	100.0	-	95.3	4.7	1/2	91.5	71,200	100.0	.1	89.2	10.7	-	8.5	841,500	
	1936	1,104,300	100.0	-	99.0	.9	-	92.0	101,300	100.0	-	96.4	3.6	-	8.0	1,205,600	
	1937	1,746,200	100.0	-	96.7	3.3	1/2	96.5	62,700	100.0	-	93.1	6.9	-	3.5	1,808,900	
	1938	1,197,107	100.0	-	98.8	1.2	-	92.0	104,168	100.0	-	97.3	2.7	-	8.0	1,301,275	
	Prior to Oct. 1.....	1933	257,500	100.0	-	86.4	13.5	.1	85.2	44,600	100.0	-	68.8	30.1	1.1	14.8	302,100
		1934	398,200	100.0	.1	97.8	2.0	.1	86.6	60,800	100.0	.2	93.1	6.7	-	13.4	459,000
		1935	211,500	100.0	-	94.1	5.9	-	85.8	35,000	100.0	.3	87.4	12.3	-	14.2	246,500
		1936	554,400	100.0	-	99.0	1.0	-	88.0	75,400	100.0	-	97.1	2.9	-	12.0	629,800
		1937	710,600	100.0	-	94.0	6.0	1/2	97.0	21,600	100.0	-	89.8	10.2	-	3.0	732,200
		1938	702,994	100.0	-	98.3	1.7	-	89.2	85,165	100.0	-	97.0	3.0	-	10.8	788,159
	During October.....	1933	446,800	100.0	-	93.2	6.8	1/2	91.4	42,200	100.0	-	91.7	8.3	-	8.6	489,000
		1934	256,600	100.0	-	98.4	1.6	1/2	88.9	32,000	100.0	.3	98.4	1.3	-	11.1	288,600
		1935	270,700	100.0	.1	96.4	3.5	-	90.7	27,700	100.0	-	92.8	7.2	-	9.3	298,400
		1936	807,800	100.0	-	98.9	1.1	-	94.4	24,000	100.0	-	94.2	5.8	-	2.6	831,800
		1937	505,100	100.0	-	98.1	1.9	1/2	95.3	24,800	100.0	-	93.5	6.5	-	4.7	529,900
		1938	398,890	100.0	-	99.5	.5	-	95.8	17,552	100.0	-	96.9	1.1	-	4.2	416,442
	During November.....	1933	169,800	100.0	-	97.0	3.0	-	94.5	9,900	100.0	-	98.0	2.0	-	5.5	179,700
		1934	71,600	100.0	-	100.0	-	-	88.7	9,100	100.0	-	97.8	2.2	-	11.3	80,700
		1935	180,400	100.0	-	95.3	4.7	-	95.7	8,100	100.0	-	84.0	16.0	-	4.3	188,500
		1936	168,900	100.0	-	99.5	.4	.1	99.1	1,600	100.0	-	100.0	-	-	.9	170,500
		1937	268,200	100.0	-	98.9	1.1	-	96.3	10,200	100.0	-	98.0	2.0	-	3.7	278,400
		1938	77,048	100.0	-	99.6	.4	-	98.7	998	100.0	-	100.0	-	-	1.3	78,046
	Dec. 1- Jan. 15.....	1933	34,500	100.0	-	98.6	1.4	-	98.6	500	100.0	-	100.0	-	-	35,000	
		1934	19,500	100.0	-	99.5	.5	-	92.4	1,600	100.0	-	100.0	-	-	21,100	
		1935	96,600	100.0	-	94.7	5.3	-	99.6	400	100.0	-	100.0	-	-	97,000	
		1936	88,400	100.0	-	99.3	.7	-	99.3	200	100.0	-	100.0	-	-	88,600	
1937		185,100	100.0	-	98.6	1.1	.3	97.7	4,400	100.0	-	93.2	6.8	-	2.3	189,500	
1938		17,138	100.0	-	99.1	.9	-	97.4	450	100.0	-	100.0	-	-	2.6	17,588	
After Jan. 15.....	1933	8,800	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	8,800		
	1934	5,600	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	5,600		
	1935	11,100	100.0	-	97.3	2.7	-	100.0	-	-	-	-	-	-	11,100		
	1936	4,800	100.0	-	100.0	-	-	98.0	100	100.0	-	100.0	-	-	4,900		
	1937	77,200	100.0	-	99.4	.6	-	97.8	1,700	100.0	-	100.0	-	-	78,900		
	1938	1,437	100.0	-	100.0	-	-	99.8	3	100.0	-	100.0	-	-	1,440		

See footnotes at end of table.

Table 25.- Preparation ^{1/} of American upland cotton ginned in the United States during specified periods, ^{2/} by States, crops of 1933-36 -- Continued

Ginning Period	Crop of	CALIFORNIA											Total crop ^{3/}			
		Shorter than 1-1/8 inches						1-1/8 inches and longer								
		Total, shorter than 1-1/8 inches	Smooth	Normal	Rough	Gin out	Percentage of total crop	Total, 1-1/8 inches and longer	A	B	C	Gin out		Percentage of total crop		
		Sales	Percent	Percent	Percent	Percent	Percent	Sales	Percent	Percent	Percent	Percent	Percent	Percent	Sales	
All periods	1933	174,600	100.0	-	95.1	4.9	-	82.9	36,100	100.0	-	97.2	2.8	-	17.1	210,700
	1934	125,200	100.0	0.1	98.9	1.0	-	81.7	98,300	100.0	0.1	98.2	1.7	-	38.3	223,500
	1935	179,300	100.0	-	98.5	1.4	0.1	78.3	37,400	100.0	-	96.9	3.1	-	34.7	216,700
	1936	301,200	100.0	4/	95.5	4.4	-	69.0	135,100	100.0	-	91.2	18.8	-	31.0	436,300
	1937	335,900	100.0	-	99.7	.3	-	46.5	387,100	100.0	-	99.9	.1	-	33.5	723,000
	1938	180,516	100.0	-	97.3	2.6	.1	44.7	229,948	100.0	-	97.3	2.7	-	30.3	410,464
Prior to Oct. 1.....	1933	3,900	100.0	-	100.0	-	-	78.0	1,100	100.0	-	100.0	-	-	22.0	5,000
	1934	38,200	100.0	.5	99.2	.3	-	47.8	41,700	100.0	-	98.1	1.9	-	52.2	79,900
	1935	8,600	100.0	-	97.7	2.3	-	94.5	500	100.0	-	95.0	50.0	-	5.5	9,100
	1936	22,700	100.0	-	99.8	.2	-	96.5	1,900	100.0	-	100.0	-	-	3.5	24,600
	1937	25,700	100.0	-	100.0	-	-	63.6	14,700	100.0	-	100.0	-	-	36.4	40,400
	1938	4,104	100.0	-	99.1	1.9	-	38.1	6,665	100.0	-	96.1	3.9	-	61.9	10,769
During October.....	1933	44,900	100.0	-	99.6	.4	-	97.6	1,100	100.0	-	100.0	-	-	2.4	46,000
	1934	63,700	100.0	-	99.5	.5	-	58.3	45,500	100.0	.2	98.9	.9	-	41.7	109,200
	1935	55,900	100.0	-	99.6	1.4	-	59.1	38,700	100.0	-	96.1	3.9	-	40.9	94,600
	1936	141,100	100.0	.1	96.4	3.5	-	95.6	6,500	100.0	-	84.6	15.4	-	4.4	147,600
	1937	59,200	100.0	-	99.8	.2	-	25.4	173,700	100.0	-	99.9	.1	-	74.6	232,900
	1938	26,283	100.0	-	98.6	1.4	-	19.0	112,044	100.0	-	99.0	1.0	-	81.0	138,327
During November....	1933	88,000	100.0	-	97.6	2.4	-	87.1	13,000	100.0	-	96.5	1.5	-	12.9	101,000
	1934	26,900	100.0	-	96.7	3.3	-	78.2	7,500	100.0	-	94.7	5.3	-	21.8	34,400
	1935	54,900	100.0	-	99.4	.4	.2	77.0	16,400	100.0	-	98.8	1.2	-	23.0	71,300
	1936	40,800	100.0	-	81.9	18.1	-	39.1	99,400	100.0	-	76.8	23.2	-	70.9	140,300
	1937	98,600	100.0	-	99.2	.8	-	40.2	146,600	100.0	-	99.9	.1	-	99.8	245,300
	1938	89,309	100.0	-	99.8	.2	-	50.4	87,744	100.0	-	99.0	1.0	-	49.6	177,053
Dec. 1- Jan. 15.....	1933	21,100	100.0	-	95.3	4.7	-	53.0	18,700	100.0	-	96.3	3.7	-	47.0	39,800
	1934	14,500	100.0	-	98.2	1.8	-	94.2	900	100.0	-	100.0	-	-	5.8	15,400
	1935	36,800	100.0	-	96.5	3.5	-	95.3	1,800	100.0	-	100.0	-	-	4.7	38,600
	1936	33,100	100.0	-	98.2	1.8	-	55.0	37,100	100.0	-	96.2	4.8	-	45.0	70,200
	1937	86,100	100.0	-	99.9	.1	-	62.8	51,100	100.0	-	100.0	-	-	37.2	137,300
	1938	39,266	100.0	-	89.0	10.6	.2	62.8	23,296	100.0	-	85.2	14.8	-	37.2	62,562
After Jan. 15.....	1933	16,700	100.0	-	68.9	31.1	-	88.4	2,800	100.0	-	95.5	4.5	-	11.6	19,500
	1934	11,900	100.0	-	99.2	.8	-	94.4	700	100.0	-	100.0	-	-	5.6	12,600
	1935	19,100	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	19,100	
	1936	33,300	100.0	-	98.8	1.2	-	99.4	800	100.0	-	100.0	-	-	.6	34,100
	1937	66,300	100.0	-	100.0	-	-	98.5	1,000	100.0	-	100.0	-	-	1.5	67,300
	1938	26,456	100.0	-	99.8	.2	-	99.3	199	100.0	-	100.0	-	-	.7	26,655
FLORIDA																
All periods	1933	24,100	100.0	-	71.8	28.2	-	100.0	-	-	-	-	-	-	-	24,100
	1934	24,300	100.0	-	86.0	14.0	-	100.0	-	-	-	-	-	-	-	24,300
	1935	26,700	100.0	-	85.0	15.0	-	100.0	-	-	-	-	-	-	-	26,700
	1936	27,700	100.0	-	92.4	7.6	-	100.0	-	-	-	-	-	-	-	27,700
	1937	32,300	100.0	-	84.8	14.9	0.3	100.0	-	-	-	-	-	-	-	32,300
	1938	20,079	100.0	-	91.4	8.6	-	100.0	-	-	-	-	-	-	-	20,079
Prior to Oct. 1.....	1933	30,000	100.0	-	72.0	28.0	-	100.0	-	-	-	-	-	-	-	30,000
	1934	16,800	100.0	-	81.0	19.0	-	100.0	-	-	-	-	-	-	-	16,800
	1935	22,500	100.0	-	86.7	13.3	-	100.0	-	-	-	-	-	-	-	22,500
	1936	23,400	100.0	-	95.3	4.7	-	100.0	-	-	-	-	-	-	-	23,400
	1937	27,400	100.0	-	85.8	14.2	.3	100.0	-	-	-	-	-	-	-	27,400
	1938	18,915	100.0	-	92.0	8.0	-	100.0	-	-	-	-	-	-	-	18,915
During October.....	1933	3,400	100.0	-	70.6	29.4	-	100.0	-	-	-	-	-	-	-	3,400
	1934	6,500	100.0	-	96.9	3.1	-	100.0	-	-	-	-	-	-	-	6,500
	1935	3,300	100.0	-	69.7	30.3	-	100.0	-	-	-	-	-	-	-	3,300
	1936	3,700	100.0	-	91.9	8.1	-	100.0	-	-	-	-	-	-	-	3,700
	1937	4,000	100.0	-	81.0	19.0	-	100.0	-	-	-	-	-	-	-	4,000
	1938	930	100.0	-	77.0	23.0	-	100.0	-	-	-	-	-	-	-	930
During November.....	1933	700	100.0	-	71.4	28.6	-	100.0	-	-	-	-	-	-	-	700
	1934	800	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	800
	1935	600	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	600
	1936	500	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	500
	1937	500	100.0	-	60.0	40.0	-	100.0	-	-	-	-	-	-	-	500
	1938	210	100.0	-	96.2	3.8	-	100.0	-	-	-	-	-	-	-	210
Dec. 1- Jan. 15.....	1933	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1934	100	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	100
	1935	100	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	100
	1936	100	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	100
	1937	100	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	100
	1938	13	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	13
After Jan. 15.....	1933	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1934	100	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	100
	1935	200	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	200
	1936	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1937	100	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	100
	1938	10	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	10

See footnotes at end of table.

Table 25.- Preparation ^{1/} of American upland cotton ginned in the United States during specified periods, ^{2/} by States, crops of 1933-36--Continued

Ginning Period	Crop of	SHORTER							1-1/8 inches and longer							Total crop ^{1/}
		Total, shorter than 1-1/8 inches		Shorter than 1-1/8 inches					Total, 1-1/8 inches and longer		1-1/8 inches and longer					
		Sales	Percent	Percent	Percent	Percent	Percent	Percent	Sales	Percent	Percent	Percent	Percent	Percent		
				Smooth	Normal	Rough	Gin out	Percentage of total crop			A	B	C	Gin out	Percentage of total crop	Sales
All periods	1933	1,091,700	100.0	-	90.2	9.8	-	99.8	1,700	100.0	5.9	70.6	17.6	5.9	0.2	1,091,700
	1934	973,700	100.0	-	91.9	8.1	-	99.9	1,200	100.0	-	83.3	16.7	-	.1	974,900
	1935	1,049,400	100.0	-	81.0	18.9	0.1	99.7	3,300	100.0	-	66.7	33.3	-	.3	1,052,700
	1936	1,085,600	100.0	-	92.7	7.3	-	99.9	900	100.0	-	77.8	22.2	-	.1	1,085,500
	1937	1,471,900	100.0	-	91.1	8.8	-	99.9	1,200	100.0	-	66.7	33.3	-	.1	1,473,100
	1938	644,228	100.0	-	96.7	3.3	-	99.5	4,082	100.0	-	82.1	17.5	.4	.5	644,310
Prior to Oct. 1	1933	709,100	100.0	-	86.6	13.3	.1	99.8	1,500	100.0	6.7	66.6	30.0	6.7	.2	710,600
	1934	520,300	100.0	-	88.9	11.1	-	99.0	700	100.0	-	85.7	14.3	-	.1	521,000
	1935	672,600	100.0	-	72.0	27.8	.2	99.6	2,900	100.0	-	62.1	37.9	-	.4	679,500
	1936	645,800	100.0	-	91.3	8.6	-	100.0	200	100.0	-	100.0	-	-	-	646,000
	1937	880,300	100.0	-	87.5	12.5	-	99.9	1,200	100.0	-	66.7	33.3	-	.1	881,500
	1938	566,312	100.0	-	95.8	4.2	-	99.5	2,998	100.0	-	80.3	19.1	.6	.5	569,270
During October	1933	284,300	100.0	-	96.2	3.7	-	100.0	100	100.0	-	100.0	-	-	1/2	284,400
	1934	303,600	100.0	-	93.3	6.7	-	99.9	400	100.0	-	75.0	25.0	-	.1	304,000
	1935	285,100	100.0	-	96.2	3.8	-	99.9	300	100.0	-	100.0	-	-	.1	285,400
	1936	279,700	100.0	-	93.4	6.6	-	99.9	400	100.0	-	75.0	25.0	-	.1	280,100
	1937	367,000	100.0	-	95.0	5.0	-	100.0	-	-	-	-	-	-	-	367,000
	1938	212,413	100.0	-	98.9	1.1	-	99.5	1,014	100.0	-	87.5	12.5	-	.5	213,427
During November	1933	80,400	100.0	-	98.4	1.6	-	99.9	100	100.0	-	100.0	-	-	.1	80,500
	1934	129,200	100.0	-	99.3	.7	-	99.9	100	100.0	-	100.0	-	-	.1	129,300
	1935	68,000	100.0	-	99.4	.6	-	100.0	-	-	-	-	-	-	-	68,000
	1936	104,200	100.0	-	97.0	3.0	-	99.9	-	-	-	100.0	-	-	.1	104,300
	1937	158,800	100.0	-	98.9	1.1	-	100.0	100	100.0	-	-	-	-	-	158,900
	1938	49,906	100.0	-	97.3	2.7	-	99.8	110	100.0	-	80.0	20.0	-	.2	50,016
Dec. 1-Jan. 15	1933	14,800	100.0	-	98.0	2.0	-	100.0	-	-	-	-	-	-	-	14,800
	1934	16,500	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	16,500
	1935	12,300	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	12,300
	1936	43,400	100.0	-	96.8	3.2	-	99.5	200	100.0	-	50.0	50.0	-	.5	43,600
	1937	50,500	100.0	-	99.4	.2	-	100.0	-	-	-	-	-	-	-	50,500
	1938	12,790	100.0	-	97.9	2.1	-	100.0	-	-	-	-	-	-	-	12,790
After Jan. 15	1933	3,100	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	3,100
	1934	4,100	100.0	-	97.6	2.4	-	100.0	-	-	-	-	-	-	-	4,100
	1935	11,400	100.0	-	100.0	-	-	99.1	100	100.0	-	100.0	-	-	.9	11,500
	1936	12,500	100.0	-	99.2	.8	-	100.0	-	-	-	-	-	-	-	12,500
	1937	9,200	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	9,200
	1938	2,807	100.0	-	98.6	1.4	-	100.0	-	-	-	-	-	-	-	2,807
LOUISIANA																
All periods	1933	428,900	100.0	-	89.7	10.2	-	91.4	40,400	100.0	-	83.9	15.8	0.3	8.6	469,300
	1934	449,000	100.0	-	91.7	8.2	-	94.9	24,300	100.0	-	88.9	11.1	-	5.1	473,300
	1935	495,800	100.0	-	88.5	11.4	-	91.6	49,600	100.0	-	71.1	28.9	-	6.4	541,400
	1936	661,400	100.0	-	96.1	3.9	-	95.1	81,200	100.0	0.1	98.0	1.9	-	10.9	742,600
	1937	1,029,500	100.0	-	94.5	5.4	-	98.0	21,100	100.0	-	87.7	12.3	-	2.0	1,050,600
	1938	596,364	100.0	-	95.2	4.8	-	91.5	55,173	100.0	-	93.4	6.6	-	8.5	651,537
Prior to Oct. 1	1933	270,200	100.0	-	86.9	13.0	.1	88.4	35,600	100.0	-	82.3	17.4	.3	11.6	305,800
	1934	320,900	100.0	-	89.7	10.2	-	94.4	13,000	100.0	-	87.4	12.6	-	5.6	339,900
	1935	327,800	100.0	-	83.6	16.3	-	89.7	37,700	100.0	-	65.5	34.5	-	10.3	365,500
	1936	470,200	100.0	-	95.0	5.0	-	96.2	75,200	100.0	-	98.0	2.0	-	12.8	545,400
	1937	650,300	100.0	-	92.0	7.9	-	97.4	17,800	100.0	-	86.4	13.6	-	2.6	667,900
	1938	463,801	100.0	-	94.2	5.7	.1	90.1	50,732	100.0	-	93.0	7.0	-	9.0	514,533
During October	1933	128,500	100.0	-	94.1	5.9	-	96.5	4,700	100.0	-	95.7	4.3	-	3.5	133,200
	1934	111,600	100.0	0.1	96.2	3.7	-	95.9	5,600	100.0	-	93.4	6.2	-	4.1	118,400
	1935	153,800	100.0	-	98.3	1.7	-	99.8	5,300	100.0	-	96.8	3.2	-	4.2	159,100
	1936	162,300	100.0	-	95.6	4.4	-	96.4	6,600	100.0	1.7	98.3	-	-	3.6	169,500
	1937	247,400	100.0	-	98.6	1.4	-	98.9	2,800	100.0	-	92.8	7.1	-	1.1	250,200
	1938	125,033	100.0	-	98.6	1.4	-	96.8	4,108	100.0	-	97.6	2.4	-	3.2	129,127
During November	1933	27,400	100.0	-	97.1	2.9	-	99.6	100	100.0	-	100.0	-	-	.4	27,500
	1934	13,000	100.0	-	100.0	-	-	96.3	500	100.0	-	100.0	-	-	3.7	13,500
	1935	21,100	100.0	-	97.2	2.8	-	94.2	1,500	100.0	-	100.0	-	-	5.8	22,400
	1936	25,400	100.0	-	99.6	.4	-	100.0	-	-	-	-	-	-	-	25,400
	1937	88,400	100.0	-	99.1	.9	-	99.3	600	100.0	-	100.0	-	-	.7	89,000
	1938	6,387	100.0	-	99.4	.6	-	99.7	294	100.0	-	100.0	-	-	4.3	6,781
Dec. 1-Jan. 15	1933	1,900	100.0	-	94.7	5.3	-	100.0	-	-	-	-	-	-	-	1,900
	1934	2,500	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	2,500
	1935	2,300	100.0	-	95.7	4.3	-	88.5	300	100.0	-	100.0	-	-	11.5	2,600
	1936	2,500	100.0	-	96.0	4.0	-	100.0	-	-	-	-	-	-	-	2,500
	1937	32,700	100.0	-	98.8	1.2	-	99.7	100	100.0	-	100.0	-	-	.3	32,800
	1938	727	100.0	-	99.7	.3	-	96.2	29	100.0	-	100.0	-	-	3.8	756
After Jan. 15	1933	900	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	900
	1934	1,000	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	1,000
	1935	800	100.0	-	100.0	-	12.5	100.0	-	-	-	-	-	-	-	800
	1936	1,000	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	1,000
	1937	10,700	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	10,700
	1938	330	100.0	-	99.4	.6	-	97.1	10	100.0	-	100.0	-	-	2.9	340

See footnotes at end of table.

Table 25.- Preparation ^{1/} of American upland cotton ginned in the United States during specified periods, ^{2/} by States, crops of 1933-38--Continued

Ginning Period	Crop of	MISSISSIPPI													Total crop ^{2/}	
		Shorter than 1-1/8 inches							1-1/8 inches and longer							
		Total, shorter than 1-1/8 inches		Smooth	Normal	Rough	Gin out	Per-centage of total crop	Total, 1-1/8 inches and longer		A	B	C	Gin out		Per-centage of total crop
Bales	Percent	Percent	Percent	Percent	Percent	Percent	Bales	Percent	Percent	Percent	Percent	Percent	Percent	Bales		
All periods	1933	605,800	100.0	4/	90.6	9.3	0.1	53.5	526,400	100.0	3/	97.4	12.3	0.3	46.5	1,132,300
	1934	628,500	100.0	3/	96.4	3.6	3/	56.1	492,800	100.0	0.1	97.3	2.6	3/	43.9	1,121,300
	1935	622,400	100.0	3/	95.0	5.0	3/	67.4	399,900	100.0	3/	92.1	7.8	3/	32.6	1,022,300
	1936	1,363,500	100.0	3/	98.8	1.2	3/	73.2	499,000	100.0	-	99.1	.9	-	26.8	1,862,500
	1937	2,149,700	100.0	-	96.5	3.4	3/	85.9	412,100	100.0	-	93.7	6.3	-	16.1	2,561,800
	1938	1,217,179	100.0	-	97.6	2.4	3/	73.5	438,759	100.0	-	96.1	3.9	3/	26.5	1,655,938
Prior to Oct. 1.....	1933	299,900	100.0	-	85.9	13.9	.2	53.0	268,800	100.0	3/	90.3	19.1	.5	47.0	567,700
	1934	312,900	100.0	3/	94.2	5.7	3/	49.3	322,800	100.0	3/	96.3	3.6	4/	50.7	635,700
	1935	480,300	100.0	3/	92.8	7.1	3/	65.1	259,500	100.0	3/	93.6	10.3	3/	34.9	739,800
	1936	770,900	100.0	-	96.6	1.3	3/	65.4	407,500	100.0	-	99.1	.9	-	24.6	1,178,400
	1937	935,600	100.0	-	94.2	5.8	3/	76.9	280,500	100.0	-	91.6	8.4	-	23.1	1,216,100
	1938	718,217	100.0	-	96.3	3.6	3/	66.9	354,947	100.0	-	95.2	4.8	3/	33.1	1,073,164
During October.....	1933	230,000	100.0	4/	94.7	5.3	-	54.0	196,200	100.0	-	94.6	5.4	-	46.0	426,200
	1934	235,600	100.0	-	98.0	2.0	-	62.0	144,100	100.0	.1	99.2	.7	-	38.0	379,700
	1935	275,000	100.0	4/	96.0	2.0	-	71.8	108,100	100.0	-	97.8	2.2	-	38.2	383,100
	1936	438,600	100.0	3/	99.4	.5	4/	83.5	86,600	100.0	-	99.2	.8	-	16.5	525,200
	1937	594,500	100.0	-	97.6	2.4	-	86.1	96,300	100.0	-	97.9	2.1	-	13.9	690,800
	1938	437,742	100.0	-	99.4	.6	-	85.3	73,264	100.0	-	99.7	.3	-	14.7	511,006
During November.....	1933	66,100	100.0	-	97.3	2.7	-	52.5	59,700	100.0	.2	94.3	5.5	-	47.5	125,800
	1934	70,400	100.0	-	99.7	.3	-	76.0	23,800	100.0	.5	99.3	-	-	24.0	94,200
	1935	96,600	100.0	-	98.2	1.8	-	66.6	29,400	100.0	-	93.7	6.3	-	33.4	126,000
	1936	129,100	100.0	-	99.5	.5	-	97.1	9,800	100.0	-	100.0	-	-	2.9	138,900
	1937	306,300	100.0	-	99.0	1.0	4/	93.2	23,500	100.0	-	98.7	1.3	-	6.8	329,800
	1938	56,113	100.0	-	99.4	.6	-	87.7	7,883	100.0	-	100.0	-	-	12.3	63,996
Dec. 1-Jan. 15.....	1933	7,900	100.0	-	97.5	2.5	-	65.8	4,100	100.0	-	97.4	2.4	-	34.2	12,000
	1934	7,000	100.0	-	100.0	-	-	66.7	3,500	100.0	-	97.1	2.9	-	33.3	10,500
	1935	8,100	100.0	-	96.3	3.7	-	70.4	3,400	100.0	-	94.1	5.9	-	29.6	11,500
	1936	16,600	100.0	-	100.0	-	-	94.9	900	100.0	-	98.9	11.1	-	4.1	17,500
	1937	176,900	100.0	-	98.9	1.1	-	95.3	8,800	100.0	-	97.7	2.3	-	4.7	185,700
	1938	4,071	100.0	-	98.7	1.3	-	91.8	362	100.0	-	100.0	-	-	8.2	4,433
After Jan. 15.....	1933	1,900	100.0	-	94.7	5.3	-	76.0	600	100.0	-	100.0	-	-	24.0	2,500
	1934	1,600	100.0	-	100.0	-	-	66.7	800	100.0	-	100.0	-	-	33.3	2,400
	1935	3,500	100.0	-	97.1	2.9	-	87.5	300	100.0	-	100.0	-	-	12.5	4,000
	1936	8,300	100.0	-	87.5	12.5	-	98.8	100	100.0	-	100.0	-	-	1.2	8,400
	1937	138,400	100.0	-	99.8	.2	-	97.2	4,000	100.0	-	100.0	-	-	2.8	142,400
	1938	1,036	100.0	-	98.9	1.1	-	96.0	43	100.0	-	100.0	-	-	4.0	1,079

Ginning Period	Crop of	MISSOURI													Total crop ^{2/}	
		Shorter than 1-1/8 inches							1-1/8 inches and longer							
		Total, shorter than 1-1/8 inches		Smooth	Normal	Rough	Gin out	Per-centage of total crop	Total, 1-1/8 inches and longer		A	B	C	Gin out		Per-centage of total crop
Bales	Percent	Percent	Percent	Percent	Percent	Percent	Bales	Percent	Percent	Percent	Percent	Percent	Percent	Bales		
All periods	1933	237,800	100.0	-	89.3	10.4	0.3	100.0	100	100.0	-	-	100.0	-	4/	237,900
	1934	237,600	100.0	-	97.1	2.9	-	98.8	2,800	100.0	-	92.9	7.1	-	1.2	240,400
	1935	181,600	100.0	-	89.8	10.1	.1	99.3	1,200	100.0	-	75.0	25.0	-	.7	182,800
	1936	300,100	100.0	-	96.7	1.3	-	99.6	1,800	100.0	-	91.7	8.3	-	.4	301,900
	1937	389,600	100.0	-	97.4	2.1	.5	99.8	600	100.0	-	100.0	-	-	.2	390,200
	1938	318,181	100.0	-	97.9	2.0	3/	96.6	11,320	100.0	-	92.6	7.1	0.3	2.4	329,501
Prior to Oct. 1.....	1933	30,600	100.0	-	73.9	24.8	1.3	100.0	-	-	-	-	-	-	-	30,600
	1934	85,200	100.0	-	93.1	6.9	-	98.7	1,100	100.0	-	90.9	9.1	-	1.3	86,300
	1935	26,800	100.0	-	83.2	16.8	-	100.0	-	-	-	-	-	-	26,800	
	1936	130,000	100.0	-	97.8	2.2	-	99.1	1,200	100.0	-	91.7	8.3	-	.9	131,200
	1937	99,900	100.0	-	94.4	5.4	.7	99.8	300	100.0	-	100.0	-	-	.2	100,200
	1938	158,464	100.0	-	96.3	3.6	3/	94.3	3,608	100.0	-	91.3	8.3	.4	5.7	162,072
During October.....	1933	109,200	100.0	-	86.4	13.4	.2	100.0	-	-	-	-	-	-	-	109,200
	1934	91,000	100.0	-	92.2	7.8	-	99.1	800	100.0	-	100.0	-	-	.9	91,800
	1935	60,500	100.0	-	93.4	6.6	-	98.7	800	100.0	-	75.0	25.0	-	1.3	61,300
	1936	120,700	100.0	-	99.4	.5	-	100.0	-	-	-	-	-	-	-	120,700
	1937	110,600	100.0	-	98.4	1.5	.1	99.9	100	100.0	-	100.0	-	-	.1	110,700
	1938	123,009	100.0	-	99.7	.3	3/	99.0	1,210	100.0	-	100.0	-	-	1.0	124,219
During November.....	1933	68,100	100.0	-	97.2	2.8	-	99.9	100	100.0	-	-	100.0	-	.1	68,200
	1934	29,100	100.0	-	100.0	-	-	99.7	700	100.0	-	85.7	14.3	-	2.3	29,800
	1935	44,000	100.0	-	91.7	8.3	-	99.3	400	100.0	-	75.0	25.0	-	.7	44,400
	1936	43,700	100.0	-	99.8	.2	-	100.0	-	-	-	-	-	-	-	43,700
	1937	76,700	100.0	-	99.7	.3	-	99.7	200	100.0	-	100.0	-	-	.3	76,900
	1938	24,655	100.0	-	92.3	7.7	-	98.4	402	100.0	-	100.0	-	-	1.6	25,057
Dec. 1-Jan. 15.....	1933	23,500	100.0	-	97.0	3.0	-	100.0	-	-	-	-	-	-	23,500	
	1934	16,000	100.0	-	100.0	-	-	98.8	200	100.0	-	100.0	-	-	1.2	16,200
	1935	37,400	100.0	-	87.4	12.6	.6	100.0	-	-	-	-	-	-	37,400	
	1936	3,500	100.0	-	97.1	2.9	-	100.0	-	-	-	-	-	-	3,500	
	1937	71,900	100.0	-	96.9	1.0	2.1	99.9	100	100.0	-	100.0	-	-	.1	72,000
	1938	11,472	100.0	-	98.0	2.0	-	100.0	-	-	-	-	-	-	-	11,472
After Jan. 15.....	1933	6,400	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	6,400	
	1934	6,300	100.0	-	98.4	1.6	-	100.0	-	-	-	-	-	-	6,300	
	1935	2,900	100.0	-	78.4	21.6	-	100.0	-	-	-	-	-	-	2,900	
	1936	2,800	100.0	-	95.5	4.5	-	100.0	-	-	-	-	-	-	2,800	
	1937	30,500	100.0	-	99.3	.7	-	100.0	-	-	-	-	-	-	30,500	
	1938	581	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	581	

See footnotes at end of table.