	Region				
	Southeast	Midsouth	Southwest	West	U.S.
		dolla	rs per bale -		
Charge for receiving					
1979/80 1974/75 1969/70 1964/65	2.26 1.53 1.02 .81	1.64 1.28 1.07 .67	1.85 1.28 1.02 .90	1.83 1.21 .72 .58	1.81 1.32 .97 .74
Charge per month for insured storage					
1979/80 1974/75 1969/70 1964/65	1.12 .88 .60 .55	1.45 .96 .69 .50	1.14 .82 .60 .53	1.36 .84 .60 .49	1.27 .85 .63 .52
Charge for com- pressing cotton to:					
High Density 1969/70 1964/65	2.10 1.54	2.44 1.61	2.30 1.89	2.49 2.09	2.37 1.89
Standard Density 1974/75 1969/70 1964/65	3.08 1.79 1.38	3.14 1.90 1.24	3.15 2.29 1.88	2.95 2.22 1.86	3.07 2.08 1.56
Universal Density 1979/80 1974/75	4.87	5.50 3.15	5.63 3.15	5.04 3.00	5.39 3.09

## Table . Charges for warehousing and related services, by region, selected years.

Source: U.S. Department of Agriculture, Economic Research Service and Agricultural Marketing Service. Charges for Ginning Cotton, Costs of Selected Services Incident to Marketing, and Related Information, \_\_\_\_\_ Season. Annual reports.

Methods of harvesting	Region						
	Southeast	Midsouth	Southwest	West	U.S.		
		p	ercent				
Machine-picked							
1979/80 1974/75 1969/70 1964/65	99 99 90 59	100 99 95 70	12 19 20 19	97 98 96 90	62 79 71 58		
Machine-stripped							
1979/80 1974/75 1969/70 1964/65	0 0 0	0 0 1	87 80 78 65	1 1 1 1	37 20 24 19		

Table . Methods of harvesting cotton, by region, selected years.

Source: U.S. Department of Agriculture, Economic Research Service and Agricultural Marketing Service. Charges for Ginning Cotton, Costs of Selected Services Incident to Marketing, and Related Information, \_\_\_\_\_ Season. Annual reports.

	Region						
Cotton Ginned From:	Southeast	Midsouth	Southwest	West	U.S.		
		per	cent				
Trailers							
1979/80	99	97	64	65	73		
1978/79	99	95	75	76	82		
1977/78	98	95	79	78	83		
1976/77	97	98	85	90	91		
1975/76	97	99	92	89	93		
1974/75	98	98	96	81	92		
Modules							
1979/80	1	3	34	34	26		
1978/79	1	4	23	24	18		
1977/78	2	5	18	15	13		
1976/77	3	2	12	6	7		
1975/76	3	1	5	0	7 2 2		
1974/75	1	2	3	1	2		

## Table 11. Seedcotton handling systems in use, by region.

Source: U.S. Department of Agriculture, Economic Research Service and Agricultural Marketing Service. Charges for Ginning Cotton, Costs of Selected Services Incident to Marketing, and Related Information, Season. Annual reports.

Charge/season	Region					
	Southeast	Midsouth	Southwest	West	U.S.	
		dollars	per bale -			
Total ginning charge; 480 lb. net weight bale						
1979/80 1974/75 1969/70 1964/65	32.60 25.50 15.08 21.27	32.93 29.41 18.02 16.13	44.06 32.71 20.02 18.10	38.22 28.22 21.96 18.87	39.31 29.38 19.15 16.78	
For bagging and ties when assessed separately						
1979/80 1974/75 1969/70 1964/65	6.03 5.90 4.95 4.00	7.66 7.47 5.44 5.14	11.36 9.74 6.19 5.31	8.98 7.23 6.21 5.10	11.09 8.77 5.77 5.09	

Table 10. Ginning charges by region, selected years.

. 5

Source: U.S. Department of Agriculture, Economic Research Service and Agricultural Marketing Service. Charges for Ginning Cotton, Costs of Selected Services Incident to Marketing, and Related Information, \_\_\_\_\_\_Season. Annual reports.

Region	Press Type					
	Flat	Modified Flat	University Density	Standard Density	High Density	
			percen	t		
Coastal Bend Northern Coastal Southern Coastal	2 3 0	87 94 80	9 0 20	2 3 0	0 0 0	
High Plains Northern Western Central Southern Southwestern	0 2 0 0 1 0	90 96 99 89 79 88	9 0 1 10 20 12	0 2 0 1 0 0	0 0 0 0 0	
Rolling Plains Northern A Northern B Southern A Southern B	5 3 0 5 10	83 90 100 77 90	11 3 0 18 0	1 3 0 0 0	0 0 0 0	
Southwest Irrigated Cotton Region SWIC 1 SWIC 2 SWIC 3 SWIC 4	7 9 3 5 10	81 75 94 90 30	1 0 0 5 0	11 16 3 0 60	0 0 0 0	
Western Cotton San Joaquin 1 San Joaquin 2 Imperia1 Mid-Arizona	35 50 30 16 25	34 14 33 61 56	10 14 9 11 4	19 20 24 12 15	2 2 4 0	
Other Texas Areas Lower Rio Grande Texas Blackland	0 0 0	93 79 100	7 21 0	0 0 0	0 0 0	
Delta Production East Delta East East Delta West North Delta South Delta West Delta	2 1 4 1 3 0	79 79 78 94 37 78	16 17 16 4 46 19	3 2 1 14 3	0 0 0 0 0	

Table . Types of presses in use by gins, by region, 1980.

. .

(continued)

Region	Press Type						
	Flat	Modified Flat	University Density	Standard Density	High Density		
Mid South Areas							
Outside Delta	4	87	7	2	0		
Brown Loam - Tenn.	4	93	0	3	0		
Brown Loam - Miss.	12	83	5 5	0	0		
North Terrace	1	93	5	1	0		
South Terrace	3	54	40	3	0		
Red River	0	80	10	10	0		
Southeast	86	11	3	0	0		
NE Upland	100	0	0	0	0		
CE Upland	94	6	0	0	0		
SE Upland	90	4	0 6	0	0		
WE Upland	65	33	2	0	0		
Limestone Valley	95	0	5	0	0		
Other	60	37	1	2	0		
United States Total	18	69	9	4	0		
					The second second		

Table . Continued

Source: U.S. Department of Agriculture, Agricultural Marketing Service, Cotton Division.

. . .