

**TEXAS TECH UNIVERSITY
ENVIRONMENTAL HEALTH & SAFETY
CONFINED SPACE ENTRY PERMIT**

Permit Number _____ Date _____

Location & Description of Confined Space:

Purpose of Entry:

Scheduled Start _____ a.m. / _____ p.m. Day / Date / Time	Scheduled Finish _____ a.m. / _____ p.m. Day / Date / Time
--	---

Employee(s) in charge of entry: _____

Entrants:

Attendants:

Pre-Entry Authorization: _____

{Check those items below which are applicable to your confined space permit.}

TYPES OF HAZARDS

- | | | |
|--|---|---|
| <input type="checkbox"/> Oxygen-Deficient Atmosphere | <input type="checkbox"/> Engulfment | <input type="checkbox"/> Energized Electrical Equipment |
| <input type="checkbox"/> Oxygen-Enriched Atmosphere | <input type="checkbox"/> Toxic Atmosphere | <input type="checkbox"/> Entrapment |
| <input type="checkbox"/> Welding/Cutting | <input type="checkbox"/> Flammable Atmosphere | <input type="checkbox"/> Hazardous Chemical |

SAFETY PRECAUTIONS

- | | | |
|---|---|---|
| <input type="checkbox"/> Self-Contained Breathing Apparatus | <input type="checkbox"/> Protective Gloves | <input type="checkbox"/> Barricade Job Area |
| <input type="checkbox"/> Air-Line Respirator | <input type="checkbox"/> Lifelines | <input type="checkbox"/> Signs Posted |
| <input type="checkbox"/> Fire-Retardant Clothing | <input type="checkbox"/> Respirators | <input type="checkbox"/> Clearances Secured |
| <input type="checkbox"/> Ventilation | <input type="checkbox"/> Lockout/Tagout | <input type="checkbox"/> Lighting |
| <input type="checkbox"/> Remarks | <input type="checkbox"/> Fire Extinguishers | <input type="checkbox"/> Ground Fault Circuit Interrupter |

ENVIRONMENTAL CONDITIONS

<u>TESTS TO BE TAKEN</u>	<u>RE-TESTING</u>
<u>DATE / TIME</u>	<u>DATE / TIME</u>
Oxygen: _____% _____ a/p	Oxygen: _____% _____ a/p
Lower Explosive Limit: _____% _____ a/p	Lower Explosive Limit: _____% _____ a/p
Toxic Atmosphere: _____	Toxic Atmosphere: _____
Instruments Used: _____	Instruments Used: _____

Employee Conducting Safety Checks **SIGNATURE:** _____

Remark on the overall condition of the confined space.

<p align="center">ENTRY AUTHORIZATION</p> All actions and/or conditions for safe entry have been performed. Person in Charge of Entry _____ <p align="center">PLEASE PRINT</p>	<p align="center">ENTRY CANCELLATION</p> Entry has been completed and all entrants have exited permit space. Person in Charge of Entry _____ <p align="center">PLEASE PRINT</p>
---	--

**IN CASE OF EMERGENCY CALL 9911
{CFR 1910.146 (f)(11)}**