

45TH CONGRESS,
2d Session.

SENATE.

{ Ex. Doc.
No. 12.

REPORT OF THE SUPERINTENDENT

OF THE

UNITED STATES COAST SURVEY

SHOWING

THE PROGRESS OF THE WORK

P
188

FOR THE

FISCAL YEAR ENDING WITH

JUNE, 1877.

TEXAS TECHNOLOGICAL

DEC 1952

COLLEGE

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1880.

T H. 11. 877

APPENDIX No 15.

A QUINCUNCIAL PROJECTION OF THE SPHERE.

BY C. S. PEIRCE, ASSISTANT.

For meteorological, magnetological, and other purposes, it is convenient to have a projection of the sphere which shall show the connection of all parts of the surface. This is done by the one shown in the plate. It is an orthomorphic or conform projection formed by transforming the stereographic projection, with a pole at infinity, by means of an elliptic function. For that purpose, l being the latitude, and θ the longitude, we put—

$$\cos^2 \varphi = \frac{\sqrt{1 - \cos^2 l \cos^2 \theta} - \sin l}{1 + \sqrt{1 - \cos^2 l \cos^2 \theta}},$$

and then $\frac{1}{2} F_\varphi$ is the value of one of the rectangular co-ordinates of the point on the new projection. This is the same as taking—

$$\cos am(x + y\sqrt{-1}) \text{ (angle of mod. } = 45^\circ) = \tan \frac{p}{2} (\cos \theta + \sin \theta \sqrt{-1}),$$

where x and y are the co-ordinates on the new projection, p is the north polar distance. A table of these co-ordinates is subjoined.

Upon an orthomorphic projection the parallels represent equipotential or level lines for the logarithmic potential, while the meridians are the lines of force. Consequently we may draw these lines by the method used by Maxwell in his Electricity and Magnetism for drawing the corresponding lines for the Newtonian potential. That is to say, let two such projections be drawn upon the same sheet, so that upon both are shown the same meridians at equal angular distances, and the same parallels at such distances that the ratio of successive values of $\tan \frac{p}{2}$ is constant. Then number the meridians and also the parallels. Then draw curves through the intersections of meridians with meridians, the sums of numbers of the intersecting meridians being constant on any one curve. Also do the same thing for the parallels. Then these curves will represent the meridians and parallels of a new projection having north poles and south poles wherever the component projections had such poles.

Functions may, of course, be classified according to the pattern of the projection produced by such a transformation of the stereographic projection with a pole at the tangent points. Thus we shall have

1. Functions with a finite number of zeroes and infinities (algebraic functions).
2. Striped functions (trigonometric functions). In these the stripes may be equal, or may vary progressively or periodically. The stripes may be simple, or themselves compounded of stripes. Thus, $\sin(\alpha \sin z)$ will be composed of stripes each consisting of a bundle of parallel stripes (infinite in number) folded over onto itself.
3. Chequered functions (elliptic functions).
4. Functions whose patterns are central or spiral.

THIS PAGE LEFT BLANK INTENTIONALLY

REPORT OF THE SUPERINTENDENT OF

I. Table of rectangular co-ordinates for construction of the "quincuncial projection."

Lat.	x (for longitudes in upper line).															y (for longitudes in lower line).														
	0° 90	5° 85	10° 80	15° 75	20° 70	25° 65	30° 60	35° 55	40° 50	45° 45	50° 40	55° 35	60° 30	65° 25	70° 20	75° 15	80° 10	85° 5	Lat.											
0																														
-5	.038	.033	.033	.032	.031	.030	.029	.027	.025	.024	.021	.019	.017	.014	.011	.009	.006	.003	5											
5	.067	.066	.066	.064	.063	.061	.058	.055	.051	.047	.043	.038	.033	.028	.023	.017	.012	.006	5											
10	.100	.100	.099	.097	.094	.091	.087	.082	.077	.071	.065	.058	.050	.042	.034	.026	.017	.009	10											
15	.135	.134	.133	.130	.127	.122	.117	.110	.103	.095	.087	.077	.067	.057	.046	.035	.023	.012	15											
20	.169	.169	.167	.163	.159	.154	.147	.139	.130	.120	.109	.097	.085	.072	.058	.044	.029	.015	20											
25	.205	.204	.201	.198	.192	.185	.177	.168	.157	.145	.131	.117	.102	.080	.070	.053	.036	.018	25											
30	.241	.240	.237	.233	.226	.218	.208	.197	.184	.170	.154	.138	.120	.102	.082	.062	.042	.021	30											
35	.278	.277	.274	.269	.261	.251	.240	.227	.212	.196	.178	.159	.139	.117	.095	.072	.048	.024	35											
40	.317	.316	.312	.306	.297	.286	.273	.258	.241	.223	.202	.181	.158	.134	.109	.083	.055	.028	40											
45	.357	.356	.351	.344	.334	.321	.307	.290	.270	.250	.228	.204	.179	.151	.123	.094	.063	.032	45											
50	.400	.398	.393	.384	.373	.358	.341	.322	.301	.270	.254	.228	.200	.170	.139	.106	.071	.036	50											
55	.446	.443	.437	.427	.413	.396	.377	.356	.332	.308	.281	.253	.222	.190	.155	.119	.081	.041	55											
60	.495	.492	.484	.471	.455	.435	.414	.391	.365	.338	.309	.279	.246	.214	.174	.134	.091	.046	60											
65	.548	.545	.534	.518	.498	.470	.452	.426	.398	.369	.339	.307	.272	.235	.195	.151	.104	.053	65											
70	.609	.604	.589	.568	.544	.517	.490	.461	.432	.401	.369	.336	.300	.262	.219	.173	.121	.062	70											
75	.681	.673	.649	.620	.590	.559	.528	.497	.466	.434	.401	.367	.330	.291	.248	.200	.143	.076	75											
80	.775	.762	.713	.673	.635	.600	.566	.532	.500	.467	.433	.399	.363	.324	.282	.234	.177	.102	80											
85	1.000	.841	.774	.723	.670	.639	.602	.567	.533	.500	.467	.433	.398	.361	.321	.277	.226	.150	85											

II. Preceding table enlarged for the spaces surrounding infinite points.

Lat.	x (for longitudes in upper line).															y (for longitudes in lower line).															
	0° 90	5° 89	10° 88	15° 87	20° 86	25° 85	30° 84	35° 82	40° 80	45° 77	50° 75	55° 75	60° 75	65° 75	70° 75	75° 75	80° 75	85° 75	88° 75	89° 75	Lat.										
0																															
-5	.609	.600	.608	.607	.606	.604	.602	.596	.589	.579	.568	.558	.548	.539	.529	.519	.509	.498	.484	.474	.462	.450	.438	.425	.414	.402	.391	.380	.370		
5	.643	.643	.642	.641	.639	.634	.624	.617	.618	.606	.594	.585	.575	.565	.555	.545	.535	.525	.515	.505	.495	.485	.475	.465	.455	.445	.435	.425	.415	.405	
10	.681	.681	.680	.678	.675	.672	.668	.665	.649	.640	.635	.620	.600	.580	.560	.540	.520	.500	.480	.460	.440	.420	.400	.380	.360	.340	.320	.300	.280	.260	
15	.715	.714	.713	.710	.708	.702	.697	.686	.674	.674	.661	.652	.642	.632	.622	.612	.602	.592	.582	.572	.562	.552	.542	.532	.522	.512	.502	.492	.482	.472	.462
20	.753	.752	.750	.746	.741	.735	.728	.714	.700	.681	.662	.642	.622	.602	.582	.562	.542	.522	.502	.482	.462	.442	.422	.402	.382	.362	.342	.322	.302	.282	.262
25	.775	.774	.770	.763	.759	.752	.745	.720	.713	.692	.673	.654	.634	.614	.594	.574	.554	.534	.514	.494	.474	.									